

DAFTAR PUSTAKA

1. Badan Penelitian dan Pengembangan Kesehatan. Riset kesehatan dasar. Jakarta : Kementrian Kesehatan, 2013
2. Amin Z, Bahar A. Tuberkulosis paru. Dalam : Buku Ajar Ilmu Penyakit Dalam Jilid I. ed.VI. Jakarta : Interna Publishing 2014, hal. 863-872
3. World Health Organisation. Global tuberculosis report. Geneva: World Health Organisation, 2013
4. World Health Organisation. Global tuberculosis report. Geneva: World Health Organisation, 2014
5. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. Pedoman nasional pengendalian tuberkulosis. Jakarta: Kementrian Kesehatan, 2014
6. Tostmann A, Kik SV, Kalisvaart NA, Sebek MM, Verver S, Boeree MJ et al. Tuberculosis transmission by patients with smear-negative pulmonary tuberculosis in a large cohort in the Netherlands. *Clinical Infectious Diseases* 2008; 47:1135–42
7. Walusimbi S, Bwanga F, De Costa A, Haile M, Joloba M, Hoffner S. Meta-analysis to compare the accuracy of GeneXpert, MODS and the WHO 2007 algorithm for diagnosis of smear-negative pulmonary tuberculosis. *BMC Infectious Diseases* 2013;13:507
8. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. Strategi nasional pengendalian TB di Indonesia 2010-2014. Jakarta : Kementerian Kesehatan Republik Indonesia, 2011
9. Pfyffer GE. *Mycobacterium* : general characteristics, laboratory detection, and staining procedures. In: Murray PR, Baron EJ, Jorgensen JH, Landry ML, Pfaller MA, editors. *Manual of clinical microbiology*. 9th ed. Washington DC: ASM Press, 2007
10. Vincent V, Gutiérrez MC. *Mycobacterium*: Laboratory characteristics of slowly growing mycobacteria. In: Murray PR, Baron EJ, Jorgensen JH, Landry ML, Pfaller MA, editors. *Manual of clinical microbiology*. 9th ed. Washington DC: American Society for Microbiology, 2007

11. Young DB, Perkins MD, Duncan K, CE Barry. Confronting the scientific obstacles to global control of tuberculosis. *J Clin Invest* 2008;118:1255-65
12. Dhingra VK, Aggarwal N, Rajpal S, Aggarwal JK, Gaur SN. Validity and reliability of sputum smear examination as diagnostic and screening test for tuberculosis. *IJAAI* 2003;17(2):67-69
13. Tamhane A, Chheng P, Dobbs T, Mak S, Sar B, Kimerling ME. Predictors of smear-negative pulmonary tuberculosis in HIV-infected patients, Battambang, Cambodia. *Int J Tuberc Lung Dis* 2009;13(3):347-354
14. Lyanda A. Rapid TB test. *Jurnal Tuberkulosis Indonesia* 2012;8:12-17
15. Palomino JC. Nonconventional and new methods in the diagnosis of tuberculosis: feasibility and applicability in the field. *Eur Respir* 2005;26:339-50
16. Dinnes J, Deeks J, Kunst H, Gibson A, Cummins E, Waugh N, et al. A systematic review of rapid diagnostic tests for the detection of tuberculosis infection. *Health Technol Assess* 2007;11:1-96
17. Boehme CC, Nabeta P, Hillemann D, Nicol MP, Shenai S, Krapp F et al. Rapid molecular detection of tuberculosis and rifampin resistance. *N Engl J Med* 2010;363:1005-15
18. World Health Organization. Automated real-time nucleic acid amplification technology for rapid and simultaneous detection of tuberculosis and rifampicin resistance : Xpert MTB/RIF System, 2011
19. Van Rie A, Page-Shipp L, Hanrahan CF, Schnippel K, Dansey H, Bassett J et al. Point-of-care Xpert® MTB/RIF for smear-negative tuberculosis suspects at a primary care clinic in South Africa. *Int J Tuberc Lung Dis* 2013;17(3):368-372
20. Perhimpunan Dokter Paru Indonesia. Tuberkulosis: Pedoman diagnosis dan penatalaksanaan di Indonesia. Jakarta : PDPI, 2012
21. Lucas SB. Hispathology. In: Davies, editor. *Clinical tuberculosis*, 2nd ed. New York: Chapman & Hall Medical, 1998; p.113-27
22. Kusuma C. Diagnostik tuberkulosis paru. *Sari Pediatri* 2007;8(4):143-151

23. Karakousis PC, Bishai WR, Dorman SE. Mycobacterium tuberculosis cell envelope lipids and the host immune response. Cellular Microbiology 2004; 6:105-6
24. Flynn JL, Chan J. Immunology of tuberculosis. Annu Rev Immunol 2001; 19:93-129.
25. Cavalcanti YVN, Brelaz MCA, Neves JKAL, Ferraz JC, Pereira VRA. Role of TNF-alpha, IFN-gamma, and IL-10 in the development of pulmonary tuberculosis. Hindawi Publishing Corporation Pulmonary Medicine 2012; Article ID 745483:1-10
26. Rajni , Rao N, Meena LS. Biosynthesis and virulent behavior of lipids produced by mycobacterium tuberculosis: LAM and cord factor: an overview. Biotechnology Research International 2011;Article ID 274693:1-7
27. Tuberculosis Coalition for Technical Assistance. International standards for tuberculosis care (ISTC). 3rd ed. The Hague: Tuberculosis Coalition for Technical Assistance, 2014
28. Caminero JA. A Tuberculosis guide for specialist physicians. International Union Against Tuberculosis and Lung Disease (IUATLD), 2004
29. Jacomelli M, Silva PRAA, Rodrigues AJ, Demarzo SE, Seicento M, Figueiredo VR. Bronchoscopy for the diagnosis of pulmonary tuberculosis in patients with negative sputum smear microscopy result. J Bras Pneumol 2012;38(2):167-173
30. Levinson W. Review of medical microbiology and immunology. United States, The McGraw-Hill Companies, Inc, 2008. p.164
31. Central TB Division Directorate General of Health Services. Revised national TB control programme training manual for *mycobacterium tuberculosis* culture & drug susceptibility testing. New Delhi : Ministry of Health and Family Welfare, 2009
32. Helb D, Jones M, Story E, Boehme C, Wallace E, Ho K et al. Rapid detection of Mycobacterium tuberculosis and rifampin resistance by use of on-demand, near-patient technology. J Clin Microbiol 2010;48:229-237
33. World Health Organisation. Roadmap for rolling out MTB/FIF for rapid diagnosis of TB and MDR TB. Geneva : World Health Organisation, 2010
34. Soundiram I. GeneXpert technology. USA: Cepheid, 2012

35. Ioannidis P, Papaventsis D, Karabela S, Nikolaou S, Panagi M, Raftopoulou E et al. Cepheid GeneXpert MTB/RIF assay for *Mycobacterium tuberculosis* detection and rifampin resistance identification in patients with substantial clinical indications of tuberculosis and smear-negative microscopy results. *J Clin Microbiol.* 2011; 49(8): 3068–3070
36. Muñoz L, Moure R, Porta N, Gonzalez L, Guerra R, Alcaide F. GeneXpert® for smear-negative pulmonary tuberculosis: does it play a role in low-burden countries? *Diagnostic Microbiology and Infectious Disease* 2013;75:325–326
37. Direktorat Jenderal Bina Upaya Kesehatan. Standar prosedur operasional pemeriksaan mikroskopis TB. Jakarta : Kementerian Kesehatan RI, 2012
38. Kim CH, Woo H, Hyun IG, Kim C, Choi JH, et al . A comparison between the efficiency of the Xpert MTB/RIF assay and nested PCR in identifying *Mycobacterium tuberculosis* during routine clinical practice. *J Thorac Dis.* 2014;6(6):625-31
39. World Health Organization. Rapid implementation of the Xpert MTB/RIF diagnostic test. Geneva: WHO, 2011
40. Smith I. *Mycobacterium tuberculosis* pathogenesis and molecular determinants of virulence. *Clinical Microbiology Reviews* 2003;16(3):463–496
41. Jagielski T, van Ingen J, Rastogi N, Dziadek JB, Mazur PK, Bielecki J. Current methods in the molecular typing of *Mycobacterium tuberculosis* and other mycobacteria. *BioMed Research International* 2014, Article ID 645802, 1-21
42. Zhang H, Li D, Zhao L, Fleming J, Lin N, Wang T et al. Genome sequencing of 161 *Mycobacterium tuberculosis* isolates from China identifies genes and intergenic regions associated with drug resistance. *Nature Genetics* 2013;45:1255-60
43. Wulandari Y, Wiqoyah N, Mertaniasih NM. Nucleic acid amplification of the *rpoB* region of *Mycobacterium tuberculosis* in pulmonary tuberculosis diagnosis. *Folia Medica Indonesiana* 2011;47(4):224-229
44. Goncalves MG, Fukasawa LO, Oliveira RS, Salgado MM, Harrison LH, Shutt KA, Sacchi CT. Fast test for assessing the susceptibility of *Mycobacterium tuberculosis* to isoniazid and rifampin by real-time PCR. *Mem Inst Oswaldo Cruz* 2012;107(7):903-908

45. Jasaputra DK, Onggowidjaja P, Soeng S. Akurasi deteksi *mycobacterium tuberculosis* dengan teknik PCR menggunakan “Primer X” dibandingkan dengan pemeriksaan mikroskopik (BTA) dan kultur sputum penderita dengan gejala tuberkulosis paru. JKM 2005;5(1):7-13
46. CDC. Reported tuberculosis in the United States, 2008. Atlanta, GA: U.S. Department of Health and Human Services, CDC. September 2009
47. Parhusip MB. Peranan foto dada dalam mendiagnosis tuberkulosis paru tersangka dengan BTA negatif di puskesmas kodya Medan. Tesis. Universitas Sumatera Utara. 2009
48. Andina M. Deteksi *mycobacterium tuberculosis* pada sputum penderita tuberkulosis paru basil tahan asam negatif dengan reaksi rantai polimerase. <http://repository.usu.ac.id/handle/123456789/33327>. 2012
49. Jasaputra DK, Onggowidjaja P, Soeng S. Akurasi deteksi *mycobacterium tuberculosis* dengan teknik PCR menggunakan “Primer X” dibandingkan dengan pemeriksaan mikroskopik (BTA) dan kultur sputum penderita dengan gejala tuberkulosis paru. JKM 2005;5(1):7-13
50. Mulyadi, Mudatsir, Nurlina. Hubungan tingkat kepositivan pemeriksaan basil tahan asam (BTA) dengan gambaran luas lesi radiologi toraks pada penderita tuberkulosis paru yang dirawat di SMF Pulmonologi RSUDZA Banda Aceh. J Respir Indo 2011;31(3):133-137
51. Swai HF, Mugusi FM, Mbwambo JK. Sputum smear negative pulmonary tuberculosis: sensitivity and specificity of diagnostic algorithm. BMC Research Notes 2011;4:475
52. Zeka AN, Tasbakan S, Cavusoglu C. Evaluation of the GeneXpert MTB/RIF assay for rapid diagnosis of tuberculosis and detection of rifampin resistance in pulmonary and extrapulmonary specimens. Journal of Clinical Microbiology 2011;49(12):4138–4141