

DAFTAR PUSTAKA

1. Doo JG, Kim D, Kim Y, et al. Biomarkers suggesting favorable prognostic outcomes in sudden sensorineural hearing loss. *Int J Mol Sci*. 2020;21(19):1-18.
2. Wulandari Y, Munilson J. Management of Bilateral Sudden Deafness. *J Otorinolaringol Kepala dan Leher Indones*. 2023;1(1):33-38.
3. Zhou T, Chen M, Yuan Z, et al. Inflammatory markers and the risk of idiopathic sudden sensorineural hearing loss: A Mendelian randomization study. *Front Neurol*. 2023;14(1):1-8.
4. Chandrasekhar SS, Tsai Do BS, Schwartz SR, et al. Clinical Practice Guideline: Sudden Hearing Loss (Update). *Otolaryngol - Head Neck Surg (United States)*. 2019;161(1):1-45.
5. Tai SY, Shen CT, Wang LF, Chien CY. Association of sudden sensorineural hearing loss with dementia: a nationwide cohort study. *BMC Neurol*. 2021;21(1):1-8.
6. Prince ADP, Stucken EZ. Sudden sensorineural hearing loss: A diagnostic and therapeutic emergency. *J Am Board Fam Med*. 2021;34(1):216-223.
7. Hidayat H, Edward Y, Hilbertina N. Gambaran Pasien Tuli Mendadak di Bagian THT-KL RSUP Dr. M. Djamil Padang. *J Kesehat Andalas*. 2016;5(2):416-420.
8. Herrera M, Berrocal JRG, Arumí AG, Lavilla MJ, Plaza G. Update on consensus on diagnosis and treatment of idiopathic sudden sensorineural hearing loss. *Acta Otorrinolaringol (English Ed)*. 2019;70(5):290-300. <https://doi.org/10.1016/j.otoeng.2018.04.007>
9. Singh A, Kumar Irugu DV. Sudden sensorineural hearing loss – A contemporary review of management issues. *J Otol*. 2020;15(2):67-73.
10. Pratama INS, Wiranadha M. Karakteristik penderita tuli sensorineural di Bagian/KSM THT-KL RSUP Sanglah Periode Januari 2017-Desember 2018. *Medicina (B Aires)*. 2020;51(1):69-72.
11. Kohan D. Sudden Sensorineural Hearing Loss. In: Kohan D, ed. *Neurotology*. 1st ed. Oxford University Press; 2014:13-19.
12. Li G, You D, Ma J, Li W, Li H, Sun S. The role of autoimmunity in the pathogenesis of sudden sensorineural hearing loss. *Neural Plast*. 2018;1(1):1-9.
13. Xie W, Karpeta N, Tong B, et al. Etiological analysis of patients with sudden sensorineural hearing loss: a prospective case-control study. *Sci Rep*. 2023;13(1):1-10.
14. Song J, Ouyang F, Xiong Y, et al. Reassessment of oxidative stress in idiopathic sudden hearing loss and preliminary exploration of the effect of physiological concentration of melatonin on prognosis. *Front Neurol*. 2023;14(9):1-11.
15. Darwin E, Elvira D EE. *Imunologi Dan Infeksi*. Vol 5. 1st ed. (Darwin E, Elvira D EE, ed.). andalas University Press; 2021.
16. Yoon SH, Kim ME, Kim HY, Lee JS, Jang CH. Inflammatory cytokines and mononuclear cells in sudden sensorineural hearing loss. *J Laryngol Otol*. 2019;133(2):95-101.

17. Diao T, Ke Y, Zhang J, Jing Y, Ma X. Correlation Between the Prognosis of Sudden Total Deafness and the Peripheral Blood Inflammation Markers. *Front Neurol.* 2022;13(June):1-7.
18. Park JS, Kim SH, Kim I, Kim H, Kim JH, Lee J Bin. Does Metabolic Syndrome Affect the Incidence and Prognosis of Sudden Sensorineural Hearing Loss? *Life.* 2022;12(7):1-10.
19. Scheller J, Chalaris A, Schmidt-Arras D, Rose-John S. The pro- and anti-inflammatory properties of the cytokine interleukin-6. *Biochim Biophys Acta - Mol Cell Res.* 2011;1813(5):878-888.
20. Tian G, Zhang S, Yang J. Coexistence of IL-6 -572C/G and ICAM-1 K469E polymorphisms among patients with sudden sensorineural hearing loss. *Tohoku J Exp Med.* 2018;245(1):7-12.
21. Masuda M. Cause of idiopathic sudden sensorineural hearing loss: The stress response theory. *World J Otorhinolaryngol.* 2013;3(3):42.
22. Chen Y, Mao X, Kuang M, et al. The Role of IL-6 in Inner Ear Impairment: Evidence from 146 Recovered Patients with Omicron Infected in Tianjin, China. *J Clin Med.* 2023;12(3):1-9.
23. Koga T, Kawakami A. Interleukin-6 inhibition in the treatment of autoinflammatory diseases. *Front Immunol.* 2022;13(7):1-7.
24. Zhang X, Chen J, Gao Z, Qi H, Dai Y, She W. Response of glucocorticoid receptor alpha and histone deacetylase 2 to glucocorticoid treatment predicts the prognosis of sudden sensorineural hearing loss. *Clin Exp Otorhinolaryngol.* 2019;12(4):367-375.
25. Skarżyńska MB, Kołodziejak A, Gos E, Sanfis MD, Skarżyński PH. Effectiveness of Various Treatments for Sudden Sensorineural Hearing Loss—A Retrospective Study. *Life.* 2022;12(1). doi:10.3390/life12010096
26. Yamada S, Kita J, Shinmura D, et al. Update on Findings about Sudden Sensorineural Hearing Loss and Insight into Its Pathogenesis. *J Clin Med.* 2022;11(21):1-16.
27. Awasthi S, Wagner T, Venkatakrishnan AJ, et al. Plasma IL-6 levels following corticosteroid therapy as an indicator of ICU length of stay in critically ill COVID-19 patients. *Cell Death Discov.* 2021;7(1):1-15.
28. Tsinaslanidou Z et al. The Expression of TNF α , IL-6, IL-2 and IL-8 in the Serum of Patients with Idiopathic Sudden Sensorineural Hearing Loss: Possible Prognostic Factors of Response to Corticosteroid Treatment. *Audiol Neurotol Extra.* 2016;1(6):9-19.
29. Shimanuki MN, Shinden S, Oishi N, et al. Early hearing improvement predicts the prognosis of idiopathic sudden sensorineural hearing loss. *Eur Arch Oto-Rhino-Laryngology.* 2021;278(11):4251-4258.
30. Cadoni G, Gaetani E, Picciotti PM, et al. A case-control study on proinflammatory genetic polymorphisms on sudden sensorineural hearing loss. *Laryngoscope.* 2015;125(1):28-32.
31. Weber PC, Khariwala S. Anatomy and physiology of hearing. In: Johnson JT RC, ed. *Bailey's Head and Neck Surgery: Otolaryngology.* Vol 1-2. 5th ed. Lippincott Williams&. Wilkins; 2014:2253-2273.
32. Mccrackan TR, Hatch JL, Carlson ML, et al. Anatomy, Embryology, and Physiology of Hearing and Balance. In: *Otology and Neurotology.* 1st ed. ; 2021:339-402.

33. Vambutas A. Sensorineural Hearing Loss. In: Sataloff, ed. *Otology/ Neurotology/ Skull Base Surgery*. 1st ed. Jaypee Brothers Medical Publishers; 2016:253-266.
34. Bansal M. Anatomy of the Ear. In: PL D, ed. *Diseases of Ear, Nose and Throat*. 7ed ed. Elsevier; 2017:3-15.
35. Li L, Chen D, Lin X, Luo J, Tan J, Li P. Understanding the role of inflammation in sensorineural hearing loss: Current goals and future prospects. *Brain-X*. 2023;1(3):1-12.
36. Trune DR, Nguyen-Huynh A. Vascular pathophysiology in hearing disorders. *Semin Hear*. 2012;33(3):242-250.
37. Nyberg S, Abbott NJ, Shi X, Steyger PS, Dabdoub A. Delivery of therapeutics to the inner ear : The challenge of the blood-labyrinth barrier. *Sci Transl Med*. 2019;1(3):1-11.
38. PL Dhingra, Shruti Dhingra and Deeksha Dhingra. Anatomy of Ear. Dalam: *Diseases of Ear, Nose and Throat & Head and Neck Surgery*. 6. Published online 2014:2014.
39. Pucheu S, Radziwon KE, Salv R. *New Therapies to Prevent or Cure Auditory Disorders*. 1st ed. (Pucheu S, Radziwon KE SR, ed.). Springer; 2020.
40. Trune DR, Canlon B. Corticosteroid therapy for hearing and balance disorders. *Anat Rec*. 2012;295(11):1928-1943.
41. Neng L, Shi X. Vascular pathology and hearing disorders. *Curr Opin Physiol*. 2020;18(1):79-84.
42. Eric R Oliver, George T Hashisaki. Sudden Sensory Hearing Loss. In : *Bailey 's Head and Neck Surgery Otolaryngology*. 5. Published online 2014:2014.
43. Ermutlu G, Süslü N, Yılmaz T, Saraç S. Sudden hearing loss: an effectivity comparison of intratympanic and systemic steroid treatments. *Eur Arch Oto-Rhino-Laryngology*. 2017;274(10):3585-3591.
44. Gosavi S, Thomas J, Mahajan GD. Study of brainstem evoked response audiometry in sensorineural hearing deafness- A hospital based study. *IP J Otorhinolaryngol Allied Sci*. 2018;1(1):6-12.
45. Muderris. Sudden deafness. *Natl Inst Deaf Other Commun Disord*. 2018;50(278):396-397.
46. Almosnino G, Holm JR, Schwartz SR, Zeitler DM. The Role of Hyperbaric Oxygen as Salvage Therapy for Sudden Sensorineural Hearing Loss. *Ann Otol Rhinol Laryngol*. 2018;127(10):672-676.
47. Gülüstan F, Yazıcı ZM, Alakhras WME, et al. Intratympanic steroid injection and hyperbaric oxygen therapy for the treatment of refractory sudden hearing loss. *Braz J Otorhinolaryngol*. 2018;84(1):28-33.
48. Li X, Chen WJ, Xu J, Yi HJ, Ye JY. Clinical analysis of intratympanic injection of dexamethasone for treating sudden deafness. *Int J Gen Med*. 2021;14(1):2575-2579.
49. Covelli E, Altabaa K, Verillaud B, et al. Intratympanic steroids as a salvage therapy for severe to profound idiopathic sudden sensorineural hearing loss. *Acta Otolaryngol*. 2018;138(11):966-971.
50. Chin CJ, Dorman K. Sudden sensorineural hearing loss. *Cmaj*. 2017;189(11):437-438.
51. Easton G. *Hearing Loss in Adults: Assessment and Management*. 1st ed.

- (Bellorini J, ed.). NICE; 2018.
52. Kovács M, Uzsalý J, Bodzai G, et al. Efficacy of high dose systemic versus combined (systemic and intratympanic) corticosteroid therapy in idiopathic sudden sensorineural hearing loss: A prospective randomized trial and risk factor analysis. *Am J Otolaryngol - Head Neck Med Surg*. 2024;45(1):1-8.
 53. Ocal R et al. Is the C-reactive protein / albumin ratio a prognostic and predictive factor in sudden hearing loss? *Brazilian Jour Otorrhino*. 2020;86(2):180-184.
 54. Raghunandhan S, Agarwal AK, Natarajan K, Murali S, Anand Kumar RS, Kameswaran M. Effect of Intravenous Administration of Steroids in the Management of Sudden Sensori-Neural Hearing Loss: Our Experience. *Indian J Otolaryngol Head Neck Surg*. 2013;65(3):229-233.
 55. Choy E, Rose-John S. Interleukin-6 as a multifunctional regulator: Inflammation, immune response, and fibrosis. *J Scleroderma Relat Disord*. 2017;2(2):1-5.
 56. Schultz C. Interleukin-6. *Gen Intern Med Clin Innov*. 2018;3(3):1-2.
 57. Barnes TC, Anderson ME, Moots RJ. The many faces of interleukin-6: The role of IL-6 in inflammation, vasculopathy, and fibrosis in systemic sclerosis. *Int J of Rheumatology*. 2011;1(1):1-6.
 58. Rachel A. Targeting interleukin-6 trans-signaling in head and neck squamous cell carcinoma. *Iowa Res Online*. 2018;1(1):1-58.
 59. Said EA, Al-Reesi I, Al-Shizawi N, et al. Defining IL-6 levels in healthy individuals: A meta-analysis. *J Med Virol*. 2021;93(6):3915-3924.
 60. Sudibyo DG. Ir-perpustakaan universitas airlangga 1. Published online 2017:1-5.
 61. Zhang X, Ma Z, Zheng J, Xu H, Pan J, Lv L. Analysis of Serum Inflammatory Markers in Infants under 6 Months of Age with Non-Syndromic Moderate and Severe Hearing Loss Associated with GJB2 Gene Mutations. *Med Sci Monit*. 2023;29(1):1-12.
 62. Kim AY, Kim SJ, Choi SY, et al. Tumor necrosis factor-alpha and interleukin-4 levels in patients with idiopathic sudden sensorineural hearing loss. *Korean J Otorhinolaryngol Neck Surg*. 2021;64(9):626-634.
 63. Frejo L, Lopez-Escamez JA. Cytokines and Inflammation in Meniere Disease. *Clin Exp Otorhinolaryngol*. 2022;15(1):49-59.
 64. Fujioka M, Okano H, Ogawa K. Inflammatory and immune responses in the cochlea: Potential therapeutic targets for sensorineural hearing loss. *Front Pharmacol*. 2014;5(12):1-5.
 65. Verschuur CA, Dowell A, Syddall HE, et al. Markers of inflammatory status are associated with hearing threshold in older people: Findings from the hertfordshire ageing study. *Age Ageing*. 2012;41(1):92-97.
 66. Yao Y, Guo Q, Luo W, et al. Inflammatory Indicators in Peripheral Blood in Sudden Sensorineural Hearing Loss Patients With Different Audiogram Shapes. *Ear, Nose Throat J*. 2023;102(2):90-95.
 67. Bogaz EA, Suzuki FA d. B, Rossini BAA, Inoue DP, Penido N de O. Glucocorticoid influence on prognosis of idiopathic sudden sensorineural hearing loss. *Braz J Otorhinolaryngol*. 2014;80(3):213-219.
 68. Lee SH, Lyu AR, Shin SA, et al. Cochlear Glucocorticoid Receptor and Serum Corticosterone Expression in a Rodent Model of Noise-induced

- Hearing Loss: Comparison of Timing of Dexamethasone Administration. *Sci Rep*. 2019;9(1):1-11.
69. Lyu AR, Kim DH, Lee SH, Shin DS, Shin SA, Park YH. Effects of dexamethasone on intracochlear inflammation and residual hearing after cochleostomy: A comparison of administration routes. *PLoS One*. 2018;13(3):1-15.
 70. Dahlan MS. Menentukan Besar Sampel. In: Susila A, editor. *Besar Sampel dan Cara Pengambilan Sampel Dalam Penelitian Kedokteran dan Kesehatan*. 3rd ed. Jakarta: Salemba Medika; 2010.p.19-23.
 71. Demirhan E, Eskut NP, Zorlu Y, Cukurova I, Tuna G, Kirkali FG. Blood levels of TNF- α , IL-10, and IL-12 in idiopathic sudden sensorineural hearing loss. *Laryngoscope*. 2013;123(7):1778-1781.
 72. Yuksel F, Tuncer E, Yucel H, Ozsoz E KS. Analysis of Prognostic Factors in Sudden Idiopathic Sensorineural Hearing Loss. *Selcuk Univ Sch Med*. 2022;1(1):25-30.
 73. Yao K, Iqbal MA, Moazzam NF, Qian W. A Comprehensive Study on Sudden Deafness for Analyzing Their Clinical Characteristics and Prognostic Factors. *Ear, Nose Throat J*. 2024;1(1):1-8.
 74. do Amaral JB, Peron KA, Soeiro TLT, et al. The inflammatory and metabolic status of patients with sudden-onset sensorineural hearing loss. *Front Neurol*. 2024;15(1):1-15.
 75. Gao Y, Wang H yang, Guan J, et al. Genetic Susceptibility Study of Chinese Sudden Sensorineural Hearing Loss Patients with Vertigo. *Curr Med Sci*. 2021;41(4):673-679.
 76. Li X, Chen W, Yi H, et al. The association between the levels of autoimmune related indicators and clinical condition in sudden deafness patients. *Ann Palliat Med*. 2021;10(10):10535-10541.
 77. Hung WC, Lin KY, Cheng PW, Young YH. Sudden deafness: a comparison between age groups. *Int J Audiol*. 2021;60(11):911-916.
 78. Shan A, Ting JS, Price C, et al. Hearing loss and employment: A systematic review of the association between hearing loss and employment among adults. *J Laryngol Otol*. 2020;134(5):387-397.
 79. Costa C, Briguglio G, Mondello S, et al. Perceived Stress in a Gender Perspective: A Survey in a Population of Unemployed Subjects of Southern Italy. *Front Public Heal*. 2021;9(April):1-9.
 80. Fleischmann M, Xue B, Head J. Mental Health before and after Retirement - Assessing the Relevance of Psychosocial Working Conditions: The Whitehall II Prospective Study of British Civil Servants. *Journals Gerontol - Ser B Psychol Sci Soc Sci*. 2020;75(2):403-413.
 81. Yıldız M, Baki A. Serum Renin Levels in Sudden Sensorineural Hearing Loss. *Ann Otol Rhinol Laryngol*. 2020;1(1):1-7.
 82. Cvorovic L, Arsovic N, Radivojevic N, Soldatovic I, Hegemann S. Acute onset of tinnitus in patients with sudden deafness. *Noise Heal*. 2021;23(110):81-86.
 83. Zou T, Xu J, Lu H, Yu M. The Relationship between the Characteristics of Tinnitus and the Hearing Curative Effect of Sudden Deafness. *Audiol Neurotol*. 2023;28(1):239-245.
 84. Lim KH, Jeong YJ, Han MS, Rah YC, Cha J, Choi J. Comparisons among

- vestibular examinations and symptoms of vertigo in sudden sensorineural hearing loss patients. *Am J Otolaryngol - Head Neck Med Surg*. 2020;41(4):102503.
85. Kuhn, M et al. Sudden sensorineural hearing loss. *Sensorineural Hear Loss Pathophysiol Diagnosis Treat*. 2019;1(1):207-216.
 86. Wang H, Zhao Z, Chen S. Local vs Systemic Use of Steroids for Sudden Deafness with Diabetes : A Systematic Review and Meta-Analysis. *Ear, Nose Throat J*. 2023;0(0):1-21.
 87. Wang Y, Wang L, Jing Y, Yu L, Ye F. Association Between Hearing Characteristics/Prognosis and Vestibular Function in Sudden Sensorineural Hearing Loss With Vertigo. *Front Neurol*. 2020;11(12):1-9.
 88. Mamikonyan L, Movsisyan A, Demirchyan A. *Risk Factors of Sudden Sensorineural Hearing Loss in Armenia : A Case-Control Study*. 1, 1-31 (2023).
 89. Wang Y, Ren T, Jing J, Gao N, Zhao H, Wang J. American Journal of Otolaryngology – Head and Neck Medicine and Surgery Clinical features and prognostic factors of pediatric idiopathic sudden hearing loss from moderate to profound degree. *Am J Otolaryngol Neck Med Surg*. 2021;42(5):103027.
 90. Watson N, Ding B, Zhu X, Frisina RD. Chronic inflammation – inflammaging – in the ageing cochlea: A novel target for future presbycusis therapy. *Ageing Res Rev*. 2017;40(October):142-148.
 91. Alende-Castro V, Alonso-Sampedro M, Gude F, Gonzalez-Quintela A. Serum concentrations of interleukin 6 in the general adult population: Possible implications for anti-il-6 therapy in sars-cov-2 infection and il-6–related diseases. *J Investig Allergol Clin Immunol*. 2021;31(1):75-78.
 92. May LT, Viguet H, Kenney JS, Ida N, Allison AC, Sehgal PB. High levels of “complexed” interleukin-6 in human blood. *J Biol Chem*. 1992;267(27):19698-19704.
 93. Picotte M, Campbell CG, Thorland WG. Day-to-day variation in plasma interleukin-6 concentrations in older adults. *Cytokine*. 2009;47(3):162-165.
 94. Rorimpandey NG, Rambert GI, Wowor MF. Gambaran Interleukin 6 dan Hepidin pada Penyakit Kronis yang Dapat Menyebabkan Anemia. *Med Scope J*. 2023;5(1):64-74. doi:10.35790/msj.v5i1.45131
 95. Selmayanti, Irfani F. Selmayanti 4, Yg 5 Yg Halim. *Lit Rev Perbandingan Kadar Interleukin-6 Dan Interleukin-10 Pada Pasien Covid-19 Dengan Gejala Ringan Dan Berat*. 2021;6(1):1-13.
 96. Tursi F. The Good, the Bad, and the Ugly of Drilling. *Coast Rev Online*. 2015;33(13):1425-1428. <http://www.coastalreview.org/2015/02/the-good-bad-and-ugly-of-drilling/>
 97. Wine E, Mack DR, Hyams J, et al. Interleukin-6 is associated with steroid resistance and reflects disease activity in severe pediatric ulcerative colitis. *J Crohn's Colitis*. 2013;7(11):916-922.
 98. Kumar C, Sharma S. Short-term Intravenous Methylprednisolone Treatment of Abrupt Sensorineural Hearing Loss: An Observational Research. *Int J Pharm Clin Res*. 2021;13(5):493-498.
 99. Christopher Alexiou, Dorman K. Sudden sensorineural hearing loss. *Can Med Assoc J*. 2016;189(11):253-258.

100. Jun HJ, Chang J, Im GJ, Kwon SY, Jung H, Choi J. Analysis of frequency loss as a prognostic factor in idiopathic sensorineural hearing loss. *Acta Otolaryngol.* 2012;132(6):590-596.
101. Jo SY, Lee S, Eom TH, Jeun ES, Cho HH, Cho YB. Outcomes of severe to profound idiopathic sudden sensorineural hearing loss. *Clin Exp Otorhinolaryngol.* 2015;8(3):206-210.
102. Si JP, Jiang H, Li YY. Correlation between effectual time and the curative effect in patients with all frequency descending sudden deafness after treatment. *Am J Otolaryngol - Head Neck Med Surg.* 2020;41(5):102621.
103. Gupta S, Sharon G GC. Biomarkers of Systemic Inflammation and Risk of Incident Hearing Loss. *Ear Hear.* 2019;4(1):981-989.
104. Cavallaro G, Pantaleo A, Pontillo V, Barbara F, Murri A, Quaranta N. Endothelial Dysfunction and Metabolic Disorders in Patients with Sudden Sensorineural Hearing Loss. *Med.* 2023;59(10):1-11. doi:10.3390/medicina59101718
105. Jalali MM, Nasimidoust Azgomi M. Metabolic syndrome components and sudden sensorineural hearing loss: a case-control study. *Eur Arch Oto-Rhino-Laryngology.* 2020;277(4):1023-1029.
106. Rinaldi M, Cavallaro G, Cariello M, Scialpi N, Quaranta N. Metabolic syndrome and idiopathic sudden sensori-neural hearing loss. *PLoS One.* 2020;15(8 august):1-9. doi:10.1371/journal.pone.0238351
107. Chamarthi B, Williams GH, Ricchiuti V, Srikumar N, Hopkins PN, Luther JM, Jeunemaitre X TA. Inflammation and Hypertension: The Interplay of Interleukin-6, Dietary Sodium and the Renin-Angiotensin System in Humans. *Am J Hypertens.* 2011;8(1842):1219-1231.
108. Odeh OI, Kuti MA, Fasunla AJ, Nwaorgu OG. Sensorineural Hearing Loss and Dyslipidemia: Is There Any Relationship? *West Afr J Med.* 2015;34(1):27-31.
109. Morita S, Fujiwara K, Fukuda A, et al. The clinical features and prognosis of mumps-associated hearing loss: a retrospective, multi-institutional investigation in Japan. *Acta Otolaryngol.* 2017;137(0):S44-S47.
110. Adcock IM LS. Mechanisms of steroid action and resistance in inflammation and disease. *J Endocrinol.* 2003;178(1):1-4.
111. Young Y ho. Contemporary review of the causes and differential diagnosis of sudden sensorineural hearing loss. *Int J Audiol.* 2019;1(1):1-11.
112. Bhargawa SK, Singh A, Yadav G, et al. Aplastic anemia severity and IL-6 and IL-8 blood levels. *Discoveries.* 2022;10(4):e157.
113. Gupta V, Kumar S, Sonowal R, Singh SK. Interleukin-6 and Interleukin-8 Levels Correlate with the Severity of Aplastic Anemia in Children. *J Pediatr Hematol Oncol.* 2017;39(3):214-216.
114. Ye L, Lai D, Tai J. The association between anemia and sensorineural hearing loss: A review. *Medicine (Baltimore).* 2024;103(44):1-4.
115. Paraschou V, Chaitidis N, Papadopoulou Z, Theocharis P, Siolos P, Festas C. Association of systemic lupus erythematosus with hearing loss: a systemic review and meta-analysis. *Rheumatol Int.* 2021;41(4):681-689.
116. Young YH. Contemporary review of the causes and differential diagnosis of sudden sensorineural hearing loss. *Int J Audiol.* 2020;59(4):243-253.
117. Zhu W, Gao Z, Qi H, et al. Analysis of prognostic factors in patients with

- refractory sudden sensorineural hearing loss. *J Clin Otorhinolaryngol Head Neck Surg.* 2019;33(6):532-536.
118. Hannan CJ, Lewis D, O'Leary C, et al. The inflammatory microenvironment in vestibular schwannoma. *Neuro-Oncology Adv.* 2020;2(1):1-12.

