

DAFTAR PUSTAKA

- Adindaputri, Z., Kurnia, D., & Sutantyo, D. (2023). Accuracy of Mesiodistal Teeth and Dental Arch Width Measurement with Conventional Plaster and Digital Model Study. *Journal of Dentomaxillofacial Science*, 8(1).
- Ahmed, M., Sabet, N., & Elghoul, D. (2022). Accuracy Assessment of Digital Orthodontic Models Obtained by Intra-Oral Scanning. *Egyptian Dental Journal*, 68(2), 1291–1296.
- Alaghari, S., Velagala, S., Alla, R. K., & AV, R. (2019). Advances in Alginate Impression Materials. *International Journal of Dental Materials*, 01(02), 55–59.
- Alam, M. K., Shahid, F., Purmal, K., & Khamis, M. F. (2015). Cone-beam Computed Tomography Evaluation of Pont's Index Predictability for Malay Population in Orthodontics. *Journal of Natural Science, Biology and Medicine*, 6, S117.
- Almudhi, A., Almohammad, I., Alswayyed, S., Eldwakhly, E., & Almugairin, S. (2024). The Efficacy of Diagnostic Plaster Models in Orthodontic Diagnosis and Treatment Planning. *Diagnostics*.
- Al-Nuaimi, N., Patel, S., Austin, R. S., & Mannocci, F. (2017). A Prospective Study Assessing the Effect of Coronal Tooth Structure Loss on the Outcome of Root Canal Retreatment. *International Endodontic Journal*, 50(12).
- Amuk, N. G., Karsli, E., & Kurt, G. (2019). Comparison of Dental Measurements between Conventional Plaster Models, Digital Models Obtained by Impression Scanning and Plaster Model Scanning. *International Orthodontics*, 17(1), 151–158.
- Angelone, F., Ponsiglione, A. M., Ricciardi, C., Cesarelli, G., Sansone, M., & Amato, F. (2023). Diagnostic Applications of Intraoral Scanners: A Systematic Review. In *Journal of Imaging* (Vol. 9, Issue 7). Multidisciplinary Digital Publishing Institute (MDPI).
- Anindita, P. S., Gosal, S., & Ginting, P. E. B. (2023). Prevalensi Maloklusi pada Anak Usia 9–12 Tahun di Daerah Pesisir Kecamatan Malalayang Kota Manado. *E-GiGi*, 12(1), 137–141.
- Ardhiyanto, H. B., Yustisia, Y., & Naini, A. (2016). *Sintesis dan karakterisasi Hidroksiapatit dari Limbah Dental Gypsum Tipe 2 sebagai Bahan Baku Bone Graft*.
- Aubailly, M., Smitt, S., Mudge, S. A., & Wang, Q. (2021). *Intraoral Scanner and Computing System for Capturing Images and Generating Three-Dimensional Models*.

- Banker, A. M., Pillai, J. P., & Patel, K. D. (2016). Determination of Normal Maxillary Transverse Dimension by Using Inter canine Width and Interpalatal First Molar Width. *Indian Journal of Dental Research*, 27(5).
- Cahyani, G. A., & Syahrir, S. (2024). The Future of Orthodontic Treatment for Children: Intraoral Scanners and 3D Printers. *Makassar Dental Journal*, 13(2), 273–277.
- Camardella, L. T., Breuning, H., & de Vasconcellos Vilella, O. (2017). Accuracy and Reproducibility of Measurements on Plaster Models and Digital Models Created Using an Intraoral Scanner. *Journal of Orofacial Orthopedics*, 78(3).
- Chairunnisa, Wibowo, D., & Helmi, Z. N. (2016). *Gambaran Kontraksi Distraksi pada Lengkung Gigi dan Lengkung Basal Secara Metode Howes* (Issue 1).
- Christopoulou, I., Kaklamanos, E. G., Makrygiannakis, M. A., Bitsanis, I., Perlea, P., & Tsolakis, A. I. (2022). Intraoral Scanners in Orthodontics: A Critical Review. *International Journal of Environmental Research and Public Health*, 19(3).
- Czarnota, J., Hey, J., & Fuhrmann, R. (2016). Measurements Using Orthodontic Analysis Software on Digital Models Obtained by 3D Scans of Plaster Casts. *Journal of Orofacial Orthopedics*, 77(1).
- Daniswara, B., Benyamin, B., & Astiawati Sugiarto, F. (2024). Differences In Dimensional Stability of Type III Gypsum (Dental Stone) Using Potassium Sulfate and Without Adding Potassium Sulfate. *Medali Jurnal*, 6.
- Danuri, & Maisaroh, S. (2021). *Metologi Penelitian Pendidikan* (A. C, Ed.). Penerbit Samudra Biru (Anggota IKAPI).
- Dhakal, D. J., Shrestha, D. R. M., & Pyakurel, D. U. (2014). Assessment of Validity of Pont's Index and Establishment of Regression Equation to Predict Arch Width in Nepalese Sample. *Orthodontic Journal of Nepal*, 4.
- Dhillon, S. K., Kahlon, S. S., Sharma, K., Boparai, C. D. S., & Kaur, D. (2022). Assessment of accuracy and reliabilty of measurements obtained on 3D scanned models to conventional models. *International Journal of Health Sciences*.
- Dhull, K. S., Nagar, R., Mathur, P., Shil, M., Jain, S., Dureha, R., & Kapoor, A. (2024). Intraoral Scanners: Mechanism, Applications, Advantages, and Limitations. In *Journal of Pharmacy and Bioallied Sciences* (Vol. 16). Wolters Kluwer Medknow Publications.
- Eggmann, F., & Blatz, M. B. (2024). Recent Advances in Intraoral Scanners. *Journal of Dental Research*.
- Faus-Matoses, I., Mora, A., Bellot-Arcís, C., Gandia-Franco, J. L., & Paredes-Gallardo, V. (2018). A Comparative Study of the Validity and Reproducibility of

Mesiodistal Tooth Size and Dental Arch with iTero™ Intraoral Scanner and the Traditional Method. *Dental Anatomy*, 157.

- Feștilă, D., Enache, A. M., Nagy, E. B., Hedeșiu, M., & Ghergie, M. (2022). Testing the Accuracy of Pont's Index in Diagnosing Maxillary Transverse Discrepancy as Compared to the University of Pennsylvania CBCT Analysis. *Dentistry Journal*, 10.
- Głogowska, K., Wojtas, M., Kapica, M., Momot, K., Żmijewska, A., Szybór, M., Krzyżanowska, M., Maleszewska, M., Piątkiewicz, J., & Nowak, G. (2024). The Association between Body Posture and Malocclusion. *Journal of Education, Health and Sport*, 62, 240–252.
- Gultom, E., Simbolon, B., & Linasari. (2022). Ketepatan Dimensi Duplikat Model dengan Penggunaan Agar-Agar Powder sebagai Pengganti Bahan Cetak. *Jurnal Kedokteran Gigi Terpadu*, 4(2).
- Gupta, H. (2018). *Mastering the BDS IVth Year - I (Last 25 Years Solved Question)* (6/e).
- Haloho, R., & Hutagalung, M. H. P. (2020). Perbedaan Perlakuan Penyimpanan Cetakan terhadap Perubahan Stabilitas Dimensi Bahan Cetak Alginat. *Jurnal Ilmiah Pannmed (Pharmacist, Analyst, Nurse, Nutrition, Midwifery, Environment, Dental Hygiene)*, 15(1).
- Hamdy, T. M., Abdelnabi, A., & Abdelraouf, R. M. (2020). Reinforced Dental Plaster with Low Setting Expansion and Enhanced Microhardness. *Bulletin of the National Research Centre*, 44(78).
- Handojo, J., & Salshabilla, K. (2023). Survei Jenis Bahan Cetak Gigi Tiruan Cekat di Jakarta. *Jurnal Kedokteran Gigi Terpadu*, 5(1).
- Hwang, H. H.-M., Chou, C.-W., Chen, Y.-J., & Yao, C.-C. J. (2018). An Overview of Digital Intraoral Scanners: Past, Present and Future- From an Orthodontic Perspective. *Taiwanese Journal of Orthodontics*, 30(3).
- Indahyani, D. E., Barid, I., Sumono, A., & Rahman, F. A. (2023). Stabilitas Dimensi dan Setting Time Bahan Cetak Anatomis Kedokteran Gigi Dari Ekstrak Natrium Alginat Rumput Laut Merah (*Kappaphycus alvarezii*) dari Desa Agel, Kecamatan Jangkar, Situbondo. *Jurnal Kedokteran Gigi Unej*, 20(1).
- Indirayana, V. P., Gayatri, G., & Zenab, N. R. Y. (2018). A Comparison between Orthodontic Model Analysis Using Conventional Methods and iModelAnalysis. *Dental Journal*, 51(4).
- Jaber, S. T., Hajeer, M. Y., Alkhouli, K. W., Al-Shamak, R. M., Darwich, K. M., Aljabban, O., ... & Kara-Boulad, J. M. (2024). Evaluation of three-dimensional digital models formulated from direct intra-oral scanning of dental arches in

- comparison with extra-oral scanning of poured dental models in terms of dimensional accuracy and reliability. *Cureus*, 16(2).
- Jedliński, M., Mazur, M., Grocholewicz, K., & Janiszewska-Olszowska, J. (2021). 3D Scanners in Orthodontics Current Knowledge and Future Perspectives: A Systematic Review. *Remote Sensing*, 13(3), 1–26.
- Kasuma, N., Symond, D., & Prianto, D. (2015). Hubungan Lama Pengadukan dengan Setting Time dan Kekuatan Kompresi Dental Stone. *Cakradonya Dent J*, 6(2).
- Kementerian Kesehatan RI. (2018). *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) 2018*, 182.
- Kernen, F., Schlager, S., Seidel Alvarez, V., Mehrhof, J., Vach, K., Kohal, R., Nelson, K., & Flügge, T. (2022). Accuracy of Intraoral Scans: An in Vivo Study of Different Scanning Devices. *Journal of Prosthetic Dentistry*, 128(6), 1303–1309.
- Kim, J., & Lagravère, M. O. (2016). Accuracy of Bolton Analysis Measured in Laser Scanned Digital Models Compared with Plaster Models (Gold standard) and Cone Beam Computer Tomography Images. *Korean Journal of Orthodontics*, 46(1), 13–19.
- Limones, A., Çakmak, G., Fonseca, M., Roccuzzo, A., Cobo-Vázquez, C., Gómez-Polo, M., & Molinero-Mourelle, P. (2025). Impact of Scanning Interruptions on Accuracy of Implant-supported Full-arch Scans. *Journal of Dentistry*, 153. <https://doi.org/10.1016/j.jdent.2024.105503>
- Lohakare, D. S. (2018). Application of Pont's Index to Gujrati Population. *Journal of Medical Science And Clinical Research*, 6(8).
- Lombardo, G., Vena, F., Negri, P., Pagano, S., Barilotti, C., Paglia, L., Colombo, S., Orso, M., & Cianetti, S. (2020). Worldwide Prevalence of Malocclusion in the Different Stages of Dentition: A Systematic Review and Meta-analysis. *European Journal of Paediatric Dentistry*, 21(2), 115–122.
- Lusiana, A., & Nasution, F. H. (2023). Pemindai Intraoral 3D pada Ortodonti: Tinjauan Naratif. *Jurnal Kedokteran Gigi Terpadu*, 5(1).
- Macari, A. T. (2021). *Orthodontic Disorders and Diagnosis*.
- Maharani, Q. R., Siregar, F., & Ardinansyah, K. A. (2024). Evaluasi Analisis Howes dan Korkhaus pada Model Studi Mahasiswa Fakultas Kedokteran Gigi Universitas Yarsi. *Sinnun Maxillofacial Journal*, 06(01).
- Maimunah, S., Yusuf, A., & Sunarya, H. (2020). Analisis Sikap, Minat dan Motivasi Mahasiswa terhadap Keputusan Menempuh Pendidikan Profesi Akuntansi. *Jurnal Akuntansi (JA)*, 7(1).
- Mangano, F., Gandolfi, A., Luongo, G., & Logozzo, S. (2017). Intraoral Scanners in Dentistry: A Review of the Current Literature. *BMC Oral Health*, 17(1).

- Manoharan, S., Varghese, R. M., & Kumar. S, A. (2021). Patient's Perspective about the Photographs Taken During the Orthodontic Therapy for Documentation. *Journal of Contemporary Issues in Business and Government*, 26(2).
- Martin, C. B., Chalmers, E. V., McIntyre, G. T., Cochrane, H., & Mossey, P. A. (2015). Orthodontic Scanners: What's Available? *Journal of Orthodontics*, 42(2), 136–143.
- Mudliar, V. L. (2023). Influence of Water Type and Water/Powder Ratio on the Strength and Hardness of Type III and IV Gypsum. *Biomedical Journal of Scientific & Technical Research*, 48(3).
- Nejatian, T., Firouzmanesh, P., & Syed, A. U. Y. (2019). Dental Gypsum and Investments. In *Advanced Dental Biomaterials* (pp. 37–54). Elsevier.
- Ningsih, D. S., Sundari, I., & Rizka, S. M. (2016). Uji Setting Time pada Modifikasi Alginat dengan Penambahan Tepung Jagung (*Zea Mays*) sebagai Alternatif Bahan Cetak. *J Syiah Kuala Dent Soc*, 1(1), 64. <http://jurnal.unsyiah.ac.id/JDS/>
- Novianty, S. I., Ardhana, W., & Christnawati, D. (2014). *Perawatan Ortodontik menggunakan Teknik Begg pada Kasus Pencabutan Satu Gigi Insisivus Inferior dan Frenectomy Labialis Superior*.
- Nugrahani, F., Jazaldi, F., & Noerhadi, N. A. I. (2017). Comparison of Conventional Study Model Measurements and 3D Digital Study Model Measurements from Laser Scanned Dental impressions. *Journal of Physics: Conference Series*, 884(1).
- Özyemisci, N., & Yorulmaz, M. (2020). A New Dental Casting Technique for Production of Void-free Dental Models. *European Oral Research*, 54(3).
- Pahuja, N., Doneria, D., & Mathur, S. (2023). Comparative Evaluation of Accuracy of Intraoral Scanners vs Conventional Method in Establishing Dental Measurements in Mixed Dentition. *World Journal of Dentistry*, 14(5), 419–424.
- Pandey, R., Kamble, R., & Kanani, H. (2024). Revolutionizing Smiles: Advancing Orthodontics Through Digital Innovation. *Cureus*.
- Pisoni, L., Codari, M., Galli, S., Rusconi, F. M. E., Tartaglia, G. M., Pucciarelli, V., & Sforza, C. (2018). Are dental measurements taken on plaster casts comparable to those taken from CBCT images and laser scanned surfaces?. *STOMATOLOGY EDU JOURNAL*, 5(1), 38-42.
- Polanc, S. (2024). *Digital Orthodontic Treatment Planning*.
- Prahastuti, N. (2016). Perubahan Tipe Bentuk Lengkung Gigi Paska Perawatan Ortodontik Cekat dengan Pencabutan Premolar Pertama. *Insisiva Dental Journal*, 5(1).

- Pratiwi, R. E., Barid, I., & Indahyani, D. E. (2022). Viskositas dan Porositas Bahan Cetak Alginat dari Alga Merah *Kappaphycus alvarezii*. *Jurnal Kedokteran Gigi Unej*, 19.
- Pratomo, H. G., & Budiman, J. A. (2023). Teknik Fotogrametri untuk Mendapatkan Model Studi Digital Tiga Dimensi dalam Perawatan Ortodonti. *Jurnal Kedokteran Gigi Terpadu*, 5(2).
- Premkumar, S. (2015). *Textbook of Orthodontics*. Elsevier.
- Proença, J. dos S., Suzuki, M. M., Costa, S. C. da, Hirata, B. S., Lopes, M. B., & Contreras, E. F. R. (2015). Influence of Different Water Types on the Physical and Mechanical Properties of Gypsum. *Brazilian Journal of Oral Sciences*, 14(3).
- Purwono, B. S., & Susilowati. (2018). Kesesuaian antara Metode Analisis Ruang Kesling dan Arch Length Discrepancy. *Makassar Dent J*, 7(2), 83.
- Puspitasari, D., Fikriyati, S., & Saputera, D. (2019). Compressive Strength of Type Iii Gypsum Mixed with Water of Different Water Hardness Level. *Dentino Jurnal Kedokteran Gigi*, 4(1).
- Putri, A., Kornialia, & Mailiza, F. (2023). Efektivitas Penggunaan Video Edukasi Maloklusi untuk Meningkatkan Pengetahuan Orang Tua terhadap Kebiasaan Buruk Oral Penyebab Maloklusi pada Anak. *B-Dent: Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 10(2).
- Putri, T. S., Pratiwi, D., Eddy, Tjandrawinata, R., Margaretta, D. L., Kurniawan, F. L., & Octarina. (2023). Pengaruh Suhu Air terhadap Setting Time dari Bahan Cetak alginat. *E-GiGi*, 12(1), 78.
- Rahtyanti, G. C. S., Hadnyanawati, H., & Wulandari, E. (2018). Hubungan Pengetahuan Kesehatan Gigi dan Mulut dengan Karies Gigi pada Mahasiswa Baru Fakultas Kedokteran Gigi Universitas Jember Tahun Akademik 2016/2017. *Jurnal Pustaka Kesehatan*, 6(1).
- Ramadan, K. A., Kamal, A., Ibrahim, M., Hatem, M., Roshdy, Y., & Fayed, M. M. S. (2023). *Digital Orthodontics: An overview* (Vol. 2).
- Rathi, M. K., & Fida, M. (2014). Applicability of Pont's Index in Orthodontics. *Journal of the College of Physicians and Surgeons Pakistan*, 24.
- Rehmann, P., Sichwardt, V., & Wöstmann, B. (2017). Intraoral Scanning Systems: Need for Maintenance. *The International Journal of Prosthodontics*.
- Revilla-León, M., Kois, D. E., & Kois, J. C. (2023). A guide for maximizing the accuracy of intraoral digital scans: Part 2—Patient factors. *Journal of Esthetic and Restorative Dentistry*, 35(1), 241-249.

- Sakinah, N., Wibowo, D., & Helmi, Z. N. (2016). *Peningkatan Lebar Lengkung Gigi Rahang Atas Melalui Perawatan Ortodonti Menggunakan Sekrup Ekspansi* (Issue 1).
- Sankar, S. G., Viswapurna, P., & Vannala, V. R. (2016). *Textbook of Orthodontics* (1st Revised Edition).
- Sari, W. P., Yandi, S., & Chairunnisa, F. (2021). Uji Komposisi Gypsum Tipe III Pabrikan dan Gypsum Tipe III Daur Ulang dengan Teknik X-Ray Fluorescence Spectrometer (Xrf) dalam Upaya Pemanfaatan Limbah Gypsum Kedokteran Gigi. *Menara Ilmu*, 15(01).
- Sayekti, W. D., Adawiyah, R., Indriani, Y., Tantriadisti, S., & Syafani, T. S. (2021). Pola Pikir Makan dan Preferensi Mahasiswa terhadap Makanan dan Minuman Jadi: Studi Kasus di Kota Bandar Lampung Saat Pandemi Covid-19. *AgriHealth: Journal of Agri-Food, Nutrition and Public Health*, 2(2).
- Sehrawat, S., Kumar, A., Grover, S., Dogra, N., Nindra, J., Rathee, S., Dahiya, M., & Kumar, A. (2022). Study of 3D Scanning Technologies and Scanners in Orthodontics. *Materials Today: Proceedings*, 56, 186–193.
- Shujaulla, Dr. S. (2023). Impact of Time and Temperature On The Dimensional Stability of Alginate Impressions: A Comparative In Vitro Analysis. *Journal for Re Attach Therapy and Developmental Diversities*, 6(8s).
- Silviana, N. M., Roeswahjuni, N., Damaryanti, E., Komaruzzaman, A. R., & Artikel, R. (2024). Meningkatkan Pengetahuan Siswa terhadap Perawatan Ortodonti melalui Edukasi dan Pemeriksaan Maloklusi Gigi. *Jurnal Inovasi Hasil Pengabdian Masyarakat (JIPEMAS)*, 656(3), 656–668.
- Stoican, A.-N. N., Alexa, V. T., Jumanca, D., Galuscan, A., Oancea, R., Lalescu, D., & Szuhanek, C. (2024). Enhancing Diagnostic Accuracy in Orthodontics: Calibration and Validation of a New Tool for Dental Arch Measurements—Pilot Study. *Applied Sciences (Switzerland)*, 14(6).
- Suhendra, Nurlitasari, D. F., & Pradnyadena, D. P. B. R. (2022). Dimensional Accuracy of Digital Impression and Double Impression Molding Models in The Manufacturing of Bridge Dental. *Interdental Jurnal Kedokteran Gigi (IJKG)*, 18(1), 55.
- Tenelanda, D. V., Baño, N. C., Guerrero, D. A., Costales, M. R., Alban, C. A., & Leon, M. A. (2024). Reliability of Pont's Index in Class I Mixed-race Population in Ecuador. *World Journal of Dentistry*, 15(4), 310–315.
- Vaught, K. R. (2018). *Orthodontic Treatment Planning Using Direct Visual Approximation of Arch Length Discrepancy and Cephalometric Analyses*.
- Wijaya, W., & Adrian, N. (2021). Pengaruh Sterilisasi Ultraviolet-C terhadap Perubahan Dimensi Hasil Cetak Alginat. *Jurnal Kedokteran Gigi Terpadu*, 3(2).

- Winandari, N. P., Octarina, & Budiman, J. A. (2020). Perbandingan Kekuatan Tekan Gypsum Bangunan, Dental Plaster, dan Orthodontic Plaster. *Jurnal Kedokteran Gigi Terpadu*, 2(1).
- Yandi, S., Sari, W. P., & Hamonangan, I. (2021). Pengaruh Penambahan Kombinasi Zat Aditif pada Gypsum Tipe III Daur Ulang terhadap Kekuatan Tekan dan Waktu Pengerasan. *Padjadjaran Journal of Dental Researchers and Students*, 5(1), 77.
- Zhou, C., Duan, P., He, H., Song, J., Hu, M., Liu, Y., Liu, Y., Guo, J., Jin, F., Cao, Y., Jiang, L., Ye, Q., Zhu, M., Jiang, B., Ruan, W., Yuan, X., Li, H., Zou, R., Tian, Y., ... Li, X. (2024). Expert Consensus on Pediatric Orthodontic Therapies of Malocclusions in Children. *International Journal of Oral Science*, 16(1).

