

DAFTAR PUSTAKA

1. Marcelena R, Rengganis I. Infeksi HIV/AIDS. Kapita Selekta Kedokteran. 4th ed. Jakarta: Media Aesculapius; 2020.
2. Kementerian kesehatan republik Indonesia Direktorat Jendral Pencegahan dan Pengendalian Penyakit. Laporan Perkembangan HIVAIDS & Infeksi Menular Seksual (IMS) Triwulan IV Tahun 2020. Jakarta: Kementerian Kesehatan RI; 2020.
3. Kumar V, Abbas AK, Fausto N, Robbins S, Cotran. Robbins and Cotran Pathologic Basic of Disease. 7th ed. Philadelphia: Elsevier; 2018.
4. World Health Organization (WHO). Global Tuberculosis Report 2020. Geneva: World Health Organization; 2020.
5. Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI. Riset Kesehatan Dasar Provinsi Sumatera Barat Tahun 2018. Laporan Riskesdas Nasional 2018. Jakarta: Kementrian Kesehatan RI; 2018.
6. Reither K, Saathoff E, Jung J, Minja LT, Kroidl I, Saad E *et al.* Low Sensitivity of a Urine Breathalyzer Electronic Nose In The Diagnosis Of Pulmonary Tuberculosis. *J BMC Infectious Disease*. 2009;9 (141): 1–10.
7. Dheda K, Schwander SK, Zhu B, Richard N, Ying Z. The Immunology Of Tuberculosis: From Bench to Bedside. *J Respiriology*. 2010;15 (3): 433-4350.
8. Blumberg HM, Burman WJ, Chaisson RE, Charles L Daley, Sue C, Lloyd N, *et al.* American Thoracic Society/Centers for Disease Control and Prevention/Infectious Diseases Society of America: Treatment of Tuberculosis. *J Pubmed*. 2003;167 (4): 603-610.
9. Gupta-Wright A, Manabe YC. Implementation Science: Point-of-care Diagnostics in HIV and Tuberculosis. *J Pubmed*. 2019;19 (2): 145–148.
10. Saeed F, Munawar A, Anjum F, Afzaal M, Tufail, Adnan I, *et al.* Natural Polyphenols: An Overview. *J of Food Properties*. 2019;20 (8): 1689–1699.
11. Jiao Y, Zhang T, Wang R, Zhang H, Huang X, Yin J, *et al.* Plasma IP-10 is Associated With Rapid Disease Progression in Early HIV-1 Infection. *J Viral Immunol*. 2019;25 (4): 333–337.

12. Santos VS, Goletti D, Kontogianni K, Adams ER, Molina-Moya B, Dominguez J, *et al.* Acute Phase Proteins and IP-10 As Triage Tests For The Diagnosis of Tuberculosis: Systematic Review and Meta-Analysis. *J Clin Microbiol Infect.* 2019;25 (2): 169–177.
13. Kementerian Kesehatan Republik Indonesia. Petunjuk Teknis Tata Laksana Klinis Ko-Infeksi TB-HIV. Jakarta: Kementerian Kesehatan; 2013.
14. PERPARI. Modul PPM TB Perhimpunan Dokter Spesialis Penyakit Dalam Indonesia (PAPDI). Jakarta: Kementerian Kesehatan RI; 2017.
15. Hamada Y, Getahun H, Tadesse BT, Ford N. HIV-associated Tuberculosis. *J STD AIDS.* 2021;32 (9) 80–90.
16. WHO. WHO Operational Handbook on Tuberculosis. Module 1: Prevention Tuberculosis Preventive Treatment. Geneva: World Health Organization; 2020.
17. Gupta-Wright A, Manabe YC. Implementation Science: Point-of-care Diagnostics in HIV and Tuberculosis. *J Pubmed.* 2019;19 (2): 145–148.
18. Gupta RK, Lucas SB, Fielding KL, Lawn SD. Prevalence of Tuberculosis in Post-mortem Studies of HIV-infected Adults and Children in Resource-Limited Settings: a Systematic Review and Meta-analysis. *J AIDS.* 2019;29 (15): 19-22
19. Kaso AW, Hailu A. Costs and Cost-effectiveness of GeneXpert Compared to Smear Microscopy for The Diagnosis of Pulmonary Tuberculosis Using Real-world Data From Arsi Zone, Ethiopia. *J PLOS ONE.* 2021;16 (10): 16-19.
20. Saeed M, Hussain S, Riaz S, Farhan Rasheed, Maqsood Ahmad, Mizna Arif, *et al.* GeneXpert Technology for the diagnosis of HIV-associated tuberculosis: Is scale-up worth it? *J Open Life Sci.* 2020;15 (1): 58–65.
21. Ceva PM, Bekker LG, Hermans S. TB-IRIS Pathogenesis and New Strategies For Intervention: Insights From Related Inflammatory Disorders. *J Tuberculosis.* 2019;10 (18): 118-120.
22. Quinn CM, Poplin V, Kasibante J, Kyle Yuquimpo, Jane Gakuru, Fiona V. Cresswell, *et al.* Tuberculosis IRIS: Pathogenesis, Presentation, and Management across the Spectrum of Disease. *J Life.* 2020;10 (11): 262.

23. WHO. Lateral Flow Urine Lipoarabinomannan Assay (LF-LAM) For The Diagnosis of Active Tuberculosis in People Living with HIV. Geneva: World Health Organization; 2019.
24. Suchard MS, Adu-Gyamfi CG, Cumming BM, Savulescu DM. Evolutionary Views of Tuberculosis: Synthesis Reflects Shifts in Macrophage Metabolism: IP-10 Reflects Altered Macrophage Metabolism During Tuberculosis-HIV Pathogenesis. *J BioEssays*. 2020;42 (5): 199-202.
25. Adu-Gyamfi CG, Savulescu D, George JA, Suchard MS. IP-10: A Leading Star or Supporting Act in the Tuberculosis and HIV Pas-de-Deux Front Cell Infect Microbiol. 2019;9 (29): 372.
26. Lott JS. The Tryptophan Biosynthetic Pathway is Essential For Mycobacterium Tuberculosis to Cause Disease. *J Biochem Soc Trans*. 2020;48 (5): 2029–2037.
27. Mehra S, Alvarez X, Didier PJ, Lara A, James L, Andrew A, *et al*. Granuloma Correlates of Protection Against Tuberculosis and Mechanisms of Immune Modulation by Mycobacterium tuberculosis. *J Infect Dis*. 2013;207 (7): 1115–1127.
28. Weiner J, Parida SK, Maertzdorf J, Shreemanta K, Gillian F, Robert P, *et al*. Biomarkers of Inflammation, Immunosuppression and Stress Are Revealed by Metabolomic Profiling of Tuberculosis Patients. *J PLoS ONE*. 2012;7 (7): 14.
29. Yang T, Suda T, Asada K, Anna T, Gillian F, Cordelia A, *et al*. Evaluation of the IP-10 mRNA Release Assay For Diagnosis of TB in HIV-infected individuals. *Clin Vaccine Immunol*. 2023;19 (3): 436–442.
30. Wu H, Gong J, Liu Y. IP-10 Regulation of Immune Response. *J Cytokline*. 2018; 115 (2019): 97-103.
31. Chen J, Shao J, Cai R, Shao J, Yinzhong S, Renfang Zhang, *et al*. Anti-Retroviral Therapy Decreases but Does Not Normalize IP-10 Activity in HIV-Infected Patients. *J PLoS ONE*. 2022; 9 (7) 141-150.
32. Chen J, Xun J, Yang J, Ji Y, Qi T, Wang Z, *et al*. Plasma Indoleamine 2,3-Dioxygenase Activity is Associated With the Size of the HIV Reservoir in Patinets Receiving Antiretroviral Therapy. *J PLoS One*. 2018; 68 (8): 1274–1281

33. Adu-Gyamfi CG, Snyman T, Makhathini L, Kennedy O, Fatoumatta D, Adam P, *et al.* Diagnostic Accuracy of Plasma IP-10 Ratio, Measured by Enzyme-Linked Immunosorbent Assay, For Pulmonary Tuberculosis. *J Int J Infect Dis.* 2020; 99: (12) 441–448.
34. Adu-Gyamfi CG, Snyman T, Hoffmann CJ, Matinson NA, Chaisson RE, George JA, *et al.* Plasma IP-10, a Biomarker for Tuberculosis in Human Immunodeficiency Virus-Infected Patients. *J Clin Infect Dis.* 2017; 65 (8): 1356–1363.
35. ImmuSmol. IP-10 ratio ELISA pack. ImmuSmol. 2021. [cited 20 December 2021). Available from: <https://www.immusmol.com/kynurenine-tryptophan-ratio-elisa-kit-kyn-trp-ratio-pack.html#references>.
36. Nasronudin. *Buku Ajar Ilmu Penyakit Dalam*, 6th ed. Jakarta: Pusat Penerbitan Ilmu Penyakit Dalam FKUI; 2014.
37. Fauci AS, Folkers GK, Lane HC. *Human immunodeficiency virus disease: AIDS and related disorders*. 20th ed. New York: Mc Graw Hill Education; 2018.
38. Meka C, Rockstroh JK. *HIV 2020/2021*. Hamburg: Medizin Fokus Verlag; 2021
39. Kerkhoff AD, Barr DA, Schutz C, Burton R, Nicol P, Stephen D, *et al.* Disseminated Tuberculosis Among Hospitalised HIV Patients in South Africa: a Common Condition That Can be Rapidly Diagnosed Using Urine-Based Assays. *J Sci Rep.* 2017;7 (1): 109-131.
40. Shankar EM, Saeidi A, Vignesh R, Velu V, Larsson M. *Understanding Immune Senescence, Exhaustion, and Immune Activation in HIV–Tuberculosis Coinfection*. Berlin: Springer International Publishing; 2018.
41. Montales MT, Chaudhury A, Beebe A, Patil S, Patil N. HIV-Associated TB and IP-10 Syndemic: A Growing Clinical Challenge Worldwide. *J Front Public Health.* 2022;3 (3): 281.
42. Tornheim JA, Dooley KE. *Tuberculosis associated with HIV infection. Tuberculosis and Nontuberculous Mycobacterial infections seventh edition*. Washington: American Society for Microbiology; 2017.

43. Meka DM, Jagmohan S, Raveesha A, Niveditha S. Diagnostic Accuracy of GeneXpert vs Acid Fast Smear in HIV Patients Suspected for Tuberculosis. *J Med Sci Clin Res*. 2020;08 (01): 125-131.
44. Cudahy P, Shenoi SV. Diagnostics for Pulmonary Tuberculosis. 2016;92 (1086): 187–193.
45. Vigesh, Schutz C. Understand Immune Senescence, Immune Activation Tuberculosis among hospitalised HIV patients. *J Sci Rep*. 2017;7 (1): 10931.
46. Pendera Y, Yeung AWS, Terentis AC, King NJC, Thomas SR. Role of IP-10 in Health and Disease. *J Clin Sci*. 2015;129 (7): 601–672.
47. Schmidt SV, Schultze JL. New Insights into IP-10 Biology in Bacterial and Viral Infections. *J Front Immunol*. 2014;5 (384): 1-12.
48. Wergeland A. Accurate Marker for Detecting M. Tuberculosis-Specific Response in HIV-Infected Persons *Curr Med Chem. J Plos One*. 2011;18 (15): 2247–2256.
49. Kellner KH, Stemke A. IP-10: Immunological Markers and Actors. United Kingdom: PubMed Central; 2018.
50. Fenta A, Demeke G, Bitew A, Kebede D, Hailu T. Prevalence and Associated Factors of TB Co-morbidity Among HIV Sero-positive Individuals in Shegaw Motta District Hospital, Ethiopia. *J Dovepress*. 2020; 13: (2) 1529–1536.
51. Fitri M, Sari RD, Wulandari A. Status gizi pada pasien HIV di Bandung: Pengaruh terapi ARV terhadap IMT. *Jurnal Kesehatan Masyarakat*. 2021; 18(3), 123-130.
52. Putri CLLF. Hubungan Lama Terapi Antiretroviral Dan Infeksi Oportunistik Terhadap Malnutrisi Pada Pasien Hiv/Aids Di Rsudza Banda Aceh. Etd USK. 2017.
53. Gupta RK, Lucas SB, Fielding KL, Lawn SD. Prevalence of Tuberculosis in Post-mortem Studies of HIV-infected Adults and Children in Resource-Limited Settings: a Systematic Review and Meta-analysis. *J AIDS*. 2019;39 (15): 30-5
54. WHO. WHO Operational Handbook on Tuberculosis. Module 1: Prevention Tuberculosis Preventive Treatment. Geneva: World Health Organization; 2020.

55. Sued O, Nardi N, Spadaccini L. Key population perceptions and opinions about long-acting antiretrovirals for prevention and treatment: a scoping review. *Curr Opin HIV AIDS*. 2022 May 1;17(3):145-161.
56. Nchinda N, Elangovan R, Yun J, Dickson-Tetteh L, Kirtley S, Hemelaar J; WHO-UNAIDS Network for HIV Isolation and Characterisation. Global associations of key populations with HIV-1 recombinants: a systematic review, global survey, and individual participant data meta-analysis. *Front Public Health*. 2023 Jul 27;11:1153638.
57. Kementrian Kesehatan Indonesia. HIV epidemiology review Indonesia 2016. Jakarta: Directorate General of Disease Prevention and Control. 2017
58. Khatri S, Amatya A, Shrestha B. Nutritional status and the associated factors among people living with HIV: an evidence from cross-sectional survey in hospital based antiretroviral therapy site in Kathmandu, Nepal. *BMC Nutrition*. 2020; 6(22): 1–13.
59. Sala SS, Lim JA. Quality of life and its determinants among filipino people living with HIV/AIDS enrolled in treatment hub of tertiary government hospital. *Acta Medica Philippina*. 2022; 56 (6): 124132.
60. Nanewortor BM, Saah FI, Appiah PK, Amu H, Kissah-Korsah K. Nutritional status and associated factors among people living with HIV/AIDS in Ghana: cross-sectional study of higlu active antiretroviral therapy clients. *BMC Nutrition*. 2021; 7: 14
61. Teklu T, Chauhan NM, Lemessa F, Teshome G. Assessment of Prevalence of Malnutrition and Its Associated Factors among AIDS Patients from Asella, Oromia, Ethiopia. *Biomed Res Int*. 2020 Dec 7;2020:7360190.
62. Tang Y, Yu Y, Wang Q, Wen Z, Song R, Li Y, Zhou Y, Ma R, Jia H, Bai S, Abdulsalam H, Du B, Sun Q, Xing A, Pan L, Wang J, Song Y. Evaluation of the *IP-10* mRNA release assay for diagnosis of TB in HIV-infected individuals. *Front Cell Infect Microbiol*. 2023 Jun 2;13:1152665.
63. Latorre I, Diaz J, Mialdea I, Serra-Vidal M, Altet N, Prat C, et al. IP-10 is an accurate biomarker for the diagnosis of tuberculosis. *J Inf Secur*. 2014;69(6):590–599.

64. Zhao Y, Yang X, Zhang X, Yu Q, Zhao P, Wang J, et al. IP-10 and RANTES as biomarkers for pulmonary tuberculosis diagnosis and monitoring. *Tuberculosis*. 2018;111:45–53.
65. Qiu X, Xiong T, Su X, Qu Y, Ge L, Yue Y, et al. Accumulate evidence for IP-10 in diagnosing pulmonary tuberculosis. *BMC Infect Dis*. 2019 Oct 30;19(1):924. doi: 10.1186/s12879-019-4466-5.
66. Ben-Haim Y, Dacso CC. Interpreting PPV and NPV of Diagnostic Tests with Uncertain Prevalence. *Rambam Maimonides Med J*. 2024 Jul 30;15(3):e0013.
67. Vanini V., Petruccioli E., Gioia C., Cuzzi G., Orchi N., Rianda A., et al. (2012). IP-10 is an additional marker for tuberculosis (TB) detection in HIV-infected persons in a low-TB endemic country. *J. Infect.* 65 (1), 49–59. doi: 10.1016/j.jinf.2012.03.017
68. Zhao Y, Yang X, Zhang X, Yu Q, Zhao P, Wang J, et al. IP-10 and RANTES as biomarkers for pulmonary tuberculosis diagnosis and monitoring. *Tuberculosis*. 2018;111:45–53.
69. Ruhwald M, Bodmer T, Maier C, Jepsen M, Haaland MB, Eugen-Olsen J, et al. Evaluating the potential of IP-10 and MCP-2 as biomarkers for the diagnosis of tuberculosis. *Eur Respir J*. 2008;32(6):1607–1615.
70. Jacobs R, Malherbe S, Loxton AG, Stanley K, van der Spuy G, Walzl G, et al. Identification of novel host biomarkers in plasma as candidates for the immunodiagnosis of tuberculosis disease and monitoring of tuberculosis treatment response. *Oncotarget*. 2016;7(36):57581–57592.
71. Mandalakas AM, Kirchner HL, Walzl G, Gie RP, Schaaf HS, Cotton MF, et al. Optimizing the detection of recent tuberculosis infection in a high tuberculosis-HIV burden setting. *Am J Respir Crit Care Med*. 2015;191(7):820–830.
72. Ciccacci F, Floridia M, Bernardini R, Sidumo Z, Mugunhe RJ, Andreotti M, et al. Plasma levels of CRP, neopterin and IP-10 in HIV-infected individuals with and without pulmonary

- tuberculosis. *J Clin Tuberc Other Mycobact Dis*. 2019 Jun 5;16:100107.
73. Lei J, Yin X, Shang H, Jiang Y. IP-10 is highly involved in HIV infection. *Cytokine*. 2019 Mar;115:97-103.

