

## DAFTAR PUSTAKA

- Abbasi, A., A. Shayegani, and K. Niayesh. 2014. Contribution of design parameters of SiR insulators to their DC pollution flashover performance. *IEEE Trans. Power Deliv.* 29(no. 4): 1814–1821.
- Al-Ammar, E.A., and B.A. Arafa. 2012. Experimental analysis of hydrophobic characteristics of Silicone rubber (SiR) insulators under different climatic conditions. *Int. J. Phys.* 7(no.47): 6162–6168.
- Al-Geelani, N. A., M.A.M. Piah, Z. Adzis, and M.A. Algeelani. 2013. Hybrid regrouping PSO based wavelet neural networks for characterization of acoustic signals due to surface discharges on H.V. glass insulators. *Appl. Soft Comput.* J.13(no.12): 4622–4632.
- Asimakopoulou, G.E., V.T. Kontargyri, G.J. Tsekouras, C.N. Elias, F.E. Asimakopoulou, and I.A. Stathopoulos. 2011. A fuzzy logic optimization methodology for the estimation of the critical flashover voltage on insulators. *Electr. Power Syst. Res.* 81(no. 2): 580–588.
- Banhthasit, B., K. Tonmitra, A. Kaewrawang, and A. Suksri. 2011. Evaluating on Effect of HVAC Series with Impulse Excitation Voltage on Porcelain Insulator by Using Rotating Wheel Dip Test. *Adv. Mater. Res.* 354–355: 159–164.
- Boudissa, R., S. Djafri, A. Haddad, R. Belaicha, and R. Bearsch. 2005. Effect of insulator shape on surface discharges and flashover under polluted conditions. *IEEE Trans. Dielectr. Electr. Insul.* 12(no. 3): 429–437.
- Chandrasekar, S., C. Kalaivanan, A. Cavallini, and G. Montanari. 2009. Investigations on leakage current and phase angle characteristics of porcelain and polymeric insulator under contaminated conditions. *IEEE Trans. Dielectr. Electr. Insul.* 16(no. 2): 574–583.
- Chandrasekar, S., C. Kalaivanan, G.C. Montanari, and A. Cavallini. 2010. Partial discharge detection as a tool to infer pollution severity of polymeric insulators. *IEEE Trans. Dielectr. Electr. Insul.* 17(no. 1): 181–188.
- Costa, L.F and R.M. Cesar. 2001. Shape Analysis and Classification Theory and Practice, Florida. CRC Press LLC
- Crane, R. 1997. A Simplified Approach to Image Processing Classical and Modern Techniques in C. Upper Saddle Rider. Prentice Hall PTR.
- Da Costa, E.G., T.V. Ferreira, M.G.G. Neri, I.B. Queiroz, and A.D. Germano. 2009. Characterization of polymeric insulators using thermal and UV imaging under laboratory conditions. *IEEE Trans. Dielectr. Electr. Insul.* 16(no. 4): 985–992.
- Darwison, S. Arief, H. Abral, A. Hazmi, M. H. Ahmad, and Aulia. 2017. Thermal Image, Partial Discharge and Leakage Current Correlation Of Ceramic Insulator Under Different Contamination Level. *ARPN Journal of Engineering and Applied Sciences* vol 12(no. 18): 5235–5240.
- Du, B. X., Y. Liu, H. J. Liu, and Y. J. Yang. 2009. Recurrent plot analysis of leakage current for monitoring outdoor insulator performance. *IEEE Trans. Dielectr. Electr. Insul.* 16(no. 1): 139–146.

- Farhadinejad, Z., M. Ehsani, I. Ahmadi-Joneidi, A.A. Shayegani, and H. Mohseni. 2012. Effects of UVC radiation on thermal, electrical and morphological behavior of silicone rubber insulators. *IEEE Trans. Dielectr. Electr. Insul.* 19(no. 5): 1740–1749.
- Fernando, M.A.R.M., and S. M. Gubanski. 2010. Ageing of Silicone Rubber Insulators in Coastal and Inland Tropical Environment. *IEEE Transactions on Dielectrics and Electrical Insulation* 17(no. 2): 326–333.
- Gonzales, R.C., and Woods, R.E. 2002. *Digital Image Processing*. Prentice Hall.
- Gutman, I. and A. Dernfalk. 2010. Pollution tests for polymeric insulators made of hydrophobicity transfer materials. *IEEE Trans. Dielectr. Electr. Insul.* 17(no. 2): 384–393.
- Jin, L., and D. Zhang 2015. Contamination Grades Recognition of Ceramic Insulators Using Fused Features of Infrared and Ultraviolet Images. *Energies* 8(no. 2): 837–858.
- Joneidi, I.A., A. Majzoobi, A.A.S. Akmal, H. Mohseni, and J. Jadidian. 2013. Aging evaluation of silicone rubber insulators using leakage current and flashover voltage analysis. *IEEE Trans. Dielectr. Electr. Insul.* 20(no. 1): 212–220.
- Joneidi, I. A., M. A. Kamarposhti, A.A.S. Akmal, and H. Mohseni. 2013. Leakage current analysis, FFT calculation and electric field distribution under water droplet on polluted silicon rubber insulator. *Electr. Eng.* 95(no. 4): 315–323.
- Kadir, A and A. Susanto. 2013. *Teori dan Aplikasi Pengolahan Citra*. Penerbit ANDI.
- Karpagavani, K., and A. Kumaravel. 2013. Fuzzy Data Mining as a Tool to Infer Pollution Severity of Power Transmission Line System. *Journal of Applied Science and Engineering* 16(no. 1): 79–87.
- Kordkheili, H.H., H. Abravesh, M. Tabasi, M. Dakhem, and M.M. Abravesh. 2010. Determining the probability of flashover occurrence in composite insulators by using leakage current harmonic components. *IEEE Trans. Dielectr. Electr. Insul.* 17(no. 2): 502–512.
- Li, J., W. Sima, C. Sun, and S.A. Sebo. 2010. Use of leakage currents of insulators to determine the stage characteristics of the flashover process and contamination level prediction. *IEEE Trans. Dielectr. Electr. Insul.* 17(no. 2): 490–501.
- Liu, H., Y. Quan, N. Chen, and P. Shi. 2014. The Influence of Main Components in PM2.5 on Composite Insulator Contamination Flashover Characteristics. *Applied Mechanics and Materials* 672-674: 827–830.
- Ma, G.M., J. Jiang, R.D. Mu, C.R. Li, and Y.T. Luo. 2015. High Sensitive FBG Sensor for Equivalent Salt Deposit Density Measurement. *IEEE Photonics Technology Letters* 27(no. 2): 177–180.
- Manjang, S., and I. Abduh. 2006. Leakage Current Patterns on Artificially Polluted Porcelain and Polymer Insulator: 443–446.
- Mekala, K., S. Chandrasekar, and R.S. Ravindran. 2015. Investigations of Accelerated Aged Polymeric Insulators Using Partial Discharge Signal Measurement and Analysis. *J Electr Eng Technol.* 10(1): 299-307.
- Mousa, M.I., Z. Abdul-Malek, and Z.I. Mousa. 2017. Aging Detection of Glass Disc

- Insulator by Using Infrared Camera. *Indones. J. Electr. Eng. Comput. Sci.* 6(3): 520–527.
- Muniraj, C., K. Krishnamoorthi, and S. Chandrasekar. 2013. Investigation on flashover development mechanism of polymeric insulators by time frequency analysis. *J. Electr. Eng. Technol.* 8(6): 1503–1511.
- Muniraj, C., and S. Chandrasekar. 2011. Adaptive Neurofuzzy Inference System-Based Pollution Severity Prediction of Polymeric Insulators in Power Transmission Lines. *Adv. Artif. Neural Syst.* :1–9.
- Mustamin dan S. Manjang. 2010. Karakteristik Isolator Polimer Tegangan Tinggi di Bawah Penuaan Tekanan Iklim Tropis Buatan Yang Dipercepat. *Media Elektrik* 5(2).
- Narayanan, V.J., B. Karthik, and S. Chandrasekar. 2014. Flashover prediction of polymeric insulators using PD signal time-frequency analysis and BPA neural network technique. *J. Electr. Eng. Technol.* 9(4): 1375–1384.
- Narayanan, V.J., M. Sivakumar, K. Karpagavani, and S. Chandrasekar. 2014. Prediction of Flashover and Pollution Severity of High Voltage Transmission Line Insulators Using Wavelet Transform and Fuzzy C-Means Approach. *J. Electr. Technol.* 9: 742.
- Nemamcha, M., S. Rouaiguia, A. Belbah and B. Belfarhi. 1995. Dielectric Properties of Alumino-Silicate Ceramic Material. *IEEE 5th International Conference on Conduction and Breakdown in Solid Dielectrics.* 413-417.
- Pengchao, M., and X. Zhiniu. 2014. Effects of different sample resistances on the insulator leakage current acquisition results. *Appl. Mech. Mater.* 644–650: 3468–3471.
- Pratomosiwi, F., and Suwarno. 2010. Performance improvement of the ceramic outdoor insulators located at highly polluted environment using room temperature vulcanized silicone rubber coating. *Int. J. Electr. Eng. Informatics.* 2(1): 15–28,
- Pylarinou, D., K. Siderakis, and E. Pyrgioti. 2011. Measuring and Analyzing Leakage Current for Outdoor Insulators and Specimens. *Rev. Adv. Mater. Sci.* 29: 31–53.
- Pylarinou, D., K. Siderakis, E. Pyrgioti, E. Thalassinakis, and I. Vitellas. 2011. Impact of noise related waveforms on long term field leakage current measurements. *IEEE Trans. Dielectr. Electr. Insul.* 18(1): 122–129.
- Pylarinou, D., K. Theofilatos, K. Siderakis, and E. Thalassinakis. 2013. Discharges Classification using Genetic Algorithms and Feature Selection Algorithms on Time and Frequency Domain Data Extracted from Leakage Current Measurements. *ETASR - Engineering, Technology & Applied Science Research* 3(6): 544–548.
- Sahli, Z., A. Mekhaldi, R. Boudissa, and S. Boudrahem. 2011. Prediction parameters of dimensioning of insulators under non-uniform contaminated conditions by multiple regression analysis. *Electr. Power Syst. Res.* 81(4): 821–829.
- Samimi, M.H., A. H. Mostajabi, I. Ahmadi-Joneidi, A. A. Shayegani-Akmal, and H. Mohseni. 2013. Performance Evaluation of Insulators Using Flashover Voltage and Leakage Current. *Electr. Power Components Syst.* 41(2): 221–233.

- Sanjaya, M. 2016. Panduan Praktis Pemrograman Robot Vision menggunakan MATLAB dan IDE Arduino. Penerbit ANDI.
- Sebo, S.A., and T. Zhao. 1999. Utilization of Fog Chambers for Non-ceramic Outdoor Insulator Evaluation. *IEEE Transactions on Dielectrics and Electrical Insulation* 6(5): 676–687.
- Suwarno and A.B. Wibowo. 2012. Increasing the performances of various types outdoor insulators by using RTV silicone rubber coating. *Int. J. Electr. Eng. Informatics.* 4(4): 608–619.
- Syakur, A., Yuningtyastuti, M.E. Dwi Setiaji, and A. Aprianto. 2012. Unjuk Kerja Isolator 20 kV Bahan Resin Epoksi Silane Silika Kondisi Basah dan Kering. *Transmisi* 4(2): 68-72.
- Tavakoli, M.M.M., and S.M.H. Hosseini. 2017. The Effects of Applied Voltage, Contamination Level and the Length of Dry-Bands on the Electric Field and Leakage Current of Polymeric Insulator. *Engineering Letters* 25(3): 255-261.
- Touzin, M., D. Goeuriot, C. Guerret-Piécourt, D. Juvé, and H.-J. Fitting. 2010. Alumina based ceramics for high-voltage insulation. *Journal of the European Ceramic Society* 30: 805-817.
- Tzimas, A., E. Da Silva, S. M. Rowland, B. Boumecid, M. Queen, and M. Michel. 2012. Asset management frameworks for outdoor composite insulators. *IEEE Trans. Dielectr. Electr. Insul.* 19(6): 2044–2054.
- Verma, A. R. and B. S. Reddy. 2017. Accelerated aging studies of silicon-rubber based polymeric insulators used for HV transmission lines. *Polymer Testing* 62: 124-131.
- Verma, A. R. and B. S. Reddy. 2018. Aging studies on polymeric insulators under DC stress with controlled climatic conditions. *Polymer Testing* 68: 185-192.
- [www.equipmenttimes.com](http://www.equipmenttimes.com)  
[https://www.google.com/search?q=high+voltage+insulators&safe=strict&sourc e=lnms&tbs=isch&sa=X&ved=0ahUKEwizm6bl4MLjAhVRVXwKHUVsDY QQ\\_AUIESgB&biw=1280&bih=610#imgrc=u2d\\_M3kdcIPMyM](https://www.google.com/search?q=high+voltage+insulators&safe=strict&sourc e=lnms&tbs=isch&sa=X&ved=0ahUKEwizm6bl4MLjAhVRVXwKHUVsDY QQ_AUIESgB&biw=1280&bih=610#imgrc=u2d_M3kdcIPMyM): [viewed 16 Oktober 2018]
- Waldi, E.P., Aulia, A. Hazmi, H. Abral, S. Arief, and M. H. Ahmad. 2016. An optimized method of partial discharge data retrieval technique for phase resolved pattern. *TELKOMNIKA (Telecommunication Comput. Electron. Control)* 14(1): 21-28.
- Waldi, E.P., Aulia, R. Fernandez, M. H. Ahmad, A. Hazmi, H. Abral, and S. Arief. 2017. Automatic threshold of standard deviation to reject noise in raw data of partial discharges. *ARPN J. Eng. Appl. Sci.* 12(18): 5319–5324.
- Wang, X., S. Kumagai, and N. Yoshimura. 1998. Contamination performances of silicone rubber insulator subjected to acid rain. *IEEE Trans. Dielectr. Electr. Insul.* 5(6): 909–916.
- Xu, G., and P.B. McGrath. 1996. Electrical and thermal analysis of polymer insulator under contaminated surface conditions. *Dielectr. Electr. Insul. IEEE Trans.* 3(2): 289–298.
- Yang, H., J. Zhou, Y. Li, L. Pang, X. Yang, Q. Zhang, and X. Yu. 2014. Effect of profiles

- on ac contamination flashover performance of large-tonnage suspension disc insulators. *IEEE Trans. Dielectr. Electr. Insul.* 21(6): 2476–2485.
- Yuniarti, N., and A.N. Afandi. 2007. Tinjauan Sifat Hidrofobik Bahan Isolasi Silicon Rubber . *Tekno* 8(2).
- Zhao, S., X. Jiang, and Y.Xie. 2014. Evaluating the contamination level of polluted insulators based on the characteristics of leakage current. *Int. Trans. Electr. ENERGY Syst.*
- Zhao, S., X. Jiang, Z. Zhang, J. Hu, and L. Shu. 2013. Flashover voltage prediction of composite insulators based on the characteristics of leakage current. *IEEE Trans. Power Deliv.* 28(3): 1699–1708.
- Zhicheng, G., M. Yingke, W. Liming, L. Ruihai, W. Hua, and M. Yi. 2009. Leakage current and discharge phenomenon of outdoor insulators. *Int. J. Electr. Eng. Informatics* 1(1): 1-17.
- Zhou, H., and J. Wu. 2010. *Digital Image Processing Part II*. Ventus Publishing ApS.