

DAFTAR PUSTAKA

1. Vos T, Lim SS, Abbafati C, Abbas KM, Abbasi M, Abbasifard M, et al. Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *The Lancet*. 2020;396(10258):1204-22.
2. Indonesia DKR. Riset Kesehatan Dasar (Riskesdas) 2018. 2018.
3. Blackshear JL, Kantor B. Pathogenesis of Atherosclerosis. In: Murphy JG, Lloyd MA, editors. *Mayo Clinic Cardiology: Concise Textbook*: Oxford University Press; 2012. p. 0.
4. Fox KA, Dabbous OH, Goldberg RJ, Pieper KS, Eagle KA, Van de Werf F, et al. Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). *Bmj*. 2006;333(7578):1091.
5. Lip GY, Nieuwlaat R, Pisters R, Lane DA, Crijns HJ. Refining clinical risk stratification for predicting stroke and thromboembolism in atrial fibrillation using a novel risk factor-based approach: the euro heart survey on atrial fibrillation. *Chest*. 2010;137(2):263-72.
6. Yaşar E, Bayramoğlu A, Karakuş Y, Çakmak T. The CHA2DS2-VASc Risk Score Predicts Total Occlusion in Infarct-Related Arteries in Patients With Non-ST Elevation Myocardial Infarction. *Angiology*. 2022;73(4):380-6.
7. Modi R, Patted SV, Halkati PC, Porwal S, Ambar S, Mr P, et al. CHA(2)DS(2)-VASc-HSF score - New predictor of severity of coronary artery disease in 2976 patients. *Int J Cardiol*. 2017;228:1002-6.
8. Çetin Şanlıalp S, Nar G. The evaluation of the newly defined CHA2DS2-VASc-HSF score in the severity of coronary artery disease and short-term prognosis. *Annals of Clinical and Analytical Medicine*. 2021;12.
9. Uysal OK, Turkoglu C, Duran M, Kaya MG, Sahin DY, Gur M, Cayli M. Predictive value of newly defined CHA2DS2-VASc-HSF score for severity of coronary artery disease in ST segment elevation myocardial infarction. *Kardiol Pol*. 2016;74(9):954-60.
10. Zeller T, Seiffert M, Müller C, Scholz M, Schäffer A, Ojeda F, et al. Genome-Wide Association Analysis for Severity of Coronary Artery Disease Using the Gensini Scoring System. *Front Cardiovasc Med*. 2017;4:57.
11. Gensini GG. A more meaningful scoring system for determining the severity of coronary heart disease. *Am J Cardiol*. 1983;51(3):606.
12. Yildirim E, Iyisoy A, Celik M, Yuksel UC, Acikel C, Bugan B, Gokoglan Y. The relationship between gensini score and in-hospital mortality in patients with ST-segment elevation myocardial infarction. *International Journal of Cardiovascular Sciences*. 2017.
13. Permata, Sari, Rika. Hubungan Fragmentasi QRS dengan Skor Gensini pada Pasien Infark Miokard Akut Non Elevasi Segmen ST. *Indonesia: Universitas Andalas*.; 2022.
14. Murakami N, Kokubu N, Nishida J, Hase M, Fujito T, Kawamukai M, et al. Abstract 15183: Do Two Scoring Systems of Coronary Stenosis, Syntax Score and Gensini Score, Similarly Predict Clinical Outcome After Pci in Patients With Stable Angina Pectoris? *Circulation*. 2014;130(suppl_2):A15183-A.

15. Sinning C, Lillpopp L, Appelbaum S, Ojeda F, Zeller T, Schnabel R, et al. Angiographic score assessment improves cardiovascular risk prediction: the clinical value of SYNTAX and Gensini application. *Clinical Research in Cardiology*. 2013;102(7):495-503.
16. Wang Y, Lv Q, Li Y, Chen S, Zhao L, Fu G, Zhang W. Gensini score values for predicting periprocedural myocardial infarction: An observational study analysis. *Medicine (Baltimore)*. 2022;101(29):e29491.
17. Prasada MA, Abduh MS. 46. Using The ASCVD Score to Estimate Severity of Atherosclerotic Occlusion. *Journal of Hypertension*. 2024;42(Suppl 2).
18. Wang KY, Zheng YY, Wu TT, Ma YT, Xie X. Predictive Value of Gensini Score in the Long-Term Outcomes of Patients With Coronary Artery Disease Who Underwent PCI. *Front Cardiovasc Med*. 2021;8:778615.
19. Neeland IJ, Patel RS, Eshtehardi P, Dhawan S, McDaniel MC, Rab ST, et al. Coronary angiographic scoring systems: an evaluation of their equivalence and validity. *Am Heart J*. 2012;164(4):547-52.e1.
20. Sumekar K. Korelasi antara Ketebalan Lemak Epikardial dengan Kadar HsCRP dan Derajat Stenosis Arteri Koroner pada Pasien Diabetes Melitus Tipe 2 dengan Chronic Coronary Syndrome. Jakarta: SP2 IPD FKUI; 2021.
21. Sejati A, Alwi I, Muhadi M, Shatri H. Parameter Klinis dan Ekokardiografi Strain untuk Memprediksi Keparahan Stenosis Berdasar Skor Gensini pada Penyakit Jantung Koroner Stabil. *J Penyakit Dalam Indones*. 2019;6(3):133.
22. Murphy JG, Lloyd MA, Clinic M. *Mayo Clinic Cardiology: Concise Textbook*: OUP USA; 2013.
23. Kumar V, Abbas AK, Aster JC, Deyrup AT. *Robbins Essential Pathology E-Book: Robbins Essential Pathology E-Book*: Elsevier; 2020.
24. Cetin M, Cakici M, Zencir C, Tasolar H, Baysal E, Balli M, Akturk E. Prediction of coronary artery disease severity using CHADS2 and CHA2DS2-VASc scores and a newly defined CHA2DS2-VASc-HS score. *Am J Cardiol*. 2014;113(6):950-6.
25. Chen ZW, Chen YH, Qian JY, Ma JY, Ge JB. Validation of a novel clinical prediction score for severe coronary artery diseases before elective coronary angiography. *PLoS One*. 2014;9(4):e94493.
26. McEvoy JW, McCarthy CP, Bruno RM, Brouwers S, Canavan MD, Ceconi C, et al. 2024 ESC Guidelines for the management of elevated blood pressure and hypertension: Developed by the task force on the management of elevated blood pressure and hypertension of the European Society of Cardiology (ESC) and endorsed by the European Society of Endocrinology (ESE) and the European Stroke Organisation (ESO). *European Heart Journal*. 2024;45(38):3912-4018.
27. Sadeghi R, Adnani N, Erfanifar A, Gachkar L, Maghsoomi Z. Premature coronary heart disease and traditional risk factors-can we do better? *Int Cardiovasc Res J*. 2013;7(2):46-50.
28. Dungan MM, Bracken RC, Wassenaar JW, Fehrenbach DJ, Gonzalez AL, Fuller KK, et al. Abstract 1029: Angiotensin II-induced Hypertension Promotes Innate Immune Memory And Predisposes To Atherosclerosis Progression. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2024;44(Suppl_1):A1029-A.

29. Poznyak A, Grechko AV, Poggio P, Myasoedova VA, Alfieri V, Orekhov AN. The Diabetes Mellitus–Atherosclerosis Connection: The Role of Lipid and Glucose Metabolism and Chronic Inflammation. *International Journal of Molecular Sciences*. 2020;21(5):1835.
30. Sun H, Ma X, Ma H, Li S, Xia Y, Yao L, et al. High glucose levels accelerate atherosclerosis via NLRP3-IL/ MAPK/NF- κ B-related inflammation pathways. *Biochemical and Biophysical Research Communications*. 2024;704:149702.
31. Wang C, Liu C, Shi J, Li H, Jiang S, Zhao P, et al. Nicotine exacerbates endothelial dysfunction and drives atherosclerosis via extracellular vesicle-miRNA. *Cardiovascular Research*. 2022;119(3):729-42.
32. Lloyd WK. Pathophysiologic Mechanisms of Tobacco Smoke Producing Atherosclerosis. *Current Cardiology Reviews*. 2022;18(6):60-7.
33. Vrints C, Andreotti F, Koskinas KC, Rossello X, Adamo M, Ainslie J, et al. 2024 ESC Guidelines for the management of chronic coronary syndromes: Developed by the task force for the management of chronic coronary syndromes of the European Society of Cardiology (ESC) Endorsed by the European Association for Cardio-Thoracic Surgery (EACTS). *European Heart Journal*. 2024;45(36):3415-537.
34. Dobrowolski P, Kabat M, Kępka C, Januszewicz A, Prejbisz A. Atherosclerotic cardiovascular disease burden in patients with familial hypercholesterolemia: interpretation of data on involvement of different vascular beds. *Pol Arch Med Wewn*. 2022;132(4).
35. Luca L, Giovanni GC. The Role of Vascular Aging in Atherosclerotic Plaque Development and Vulnerability. *Current Pharmaceutical Design*. 2019;25(29):3098-111.
36. Head T, Daunert S, Goldschmidt-Clermont PJ. The Aging Risk and Atherosclerosis: A Fresh Look at Arterial Homeostasis. *Frontiers in Genetics*. 2017;8.
37. Yerly A, van der Vorst EPC, Baumgartner I, Bernhard Sarah M, Schindewolf M, Döring Y. Sex-specific and hormone-related differences in vascular remodelling in atherosclerosis. *European Journal of Clinical Investigation*. 2023;53(1):e13885.
38. Arnold AP, Cassis LA, Eghbali M, Reue K, Sandberg K. Sex Hormones and Sex Chromosomes Cause Sex Differences in the Development of Cardiovascular Diseases. *Arteriosclerosis, Thrombosis, and Vascular Biology*. 2017;37(5):746-56.
39. Panagiotakos DB. Family history of coronary heart disease as a predictor of the incidence and progression of coronary artery calcification. *Atherosclerosis*. 2014;233(1):30-1.
40. Beraia G, Beraia M. Frequency dispersion of the surface wave on the vessel wall - Primary reason of atherosclerosis. *J Integr Cardiol*. 2017;3(3).
41. Molinsky RL, Shah AM, Yuzefpolskaya M, Yu B, Misialek J, Bohn B, et al. Abstract P174: The Association Between Infection-Related Hospitalization and Incident Heart Failure: The Atherosclerosis Risk in Communities Study. *Circulation*. 2023;147(Suppl_1):AP174-AP.
42. Lahoz C, Mostaza JM. Atherosclerosis As a Systemic Disease. *Revista Española de Cardiología (English Edition)*. 2007;60(2):184-95.

43. Amarenco P, Steg PG. Stroke is a coronary heart disease risk equivalent: implications for future clinical trials in secondary stroke prevention. *European Heart Journal*. 2008;29(13):1605-7.
44. Sobiczewski W, Wirtwein M, Trybala E, Gruchala M. Severity of coronary atherosclerosis and stroke incidence in 7-year follow-up. *J Neurol*. 2013;260(7):1855-8.
45. Song Y, Tang B, Che J, Chen K, Xu Y, Shao Q, et al. CHA2DS2-VASc Score, Fibrinogen, and Neutrophil to Lymphocyte Ratio as Predictors of In-Stent Restenosis in Patients with Severe Kidney Disease. *The Heart Surgery Forum*. 2024;27(2):E126-E33.
46. Modi R, Patted SV, Halkati PC, Porwal S, Ambar S, Mr P, et al. CHA2DS2-VASc-HSF score – New predictor of severity of coronary artery disease in 2976 patients. *International Journal of Cardiology*. 2017;228:1002-6.
47. Siontis GCM, Tzoulaki I, Siontis KC, Ioannidis JPA. Comparisons of established risk prediction models for cardiovascular disease: systematic review. *BMJ : British Medical Journal*. 2012;344:e3318.
48. Al-Farabi MJ, Semita IGPG, Shonafi KA, Ramadhiani R, Jovie B, Andrianto A. Predicting the Likelihood for Severe CAD and CABG Indication on Elective Patients: Comparison of Novel CHA2DS2-VASc-HSF with CHA2DS2 and CHA2DS2-VASc Score. *IOP Conference Series: Earth and Environmental Science*. 2020;441(1):012195.
49. Gage BF, Waterman AD, Shannon W, Boechler M, Rich MW, Radford MJ. Validation of clinical classification schemes for predicting stroke: results from the National Registry of Atrial Fibrillation. *Jama*. 2001;285(22):2864-70.
50. D'Agostino RB, Vasan RS, Pencina MJ, Wolf PA, Cobain M, Massaro JM, Kannel WB. General Cardiovascular Risk Profile for Use in Primary Care. *Circulation*. 2008;117(6):743-53.
51. Al-shorbagy AN, Al-Cekelly MM, Dwedar AA-s, Soliman MH. THE PREDICTIVE VALUE OF NEWLY DEFINED CHA2DS2-VASC-HSF SCORE FOR SEVERITY OF CORONARY ARTERY DISEASE IN NON ST SEGMENT ELEVATION MYOCARDIAL INFARCTION. *Zagazig University Medical Journal*. 2018;24(4):289-96.
52. Abd-ALKhaleq A, Hamoda MA, Abd al-naby MS, Khalil MM. Comparison of Novel Risk Score CHA2DS2-VASc-HSF to CHADS2 and CHA2DS2-VASc Scores to Predict the Risk of Severe Coronary Artery Disease. *Benha Medical Journal*. 2024:-.
53. Huynh TAK, Nguyen TN, Nguyen PN. Study of the Correlation Between CHA2DS2-VASc-HSF Score and the Number of Injured Coronary Artery Branches in Patients With Non-St-Elevation Acute Myocardial Infarction at Can Tho Central General Hospital. *Tạp Chí Y Dược Học Cần Thơ*. 2022(47):53-8.
54. El-Deeb ME-S, Mostafa DA-E-S, El-Gindy IAL, Badr SF. CHA2DS2-VASc-HSF Score as a Predictor of Severity of Coronary Artery Disease in Patients Undergoing Coronary Angiography. *Cardiology and Angiology: An International Journal*. 2022;11(4):37-46.
55. Liu J, Ma Y, Bu H, Qin W, Shi F, Zhang Y. Predictive Value of CHA2DS2 - VASc-HSF Score for Severity of Acute Coronary Syndrome. *Clinical and Applied Thrombosis/Hemostasis*. 2022;28:10760296211073969.

56. Knuuti J, Wijns W, Saraste A, Capodanno D, Barbato E, Funck-Brentano C, et al. 2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes: The Task Force for the diagnosis and management of chronic coronary syndromes of the European Society of Cardiology (ESC). *European Heart Journal*. 2019;41(3):407-77.
57. Eroglu S, Sade LE, Yildirim A, Bal U, Ozbicer S, Ozgul AS, et al. Epicardial adipose tissue thickness by echocardiography is a marker for the presence and severity of coronary artery disease. *Nutr Metab Cardiovasc Dis*. 2009;19(3):211-7.
58. Raff GL, Chair, Abidov A, Achenbach S, Berman DS, Boxt LM, et al. SCCT guidelines for the interpretation and reporting of coronary computed tomographic angiography. *Journal of Cardiovascular Computed Tomography*. 2009;3(2):122-36.
59. Rampidis GP, Benetos G, Benz DC, Giannopoulos AA, Buechel RR. A guide for Gensini Score calculation. *Atherosclerosis*. 2019;287:181-3.
60. Aksu F, Ahmed SA. Gensini Score's Severity and Its Relationship with Risk Factors for Coronary Artery Disease Among Patients Who Underwent Angiography in Somalia's Largest PCI Centre. *Int J Gen Med*. 2024;17:187-92.
61. Avci A, Fidan S, Tabakçı MM, Toprak C, Alizade E, Acar E, et al. Association between the Gensini Score and Carotid Artery Stenosis. *Korean Circ J*. 2016;46(5):639-45.
62. Yildirim E, Iyisoy A, Celik M, Yuksel UC, Acikel C, Bugan B, Gokoglan Y. The Relationship Between Gensini Score and In-Hospital Mortality in Patients with ST-Segment Elevation Myocardial Infarction. *International Journal of Cardiovascular Sciences*. 2017;30(1):32-41.
63. Ndrepepa G, Tada T, Fusaro M, Cassese S, King L, Hadamitzky M, et al. Association of coronary atherosclerotic burden with clinical presentation and prognosis in patients with stable and unstable coronary artery disease. *Clinical Research in Cardiology*. 2012;101(12):1003-11.
64. Chaitman BR, Bourassa MG, Davis K, Rogers WJ, Tyras DH, Berger R, et al. Angiographic prevalence of high-risk coronary artery disease in patient subsets (CASS). *Circulation*. 1981;64(2):360-7.
65. Kurtul A, Murat SN, Yarlioglues M, Duran M, Ergun G, Acikgoz SK, et al. Association of platelet-to-lymphocyte ratio with severity and complexity of coronary artery disease in patients with acute coronary syndromes. *Am J Cardiol*. 2014;114(7):972-8.
66. Dahlgren A, Mohammad MAM, Erlinge DE. Progression of atherosclerosis in smokers: a longitudinal nation-wide serial angiography study. *European Heart Journal*. 2023;44(Supplement_2).
67. Goswami S, Mohabansi S, Anoumandane S. Premenopausal and postmenopausal women presenting with acute coronary syndrome: A comparison study of their clinical and angiographic profiles. *Heart India*. 2024;12(2):96-101.
68. Serruys PW, Morice M-C, Kappetein AP, Colombo A, Holmes DR, Mack MJ, et al. Percutaneous Coronary Intervention versus Coronary-Artery Bypass

- Grafting for Severe Coronary Artery Disease. *New England Journal of Medicine*. 2009;360(10):961-72.
69. Rahim MA, Uddin MJ, Jahan J, Chowdhury TA, Momen A, Islam MM, et al. Prediction of Coronary Artery Disease Severity by Using CHA2DS2-VASC-HSF Score in Patients with ST-Elevation Myocardial Infarction. *Mymensingh Med J*. 2023;32(2):393-402.
 70. Andrianto A, Jovie B, Al Farabi MJ, Gandi P, Shonafi KA, Lathifah R. Novel CHA2DS2-VASc-HSF is Superior to CHADS2 and CHA2DS2-VASc Score to Predict the Risk of Severe Coronary Artery Disease. *Open Access Macedonian Journal of Medical Sciences*. 2020;8(B):451-6.
 71. Greenberg RS. *Medical Epidemiology*: McGraw-Hill Education; 2005.
 72. Gerstman BB. *Epidemiology Kept Simple: An Introduction to Traditional and Modern Epidemiology*: Wiley; 2013.

