

DAFTAR PUSTAKA

1. PERKI. Pedoman Tata Laksana Gagal Jantung [Internet]. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. 2023. 1–15 hal. Tersedia pada: <http://www.nber.org/papers/w16019>
2. Tomasoni D, Adamo M, Lombardi CM, Metra M. Highlights in heart failure. *ESC Hear Fail*. 2019;6:1105–27.
3. Groenewegen A, Rutten FH, Mosterd A, Hoes AW. Epidemiology of heart failure. *Eur J Heart Fail*. 2020;22:1342–56.
4. Bozkurt B, Fonarow GC, Goldberg LR, Guglin M, Josephson RA, Forman DE, et al. Cardiac Rehabilitation for Patients With Heart Failure: JACC Expert Panel. *J Am Coll Cardiol*. 2021;77:1454–69.
5. Baccanelli G, Tomaselli M, Ferri U, Giglio A, Munforti C, Parati G, et al. Effects of cardiac rehabilitation on cardiopulmonary test parameters in heart failure: A real world experience. *Int J Cardiol Cardiovasc Risk Prev* [Internet]. 2023;17:200178. Tersedia pada: <https://doi.org/10.1016/j.ijcrp.2023.200178>
6. Adachi T, Iritani N, Kamiya K, Iwatsu K, Kamisaka K, Iida Y, et al. Prognostic effects of cardiac rehabilitation in heart failure patients classified according to physical frailty: A propensity score–matched analysis of a nationwide prospective cohort study. *Int J Cardiol Cardiovasc Risk Prev*. 2023;17.
7. McDonagh TA, Metra M, Adamo M, Baumbach A, Böhm M, Burri H, et al. 2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *Eur Heart J*. 2021;42:3599–726.
8. Stefanie H. Higher BNP NT-pro BNP levels stratify prognosis equally well in patients with and.pdf. *ESC Hear Fail*. 2022;3198–209.
9. Santoso A, Maulana R, Alzahra F, Prameswari HS, Ambari AM, Hartopo AB, et al. The Effects of Aerobic Exercise on N-terminal Pro-B-type Natriuretic Peptide and Cardiopulmonary Function in Patients With Heart Failure: A Meta-Analysis of Randomised Clinical Trials. *Hear Lung Circ* [Internet].

- 2020;29:1790–8. Tersedia pada: <https://doi.org/10.1016/j.hlc.2020.05.098>
10. Piepoli MF, Spoletini I, Rosano G. Monitoring functional capacity in heart failure. *Eur Hear Journal, Suppl.* 2019;21:M9–12.
 11. Wang Q, An Y, Wang H, Zhang N, Deng S. The clinical significance of changes in cTnT, CRP and NT-proBNP levels in patients with heart failure. *Am J Transl Res.* 2021;13:2947–54.
 12. Ardavani A, Aziz H, Phillips BE, Doleman B, Ramzan I, Mozaffar B, et al. Indicators of response to exercise training: A systematic review and meta-analysis. *BMJ Open.* 2021;11:1–16.
 13. Antonini-canterin F. Heart Failure : One, None, and a Hundred Thousand. *Heart Fail Clin [Internet].* 2021;17:xiii–xv. Tersedia pada: <https://doi.org/10.1016/j.hfc.2021.01.011>
 14. Bjelica B, Milanović L, Aksović N, Zelenović M, Božić D. Effects of physical activity to cardiorespiratory changes. 2020;6:164–74.
 15. Austin RC. Rewriting the heart failure pillars toward less burdensome heart failure care pathways. *Br J Cardiol.* 2024;31:1–3.
 16. Volterrani M, Caminiti G, Perrone MA, Cerrito A, Franchini A, Manzi V, et al. Effects of Concurrent, Within-Session, Aerobic and Resistance Exercise Training on Functional Capacity and Muscle Performance in Elderly Male Patients with Chronic Heart Failure. *J Clin Med.* 2023;12.
 17. Gomes-Neto M, Durães AR, Conceição LSR, Roevers L, Silva CM, Alves IGN, et al. Effect of combined aerobic and resistance training on peak oxygen consumption, muscle strength and health-related quality of life in patients with heart failure with reduced left ventricular ejection fraction: a systematic review and meta-analysis. *Int J Cardiol [Internet].* 2019;293:165–75. Tersedia pada: <https://doi.org/10.1016/j.ijcard.2019.02.050>
 18. Cattadori G, Segurini C, Picozzi A, Padeletti L, Anzà C. Exercise and heart failure: an update. *ESC Hear Fail.* 2018;5:222–32.
 19. Wang Y, Cao J, Kong X, Wang S, Meng L, Wang Y. The effects of CPET-guided cardiac rehabilitation on the cardiopulmonary function , the exercise

- endurance , and the NT-proBNP and hscTnT levels in CHF patients. 2021;13:7104–14.
20. Perry BG, Lucas SJE. The Acute Cardiorespiratory and Cerebrovascular Response to Resistance Exercise. 2021;
 21. Malandish A, Ghadamyari N, Karimi A, Naderi M. The role of exercise training on cardiovascular peptides in patients with heart failure: A systematic review and meta-analysis. *Curr Res Physiol* [Internet]. 2022;5:270–86. Tersedia pada: <https://doi.org/10.1016/j.crphys.2022.06.004>
 22. Fakontis C, Iakovidis P, Kasimis K, Lytras D, Koutras G, Fetlis A, et al. Efficacy of resistance training with elastic bands compared to proprioceptive training on balance and self-report measures in patients with chronic ankle instability: A systematic review and meta-analysis. *Phys Ther Sport*. 2023;64:74–84.
 23. Ahern L, Nicholson O, O’Sullivan D, McVeigh JG. Effect of Functional Rehabilitation on Performance of the Star Excursion Balance Test Among Recreational Athletes With Chronic Ankle Instability: A Systematic Review. *Arch Rehabil Res Clin Transl* [Internet]. 2021;3:100133. Tersedia pada: <https://doi.org/10.1016/j.arret.2021.100133>
 24. Ma C, Zhou W, Jia Y, Tang Q. Effects of home-based Baduanjin combined with elastic band exercise in patients with chronic heart failure. *Eur J Cardiovasc Nurs*. 2022;21:587–96.
 25. PERKI. Panduan Rehabilitasi Kardiovaskular. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. 2019.
 26. Zhong Z. The effect of resistance training on the body composition and muscle functions of healthy elderly men. *Int J Clin Exp Med* [Internet]. 2020;13:7136–45. Tersedia pada: <https://www.embase.com/search/results?subaction=viewrecord&id=L2005158211&from=export>
 27. PERKI. Pedoman Uji Latih Jantung. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia. 2016. 1–50 hal.

28. Adams V. Locomotor and respiratory muscle abnormalities in HF_rEF and HF_pEF. *Front Cardiovasc Med*. 2023;1–19.
29. Poole DC, Richardson RS, Haykowsky MJ, Hirai DM, Musch TI. Exercise limitations in heart failure with reduced and preserved ejection fraction. 2024;208–24.
30. Yuniadi Y. *Buku Ajar Kardiovaskular UI Jilid 1*. Jakarta: CV Sagung Seto; 2017.
31. Schwinger RHG. Pathophysiology of heart failure. *Cardiovasc Diagn Ther*. 2021;11:263–76.
32. Taylor RS, Dalal HM, McDonagh STJ. The role of cardiac rehabilitation in improving cardiovascular outcomes. *Nat Rev Cardiol*. 2022;19:180–94.
33. Januzii JL. N-terminal pro-B-type natriuretic peptide testing patterns in patients with heart. *ESC Hear Fail*. 2021;
34. Ludwikowska KM, Tokarczyk M, Paleczny B, Tracewski P, Szenborn L, Kusa J. Clinical Significance of B-Type Natriuretic Peptide and N-Terminal Pro-B-Type Natriuretic Peptide in Pediatric Patients : Insights into Their Utility in the Presence or Absence of Pre-Existing Heart Conditions. 2024;
35. Rørth R, Jhund PS, Yilmaz MB, Kristensen SL, Welsh P, Desai AS, et al. Comparison of BNP and NT-proBNP in Patients With Heart Failure and Reduced Ejection Fraction. *Circ Hear Fail*. 2020;13:E006541.
36. Heidenreich PA, Bozkurt B, Aguilar D, Allen LA, Byun JJ, Colvin MM, et al. 2022 AHA/ACC/HFSA Guideline for the Management of Heart Failure: A Report of the American College of Cardiology/American Heart Association Joint Committee on Clinical Practice Guidelines. Vol. 145, *Circulation*. 2022. 895–1032 hal.
37. Ursila P, Syukri M, Kedokteran F, Andalas U. Peranan marker jantung sebagai penanda keberhasilan terapi gagal jantung akut 1,2. 2020;5:1113–22.
38. Haehling S von. Improving exercise capacity and quality of life using non-invasive heart. *Eur J Heart Fail*. 2020;23:92–113.
39. Emelda. Korelasi Handgrip Strength Dengan Kapasitas Latihan Uji Berjalan 6

- Menit Pada Penderita Gagal Jantung. Thesis [Internet]. 2022; Tersedia pada: <http://scholar.unand.ac.id/id/eprint/101052>
40. Taylor RS, Dalal HM, Zwisler AD. Cardiac rehabilitation for heart failure: “Cinderella” or evidence-based pillar of care? *Eur Heart J* [Internet]. 2023;44:1511–8. Tersedia pada: <https://doi.org/10.1093/eurheartj/ehad118>
 41. Chen H, Chen C, Spanos M, Li G, Lu R, Bei Y, et al. Exercise training maintains cardiovascular health : signaling pathways involved and potential therapeutics. 2022;
 42. Dallas K, Dinas PC, Chryssanthopoulos C, Maridaki M, Koutsilieris M, Philippou A. The effects of exercise on VO 2 peak , Quality of Life and Hospitalization in heart failure patients : A Systematic Review with Meta-analyses. *Eur J Sport Sci* [Internet]. 2020;0:1–26. Tersedia pada: <https://doi.org/10.1080/17461391.2020.1846081>
 43. Pranata R, Yonas E, Siswanto BB, Purwowiyoto BS. Exercise training in heart failure: role, prescription and program. *Indones J Cardiol*. 2018;38:226–33.
 44. Fisher, S., Smart, N.A. & Pearson MJ. Resistance training in heart failure patients: a systematic review and meta-analysis [Internet]. SpringerNature. 2022. hal. 1665–1682. Tersedia pada: <https://link.springer.com/article/10.1007/s10741-021-10169-8#citeas>
 45. Hussain A, Sun W, Deswal A, de Lemos JA, McEvoy JW, Hoogetveen RC, et al. Association of NT-ProBNP, Blood Pressure, and Cardiovascular Events: The ARIC Study. *J Am Coll Cardiol*. 2021;77:559–71.
 46. Prescott E, Hjardem-Hansen R, Dela F, Ørkild B, Teisner AS, Nielsen H. Effects of a 14-month low-cost maintenance training program in patients with chronic systolic heart failure: A randomized study. *Eur J Cardiovasc Prev Rehabil*. 2009;16:430–7.
 47. American College of Sports Medicine. (2018). Guidelines for exercise testing and prescription (10th edition). Philadelphia: Wolters Kluwer. American College of Sports Medicine. (2018). Guidelines for exercise testing and prescription (10th edition). Philadelphia: Wolters Kluwer. 2018.

48. Denise L. Smith, Sharon A. Plowman, Michael JO. Exercise Physiology For Health, Fitness, and Performance Sixth Edition. 6th Edition. Wolters Kluwer; 2021.
49. Taylor JL, Holland DJ, Keating SE, Leveritt MD, Gomersall SR, Rowlands AV., et al. Short-term and Long-term Feasibility, Safety, and Efficacy of High-Intensity Interval Training in Cardiac Rehabilitation: The FITR Heart Study Randomized Clinical Trial. *JAMA Cardiol.* 2020;5:1382–9.
50. Máira Tristão Parra, ScD, MsC, MPH, Isaac Sada, BS, Rebecca Gold, MD CA, Vella, PhD, FACSM, ACSM EP-C, Candice Price, PhD, Iva Miljkovic, MD, PhD F, Amelia Eastman, DO, Matthew Allison, MD M. Associations between muscle quality and N-terminal pro-B-type natriuretic peptide (NT-proBNP): The multi-ethnic study of atherosclerosis. 2025;367:160–70.
51. Danduboyina A, Panjiyar BK, Borra SR, Panicker SS. Cardiovascular Benefits of Resistance Training in Patients With Heart Failure With Reduced Ejection Fraction : A Systematic Review. 2023;15. Tersedia pada: doi:10.1016/j.amjms.2023.11.021.
52. Stricker PR, Faigenbaum AD, McCambridge TM. Resistance training for children and adolescents. *Pediatrics.* 2020;145.
53. Norinejad H, Salehi A, Rostamkhany H, Huang H. Impact of three types of resistance , aerobic , and combined exercises on serum levels of cardiac biomarkers in active older adults. 2024;3:73–83.
54. Castañeda-López J, Vasquez-Jimenez C. Safety of Resistance Band Training in Patients with Heart Diseases. *J Cardiol Res Rev Reports.* 2023;4:1–4.
55. Simoneau G, Bereda SM, Sobush DC, Starsky AJ. Biomechanics of elastic resistance in therapeutic exercise programs. *J Orthop Sports Phys Ther.* 2001;31:16–24.
56. Serway R a., Jewett JW. Physics for Scientists and Engineers with Modern Physic, 7 ed. Brooks/cole [Internet]. 2008;Cengage Le:739(1215). Tersedia pada: <http://books.google.com/books?id=XgweHqlvtiUC&pgis=1>
57. Nasarudin AN, Fazira Sidek F, Shaari IH. Prediction of quadriceps one

- repetition maximum (1RM) among novice lifters using 1RM equations. *Heal Scope*. 2020;3:17–21.
58. Medicine P. Upper and Lower Extremity : Resistance Band Exercise Program. *Mich Med*. 2019;1–11.
59. Molloy C, Long L, Mordi IR, Bridges C, Sagar VA, Davies EJ, et al. Exercise-based cardiac rehabilitation for adults with heart failure. *Cochrane Database Syst Rev*. 2024;2024.
60. Savarese G, Becher PM, Lund LH, Seferovic P, Rosano GMC, Coats AJS. Global burden of heart failure: a comprehensive and updated review of epidemiology. *Cardiovasc Res*. 2022;118:3272–87.
61. Joseph P, Roy A, Lonn E, Störk S, Floras J, Mielniczuk L, et al. Global Variations in Heart Failure Etiology, Management, and Outcomes. *Jama*. 2023;329:1650–61.
62. Mumpuni H, Adhi Kusumastuti D, Purnasidha Bagaswoto H, Yuli Setianto B. Epidemiology, Aetiology and Risk Profile of Heart Failure in a Tertiary Referral Hospital: a Report from the Sardjito Heart Failure Registry. *ACI (Acta Cardiol Indones*. 2020;7:7–12.
63. Czapla M, Surma S, Kwaśny A, Lewandowski Ł. Association of Body Mass Index with Outcomes in Patients with Heart Failure with Reduced Ejection Fraction (HFrEF). *Nutrients*. 2024;16.
64. Docherty KF, Bayes-Genis A, Butler J, Coats AJS, Drazner MH, Joyce E, et al. The four pillars of HFrEF therapy: is it time to treat heart failure regardless of ejection fraction? *Eur Hear Journal, Suppl* [Internet]. 2022;24:L10–9. Tersedia pada: <https://doi.org/10.1093/eurheartjsupp/suac113>
65. Edwards JJ, Deenmamode AHP, Griffiths M, Arnold O, Cooper NJ, Wiles JD, et al. Exercise training and resting blood pressure: a large-scale pairwise and network meta-analysis of randomised controlled trials. *Br J Sports Med*. 2023;57:1317–26.
66. Epelde F. Impact of Exercise on Physiological, Biochemical, and Analytical Parameters in Patients with Heart Failure with Reduced Ejection Fraction.

Med. 2024;60.

67. Kirsch M, Iliou MC, Vitiello D. Hemodynamic Response to Exercise Training in Heart Failure With Reduced Ejection Fraction Patients. *Cardiol Res* [Internet]. 2024;15:18–28. Tersedia pada: <https://www.doi.org/10.14740/cr1591>
68. Yang H. Rehabilitation training effect guided by cardiopulmonary fitness assessment on NT-proBNP levels in patients with chronic heart failure. *Investig Clin*. 2024;65:406–17.
69. Grässler B, Thielmann B, Böckelmann I, Hökelmann A. Effects of Different Training Interventions on Heart Rate Variability and Cardiovascular Health and Risk Factors in Young and Middle-Aged Adults: A Systematic Review. *Front Physiol*. 2021;12.
70. Failure ESCH, Sun Y, Huang X, Hu B, Wu Z, Zhang Y, et al. The effects of early exercise on cardiovascular biomarkers in patients with congestive heart failure. 2025;2.
71. Malachias MVB, Wijkman MO, Bertoluci MC. NT-proBNP as a predictor of death and cardiovascular events in patients with type 2 diabetes. *Diabetol Metab Syndr* [Internet]. 2022;14:1–13. Tersedia pada: <https://doi.org/10.1186/s13098-022-00837-6>

