

DAFTAR PUSTAKA

1. Yaxley J, Yaxley W. Obstructive uropathy – acute and chronic medical management. *World J Nephrol.* 2023;12(1):1–9.
2. Washino S, Hosohata K, Miyagawa T. Roles played by biomarkers of kidney injury in patients with upper urinary tract obstruction. *Int J Mol Sci.* 2020;21(15):1–18.
3. Ucero AC, Gonçalves S, Benito-Martin A, Santamaría B, Ramos AM, Berzal S, et al. Obstructive renal injury: From fluid mechanics to molecular cell biology. *Open Access J Urol.* 2010;2(1):41–55.
4. Martínez-Klimova E, Aparicio-Trejo OE, Tapia E, Pedraza-Chaverri J. Unilateral ureteral obstruction as a model to investigate fibrosis-attenuating treatments. *Biomolecules.* 2019;9(4).
5. Park CH, Yoo TH. TGF- β Inhibitors for Therapeutic Management of Kidney Fibrosis. *Pharmaceuticals.* 2022;15(12).
6. Isaka Y. Targeting TGF- β signaling in kidney fibrosis. *Int J Mol Sci.* 2018;19(9):1–13.
7. Gu YY, Liu XS, Huang XR, Yu XQ, Lan HY. Diverse Role of TGF- β in Kidney Disease. *Front Cell Dev Biol.* 2020;8(February):1–13.
8. Sureshbabu A, Muhsin SA, Choi ME. TGF- β signaling in the kidney: Profibrotic and protective effects. *Am J Physiol - Ren Physiol.* 2016;310(7):F596–606.
9. Alvarino A, Yanwirasti Y. Nano Curcumin Effect For Kidney Fibrotic Caused By Unilateral Ureter Obstruction Based On Expression Matrix Metalloproteinase-9. 2019;
10. Tanyo EB, Myh E, Yunir PE, Effendi J, Harahap AR. The effect of *Lactococcus lactis* D4 administration on renal fibrosis histopathology in rats with unilateral ureteral obstruction model. 2024;8(4):33–6.
11. Sonik MD, Neldi V, Ramadhani P. Review Artikel: Efektivitas Dadih (Yogurt Khas Sumatra Barat) Sebagai Probiotik. *J Farm Higea.* 2023;15(1):77.

12. Arnold M, Rajagukguk YV, Gramza-Michałowska A. Characterization of dadih: Traditional fermented buffalo milk of minangkabau. *Beverages*. 2021;7(3).
13. Harun H, Yanwirasti Y, Purwanto B, Rahayuningsih EP. The effect of giving dadih on manganese superoxide dismutase gene expression and malondialdehyde levels at aging kidney. *Open Access Maced J Med Sci*. 2020;8:525–8.
14. Bikheet MM, Mahmoud ME, Yassien EE, Hassan HM. Effect of lactic acid bacteria isolated from some fermented dairy products on carbon tetrachloride-induced hepatotoxicity and nephrotoxicity of albino rats. *Environ Sci Pollut Res*. 2022;29(8):11790–800.
15. Rishor-Olney CR, Hinson MR. Obstructive Uropathy. *Natl Kidney Found Prim Kidney Dis* [Internet]. 2023 Jul 22 [cited 2025 Apr 22];412–9. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK558921/>
16. Liu Y, Chen Y, Liao B, Luo D, Wang K, Li H, et al. Epidemiology of urolithiasis in Asia. *Asian J Urol* [Internet]. 2018;5(4):205–14. Available from: <https://doi.org/10.1016/j.ajur.2018.08.007>
17. Sorokin I, Mamoulakis C, Miyazawa K, Rodgers A, Talati J, Lotan Y. Epidemiology of stone disease across the world. *World J Urol*. 2017;35(9):1301–20.
18. Skolarikos A, Jung H, Neisius A, Petřík A, Somani B, Tailly T, et al. EAU Guidelines on Urolithiasis. *Eur Assoc Urol 2021* [Internet]. 2023;(March):1–87. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26344917> http://uroweb.org/wp-content/uploads/22-Urolithiasis_LR_full.pdf
19. Chen Y, Liu CY, Zhang ZH, Xu PC, Chen DG, Fan XH, et al. Malignant ureteral obstruction: Experience and comparative analysis of metallic versus ordinary polymer ureteral stents. *World J Surg Oncol*. 2019;17(1):1–10.
20. Ratliff BB, Abdulmahdi W, Pawar R, Wolin MS. Oxidant mechanisms in renal injury and disease. *Antioxidants Redox Signal*. 2016;25(3):119–46.

21. Jackson L, Woodward M, Coward RJ. The molecular biology of pelvi-ureteric junction obstruction. *Pediatr Nephrol*. 2018;33(4):553–71.
22. Xia ZE, Xi JL, Shi L. 3,3'-Diindolylmethane ameliorates renal fibrosis through the inhibition of renal fibroblast activation in vivo and in vitro. *Ren Fail* [Internet]. 2018;40(1):447–54. Available from: <https://doi.org/10.1080/0886022X.2018.1490322>
23. Nilsson L, Madsen K, Krag S, Frøkiær J, Jensen BL, Nørregaard R. Disruption of cyclooxygenase type 2 exacerbates apoptosis and renal damage during obstructive nephropathy. *Am J Physiol - Ren Physiol*. 2015;309(12):F1035–48.
24. Wyczanska M, Lange-Sperandio B. DAMPs in Unilateral Ureteral Obstruction. *Front Immunol*. 2020;11(October):1–12.
25. Girshovich A, Vinsonneau C, Perez J, Vandermeersch S, Verpont MC, Placier S, et al. Ureteral obstruction promotes proliferation and differentiation of the renal urothelium into a bladder-like phenotype. *Kidney Int* [Internet]. 2012;82(4):428–35. Available from: <http://dx.doi.org/10.1038/ki.2012.110>
26. Homma K, Enoki Y, Uchida S, Taguchi K, Matsumoto K. A combination of 5/6-nephrectomy and unilateral ureteral obstruction model accelerates progression of remote organ fibrosis in chronic kidney disease. *FASEB BioAdvances*. 2023;5(10):377–94.
27. Li J, Zou Y, Kantapan J, Su H, Wang L, Dechsupa N. TGF- β /Smad signaling in chronic kidney disease: Exploring post-translational regulatory perspectives (Review). *Mol Med Rep*. 2024;30(2):143–2024.
28. Chung YH, Huang GK, Kang CH, Cheng YT, Kao YH, Chien YS. MicroRNA-26a-5p Restoration Ameliorates Unilateral Ureteral Obstruction-Induced Renal Fibrosis in Mice Through Modulating TGF- β Signaling. *Lab Investig* [Internet]. 2023;103(7):100131. Available from: <https://doi.org/10.1016/j.labinv.2023.100131>
29. Wang Y, Deng X, Yang Z, Wu H. Global research trends in unilateral ureteral obstruction-induced renal fibrosis. *Medicine (Baltimore)*. 2023;102(32):1–11.

30. Kim MJ, Kim NY, Jung YA, Lee S, Jung GS, Kim JG, et al. Evogliptin, a dipeptidyl peptidase-4 inhibitor, attenuates renal fibrosis caused by unilateral ureteral obstruction in mice. *Diabetes Metab J*. 2020;44(1):186–92.
31. Zhao D, Luan Z. Oleanolic Acid Attenuates Renal Fibrosis through TGF- β /Smad Pathway in a Rat Model of Unilateral Ureteral Obstruction. *Evidence-based Complement Altern Med*. 2020;2020.
32. Gairola S, Ram C, Syed AM, Doye P, Kulhari U, Mugale MN, et al. Nootkatone confers antifibrotic effect by regulating the TGF- β /Smad signaling pathway in mouse model of unilateral ureteral obstruction. *Eur J Pharmacol* [Internet]. 2021;910(July):174479. Available from: <https://doi.org/10.1016/j.ejphar.2021.174479>
33. Roza E, Artonang SN, Yellita Y, Susanty H, Rizqan, Pratama YE. Potential of dadiah kapau from Agam District, West Sumatra, Indonesia as a source of probiotics for health. *Biodiversitas*. 2022;23(1):564–71.
34. Ade S. Analysis of Microbiota in, and Isolation of Nisin-Producing *Lactococcus lactis* subsp. *lactis* Strains from, Indonesian Traditional Milk, Dadiah. 2017;77.
35. Azad MAK, Sarker M, Wan D. Immunomodulatory Effects of Probiotics on Cytokine Profiles. *Biomed Res Int*. 2018;2018.
36. Zhao X, Li S, Ding J, Wei J, Tian P, Wei H, et al. Combination of an engineered *Lactococcus lactis* expressing CXCL12 with light-emitting diode yellow light as a treatment for scalded skin in mice. *Microb Biotechnol*. 2021;14(5):2090–100.
37. Su ACY, Ding X, Lau HCH, Kang X, Li Q, Wang X, et al. *Lactococcus lactis* HkyuLL 10 suppresses colorectal tumourigenesis and restores gut microbiota through its generated alpha-mannosidase. *Gut*. 2024;1478–88.
38. Saleena LAK, Teo MYM, How YH, In LLA, Pui LP. Immunomodulatory action of *Lactococcus lactis*. *J Biosci Bioeng*. 2023 Jan 1;135(1):1–9.
39. Jin SW, Lee GH, Jang MJ, Hong GE, Kim JY, Park GD, et al. Immunomodulatory activity of *Lactococcus lactis* gcwb1176 in cyclophosphamide-induced immunosuppression model. *Microorganisms*. 2020;8(8):1–14.

40. Del Carmen S, De Moreno De Leblanc A, Perdigon G, Bastos Pereira V, Miyoshi A, Azevedo V, et al. Evaluation of the anti-inflammatory effect of milk fermented by a strain of IL-10-producing *Lactococcus lactis* using a murine model of Crohn's disease. *J Mol Microbiol Biotechnol*. 2011;21(3–4):138–46.
41. Rivière A, Selak M, Lantin D, Leroy F, De Vuyst L. Bifidobacteria and butyrate-producing colon bacteria: Importance and strategies for their stimulation in the human gut. *Front Microbiol*. 2016;7:979. doi:10.3389/fmicb.2016.00979
42. Li LZ, Tao SB, Ma L, Fu P, Ji YY. Roles of short-chain fatty acids in kidney diseases. *Chin Med J (Engl)*. 2019;132(10):1228–32.
43. Ma X, Wang Q. Short-Chain Fatty Acids Attenuate Renal Fibrosis and Enhance Autophagy of Renal Tubular Cells in Diabetic Mice Through the HDAC2/ULK1 Axis. *Endocrinol Metab*. 2022;37(3):432–43.
44. Huang HW, Chen MJ. Exploring the Preventive and Therapeutic Mechanisms of Probiotics in Chronic Kidney Disease through the Gut-Kidney Axis. *J Agric Food Chem*. 2024;72(15):8347–64.
45. He M, Wei W, Zhang Y, Xiang Z, Peng D, Kasimumali A, et al. Gut microbial metabolites SCFAs and chronic kidney disease. *J Transl Med* [Internet]. 2024;22(1):1–18. Available from: <https://doi.org/10.1186/s12967-024-04974-6>
46. Hou Y, Zhu L, Ye X, Ke Q, Zhang Q, Xie X, et al. Integrated oral microgel system ameliorates renal fibrosis by hitchhiking co-delivery and targeted gut flora modulation. *J Nanobiotechnol*. 2024;22(1):1–21. doi:10.1186/s12951-024-02586-2.
47. Rodriguez JD, Hashmi MF, Hithe CC. Perioperative Acute Kidney Injury. [Updated 2023 Sep 12]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557677/>

48. Gameiro, J., Fonseca, J.A., Neves, M. *et al.* Acute kidney injury in major abdominal surgery: incidence, risk factors, pathogenesis and outcomes. *Ann. Intensive Care.* 2018; **8**(22). <https://doi.org/10.1186/s13613-018-0369-7>
49. Sista F, Schietroma M, Santis GD, et al. Systemic inflammation and immune response after laparotomy vs laparoscopy in patients with acute cholecystitis, complicated by peritonitis. *World J Gastrointest Surg.* 2013;5(4):73-82. doi:10.4240/wjgs.v5.i4.73
50. Khater, Y., Barakat, N., Shokeir, A. *et al.* Renal fibrosis progression following partial unilateral ureteral obstruction: mechanisms and therapeutic insights. *World J Urol* 43, 229 (2025). <https://doi.org/10.1007/s00345-025-05580-x>
51. Kong, Haschler TN, Nürnberg B, Krämer S, Gollasch M, Marko L. Renal Fibrosis, Immune Cell Infiltration and Changes of TRPC Channel Expression after Unilateral Ureteral Obstruction in *Trpc6*^{-/-} Mice. *Cell Physiol Biochem* 2019;52:1484-1502
52. Martínez-Klimova E, Aparicio-Trejo OE, Tapia E, Pedraza-Chaverri J. Unilateral Ureteral Obstruction as a Model to Investigate Fibrosis-Attenuating Treatments. *Biomolecules*. 2019;9(4):141. Published 2019 Apr 8. doi:10.3390/biom9040141
53. Nan QY, Piao SG, Jin JZ, Chung BH, Yang CW, Li C. Pathogenesis and management of renal fibrosis induced by unilateral ureteral obstruction. *Kidney Res Clin Pract.* 2024;43(5):586-599. doi:10.23876/j.krcp.23.156
54. Sato M, Muragaki Y, Saika S, Roberts AB, Ooshima A. Targeted disruption of TGF-beta1/Smad3 signaling protects against renal tubulointerstitial fibrosis induced by unilateral ureteral obstruction. *J Clin Invest.* 2003;112(10):1486-1494. doi:10.1172/JCI19270

55. Nazari Soltan Ahmad S, Kalantary-Charvadeh A, Hamzavi M, et al. TGF- β 1 receptor blockade attenuates unilateral ureteral obstruction-induced renal fibrosis in C57BL/6 mice through attenuating Smad and MAPK pathways. *J Mol Histol*. 2022;53(4):691-698. doi:10.1007/s10735-022-10078-6
56. Higgins CE, Tang J, Higgins SP, Gifford CC, Mian BM, Jones DM, et al. The genomic response to TGF- β 1 dictates failed repair and progression of fibrotic disease in the obstructed kidney. *Front Cell Dev Biol*. 2021;9:678524. doi:10.3389/fcell.2021.678524.
57. Li XJ, Shan QY, Wu X, Miao H, Zhao YY. Gut microbiota regulates oxidative stress and inflammation: a double-edged sword in renal fibrosis. *Cell Mol Life Sci*. 2024;81(1):480. Published 2024 Dec 5. doi:10.1007/s00018-024-05532-5

