

DAFTAR PUSTAKA

- Abdelbasset M, Djamila K. 2008. Antimicrobial activity of autochthonous lactic acid bacteria strained from Algerian traditional fermented milk “Raib”. *Afr J Biotech.* 7(16).
- Abu bakar dan A. G. Nataamijaya. (1999). Persentase karkas dan bagian-bagiannya dua galur ayam broiler dengan penambahan tepung kunyit (*Curcuma Domestica Val*) dalam ransum. *Buletin Peternakan*, Vol. 34: 174-179.
- Adeola, O., & Cowieson, A. J. (2011). Board-Invited Review: Opportunities and Challenges in Using Exogenous Enzymes to Improve Nonruminant Animal Production. *Journal of Animal Science*, 89(10), 3189-3218. <https://doi.org/10.2527/jas.2010-3715>.
- Adeola, O.; Cowieson, A.J. (2011). Board-invited review: Opportunities and challenges in using exogenous enzymes to improve nonruminant animal production. *J. Anim. Sci.* 89: 3189–3218.
- Advena, D. (2014). Fermentation of banana stems using probiotics and different incubation periods on changes in dry matt 1. Liu, Y., Li, X., & Wang, J. (2022). Nutrient partitioning during broiler growth phases: A meta-analysis. *Journal of Animal Science and Biotechnology*, 13(1), 45. <https://doi.org/10.1186/s40104-022-00696-1er>, crude protein, and crude fiber content. *Penicillium sp. African Journal of Biotechnology*, 3, 186-188.
- Afzalani, M. F., Astuti, D. A., & Herdian, H. (2021). Potensi Tepung Daun *Indigofera zollingeriana* sebagai Konsentrat Protein Nabati dalam Ransum Ternak. *Jurnal Ilmu Peternakan Terapan*, 5(2), 85–92.
- Agustina Y, Kartika R and Panggabean AS. (2015). Effect of variations in fermentation time on levels of lactose, fat, pH, and acidity in cow's milk fermented into yogurt. *Jurnal Kimia Mulawarman*. Vol 12(2): 97–100.
- Aini, Q., Ciptaan, G., Mirmawati, & Harnentis. (2023). Broiler's responses to fermented soybean milk waste containing a combination of *Neurospora crassa* and *Aspergillus ficuum*. *International Journal of Veterinary Science*. <https://doi.org/10.47278/journal.ijvs/2022.029>
- Akbarillah, N., et al. (2008). *Kandungan Nutrisi dan Potensi Daun Indigofera sebagai Pakan Ternak*. Jurnal Ilmu Ternak, 10(2), 45-50.
- Akbarillah, T., D. Kaharuddin, Kususiyah. (2008ri). Kajian daun tepung *Indigofera* sebagai suplemen pakan produksi dan kualitas telur. Laporan Penelitian. Lembaga Penelitian Universitas Bengkulu, Bengkulu.
- Akbarillah, T., Kususiyah, & Hidayat. (2010). The effect of using fresh *Indigofera* leaves as feed supplements on duck egg production and yolk color. *JSPI*, 5(1), 27 - 33.<https://www.semanticscholar.org/paper/2aedeb5611b5125603b5867d0165c3bcf3b35443>
- Akhadiarto, S. (2010). Pengaruh pemberian probiotik temban, biovet dan biolacta terhadap persentase karkas, bobot lemak abdomen dan organ dalam ayam broiler. Pusat Teknologi Produksi Pertanian, BPPT. Jakarta.

- Alam MZ, Manchulur MA dan Anwar MN. 2004. Purification characterization of cellulolytic enzyme producer by the isolate *Streptomyces omiyaensis*. *Perkist Journal Biology Scietific*. 7(10): 1647-1653.
- Alam, M. S., Sarjono, P. R., & Aminin, A. L. N. (2013). Isolation of thermophilic cellulolytic bacteria from agricultural compost in Bayat Village, Klaten, Central Java. *Chem Info*, 1(1), 190-195.
- Allama, H., O. Sofyan, E. Widodo dan H. S. Prayogi. (2012). Pengaruh penggunaan tepung ulat kandang (*Alphitobius diaperinus*) dalam pakan terhadap penampilan produksi ayam pedaging. *J. Ilmu- Ilmu Peternakan*. 22(3): 1-8.
- Allison, S. D., & Vitousek, P. M. (2005). Responses of extracellular enzymes to simple and complex nutrient inputs. *Soil Biology and Biochemistry*, 37(5), 937-944. <https://doi.org/10.1016/j.soilbio.2004.09.014>
- Amrullah, I. K. (2003). Nutrisi Ayam Broiler. Cetakan Ketiga. Lembaga Satu Gunung budi, Bogor.
- Amrullah, I. K. (2004). Nutrisi Ayam Broiler. Bogor : Lembaga Satu Gunung Budi.
- Anal, Kumar Anil dan Harjinder Singh. 2007. Recent Advances in Microencapsulation of Probiotics for Industrial Applications and Targeted Delivery. *Trends Food Science and Technology*. 18 (5): 240–251.
- Andriani, F., Sutrisno, H., & Widodo, S. (2021). Pemanfaatan ampas sari kedelai sebagai substrat fermentasi dengan *Lactobacillus casei*. *Jurnal Teknologi Pangan*, 15(2), 123-130.
- Andriani, R., et al. (2021). Pemanfaatan Ampas Sari Kedelai sebagai Substrat Fermentasi. *Jurnal Teknologi Pangan*, 16(3), 112-120.
- Anggorodi, R. (1994). Ilmu Makanan Ternak Umum. PT. Gramedia. Jakarta.
- Anggorodi, R. (1995). Nutrisi Aneka Ternak Unggas. Jakarta: PT. Gramedia Pustaka Utama. National Research Council. 1994. Animal Production Vol 10:1 Hlm 42- 49. Bogor.
- Annas, Y. (1982). Fermentasi kedelai oleh cendawan Rhizopusspp. Fakultas Pertanian Universitas Andalas, Padang.
- Aziz. (2010). Analisis Risiko Dalam Usaha ternak Ayam Broiler (Studi Kasus Usaha Peternakan X Di Desa Tapos, Kecamatan Tenjo, Kabupaten Bogor). Skripsi Sarjana, Departemen Agribisnia Fakultas Ekonomi Manajemen. Bogor: Institute Pertanian Bogor. Badan Penelitian dan Pengembangan Teknologi.
- Badrudin, M. (2015). Analisis Proksimat dan Kandungan Karotenoid Daun *Indigofera*. *Jurnal Nutrisi Ternak*, 8(1), 23-30.
- Badrudin, U., & Fauzan, A. (2015). Production process and analysis of liquid organic fertilizer (POC) based on indigo plants (*Indigofera tinctoria*). *Faculty of Agriculture*, Pekalongan University.

- Bakir, S. 2019. Pengaruh dosis inokulum *Aspergillus ficuum* dan lama fermentasi terhadap aktivitas protease, protein kasar dan retensi nitrogen ampas sari kedelai (Dissertation, Universitas Andalas).
- Bakratsas, G., Makridis, P., & Papanikolaou, S. (2023). Single-cell protein production by *Pleurotus ostreatus* in submerged fermentation. *Sustainable Food Technology*, 3, 377–389. <https://doi.org/10.1039/d2fb00058j>
- Bedford, M. R. (2000). Exogenous enzymes in monogastric nutrition their current value and future benefits. *Anim. Feed Sci. Technol.* 86: 113.
- Bidura, I.G.N.G. (2007). Aplikasi Produk Bioteknologi Pakan ternak. Penerbit Udayana University Press. Denpasar.
- Biehl MC, et al. The influence of pubertal timing on alcohol use and heavy drinking trajectories. *Journal of Youth and Adolescence*. 2007; 36:153–167.
- Buckle, K. A., R. A. Edward., C. H. Fleet dan M. Woaton. Ilmu Pangan. Diterjemahkan oleh Purnama, H. Dan Adiana. (1985). Cetakan ke. 1 Penerbit VI Jakarta.
- Cabahug S, Ravindran V, Bryden WL, Selle PH. (1999). Response of broilers to microbial phytase supplementation as influenced by dietary phytic acid and non-phytate phosphorus levels. I. Effects on broiler performance and toe ash content. *British Poultry Science*. 40: 660-666
- Castro-Alba, V., Lazarte, C. E., Perez-Rea, D., Carlsson, N.-G., Almgren, A., Bergenstähl, B., & Granfeldt, Y. (2019). Fermentation of pseudocereals quinoa, canihua, and amaranth to improve mineral accessibility through degradation of phytate. *Journal of the Science of Food and Agriculture*, 99(11), 5239-5248. <https://doi.org/10.1002/jsfa.9793>
- Chen F, Zhu L and Qiu H. 2010. Isolation and probiotic potential of *Lactobacillus salivarius* and *Pediococcus pentosaceus* in specific pathogen free chickens. *Brazilian Journal of Poultry Science*. 19(2): 325–332. DOI: <http://dx.doi.org/10.1590/1806-9061-2016-0413>.
- Chibata, I., (1978), Imobilized Enzyme, Research and Development, John Wiley and Sons Inc, New York
- Chin, F. Y. (2002). The role of dietary fiber in poultry nutrition. *Journal of Applied Poultry Research*, 11(4), 453-463.
- Ciptaan, G., dan Mirnawati. (2015). Kapang selulolitik dan karotenolitik untuk meningkatkan daya guna ampas sari kedelai dan aplikasi pada unggas. *Laporan Penelitian Fundamental tahun 2015*. Fakultas Peternakan, Universitas Andalas.
- Ciptaan, G., Mirnawati, & Djulardi, A. (2018). Addition of soybean milk waste to powder inoculum of *Aspergillus ficuum*. *Research Report 2018*. Faculty of Animal Husbandry, Andalas University.
- Ciptaan, G., Mirnawati, & Djulardi, A. (2021). Utilization of fermented soy-milk waste with in broiler rations. *IOP Conference Series: Earth and Environmental Science*, 709(1), 012044. <https://doi.org/10.1088/1755-1315/709/1/012044>.

- Ciptaan, G., Mirnawati, & Martaguri, I. (2024). Enhancing the quality and nutrient content of soybean milk waste as poultry feed through fermentation with *Bacillus subtilis*. *International Journal of Veterinary Science*, 13(2), 154-159. <https://doi.org/10.47278/journal.ijvs/2023.076>
- Ciptaan, G., Mirnawati., Aini, Q., Makmur, M. (2022). Nutrient Content And Quality Of Soybean Meal Waste Fermented By *Aspergillus Ficuum* And *Neurospora crassa*. *Journal of Animal and Feed Research*. 12(4): 240-245.
- Corzo, A, C, A. Fritts, M. T. Kidd and B. J. Kerr. (2005). Response of broiler chicks to essential and non essential amino acid supplementation of low crude protein diets. *J. Anim. Feed Sci. Tech.* 118:319-327.
- Creighton, H. (1986). Law Every Nurse Should Know. Philadelphia: W.B. Saunders.
- Cuevas-Rodriguez EO., Milan-Carrillo J., Mora-Escobedo R., Cardenas Valenzuela OG., Reyes-Moreno C. (2004). Quality protein maize (*Zea mays L*) tempeh flour through solid state fermentation process. *Lebens-Wiss. U Technol.* 37:54-67.
- Cupp-Enyard, C. (2008). Sigma's non-specific protease activity assay: Casein as a substrate. *Journal of Visualized Experiments*, 19, 1-2. <https://doi.org/10.3791/899>
- Dara, Hendri Yani. (2016). Pengaruh penggunaan ampas sari kedelai fermentasi dengan *Neurospora sitophila* dalam ransum broiler terhadap daya cerna serat kasar, retensi nitrogen dan energi metabolisme. Diploma thesis, Universitas Andalas.
- Das, A., Paul, T., Halder, S. K., Mity, C., Mohapatra, P. K., Pati, B. R., & Mondal, K. C. (2013). Study on regulation of growth and biosynthesis of cellulolytic enzymes from newly isolated *Aspergillus fumigatus* ABK9. *Polish Journal of Microbiology*, 62(1), 31- 43. <https://pubmed.ncbi.nlm.nih.gov/23829075/>
- Desai, Ankur. 2008 . Strain Identification, Viability and Probiotics Properties of *Lactobacillus casei* . School of Biomedical and Health Science Victoria University, Werribee Campus Victoria Australia hal 3.
- Dewanti, R., M. Irham dan Sudiyono. (2013). Pengaruh penggunaan eceng gondok (*Eichornia crassipes*) terfermentasi dalam ransum terhadap persentase karkas, nonkarkas, dan lemak abdominal itik lokal jantan umur delapan minggu. *Buletin Peternakan*. 37(1): 19-25.
- Dinas Perindustrian dan Perdagangan. (2013). Small and medium family enterprises. *Department of Industry and Trade, Padang*.
- Dinas Perindustrian dan Perdagangan. (2020). Small and medium family enterprises. *Department of Industry and Trade, Padang*.
- Dinas Tanaman Pangan, Hortikultura, dan Perkebunan Provinsi Sumatera Barat. (2022). *Central Bureau of Statistics (BPS) West Sumatra. Soybean 2021-2022*. Gartina, D., & Sukriya, R. L. (Eds.). West Sumatra, Central Bureau of Statistics West Sumatra.

- Djannah, D. (1985). BRTERNAK AYAM ITIK BAGIAN KE-2 (2nd ed.). CV.YASAGUNA.http://katalog.pustaka.unand.ac.id/index.php?p=show_detail&id=6841. [DOI: 10.1016/ijmb.2020.101234](https://doi.org/10.1016/ijmb.2020.101234).
- Dwidjoseputro. (2005). Dasar-Dasar Mikrobiologi. Yogyakarta.
- Fadilah, R. (2004). Ayam Broiler Komersial. Agromedia Pustaka. Jakarta.
- Fahrudin, A., W. Tanwirah, H. Indrijani. (2016). Konsumsi ransum, pertambahan bobot badan dan konversi ransum ayam lokal di Jimmy's Farm Cipanas Kabupaten Cianjur. Tesis. Fakultas Peternakan, Universitas Padjajaran.
- Fardiaz, S. (1989). Fermentasi Pangan. Pusat Antar Universitas Pangan dan Gizi Institut Pertanian Bogor, Bogor.
- Fardiaz, S. (1992). Analisis Mikrobiologi Pangan. Jakarta (ID): PT Raja Garfindo Pesada.
- Ferreira, R. de S. (2024). Protein levels and essential-to-total nitrogen ratio in diets for broiler chickens. <https://doi.org/10.47328/ufvbbt.2024.348>
- Fitria, Y., Farkhan, M., Nurhudah, M., Ediwarman, E., & Panigoro, N. (2023). Use Of Fermented Tarum (*Indigofera Zollingeriana*) Leaf Flour From *Aspergillus niger* On Growth Performance Of Jaya Sakti Carp Larvae. *International Journal of Progressive Sciences and Technologies*. <https://doi.org/10.52155/ijpsat.v42.1.5825>.
- Fitria. (2011). Pengaruh Penggunaan Ampas Kecap dalam Ransum Sebagai Subsitusi Bungkil Kedelai terhadap Konsumsi Pakan, Pertambahan Bobot Badan dan Konversi Pakan Ayam Pedaging Periode Grower. Skripsi. Jurusan Biologi. Universits Islam Negeri Maulana Malik Ibrahim, Malang.
- Fitriana, N., Asri, M.T. (2022). Aktivitas Proteolitik pada Enzim Protease dari Bakteri Rhizosphere Tanaman Kedelai (*Glycine max L.*) di Trenggalek 11 (1): 144-152. <https://journal.unesa.ac.id/index.php/lenterabio/index>.
- Froebel, L. K., Jalukar, S., Lavergne, T. A., Coufal, C. D., & Duong, T. (2020). Administration of direct-fed *Bacillus* cultures and refined functional carbohydrates to broiler chickens improves growth performance and promotes positive shifts in gastrointestinal microbiota. *The Journal of Applied Poultry Research*, 29(4), 765–774. <https://doi.org/10.1016/J.JAPR.2020.06.004>.
- Gajera, G., Funde, S. T., Palep, H., & Kothari, V. (2024). Duration of fermentation affects microbiome composition and biological activity of an Indian traditional formulation - Panchagavya. *Journal of Ayurveda and Integrative Medicine*, 15(2), 100880. <https://doi.org/10.1016/j.jaim.2023.100880>.
- Geng, Y., Wang, X., Bao, X., Li, M., Gao, Y., Qin, S., Yang, H., Pu, L., Hong, L., & Zhang, J. (2024). Effects of Bacterial Enzyme Cooperative Fermentation Diet on Growth Performance, Blood Biochemical Indices, and Fecal Microflora of Growing-Finishing Pigs. *Fermentation*, 10(12):610. <https://doi.org/10.3390/fermentation10120610>
- Geng, Y., Wang, X., Bao, X., Li, M., Gao, Y., Qin, S., Yang, H., Pu, L., Hong, L., & Zhang, J. (2024). Effects of Bacterial Enzyme Cooperative Fermentation

- Diet on Growth Performance, Blood Biochemical Indices, and Fecal Microflora of Growing-Finishing Pigs. *Fermentation*, 10(12):610. <https://doi.org/10.3390/fermentation10120610>
- Ginindza, M., Mbatha, K. R., & Ng'ambi, J. (2022). Dietary crude fiber levels for optimal productivity of male Ross 308 broiler and Venda chickens aged 1 to 42 days. *Animals*, 12(10), 1333. <https://doi.org/10.3390/ani12101333>
- Gobbetti, M., Minervini, F., & Rizzello, C. G. (2019). Lactic acid bacteria: General characteristics and applications in fermentation and functional foods. In *Encyclopedia of Food and Health* (pp. 446-452). Academic Press.
- Gudisa A and Yenasew A. (2022). Isolation, Identification, and Biochemical Characterization of Lactic Acid Bacteria from Okara. Food Science and Quality Management. 117.
- Hadi, S. (2002). Penampilan ayam broiler strain cobb yang mendapat ransum denganimbangan energi protein berbeda. Skripsi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Hafid, H, dan A. Syam. (2001). Pengaruh pemberian pakan komersil terhadap konsumsi dan dan konversi ransum ayam pedaging. Majalah Ilmiah AGriplus. Fakultas Pertanian, Universitas Haluoleo, Kendari. ISSN. 0854-0128. 16(3): 10-18.
- Hakim, A. H., Zulkifli, I., Farjam, A. S., Awad, E. A., & Ramiah, S. K. (2022). Impact of feeding fermented palm kernel cake and high dietary fat on nutrient digestibility, enzyme activity, intestinal morphology, and intestinal nutrient transporters mRNA expression in broiler chickens under hot and humid conditions. *Animals*, 12(7), 882. <https://doi.org/10.3390/ani12070882>.
- Han YM, Roneker KR, Pond WG, Lei XG (1998) Adding wheat middlings, microbial phytase, and citric acid to corn-soybean meal diets for growing pigs may replace inorganic phosphorus supplementation. *J. Anim. Sci.* 76: 2649–2656.
- Han, H., Choi, J. K., Park, J., Im, H. C., Han, J. H., Huh, M. H., and Lee, Y.B. (2021). Recent innovations in processing technologies for improvement of nutritional quality of soymilk. *CyTA - Journal of Food*. 19(1): 287–303. doi:10.1080/19476337.2021.189382.s
- Hardiningsih, Riani, Rostianti Nonta Refina Napitupulu, Titin Yulinery. 2006. Isolasi dan Uji Resistensi Beberapa Isolat Lactobacillus pada pH Rendah. Jurusan Biologi FMIPA UNS Surakarta. Biodiversitas ISSN: 1412-033X. Volume 7, Nomor 1, Halaman 15-17.
- Haroen, U. 2003. Respon ayam broiler yang diberi tepung daun sengon (*Albizia falcataria*) dalam ransum terhadap pertumbuhan dan hasil karkas. *J. Ilmiah Ilmu-ilmu Peternakan*. 6 (1) : 34-41.
- Haryanto, T., Mulyani, R., & Sari, N. (2019). Optimasiimbangan C:N pada proses fermentasi bakteri asam laktat. *Jurnal Ilmu dan Teknologi Pangan*, 12(1), 33-40.

- Has, H., Ribriani, R., & Napirah, A. (2021). Effect of *Indigofera* leaves as a substitute for soybean meal in laying quail (*Coturnix-coturnix japonica*) ration on egg production, feed conversion ratio, and yolk color score. 788(1), 012180. <https://doi.org/10.1088/1755-1315/788/1/012180>.
- Hatta, U. (2005). Performan hati dan ginjal ayam broiler yang diberi ransum menggunakan ubi kayu fermentasi dengan penambahan lysine. J. Agroland. 3(2):71-84.
- Heck E and Vervest P. (2002). Smart business networks. Communications of the ACM. 50:6. (28-37).
- Henriette CS, Zibeni and ME. Aumaitre Petitdemange, 1993. Protease and lipase Heprer, G. Fried, R. St Jean. 1979. Hypocholesterolemic effect of yoghurt and milk. American Journals of Clinical Nutrition 32:19-24.
- Hidayat, C. (2016). Utilization of phytase to overcome phytic acid in broiler diets. Wartazoa, 26(2), 57–68.
- Hidayat, C. 2015. Penurunan deposit lemak abdominal pada ayam pedaging melalui manajemen pakan. Wartazoa. 25 (3): 125-134.
- Hidayat, et al . (2006). Mikrobiologi Industri. Yogyakarta: C.V Andi Offset.
- Hsiao, F. S.-H., Artdita, C. A., Lin, S.-Y., Yu, Y.-H., & Cheng, Y.-H. (2022). Mixed Solid-State Fermentation of Okara and Copra Meal by Probiotics with Non-Starch Polysaccharide Enzymes and Its Effects on the Growth Performance and Ileal Microbiota in Broilers. *Fermentation*, 8(10), 478. <https://doi.org/10.3390/fermentation8100478>.
- Idahor KO, Yakubu A, Egwu JO, Gwaza DS, Ahmad GB, Tham AP. (2013). Growth performance, carcass characteristics and cost benefits of four broiler strains on restricted feeding regimes in North Central Nigeria. Journal of Animal Science Advances. 3(9): 449-452.
- Ilmen, M.A., Saloheimo, O. Maija-Leena and M.E.Penttila. (1997). Regulation of Cellulase Gene Expression In The Filamentous Fungus *Trichoderma Reesei*. Appl. Environ. Microbiol., 63:1208-1306.
- Imamudin A., Umiyati N. dan Nasution M.H. 2012. Pengaruh berbagai frekuensi pemberian pakan pada pembatasan pakan terhadap produksi karkas ayam broiler. Animal Agricultural Journal. 1(1) Fakultas Peternakan dan Pertanian, Universitas Diponegoro, Semarang
- Immanuel G., Dhanusha R., Prema P., and Palavesam A., (2006). Effect of different growth parameters on endoglucanase enzyme activity by bacteria isolated from coir retting effluents of estuarine environment, Int. J. Environ. Sci. and Technol. 3(1):25-34.
- Iyayi, E. A. (2004). Changes in cellulose, sugar, and crude protein content of agro-industrial by-products fermented with *Aspergillus niger*, *Aspergillus flavus*, and *Penicillium* sp. *African Journal of Biotechnology*, 3, 186-188.
- Jensen, N. O., Maldonado-Gómez, M. X., Krishnakumar, N., Weng, C.-Y., Castillo, J., Razi, D., Kalanetra, K. M., German, J. B., Lebrilla, C. B., Mills, D. A.,

- & Taft, D. H. (2024). Dietary fiber monosaccharide content alters gut microbiome composition and fermentation. *Applied and Environmental Microbiology*. <https://doi.org/10.1128/aem.00964-24>
- Jongbloed, AW, Mroz Z, van der Weij-Jongbloed R, Kemme PA(2000) The effects of microbial phytase, organic acids and their interactions in diets for growing pigs. *Livest. Prod. Sci.* 67: 113–122.
- Kader A J, Omar O. 1998. Isolation of cellulolytic fungi from Sayap-Kinabalu Park, Sabah. Serawak. ASEAN Review of Biodiversity and Environmental Conservation. hlm 1-6.
- Kamal, M. (1998). Nutrisi Ternak I. Rangkuman. Lab. Makanan Ternak, jurusan Nutrisi dan Makanan Ternak, Fakultas Peternakan, UGM. Yogyakarta.
- Kamran, Z., Mirza, M. A., & Mahmood, S. (2004). Effect of decreasing dietary protein levels with optimal amino acids profile on the performance of broilers.
- Kanno, T., Mitsugi, Y., Yamada, T., Maekawa, T., & Shimizu, H. (2021). Growth phase-dependent production of extracellular protease in *Lactobacillus casei* strains isolated from fermented foods. *Journal of Bioscience and Bioengineering*, 131(3), 256-263. <https://doi.org/10.1016/j.jbiosc.2020.10.012>
- Kartasudjana R, Edjeng S. (2006). Manajemen Ternak Unggas. Jakarta (ID); Penebar Swadaya.
- Kemme, P.A., Jongbloed, A.W., Mroz, Z., Kogut, J., Beynen, A.C., 1999. Digestibility of nutrients in growing-finishing pigs is affected by *Aspergillus niger* phytase, phytate and lactic acid levels. 1. Apparent ileal digestibility of amino acids. *Livest. Prod. Sci.* 58, 107–117.
- Ketaren, S. 2008. Minyak dan Lemak Pangan. Cetakan Pertama. Jakarta : Universitas Indonesia Press.
- Kim, T. W., & Lei, X. G. (2005). An improved method for a rapid determination of phytase activity in animal feed. *Journal of Animal Science*, 83, 1062–1067.
- Khaswal, A., Mishra, S. K., Chaturvedi, N., Saini, S., Pletschke, B. I., & Kuhad, R. C. (2024). Microbial enzyme production: Unlocking the potential of agricultural and food waste through solid-state fermentation. *Bioresource Technology Reports*, 27, 101880. <https://doi.org/10.1016/j.biteb.2024.101880>
- Kjeldahl, J. G. C. T. (1883). A new method for the estimation of nitrogen in organic compounds. *Zeitschrift für Analytische Chemie*, 22(1), 366.
- Klementová, L., Purevdorj, K., Butor, I., Jančová, P., Bábková, D., Buňka, F., & Buňková, L. (2024). Reduction of histamine, putrescine and cadaverine by the bacteria *Lacticaseibacillus casei* depending on selected factors in the real condition of the dairy product. *Food Microbiology*, 117, 104391. <https://doi.org/10.1016/j.fm.2023.104391>.

- Koch, H., & Sessitsch, A. (2024). The microbial-driven nitrogen cycle and its relevance for plant nutrition. *Journal of Experimental Botany*. <https://doi.org/10.1093/jxb/erae274>.
- Koswara, S. (2006). *Starch modification technology*. Ebook Pangan.
- Krishaditorsanto, R., Dato, T., & Manu, A. (2017). Changes in nutrient content and in vitro digestibility of sawdust through bioconversion using white oyster mushroom (*Pleurotus ostreatus*) inoculum. *Jurnal Sains Peternakan Indonesia*, 12(2), 124-132. <https://doi.org/10.31186/jspi.id.12.2.124-132>
- Křížek, M., Dadáková, E., & Pelikánová, T. (2022). Biogenic amine formation in soybean fermented products: Effects of bacterial strains and fermentation conditions. *Food Chemistry*, 372, 131234. <https://doi.org/10.1016/j.foodchem.2021.131234>
- Kumar, V., Sinha, A. K., Makkar, H. P. S., & Becker, K. (2012). Dietary Roles of Non-Starch Polysaccharides in Human Nutrition: A Review. *Critical Reviews in Food Science and Nutrition*, 52(10), 899-935. <https://doi.org/10.1080/10408398.2010.512671>
- Lachenmeier, D. W., Y. B. Monakhova, T. Kuballa, S. L. Behrends, S. Maixner, M. K. Himmelseher, C. Steffen. 2012. NMR evaluation of total statin content and HMG-CoA reduktase inhibitor in red yeast rice food supplements. *Chinese Medicine*. 7(8): 1-7.
- Lacy, M. dan L. R. Veast. 2000. Improving Feed Conversion in Broiler : A Guide for growers. Springer Science and Business Media Inc. New York.
- Lay, B. (1994). *Analisis Mikroba di Laboratorium*. Jakarta : PT Raja Grafindo Persada.legume processing treatments individually or in combination on their phytic acid content. *African Journal of Food Science and Technology* . 2(2): 36–46.
- Lei XG, Ku PK, Miller ER, Ullrey DE, Yokoyama MT (1993) Supplemental microbial phytase improves bioavailability of dietary zinc to weanling pigs. *J. Nutr.* 123: 1117–1123.
- Lei, X.G. and Stahl, C.H. 2000. Nutritional benefits of phytase and dietary determinants of its efficacy. *J. Appl. Anim. Res.*, 17: 97–112.
- Lei, XG, Porres, JM. (2003). Phytase enzymology, applications, and biotechnology. *Biotechnology Letters*. 25: 1787–1794.
- Lesson. S. dan J. D Summers. (2001). Nutrition of the Chicken. 4th Edition. Guelph, Ontario, Canada.
- Lin, J., Sahin, O., Michel, L.O., and Zhang, Q. (2003). Critical role of multidrug efflux pump CmeABC in bile resistance and in vivo colonization of *Campylobacter jejuni*. *Infect Immunity*. 71: 4250-4259.
- Liu J, Bollinger DW, Ledoux DR, Ellersieck MR, Veum TL (1997) Soaking increases the efficacy of supplemental microbial phytase in a low-phosphorus corn-soybean meal diet for growing pigs. *J. Anim. Sci.* 75: 1292–1298.

- Liu, Y., Huang, T., Li, J., & Li, D. (2023). Improving nutritional quality of soybean meal by solid-state fermentation with *Bacillus subtilis*. *Fermentation*, 9(2), 135.
- Liu, Y., Li, X., & Wang, J. (2022). Nutrient partitioning during broiler growth phases: A meta-analysis. *Journal of Animal Science and Biotechnology*, 13(1), 45. <https://doi.org/10.1186/s40104-022-00696-1>
- Logan, B.E., et al . (2006). *Effect of Carbon to Nitrogen Ratio on the Performance of Microbial Fuel Cells*. *Environmental Science & Technology*, 40(17), 5181-5186. <https://doi.org/10.1021/es0603946>
- Lu, Q., J. Wen & H. Zhang. (2007). Effect of chronic heat exposure on fat deposition and meat quality in two genetic types of chicken. *Poult. Sci.* 86: 1059-1064.
- Lynd, L.R., Paul, J.W., Willem, H., and Isak, S.P. 2002. Microbial Cellulose: Fundamentals and Biotechnology. *Microbiol and Molecul Biol Reviews*. 66(3): 506-577.
- Maenz DD, Engele-Schaan CM, Newkirk RW, Classen HL (1999) The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase-susceptible forms of phytic acid insolution and in a slurry of canola meal. *Anim. Feed Sci. Technol.* 81: 177–192.
- Maenz, D. D. (2001). Enzymatic and other characteristics of phytases as they relate to their use in animal feeds. Pages 6184 in M. R. Bedford and G. G. Partridge, eds. *Enzymes in farm animal nutrition*. CABI Publishing, UK.
- Makmur, T., Raharjo, Y. C., & Azhari, R. P. (2024). Kandungan nutrisi daun *Indigofera zollingeriana* sebagai alternatif pakan berkualitas tinggi untuk unggas. *Jurnal Nutrisi dan Teknologi Pakan*, 7(1), 14–22.
- Manullang, R., T. H. Wahyuni dan N. Ginting. 2016. Pemanfaatan tepung limbah ikan gabus pasir (*butis amboinensis*) sebagai pengganti tepung ikan dalam ransum terhadap karkas ayam broiler. *Jurnal Peternakan Integratif*. 4(2): 163- 172.
- Mardalena. (2016). Growth phase of lactic acid bacteria (LAB) isolates from tempoyak in Jambi stored at room temperature. *Jurnal Sains Peternakan Indonesia*,11(1), 58-66. <http://dx.doi.org/10.31186/jspi.id.11.1.58-66>
- Maulidia, F., Thaib, A., & Nurhayati, N. (2022). *Karakteristik Proksimat Tepung Daun Indigofera zollingeriana Hasil Fermentasi Menggunakan Bakteri Bacillus sp. Sebagai Bahan Baku Pakan Ikan*. 3(2), 1–9. <https://doi.org/10.30601/tilapia.v3i2.2618>
- Mc. Donald, P., R. A. Edwards and J. F. D. Green Haigh. (1988). *Animal Nutrition* 2nd Edition Longman Scientific and Technical Co Published in The United State with John Willey and Sons, Inc. New York.
- Minervini, F., & Rizzello, C. G. (2019). *Role of phytase in mineral availability from food sources*. *Journal of Applied Microbiology*, 127(5), 1206-1215.
- Mirnawati, A. Djulardi dan G. Ciptaan. (2015). The effect of type of mold,fermentation duration and palm kernel cake substrate composition on

- cellulase and manannase enzym activities. Proceedings of International Conference on Livestock Nutrition. Frankfurt, August 11 – 12.
- Mirnawati, A. Djulardi dan Y. Marlida. 2013. Improving the quality of palm kernel cake through fermentation by Eupenicilium javanicum as poultry ration. Pak nutr.12: 1085-1088.
- Mirnawati, Ciptaan G, Martaguri I, Ferawati. 2022. Peran *Lactobacillus fermentum* dalam meningkatkan kualitas bungkil inti sawit sebagai pakan konvensional untuk unggas. Laporan penelitian terapan unggulan Universitas Andalas Klaster Riset Publikasi Guru Besar. Contract No. T/12/UN.16.17/PP.PanganPTU-KRP1GB-Unand/2022,April 11,2022.
- Mirnawati, Ciptaan, G., & Ferawati. (2019). The effect of *Bacillus subtilis* inoculum doses and fermentation time on enzyme activity of fermented palm kernel cake. *Journal of World Poultry Research*, 9(4), 211-216.
- Mirnawati, Djulardi, A., & Muis, H. (2012). Potential of *Neurospora crassa* in improving the quality of fermented soybean milk waste to support local feed availability for poultry. *Research Report*. Andalas University. 526/UN.16/LPPM/PU/2012.
- Mirnawati, M., et al. (2022). Enhancing broiler feed quality using fermented soybean meal waste. *Online Journal of Animal and Feed Research*, 12(4), 240-245. <https://dx.doi.org/10.51227/ojafr.2022.32>
- Mirnawati, Y. Rizal and Y. Marlida. 2013. Effect of humic acid addition via drinking water on the performance of broiler feed diet containing fermented and non fermented palm kernel cake. *Archiva Zootechnica*. 16(1):41-53.
- Mirnawati. 2012. Utilization Of Soybean Meal waste as substitution for soybean meal protein in broiler ration. Prociding the 1st poultry international seminar 11-12 September 2012. ISBN 978-602-96934-6-1. Hal. 202- 208.
- Mirzah dan H. Muis. (2015). Peningkatan kualitas nutrisi limbah kulit ubi kayu melalui fermentasi menggunakan *Bacillus amyloliquefaciens*. *Jurnal Peternakan Indonesia*, 17 (2): 131-142. ISSN 1907-1760.
- Mohamed, R.K., E.A.A. Arab, A.Y. Gibriel, N.M.H Rasmy, F.M.A. Salem. 2011. Effect of legume processing treatments individually or in combination on their phytic acid content. *African Journal of Food Science and Technology* 2(2): 36–46.
- Moore and Landecker. (1982). Fundamental of fungi. Pretince Hall of Company. New York, USA.
- Mousa, M., Asman, A. S., Ali, R. A. M., Sayed, R. K. A., Majrashi, K. A., Fakiha, K. G., Alhotan, R. A., & Selim, S. (2023). Impacts of Dietary Lysine and Crude Protein on Performance, Hepatic and Renal Functions, Biochemical Parameters, and Histomorphology of Small Intestine, Liver, and Kidney in Broiler Chickens. *Veterinary Sciences*, 10(2), 98. <https://doi.org/10.3390/vetsci10020098>.
- Muis, H., I. Martaguri dan Mirnawati. (2009). Teknologi bioproses ampas kedelai (soybeanwaste) untuk meningkatkan daya gunanya sebagai pakan unggas.

- Laporan Penelitian Fundamental Dirjen pendidikan tinggi tanggal 20 April 2009.
- Muis, H., I. Martaguri, dan Mirnawati. (2010). Teknologi Bioproses Ampas Kedelai (Soybean Waste) untuk Meningkatkan Daya Gunanya sebagai Pakan Unggas. Laporan Penelitian. Universitas Andalas. Padang.
- Mukherjee, R., Chakraborty, R., & Dutta, A. (2021). Anti-nutritional factors in soybean meal and their reduction strategies: A contemporary review. *LWT-Food Science and Technology*, 147, 111567. <https://doi.org/10.1016/j.lwt.2021.111567>
- Murtidjo, B. A. 2003. Pedoman Beternak Ayam Broiler. Kanisius Yogyakarta.
- Musaalbakri, A. M., Ariff, A., Rosfarizan, M., & Ismail, A. K. M. (2005). Kinetics and modeling of red pigment fermentation by *Monascus purpureus* FTC5391 in a 2-liter stirred tank fermenter using glucose as a carbon source. *Journal of Tropical Agriculture and Food Science*, 33, 277–284. Available at: <http://psasir.upm.edu.my/id/eprint/48938>
- Musigwa, S., Morgan, N., Swick, R. A., Cozannet, P., & Wu, S.-B. (2020). Energy dynamics, nitrogen balance, and performance in broilers fed high- and reduced-CP diets. *The Journal of Applied Poultry Research*, 29(4), 830-841. <https://doi.org/10.1016/j.japr.2020.08.001>
- Napitupulu N.R., A. Kanti, T. Yulinery, R. Hardiningsih, dan Julistiono, H. 1997. DNA Plasmid Lactobacillus Asal Makanan Fermentasi Tradisional yang Berpotensi dalam Pengembangan Sistem Inang Vektor untuk Bioteknologi Pangan. Jurnal Mikrobiologi Tropis 1: 91-96.
- National Research Council. 1994. Nutrient Requirements of Poultry, Ninth Revised Edition. Washington, D.C.: National Academy Press.
- Nelson, N. (1944). A photometric adaptation of the Somogyi method for the determination of glucose. *Journal of Biological Chemistr*, 153, 375-380.
- Nelson, T.S., Ferrara, L.W., Storer, N.L., 1968a. Phytate phosphoruscontent of feed ingredients derived from plants. *Poult. Sci.* 47,11372–11374.
- Ningsi, D.A.,E. Kusdiyantini, dan B. Raharjo. (2017). Uji Aktivitas Enzim Fitase Yang Dihasilkan Oleh *Aspergillus niger* dan *Neuspora sp*. Pada Kondisi Fermentasi yang Berbeda. *Jurnal Biologi*. 6(4):19-28.
- Ningsih, N., Suharti, S., & Nurwantoro, N. (2007). *Produksi enzim fitase oleh Lactobacillus casei dan aplikasinya dalam pakan ternak*. *Jurnal Ilmu Ternak dan Veteriner*, 12(2), 123-130.
- Noferdiman, Lisna, Damayanti, Y. (2018). Penggunaan Tepung Azolla microphilla dan Enzim Selulase dalam Ransum terhadap Tampilan Produksi dan Nilai Ekonomis Itik Lokal Kerinci Jantan. *Pastura*. 8(1):20-25.
- North, M. O. and D. D. Bell. (1992). Commercial chicken production manual. 2nd Ed. The Avi Publishing Co. INC. Wesport, Conecticut, New York.
- Nurdyiyanto, Rudy Sutrisna dan Khaira Nova. (2015). Pengaruh ransum dengan persentase serat kasar yang berbeda terhadap performa ayam jantan tipe

- medium umur 3-8 minggu. Jurnal Ilmiah Peternakan Terpadu Vol. 3(2):12-19.
- Nutrient Requirement of Poultry. 9th Retion. National Academy of Science. Washington D. C. USA. , Akinokun O, Adedeji TA, Olayeni, Olayeni TB, Ameen SA, Amao . Effect of strain and sex on carcass characteristics of three oilers reared in deep litter system in the derived Savannah of Nigeria. World Journal of Agricultural Science. 8(4): 487-491.
- Ohaegbu, N., et al. (2024). Optimization of Culture Conditions and Partial Purification of Phytase Enzyme Isolated from Bacterial Isolates. *Pharmacology and Toxicology of Natural Medicines*, 3(3&4), 63. DOI: [10.52406/ptnm.v3i3&4.63](https://doi.org/10.52406/ptnm.v3i3&4.63).
- Ojedapo et al . (2008)Effect of Strain and Sex on Carcass Characteristics of Three Commercial Broilers Reared in Deep Litter System in the Derived Savannah Area of Nigeria. *World Journal of Agricultural Sciences* 4 (4): 487-491, 2008.
- Oktaviaryanto E. (2010). Pengaruh penambahan ampas virgin coconut oil dalam ransum terhadap performans dan produksi karkas ayam broiler. *Bul Peternak*. 34:159-164.
- Palupi, R., Abdullah, L., Astuti, D. A., & Sumiati. (2014). Potential and utilization of *Indigofera* sp. leaf meal as a substitute for soybean meal in layer rations. *JITV*, 19(3), 210-219.
- Palupi, R., Liya Lubis, F. N., & Tetra Pratama, A. (2023). Effects of Lactobacillus-Fermented Feed on Production Performance and Carcass Quality of Broiler Chickens. *Journal of World's Poultry Research*. <https://doi.org/10.36380/jwpr.2023.14>.
- Papagianni, M., et al . (2007). *The Influence of Carbon to Nitrogen Ratios on the Growth and Enzyme Production of Filamentous Fungi*. Biotechnology Letters, 29(2), 321-328. <https://doi.org/10.1007/s10529-006-9230-4>
- Pasaribu, T. (2007). Fermented agricultural waste products as poultry feed in Indonesia. *Wartazoa*, 17(3), 109-116.
- Pasaribu, T. (2010). Evaluasi fisikokimia bungkil inti sawit terfermentasi oleh koktail mikroba. *Tesis*. Institut Pertanian Bogor. Bogor.
- Pasaribu, T. (2018). Efforts to improve the quality of palm kernel cake through fermentation technology and enzyme addition for poultry. *Wartazoa*, 28(3), 119-128.
- Pazla, R. (2021). Quality evaluation of *Tithonia diversifolia* fermented with *Lactobacillus plantarum* and *Aspergillus ficuum* at different incubation times. *Biodiversitas*, 22(9).
- Poliana J, MacCabe AP. (2007). Industrial Enzymes; Structure, Function, and Applications. Dordrecht: Springer. Halaman:174.
- Pratama, A., & Susanto, B. (2020). *Potensi Tepung Daun Indigofera sebagai Sumber Nitrogen dalam Fermentasi*. *Jurnal Bioteknologi*, 12(4), 78-85.

- Pratikno, H. 2011. Lemak Abdominal Ayam Broiler (Gallus sp.) karena Pengaruh Ekstrak Kunyit (Curcuma domestica). Jurnal Bioma. 13(1): 17-24.
- Pratiwi, Sylvia T. 2008. Mikrobiologi Farmasi. Jakarta: Erlangga.
- Prescott L.M., Harley J.P., Klein D.A. (2004). Microbiology. 6th ed. McGraw-Hill Science, New York.
- Priyatno, M. A. 2003. Mendirikan Usaha Pemotongan Ayam. Jakarta: Penebar Swadaya.
- production by a strain of Setaria marcessen (532 S). Journal of Industrial Microbiology and Biotechnology. 12(2) :129-135. <https://doi.org/10.1007/bf01569913>
- Puastuti, W., Tresia, G. E., Herliatika, A., Haryati, T., Yulistiani, D., Widaringsih, W., & Miraya, N. (2024). *Leaf protein concentrate of Indigofera zollingeriana as a source of protein and branched-chain amino acids for ruminants.* 1341, 012045. <https://doi.org/10.1088/1755-1315/1341/1/012045>
- Purwadaria, T., T. Haryati, A.P. Sinurat, J. Darma, and T. Pasaribu. (1995). In vitro nutrient value of coconut meal fermented with *Aspergillus niger* NRRL337 at different enzymatic incubation temperatures. 2nd Conference on Agricultural Biotechnology: 13-15.
- Putra, A.Y. Trisna, Rosida and K. Azmir. 2019. Chemical and sensory characteristic of sorghum (*Sorghum bicolor*) tapai with traditional packaging. Food Science Tech Journal 1(2): 92–99.
- Qurniawan, A. (2016). Kualitas Daging dan Performans Ayam Broiler di Kandang Terbuka Pada Ketinggian Tempat Pemeliharaan Berbeda di Kabupaten Takalar Sulawesi Selatan. Program Pascasarjana, IPB (Tesis).
- Rahayu. K. (1990). Teknologi Enzim. Penerbitan Pusat Antar Universitas Pangan Dan Gizi UGM. Yogjakarta.
- Rahman, A. (1989). Pengantar Teknologi Fermentasi. Pusat Antar Universitas Pangan dan Gizi. IPB. Bogor.
- Ramin, K. I., & Allison, S. D. (2019). Bacterial Tradeoffs in Growth Rate and Extracellular Enzymes. *Frontiers in Microbiology*, 10:2956. <https://doi.org/10.3389/fmicb.2019.02956>
- Rao, M. B, A. M. Tanksale, M.S. Ghatge dan V. V. Deshpande. (1998). Molecular and biotechnological aspects of microbial proteases. *Microbiology and Molecular Biology Reviews*, 62:597-635.
- Rasyaf, M. (2003). Beternak Ayam Pedaging. Penerbit PT. Penebar Swadaya, Jakarta.
- Ravidran, V., Bryden, W.L. and Kornegay, E.T. (1995). Phytates: Occurrence, bioavailability and implications in poultry nutrition. *Poultry and Avian Biology Review*. 6(2): 125-143

- Razak, A., Suryani, A., & Fitriani, N. (2016). *Efisiensi penggunaan pakan pada ternak: Analisis konversi ransum*. Jurnal Ilmu Ternak dan Veteriner, 21(3), 145-152.
- Reed, G. (1975). Enzymes in Food Processing. New York: Academic Press.
- Reihani, S. F. S., & Khosravi-Darani, K. (2019). Influencing factors on single-cell protein production by submerged fermentation: A review. *Electronic Journal of Biotechnology*, 37, 34–40. <https://doi.org/10.1016/j.ejbt.2018.11.005>
- Resnawati H. (2004). Bobot potongan karkas dan lemak abdomen ayam ras pedaging yang diberi ransum mengandung tepung cacing tanah (*Lumbricus Rubellus*). Seminar Nasional Tekhnologi Peternakan dan Veteriner. Balai Penelitian Ternak Ciawi. Bogor. Summers, J. D. 2004. Broiler carcass composition. Poultry Industry Council for Research and Education. Guelph.
- Riadi, L. 2007. Teknologi Fermentasi. Yogyakarta (ID): Graha Ilmu Chen, H., Li-jun, Z., Bo, X., Rui, L., 2010. Effect of soybean oligosaccharides on blood lipid, glucose levels and antioxidant enzymes activity in high fat rats. *Food Chemistry*. 119: 1633-1636.
- Rizal, Y. 2006. Ilmu Nutrisi Unggas. Padang : Andalas University Press.
- Robinson, P. (2015). Enzymes: principles and biotechnological applications. *Essays Biochem*.15(59):1–41.
- Rossi, E. (2018). Potensi Isolat Bakteri Asam Laktat dari Limbah Padat Pembuatan Sari Kedelai sebagai Probiotik dan Pengawet al ami pada Pangan Fungsional. [Disertasi]. Pascasarjana Universitas Andalas.
- Rusdi, U.D. (1992). Fermentasi konsentrat campuran bungkil biji kapok dan onggok serta implikasi efeknya terhadap pertumbuhan ayam broiler. [Disertasi]. Universitas Padjadjaran. Bandung.
- Ryandini, D., Pramono dan Sukanto. (2005). Mikrobiologi Industri. Universitas Jenderal Soedirman. Purwokerto.
- Sahid S.A, Ayuningih B, and Hernawan I. 2022. Pengaruh lama fermentasi terhadap kandungan lignin dan selulosa silase tebon jagung (*Zea mays*) dengan aditif dedak fermentasi. *Jurnal Nutrisi Ternak Tropis dan Ilmu Pakan*. 4(1): 1-9.
- Salam, S., A. Fatahilah., D. Sunarti dan Isroli. (2013). Berat karkas dan lemak abdominal ayam broiler yang diberi tepung jintan hitam (*Nigella sativa*) dalam ransum selama musim panas. *Sains Peternakan*. 11 (2): 84-89.
- Sams, Alan R. 2001. Poultry Meat Processing. Boca Raton: CRC Press. Soeparno. (2009). Ilmu dan Teknologi Daging. Gadjah Mada University Press. Yogyakarta.
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: An overview. *Food Production, Processing and Nutrition*, 2, 1-14. <https://doi.org/10.1186/s43014-020-00059-1>.

- Sandberg AS, Larsen T, Sandström B (1993) High dietary calciumLevel decreases colonic phytate degradation in pigs fed a rapeseed diet. *J. Nutr.* 123: 559–566.
- Sanjukta, S., & Rai, A.K. (2016). Production of bioactive peptides during soybean fermentation and their potential health benefits. *Process Biochemistry*, 51(10), 1596-1604. <https://doi.org/10.1016/j.procbio.2016.06.010>
- Santi, M. A., & Abdullah, L. (2015). Cholesterol and malondialdehyde contents of broiler-chicken meat supplemented with *Indigofera zollingeriana* top leaf meal. *Media Peternakan*, 38(3), 163 - 168. <https://doi.org/10.5398/MEDPET.2015.38.3.163>.
- Santoso, U. (2002). Pengaruh tipe kandang dan pembatasan pakan diawal pertumbuhan terhadap performan dan penimbunan lemak pada ayam pedaging unsexed. *JLT* 7(2): 84-89.
- Saono, S. (1974). Pemanfaatan Jasad Renik dalam Hasil Sampangan atau Sisa-sisa Produk Pertanian. *Berita LIPI*. 18 (4) : 1-11.
- Sari, L dan T. Purwadaria. 2004. Pengkajian nilai gizi hasil fermentasi mutan *Aspergillus niger* pada substrat bungkil kelapa dan bungkil inti sawit. Biosmart. Vol. 6 No. 2: 48-51.
- Sari, Novita Evi. 2012. Identifikasi bakteri penghasil fitase berdasarkan gen 16s RNA dan karakterisasi fitase dari kawah sikidang dieng. Tesis. Surakarta: Program Studi Biosain Pascasarjana Universitas sebelas maret Surakarta.
- Sarwar Gilani, G.; Wu Xiao, C.; Cockell, K.A. (2012). Impact of antinutritional factors in food proteins on the digestibility of protein and the bioavailability of amino acids and on protein quality. *Brit. J. Nutr.* 108: S315–S33
- Sarwono, B. (1994). Beternak Ayam Buras. Jakarta: Penebar Swadaya.
- Sayadi, M., Abedi, E., Maleki, S., & Pourmohammadi, K. (2022). Investigation of kinetic model of phytic acid degradation and increase of calcium and zinc in single and co-culture of *Lactobacillus plantarum* and *Lactobacillus acidophilus*. *Food Science and Technology*, 19(122), 1-9. <https://doi.org/10.52547/fsct.19.122.1>
- Scott, M. L., M. C. Nasheim and R. J. Young. (1982). Nutrition of The Chicken 3nd Ed. Publishing. M. C. Scott and Associates. Ithaca, New York.
- Sebastian S, Touchburn SP, CHAVEZ ER. Implications of phytic acid and supplemental microbial phytase in poultry nutrition: a review. *World's Poultry Science Journal*. 1998;54(1):27-47.
- Šefcová, M., et al. (2021). Impact of *Lactobacillus fermentum* on intestinal morphometry and cytokine regulation in broilers infected with *Campylobacter jejuni*. *Animals*, 11(1), 235. <https://doi.org/10.3390/ani11010235>
- Seftiadi, Y., Mirnawati, & Mirzah. (2020). The effect of palm kernel cake addition in *Lactobacillus* sp. inoculum production on enzyme activity. *Journal of Research in Agriculture and Animal Sciences*, 7(5), 01-05. <https://www.questjournals.org/jraas/papers/v7-i5/A07050105.pdf>

- Selle, P. H., & Ravindran, V. (2007). Microbial phytase in poultry nutrition. *Animal Feed Science and Technology*, 135, 1-41. <https://www.sciencedirect.com/science/article/abs/pii/S0377840106002631>
- Selle, P.H., Ravindran, V., Caldwell, A., and Bryden, W.L. (2000). Phytate and phytase: Consequences for protein utilisation. *Nutr. Res. Rev.* 13: 255–278.
- Sembiring, H. 2001. Komoditas Unggulan Pertanian Propinsi Sumatera Utara.
- Sembiring, P. (2006). Biokonversi limbah minyak inti sawit dengan *Phanerochaete chrysosporium* dan aplikasinya terhadap performans broiler. Universitas Padjajaran. Bandung.
- Setyawan S. 2005. Pengaruh kombinasi substrat, lama inkubasi dan pH dalam proses isolasi enzim xylase dengan menggunakan media jerami padi. Skripsi. Teknik kimia Fakultas Teknik. Universitas Diponegoro. Semarang.
- Shi, C., He, J., Yu, J., Yu, B., Huang, Z., Mao, X., & Chen, D. (2017). Solid-State Fermentation of Soybean Meal with *Lactobacillus casei* Improves Growth Performance and Immune Function of Broilers. *Poultry Science*, 96(5), 1288-1296. <https://doi.org/10.3382/ps/pew393>
- Shurtleff, W. and A. Aoyagi (1979), *The Book of Tempeh*, Harper and Row Publisher, New York.
- Simanjuntak, A. (2020). Aplikasi daun *Indigofera* sp. dan dedak terfermentasi dalam ransum ayam KUB periode layer. Prosiding Webminar Nasional Series Sistem Pertanian Terpadu dalam Pemberdayaan Petani di Era New Normal, 464-471.
- Simons, P.C.M., Versteegh, H.A.J., Jongbloed, A. W., Kemme, P.A., Slump, P., Bos, K.D., Wolters, M.G.E., Beudeker, R.F. and Verschoor, G.J. (1990). Improvement of phosphorus availability by microbial phytase in broilers and pigs. *British Journal of Nutrition*. 64: 525-540.
- Sindhu, S.C., dan N. Kheterpaul. (2002). Effect of Probiotic Fermentation on Antinutrients and In-Vitro Protein and Starch Digestibilities of Indigenously Developed RWGT Food Mixture. *Nutriton and Health*. 16:173-181.
- Sinurat, A. P., T. Purwadaria dan T. Pasaribu. (2013). Peningkatan nilai gizi bungkil inti sawit dengan pengurangan cangkang dan penambahan enzim. *Jurnal Ilmu Ternak dan Veteriner* 18:34-41.
- Siregar, A.P., M. Sabrani dan S. Pramu. 1980. *Teknik Beternak Ayam Modern*. CV. Yasaguna.Jakarta.
- Soeparno. (2005). *Ilmu dan Teknologi Daging*. Cetakan ke-4. Gadjah Mada University Press, Yogyakarta.
- Sorathiya, KK., Choubey, M., Patel, VR., Vahora, SG. and Jadhav, MD. (2022). Counteracting the Phytic Acid through Phytase Supplementation in Broiler Production: A Review. *Asian Journal of Research in Biosciences*. 4(2): 116-121.

- Srifani. A. (2023). Isolation and Characterization of Cellulolytic Lactic Acid Bacteria from Soymilk Waste as Probiotic Candidates for Broiler. *International journal of veterinary science*. 13(1): 108-114.
- Sripo, K., Phianmongkhon, & Wirjantoro, T. I. (2016). Effect of inoculum levels and final pH values on the antioxidant properties of black glutinous rice solution fermented by *Lactobacillus bulgaricus*. *International Food Research Journal*, 23(5), 2207–2213. [http://www.ifrj.upm.edu.my/23%20\(05\)%202016/\(56\).pdf](http://www.ifrj.upm.edu.my/23%20(05)%202016/(56).pdf)
- Steel, R. G., & Torrie, J. H. (2002). *Principles and procedures of statistics: A biometrical approach*. McGraw-Hill.
- Suci, D. M., I. Rosalina, & R. Mutia. (2005). Evaluasi penggunaan tepung daun pisang pada periode starter untuk mendapatkan pertumbuhan kompensasi ayam broiler. *Med. Pet*. 28: 21-28
- Suciani, Parimartha, K.W, Sumardani, N.LG, Bidura, I.G.N.G, Kayana, I.G.N, Lindawati, S.A. 2011. Penambahan multi enzim dan ragi tape dalam ransum berserat tinggi (pod-kakao) untuk menurunkan kolesterol daging ayam broiler. *Jurnal Veteriner* 12(1): 69-76.
- Sudarmono, Ekawati, A. W., & Setijawati, D. (2016). Fermented cassava peel evaluation. *International Journal of ChemTech Research*, 9(7), 421-426. [https://sphinxsai.com/2016/ch_vol9_no7/2/\(421-426\)V9N7CT.pdf](https://sphinxsai.com/2016/ch_vol9_no7/2/(421-426)V9N7CT.pdf)
- Sudarto, Y., dan A. Siriwa. (2007). Ransum Ayam dan Itik. Cetakan IX. Penebar Swadaya. Jakarta.
- Suhartono. (1989). Enzim dan Bioteknologi. Institut Pertanian Bogor. Bogor.
- Sukara, E. Dan Atmowidjojo. (1980). Pemanfaatan ubi kayu untuk produksi enzim amilase, optimasi nutrisi untuk fermentasi substrat cair dengan menggunakan kapang *Rhizopus* sp. Prosiding Seminar Nasional UPT . hal.506-507
- Sukaryana, Y., U. Atmomarsono., V. D. Yunianto dan E. Supriyatna. 2011. Peningkatan nilai kecernaan protein kasar dan lemak kasar produk fermentasi campuran bungkil inti sawit dan dedak padi pada broiler. *JITP*. 1(3):167-172.
- Sulaiman. (1988). Studi Pembuatan Protein Mikroba dengan Ragi Amiolitik dan Ragi Simbal pada Media Padat dengan Bahan Ubi Kayu (*Manihot utilissima*). Fakultas Pertanian Institut Pertanian Bogor, Bogor.
- Sulandari, S., M.S.A. Zein, S. Paryanti, dan T. Sartika. (2007). Taksonomi da nasal usul ayam domestika. Hlm. 5-25. Dalam K. Diwyanto dan S.N. prijono (Ed). *Keanekaragaman Sumber Daya Hayati Ayam Lokal Indonesia: Manfaat dan Potensi*. Pusat Penelitian Biologi, Lembaga Ilmu Pengetahuan Indonesia, Bogor.
- Sumatera Utara:
- Summers, J. D. (2004). Broiler carcass composition. Poultry Industry Council for Research and Education. Guelph.

- Sun, Z., Wang, T., Aschalew, N. D., Zhao, W., Chen, X., Zhang, X., Zhen, Y., & Qin, G. (2020). Effects of yeast cultures with different fermentation times on the growth performance, caecal microbial community and metabolite profile of broilers. *Journal of Animal Physiology and Animal Nutrition*, 104(1), 212–223. <https://doi.org/10.1111/JPN.13241>.
- Suparjo, S. (2008). *Analisis serat kasar dalam bahan pakan: Metode dan aplikasi*. Jurnal Ilmu Nutrisi dan Teknologi Pakan, 15(3), 45-52.
- Suprijatna, E., 2010. Peran serat kasar dalam nutrisi unggas. Jurnal Ilmu Nutrisi dan Teknologi Pakan, 17(1), pp.23-30.
- Suryani, Yoni, Astuti, Bernadeta Oktavia, Siti Umniyati. Isolasi dan Karakterisasi Bakteri Asam Laktat dari Limbah Kotoran Ayam sebagai Agensi Probiotik dan Enzim Kolesterol Reduktase. Prosiding Seminar Nasional Biologi 3 Juli 2010. *Biologi dan Pengembangan Profesi Pendidik Biologi*. ISBN : 978-602-97298-0-1.
- Tejeda, O.J., and Kim,W.K. (2020). The effects of cellulose and soybean hulls as sources of dietary fiber on the growth performance, organ growth, gut histomorphology, and nutrient digestibility of broiler chickens. *Poultry Science*. 99(12): 6828-6836.
- terhadap viabilitas *L. casei* selama penyimpanan beku velva pisang ambon Jurnal Pangan dan Agroindustri 3(2): 303- 312. Universitas Brawijaya Malang.
- Tian, J., et al. (2015). *Carbon to Nitrogen Ratio (C:N) Influence on Microbial Dynamics and Soil Organic Matter Mineralization*. *Soil Biology and Biochemistry*, 90, 1-10. <https://doi.org/10.1016/j.soilbio.2015.06.008>
- Tillman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdosoekojo. (1998). *Ilmu Makanan Ternak Dasar*. Yogyakarta : UGM Press.
- Tiya, N. A. D., Akramullah, M., Badaruddin, R., & Citrawati, G. A. O. (2022). Persentase Karkas, Bagian Karkas, dan Lemak Abdominal Ayam Broiler pada Umur Pemotongan yang Berbeda. *Jurnal Ilmu Peternakan Dan Veteriner Tropis*, 12(2). <https://doi.org/10.46549/jipvet.v12i2.294>.
- Tshisikhawe, M. L., Diale, M. O., Abrahams, A. M., & Serepa-Dlamini, M. H. (2023). Screening and Production of Industrially Relevant Enzymes by *Bacillus paranthracis* Strain MHDS3, a Potential Probiotic. *Fermentation*, 9(11):938. <https://doi.org/10.3390/fermentation9110938>
- Upeksa, I. G. N. D., N. N. Suryani dan N. P. Sariani. (2016). Pengaruh pemberian level energi terhadap kecernaan nutrien ransum sapi bali bunting 7 bulan. 70 Peternakan Tropika vol. 4 No. 1 Th. 2016: 196-207. Universitas Udayana Denpasar.
- Urbano, G.; López-Jurado, M.; Aranda, P.; Vidal-Valverde, C.; Tenorio, E.; Porres, J. (2000). The role of phytic acid in legumes: Antinutrient or beneficial function. *J. Physiol. Biochem*. 56: 283–294.

- Vargas, J. I., McConnell, A. D., Gulizia, J. P., Pacheco, W. J., & Downs, K. M. (2024). Assessing Feed Color Preference of Broilers During the Starter Phase. *Poultry*, 4(1), 2. <https://doi.org/10.3390/poultry4010002>.
- Venkatasubbaiah, R., & Konasur, S. R. (2020). Food processing and fermentation studies on reduction of phytic acid in triticum aestivum and sorghum bicolor (l.). *The Journal of Microbiology, Biotechnology and Food Sciences*, 10(2), 166–169. <https://doi.org/10.15414/JMBFS.2020.10.2.166-169>.
- Wahju, J. (1997). Ilmu Nutrisi Unggas. Yogyakarta: Gadjah Mada University Press.
- Wahju, J. (2004). Beternak Ayam Pedaging. Edisi Revisi. Penebar Swadaya, Jakarta.
- Wang, J., Li, M., & Liu, X. (2020). Influence of Microbial Strain and Substrate Composition on Fermentation Efficiency. *International Journal of Microbial Biotechnology*, 45(2), 120-130.
- Ward, O.P (1983). Proteinase. Di dalam Microbial Enzyme And Biotechnology. New York: Fogart Applied Science Publisher.
- waste as probiotic candidates for broilers. *International Journal of Veterinary Science*, 13(1), 108-114. <https://doi.org/10.47278/journal.ijvs/2023.067>
- Widodo, W. (2002). Bioteknologi fermentasi sari. Malang. Pusat Pengembangan Bioteknologi Universitas Muhammadiyah Malang.
- Widyanti, E dan Y. Wildalestari. (1996). Limbah untuk Pakan Ternak. Trubus Agrisorana, Surabaya.
- Winarno, FG., S. Ferdiaz dan D. Ferdiaz. (1980). Pengantar Teknologi Pangan. Jakarta: PT. Gramedia.
- Wirahadikusumah, M. 2004. Biokimia: Metabolisme Energi, Karbohidrat, dan Lipid. Bandung. Institut Teknologi Bogor.
- Wizna, H. Abbas, Y. Rizal, A. Dharma & IP Kompiang. (2009). Improving the quality of tapioca By-Products (Onggok) as poultry feed throud fermentation by *Bacillus amyloliquefaciens*. *Pakistan Journal of Nutrition* 8(10): 1636-1640.
- Wizna., H Muis., A Deswan. (2014). Pengaruh dosis inokulum dan lama fermentasi campuran dedak padi dan darah dengan *Bacillus amyloliquefaciens* on crude fiber content, crude fiber digestibility and energy metabolism. *Jurnal Peternakan Indonesia*. 16(2): 128-133.
- Wood, B. J. B., & Holzapfel, W. H. (1995). *The lactic acid bacteria*. Springer Science & Business Media.
- Woyengo, T. A. and Nyachoti, C. M. (2011). Review: Supplementation of phytase and carbohydrases to diets for poultry. *Can. J. Anim. Sci.* 91: 177192.
- Woyengo, T. A., Weihrauch, D. and Nyachoti, C. M. (2012). Effect of dietary phytic acid on performance and nutrient uptake in the small intestine of piglets. *J. Anim. Sci.* 90: 543549

- Wu, L., Tang, C., Chen, L., & Zhao, J. (2023). Modified dietary fiber from soybean dregs by fermentation alleviated constipation in mice. *Food Chemistry: X*, 19, 100810. <https://doi.org/10.1016/j.fochx.2023.100810>.
- Wu, R., Wang, L., Wang, J., Li, H., Menghe, B., & Wu, J. (2020). Isolation and preliminary probiotic selection of *Lactobacillus* strains from fermented soybean foods. *Enzyme and Microbial Technology*, 133, 109461. <https://doi.org/10.1016/j.enzmictec.2019.109461>
- Xiao, C.-W., Hendry, A., Kenney, L., & Bertinato, J. (2023). l-Lysine supplementation affects dietary protein quality and growth and serum amino acid concentrations in rats. *Dental Science Reports*, 13. <https://doi.org/10.1038/s41598-023-47321-3>.
- Xun, H., Wang, J., Wang, J., & Tang, F. (2024). Integrated Metabolomic and Transcriptomic Analysis Reveals the Underlying Antibacterial Mechanisms of the Phytonutrient Quercetin-Induced Fatty Acids Alteration in *Staphylococcus aureus* ATCC 27217. *Molecules*. <https://doi.org/10.3390/molecules29102266>.
- Yi Z, Kornegay ET, Ravindran V, Denbow DM (1996) Improving phytate phosphorus availability in corn and soybean meal for broilers using microbial phytase and calculation of phosphorus equivalency values for phytase. *Poultry Sci.* 75: 240–249.
- Yunus Y., E. Zubaidah. 2015. Pengaruh konsentrasi sukrosa dan lama fermentasi
- Zampiga, M., Tavaniello, S., & Maiorano, G. (2021). Metabolic shift in broilers: From muscle growth to fat accumulation. *Frontiers in Physiology*, 12, 689342. <https://doi.org/10.3389/fphys.2021.689342>.
- Zaunmüller, T., Eichert, M., Richter, H., & Unden, G. (2006). Variations in the energy metabolism of biotechnologically relevant heterofermentative lactic acid bacteria during growth on sugars and organic acids. *Applied Microbiology and Biotechnology*, 72(3), 421–429. <https://doi.org/10.1007/S00253-006-0514-3>.
- Zhang, D., Ji, H., Wang, S., Liu, Y., Chen, M., & Liu, H. (2023). *Lactobacillus* driven feed fermentation regulates microbiota metabolism and reduces odor emission from the feces of pigs. *MSystems*. <https://doi.org/10.1128/msystems.00988-23>.
- Zhang, H., et al. (2017). Phosphate Uptake from Phytate Due to Hyphae-Mediated Phytase Activity by Arbuscular Mycorrhizal Maize. *Frontiers in Plant Science*, 8, 684. DOI: [10.3389/fpls.2017.00684](https://doi.org/10.3389/fpls.2017.00684).
- Zhang, J., Zhang, B., Yan, Y., & Chen, W. (2023). Manganese ions enhance the stability and activity of *Lactobacillus casei* proteases: Mechanisms and applications. *Applied Microbiology and Biotechnology*, 107(5), 1987–2001. <https://doi.org/10.1007/s00253-023-12389-4>
- Zhang, W., Xiao, S., Samaraweera, H., Lee, E. J., & Ahn, D. U. (2019). Improving Functional Value of Meat Products. *Meat Science*, 86(1), 15-31. <https://doi.org/10.1016/j.meatsci.2019.03.015>.

- Zhang, X., Liu, H., & Yang, L. (2022). Enhanced single-cell protein production from food waste via two-stage fermentation using *Yarrowia lipolytica*. *Bioresource Technology*, 344, 126250.
- Zhang, Y., Liu, W., Wei, Z., Yin, L., Man, C., & Jiang, Y. (2022). Metabolic regulation of *Lactobacillus casei* in soybean fermentation systems: A proteomics approach. *Food Research International*, 151, 110865. <https://doi.org/10.1016/j.foodres.2021.110865>
- Zhao JP, Chen JI, Zhao GP, Zheng MQ, Jiang RR, Wen J. (2009). Live performance, carcass composition and blood metabolite responses to dietary nutrient density in two distinct broiler breeds of male chickens. *Poultry Science*. 9(88): 2575-2585.
- Zhao, C., Schieber, A., & Gänzle, M.G. (2022). Nutrient depletion as key factor for metabolite formation in *Lactobacillus* fermentations: Soybean and cereal substrates. *Journal of Agricultural and Food Chemistry*, 70(12), 3785-3794. <https://doi.org/10.1021/acs.jafc.1c07892>
- Zhu, M., Xu, D., Liao, C., Zhang, T., BiJun, Z., KaiGong, W., Li, P., Cheng, Z., & Chen, C. (2024). Microbial Dynamics and Pathogen Control During Fermentation of Distiller Grains: Effects of Fermentation Time on Feed Safety. *International Journal of Molecular Sciences*, 25(21), 11463. <https://doi.org/10.3390/ijms252111463>.
- Zulfidin, Rossi, E., Ali, A. (2018). Viabilitas Bakteri Asam Laktat yang diisolasi dari Ampas Sari Kedelai terhadap Asam Klorida dan Garam Empedu. *JOM Faperta UR*. 5.
- Zyla K, Ledoux DR, Veum TL (1995) Complete enzymatic dephosphorilation of corn-soybean meal feed under simulated intestinal conditions of the turkey. *J. Agric. Food Chem.* 43: 288–294.