

## DAFTAR PUSTAKA

- Adeyemi, M.M.H. 2010. The Potential of Secondary Metabolites in Plant Material as Deterents Against Insect Pest: A review. *African jurnal of pure and applied chemistry*. 4 (11): 243 – 246.
- Arneti, Yaherwandi, I.Manti, dan Dachryanus. 2011. Keefektifan Ekstrak Air Buah *Piper Aduncum* (Piparaceae) terhadap *Crocidolomia pavonana* (Lepidoptera: Crambidae) untuk Penggunaan di Tingkat Petani. *Manggaro*. 12(1): 17 – 22.
- [BPPP] Badan Penelitian dan Pengembangan Pertanian. 2012. Insektisida Botani. Bogor. Pusat Penelitian dan Pengembangan Perkebunan. 30 hal.
- Bernard, C.B., J.T. Arnason, B.J.R Philogène, J. Lam, and T.Waddell. 1990. In Vivo Effect of Mixtures of Allelochemicals on The Life Cycle of The Europeancorn Borer, *Ostrinia nubilalis*. *Entomologia Experimentalis Et Applicata*. 57:17–22.
- Bernard C.B., H.G Krishnamurty, D. Chauret, T. Durst and B.J.R. Philogene. 1995. Insecticidal Defenses of Piperaceae from The Neotropics. *Journal Chem Ecol*. 21:801-814.
- Boeke, S.J, I.R. Baumgart, J.J.A. van Loon, A. van Huis, M. Dicke, and D.K Kossou. 2004. Toxicity and Repellence of African Plants Traditionally Used for The Protection of Stored Cowpea Against *Callosobruchus maculates*. *Journal of Stored Product Research* 40: 423-438.
- Bosman, M. T. M. and A. J. P. De Haas. 1983. A Revision of The Genus *Tephrosia* (Leguminosae-Papilionoideae) in Malesia. *Blumea*. 28(19): 421-487
- Chou, T.C. and P. Talalay. 1984. Quantitative Analisis of Dose-Effect Relationship: The Combined Effect of Multiple Drugs or Enzyme Inhibitors. Maryland. Department of Pharmacology, University School of Medicine, Baltimore. pp. 27 – 55.
- Dadang, dan D. Prijono. 2008. Insektisida Botani: Prinsip, Pemanfaatan, dan Pengembangan. Bogor. Departemen Proteksi Tanaman, Institut Pertanian Bogor. 62 Hal.
- Dalimunthe, C.I dan A. Rachmawan. 2017. Prospek Pemanfaatan Metabolit Sekunder Tumbuhan Sebagai Pestisida Nabati untuk Pengendalian Patogen pada Tanaman Karet. *Jurnal Warta Perkaretan*. 36 (1): 15 – 28.

- Fabricius, J.C. 1794. *Crocidolomia pavonana* .African Moths <http://www.africanmoths.com/pages/CRAMBIDAE/GLAPHRYIINAE/crocidolomia%20pavonana.htm>.
- Fuenzalida, T. 2015. Plant Natural Defense Against Insect: Role of Secondary Metabolites. Santiago. Department of Vegetables, Australian National University. 25 p.
- Hageman, J.W, M.B. Pearl, J.J. Higgins, N.E. Delfel, and F.R. Earle. 1972. Rotenon and Deguelin in *Tephrosia vogelii* at Several Stages of Maturity. *J FoodChem.* 20(4):906-908.
- Harborne, J.B, H. Baxter, and G.P Moss. 1999. Phytochemical Dictionary; A Handbook of Bioactive Compounds From Plant. 2nd edition.UK (GB) TJ International LTd. 498p.
- Hartemink, A. E. 2006. Invasion of *Piper aduncum* In The Shifting Cultivation Systems Of Papua New Guinea. Wageningen: ISRIC– World Soil Information, The Netherlands. 225 p.
- Hollingworth, R.M. 2001. Inhibitors and Uncouplers of Mitochondrial Oxidative Phosphorylation. In: Krieger R, Doull J, Ecobichon D, Gammon D, Hdgson et al., editor. Handbook of Pesticide Toxicology. Academic Press pp : 1169-1227.
- Idris, H dan Nurmansyah. 2016. Potensi Ekstrak Gambir, Sirih-sirihan, dan Sambiloto Sebagai Insektisida Nabati untuk Mengendalikan *Aphis scneideri* pada tanaman *Clausena anisata*. *Bul.litro* 27(2) : 174 – 180.
- Kannan, M., C.Vijayaraghavan , S.Jayaprakash, and S.Uthamsamy. 2011. Studies on the biology and toxicity of newer insecticide molecules on cabbage head caterpillar, *Crocidolomia binotalis* In India. AVRDC- The World Vegetable Center. pp.31- 37.
- Kristanto, S.P, Sutjipto, dan Soekarto. 2013. Pengendalian Hama Pada Tanaman Kubis dengan Sistem Tanam Tumpangsari. [Skripsi]. Jember. Universitas Jember. 34 hal.
- Kosman, E., and Y. Cohen. 1996. Prosedures for Calculating and Differentiating Synergism and Antagonism in Actionof Fungicide mixtures. *Phytopathology.* 86(11): 1263-1272.
- Lambert, N, M.F. Trouslot, C.N. Campa, H. Chrestin. 1993. Production of Rotenoids by Heterotrophic and Photomixotrophic Cell Cultures of *Tephrosia vogelii*. *Phytochemistry* 34:1515 - 1520.
- LeOra Software. 1987. POLO-PC User's Guide. Petaluma (CA): LeOra Software.
- Lina, E.C. 2014. Pengembangan Formulasi Insektisida Nabati Berbahan Ekstrak *Brucea javanica*, *Piper aduncum* dan *Tephrosia vogelii* untuk

Pengendalian Hama Kubis *Crocidolomia pavonana* [disertasi]. Bogor. Sekolah Pasca Sarjana Institut Pertanian Bogor. 158 hal.

Lina, E.C., Dadang., S. Manuwoto., G. Syahbirin. and D. Prijono. 2013. Synergistic Action of Mixed Extracts of *Bruceajavanica* (Simaroubaceae), *Piper aduncum* (Piperaceae), *Tephrosia vogelii* (Leguminosae) Against Cabbage Head caterpillar, *Crocidolomia pavonana*. *Journal of Biopesticides* 6(1): 77- 83

Lina, E.C., Dadang., S. Manuwoto., dan G. Syahbirin. 2015. Gangguan Fisiologi dan Biokimia *Crocidolomia pavonana* (Lepidoptera: Crambidae) Akibat Perlakuan Ekstrak Campuran *Tephrosia vogelii* dan *Piper aduncum*. *Jurnal Entomologi Indonesia* 12(2): 94- 101.

Metcalf, R.L. 1967. Mode of Action of Insecticide Synergists. *Annual Review of Entomology*. 12: 229-256.

Miyakado, M., I. Nakayama, H. Yoshioka, and N. Nakatani. 1979. The Piperaceae Amides I : Structure of The Pipecide, A New Incekticidal Amide From *Piper nigrum* L. *Jurnal agric.bio.chem* 43(7): 1609 – 1611.

Nailufar, N. 2011. Aktivitas Insektisida Ekstrak Daun *Tephrosia vogelii* (Leguminosae) dan Buah *Piper aduncum* (Piperaceae) terhadap Larva *Crocidolomia pavonana* [skripsi]. Bogor. Institut Pertanian Bogor. 47 hal.

Nurfajrina, A. 2014. Kesesuaian Ekstrak *Piper* spp. (Piperaceae) untuk Meningkatkan Toksisitas Ekstrak *Tephrosia vogelii* Terhadap Ulat Krop Kubis, *Crocidolomia pavonana* [skripsi]. Bogor. Institut Pertanian Bogor. 52 hal.

Paat, F.J., J. Pelealu, dan J. Manueke. 2012. Produksi Kubis Persentase dan *Crocidolomia pavonana* pada Beberapa Pola Tanaman Kubis. Fakultas Pertanian Unsrat Manado. *Jurnal Eugenia* 18 (1) : 72 - 80

Parkinson, A and B.W. Ogilvie. 2008. Biotransformation of Xenobiotics. In: klaassen CD, editor. Casarett and Doulls toxicology. The basic science of poisons. New York. Mc Graw Hill. pp.161-304.

Parmar, V.S, S.C. Jain, K.S. Bisht, R.Jain, P.Taneeja, A.K. Prasad, J. Wengel, C.E. Olsen and P.M. Boll. 1997. Phytochemistry of The Genus *Piper*. *Phytochemistry* 46 (4): 597 – 673.

Perry, A.S, I. Yamamoto, I. Ishaaya, R.Y. Perry. 1998. Insecticides in Agriculture and Environment: Retrospects and Prospects. Berlin: Springer-Verlag. <https://www.springer.com/in/book/9783662036587>.

Prakash, A and J. Rao. 1997. Botanical Pesticides in Agriculture. Boca Raton: CRC Press. 480 p.

Prijono, D. 2006. Peranan Insektisida Botani dalam Pengendalian Hama Terpadu. Di dalam : Pertemuan Koordinasi Pengembangan Pertanian Ramah

Lingkungan & Organik . Bogor 17-18 Maret 2006. Bogor. Departemen Proteksi Tanaman, Fakultas Pertanian, Institut Pertanian Bogor. Hal. 1-18.

Prijono, D., and Hassan E. 1992. Life Cycle and Demography of *Crocidolomia binotali* Zeller (Lepidoptera: Pyralidae) on Broccoli in The Laboratory. *Indon J TropAgric* 4: 18–24.

Prijono D. 1999. Prospek dan strategi pemanfaatan insektisida alami dalam PHT. Bahan Pelatihan Pengembangan dan Pemanfaatan Insektisida Alami. 9-13 Agustus 1999. Bogor: Pusat Kajian Pengendalian Hama Terpadu Institut Pertanian Bogor. Hal 1-7.

Ramlan, A dan I.S Noer. 2002. Eksplorasi Informasi Keanekaragaman Jenis, Potensi, dan Pemanfaatan Tumbuhan Bahan Pestisida Alami di Propinsi Jawa Barat dan Banten. *Berita Biologi* 6(3): 393 – 400.

Sarmoko, Ratri. I.D, Febriansah. R, Ramadhon. A.F, dan Maryani, R. 2015. Sirihan (*Piper aduncum* L.). Diakses pada 20 Februari 2018, Pukul 09:11.[http://ccrc.farmasi.ugm.ac.id/?page\\_id=2275](http://ccrc.farmasi.ugm.ac.id/?page_id=2275).

Sari, N. V. Dan Prijono D. 2004. Perkembangan dan Reproduksi *Crocidolomia Pavonana* (F.) pada Pakan Alami dan Semi Buatan. *Jurnal hama dan penyakit tanaman tropikal*. 4 (2): 53-61.

Sastrosiswojo, S dan W. Setiawati. 1992. Biology and Control of *Crocidolomia binotalis* in Indonesia. In: Talekar NS, editor. Proceedings of the Second International Workshop on Diamondback Moth and Other CruciferPests; 1990 Desember 10-14; Tainan. Taipei (TW): AVRDC. pp. 81-87.

Scott, I.M, N. Gagnon, L. Lesage, B.J.R. Philogene, and J.T.Arnason. 2005. Efficacy of Botanical Insecticides from Piper Species (Piperaceae) Extracts for control of European Chafer (Coleoptera: Scarabaeidae). *J. Econ.Entomol* 98(3):845-855.

Supriadi, A. 2016. Aktivitas Insektisida Campuran Ekstrak Air Buah *Piper Aduncum*L. (Piperaceae) Dan Batang *Cymbopogon Citratus* (Dc.) Stapf (Poaceae) Terhadap Larva *Crocidolomia Pavonana* F.(Lepidoptera ; Crambidae). [skripsi]. Padang. Universitas Andalas. 40 hal.

Syahroni, Y.Y. 2013. Aktivitas Insektisida Campuran Ekstrak Buah *Piper aduncum* (Piperaceae) dan *Sapindus rarak* (Sapindaceae) Terhadap Larva *Crocidolomia pavonana* [skripsi].Bogor.Institut Pertanian Bogor. 26 Hal.

Syahputra, E dan D. Prijono. 1999. Ekstrak *Aglaia angustifolia* (MELIACE) untuk Penggunaan di Tingkat Petani: Keefektifan terhadap Ulat Kubis *Crocidolomia Pavonana*. Bogor. Prosiding Komunikasi Ilmiah Pemanfaatan Pestisida Nabati, IPB: 09- 10 November 1999. Hal. 103-111

Veterynary, D. And F. administration,.2003. Cimbinded Action and interaction of Chemicals in Mixtures “The Toxicological Effects of Exporsure to

Mixtures of Industrial and Environmental Chemicals. Danish Ministry of Agriculture, Food and Fisheries. 158 Hal.

Wulan, R.D.R. 2008. Aktivitas Insektisida Ekstrak Daun *Tephrosia vogelii* Hook.f. (Leguminosae) Terhadap Larva *Crociodolomia pavonana* (F.) (Lepidoptera: Pyralidae) [skripsi]. Bogor. Institut Pertanian Bogor. 42 hal.

Wiratno, Siswanto dan Trisawa, I.M. 2013. Perkembangan Penelitian, Formulasi, dan Pemanfaatan Pestisida Nabati. *Jurnal Litbang Pertanian* 32(4): 150-155.

Yuliadhi, K.A dan Putu, S. 2012. Struktur Komunitas Hama Pemakan Daun Kubis dan Investigasi Musuh Alamnya. *Jurnal Agrotrop* 2(2): 191-196.

