

DAFTAR PUSTAKA

- Abdul Aziz, A.H. et al. (2023) ‘Unlocking the Full Potential of Clove (*Syzygium aromaticum*) Spice: An Overview of Extraction Techniques, Bioactivity, and Future Opportunities in the Food and Beverage Industry’, *Processes*, 11(8). Available at: <https://doi.org/10.3390/pr11082453>.
- Abdullah, Naveed Ahmad, Wenni Tian, S.Z., Yucheng Zou, Shahzad Farooq, Q.H. and and Xiao, J. (2022) ‘Recent advances in the extraction , chemical composition , therapeutic potential , and delivery of cardamom phytochemicals’, *Frontiers in Nutrition*, 9(1024820), pp. 1–19. Available at: <https://doi.org/10.3389/fnut.2022.1024820>.
- Abdullah, Z., Taip, F.S. and Mustapa Kamal, S.M. (2022) ‘Comparative analysis of nutritional composition and droplet size of coconut milk due to dilution and emulsification’, *Food Research*, 6(6), pp. 48–52.
- Aisah, A., Harini, N. and Damat, D. (2021) ‘Pengaruh Waktu dan Suhu Pengeringan Menggunakan Pengering Kabinet dalam Pembuatan MOCAP (Modified Cassava Flour) dengan Fermentasi Ragi Tape’, *Food Technology and Halal Science Journal*, 4(2), pp. 172–191. Available at: <https://doi.org/10.22219/fths.v4i2.16595>.
- Anam, C. et al. (2024) ‘Isolat protein kacang tunggak termodifikasi melalui jenis dan konsentrasi bahan kimia’, 18(2), pp. 419–428. Available at: <https://doi.org/10.21107/agrintek.v18i2.16837>.
- Andayani, R. et al. (2023) ‘Analisis Rendang Daging Sapi dan Daging Babi Hutan Menggunakan Metode Spektroskopi FTIR Kombinasi Kemometrik untuk Autentikasi Halal’, *Jurnal Sains Farmasi & Klinis*, 10(1), p. 78. Available at: <https://doi.org/10.25077/jsfk.10.1.78-88.2023>.
- Andrew, S.R., Wiwiek, S.W. and Subagio, A. (2006) ‘KARAKTERISASI BIJI DAN PROTEIN KORO KOMAK (Lablab Purpureus (L .) Sweet) SEBAGAI SUMBER PROTEIN [Characterization of Hyacinth Bean (Lablab purpureus (L .) Sweet) Seed and Its Protein] Bahan penelitian Pengukuran berat jenis protein’, XVII(2).
- Ao Shang, Shi-Yu Cao, Xiao-Yu Xu, Ren-You Gan, Guo-Yi Tang, Harold Corke, V.M. and H.-B.L. (2019) ‘Bioactive Compounds and Biological Functions of Garlic (*Allium sativum* L.)’, *Foods*, 8(246), pp. 1–31.
- AOAC (2005) ‘Official Methods of Analysis’, Association Official Analytical Chemists. Benjamin Franklin Station, Washington [Preprint]. Available at: https://www.academia.edu/43245633/Of_fi_cial_Methods_of_Anal_y_sis_of_AOAC_IN_TER_NA_TIONAL_18th_Edi_tion_2005.
- Arfarus, D. (2024) ‘Perbedaan Profil Senyawa Volatil Sosis Sapi dan Babi sebagai Kandidat Biomarker untuk Autentikasi Produk Halal’, Skripsi Universitas Islam Negeri Syarif Hidayatullah Jakarta, pp. 1–88.
- Aryanta, I.W.R. (2020) ‘Manfaat tempe untuk kesehatan’, *Widya Kesehatan*, 2, pp. 44–50.

- Asbur, Y. and Khairunnisyah (2021) 'Tempe Sebagai Sumber Antioksidan : Sebuah Telaah Pustaka Tempe as a Source Of Antioxidants : A Review', *AGRILAND Jurnal Ilmu Pertanian*, 9(3), pp. 183–192.
- Astuti, M. et al. (2000) 'Tempe , a nutritious and healthy food from Indonesia', 9(May), pp. 322–325.
- Ayustaningwarno, F. et al. (2024) 'A critical review of Ginger ' s (*Zingiber officinale*) antioxidant , immunomodulatory activities', *Frontiers in Nutrition*, 11(1364836), pp. 1–16. Available at: <https://doi.org/10.3389/fnut.2024.1364836>.
- Azlan, A. et al. (2022) 'Antioxidant, Anti-Obesity, Nutritional and Other Beneficial Effects of Different Chili Pepper: A Review', *Molecules*, 27(898), pp. 1–11.
- Bidaya, F., Asnurita and Wellyalina (2018) 'Karakterisasi rendang tempe pada berbagai suhu penyimpanan yang berbeda', *Unes J Mahasiwa Pertanian*, 2(2), pp. 152–163.
- Billqys, M. et al. (2023) 'Metabolite Changes in Indonesian Tempe Production from Raw Soybeans to Over-Fermented Tempe', pp. 1–16.
- Błaszczuk, N. and Rosiak, A. (2021) 'The Potential Role of Cinnamon in Human Health', *Forests*, 12(648), pp. 1–17.
- Chatterjee, M.S. and S. (2016) 'A Comprehensive Review On Nutritional Aspects, Chemical Composition And Pharmacological Attributes Of Black And White Pepper', *IJPSR*, 15(4), pp. 1–23. Available at: [https://doi.org/10.13040/IJPSR.0975-8232.15\(4\).1036-43](https://doi.org/10.13040/IJPSR.0975-8232.15(4).1036-43).
- Coates, J. (2000) 'Interpretation of Infrared Spectra, A Practical Approach', *Encyclopedia of Analytical Chemistry*, pp. 1–23. Available at: <https://doi.org/10.1002/9780470027318.a5606>.
- Darmawan, E.K.P. dan P. (2021) 'Analisis Kadar Abu dalam Tepung Terigu dengan Metode Gravimetri', *Jurnal Kimia dan Rekayasa*, 2.
- Delgadillo-puga, C. et al. (2023) 'Cardamom (*Elettaria cardamomum* (L .) Maton) Seeds Intake Increases Energy Expenditure and Reduces Fat Mass in Mice by Modulating Neural Circuits That Regulate Adipose Tissue Lipolysis and Mitochondrial Oxidative Metabolism in Liver and Skeletal Muscle', *International Journal Of Molecular Sciences*, 24(3909), pp. 1–22.
- Dolganyuk, V. et al. (2023) 'Food Proteins: Potential Resources', *Sustainability (Switzerland)*, 15(7). Available at: <https://doi.org/10.3390/su15075863>.
- Fajri, P.Y., Astawan, M. and Wresdiyati, T. (2013) 'Evaluasi Nilai Biologis Protein Rendang dan Kalio Khas Sumatera Barat (Biological Value Evaluation Of Protein In Rendang and Kalio-Tradional Cuisine Of West Sumatera)', *Penelitian Gizi dan Makanan, Portal Garuda*, 36(2), pp. 113–120. Available at: <http://download.portalgaruda.org/article.php?article=324932&val=4888&title=EVALUASI NILAI BIOLOGIS PROTEIN RENDANG DAN KALIO KHAS SUMATERA BARAT>.

- Fuadiyah, H.A.I. dan S. (2021) 'Uji Coba Imbibisi pada Kacang Kedelai (*Glycine max*) dan Kacang Hijau (*Vigna radiata*)', Prosiding SEMNAS BIO 2021, 1, pp. 710–716.
- Gad, H.A. et al. (2022) 'Chemometric Analysis Based on GC-MS Chemical Profiles of Three *Stachys* Species from Uzbekistan and Their Biological Activity'.
- Hamed, M. et al. (2019) 'Capsaicinoids, Polyphenols and Antioxidant Activities of *Capsicum annuum*: Comparative Study of the Effect of Ripening Stage and Cooking Methods Ma', *antioxidants*, 8(364), pp. 1–19.
- Harahap, R.H., Lubis, Z. and Kaban, J. (2018) 'Komponen Flavor Volatil Tempe yang Dibungkus dengan Daun Pisang dan Plastik Volatile Flavor Compounds of Tempeh Wrapped With Banana Leaf and Plastic', *Agritech*, 38(2), pp. 194–199. Available at: <http://doi.org/10.22146/agritech>.
- Harmayani Eni, Umar Santoso, M.G. (2019) 'Makanan Tradisional Indonesia', Gadjah Mada University Press, p. 18.
- Higea, J.F. et al. (2015) 'Penetapan Kadar Protein Secara Kjeldahl Beberapa Makanan Olahan Kerang Remis (*Corbiculla Moltkiana Prime*.) Dari Danau Singkarak', 7(2).
- I Wayan Puguh, Hastian, D.A. (2021) 'Penambahan Tempe sebagai Sumber Protein Nabati dalam Pembuatan Kerupuk Tempe', *Sultra Journal of Economic and Business*, 2, pp. 1–12.
- Jabs, A. (2015) 'Determination of secondary structure in proteins by fourier transform infrared spectroscopy (FTIR), Jena Library of Biological Molecules [online][cited 16. 2. 2011]', pp. 1–7.
- Jachimowicz-rogowska, K. and Winiarska-mieczan, A. (2023) 'Initiatives to Reduce the Content of Sodium in Food Products and Meals and Improve the Population's Health', *Nutrients*, 15(2393), pp. 1–27.
- Jeleń, H. et al. (2013) 'Determination of compounds responsible for tempeh aroma', *Food Chemistry*, 141(1), pp. 459–465. Available at: <https://doi.org/10.1016/j.foodchem.2013.03.047>.
- Khalesi, S. et al. (2021) 'Reducing salt intake : a systematic review and meta-analysis of behavior change interventions in adults', *Nutrition Reviews*, 80(4), pp. 723–740.
- Kristiadi, O.H. and Lunggani, A.T. (2022) 'Tempe Kacang Kedelai sebagai Pangan Fermentasi Unggulan Khas Indonesia : Literature Review Tempeh as Indonesian Special Fermented Food : Literature Review', 2(2), pp. 48–56.
- Lahane, R.T. and Ghorpade, M.D. (2023) 'Exploring Nutmeg (*Myristica fragrans*): A Comprehensive Review of its Nutritional Composition and Potential Health Benefits', *International Journal of Pharmaceutical Research and Application*, 8(6), pp. 2099–2104. Available at: <https://doi.org/10.35629/7781-080620992104>.
- Lucía Melguizo-Rodríguez, Enrique García-Recio, Concepción Ruiz, D. and Elvira De Luna-Bertos, Rebeca Illescas-Montes and Víctor J. Costela-Ruizb,

- E. (2022) 'Biological properties and therapeutic applications of garlic and its components', *Food dan Function*, 13, pp. 2415–2426. Available at: <https://doi.org/10.1039/d1fo03180e>.
- Majewska, E. et al. (2019) 'Lemongrass (*Cymbopogon citratus*) Essential Oil: Extraction, Composition, Bioactivity and Uses for Food Preservation ? a ReviewLemongrass (*Cymbopogon citratus*) Essential Oil: Extraction, Composition, Bioactivity and Uses for Food Preservation a Review', 69(4), pp. 327–341. Available at: <https://doi.org/10.31883/pjfns/113152>.
- Marselia, A., Wahdaningsih, S. and Nugraha, F. (2021) 'Analisis gugus fungsi dari ekstrak metanol kulit buah naga merah (*Hylocereus polyrhizus*) menggunakan FT-IR', *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 5(1), pp. 1–5.
- Martadjaja, I.G.M.I.D. (2022) 'Gulai Kambing Menggunakan Fibercreme Sebagai Pengganti Santan', *Jurnal Gastronomi Indonesia*, 10(2), pp. 68–77. Available at: <https://doi.org/10.52352/jgi.v10i2.912>.
- Martins, S.I.F.S., Jongen, W.M.F. and Boekel, M.A.J.S. Van (2001) 'A review of Maillard reaction in food and implications to kinetic modelling', 11, pp. 364–373.
- Maryetti et al. (2023) 'Rendang Sebagai Ikon Kuliner Lokal Di Kota Payakumbuh', *Jurnal Sains Terapan Pariwisata*, 8(2), pp. 112–122. Available at: <https://doi.org/10.56743/jstp.v8i2.263>.
- Masdison, S.M. (2017) *Rendang nan enak itu. vi; 51 hlm.* Edited by S. Untoro. Jakarta: Badan Pengembangan dan Pembinaan Bahasa, Kementerian Pendidikan dan Kebudayaan.
- Mei, X., Ostefeld, T. and Schnürer, J. (2007) 'Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation', 113, pp. 133–141. Available at: <https://doi.org/10.1016/j.ijfoodmicro.2006.06.025>.
- Merah, O. et al. (2020) 'Biochemical composition of cumin seeds, and biorefining study', *Biomolecules*, 10(7), pp. 1–18. Available at: <https://doi.org/10.3390/biom10071054>.
- Mohideen, M., Nur, N. and Jannah, S. (2022) 'Antibacterial Properties of Essential Oil Extracted from Kaffir Lime (*Citrus Hystrix*) Peel', 15(March), pp. 179–186.
- Nabila, A.P. et al. (2024) 'Mendesripsikan Cita Rasa dan Aroma Bumbu dan Rempah Rendang yang Digunakan di Beberapa Restoran Padang di Sekitar UNNES', *Jurnal Potensial*, 3(1), pp. 31–37. Available at: <http://jurnalilmiah.org/journal/index.php/potensial>.
- Nadeem, M. (2013) 'Nutritional and medicinal aspects of coriander (*Coriandrum sativum* L.): A review', *British Food Journal*, 115(5), pp. 743–755.
- Nandiyanto, A.B.D., Oktiani, R. and Ragadhita, R. (2019) 'How to read and interpret ftir spectroscopy of organic material', *Indonesian Journal of Science and Technology*, 4(1), pp. 97–118. Available at:

<https://doi.org/10.17509/ijost.v4i1.15806>.

- Nasria, N., Tanra Tellu, A. and Nurdin, M. (2024) 'Analisis Proksimat Umbut Rotan Noko (*Daemonorops Robusta*)', *Jurnal Inovasi Global*, 2(3), pp. 445–452. Available at: <https://doi.org/10.58344/jig.v2i3.73>.
- Nelly, N, Lina, Ardi, Dwipa, Albar, M. (2023) 'Sosialisasi Rempah Bahan Bumbu Rendang yang Terstandarisasi untuk Pemenuhan di Sentra Rendang Kota Padang'. Padang: Warta Pengabdian Andalas, pp. 379–385.
- Normilawati et al. (2019) 'Penetapan Kadar Air Dan Kadar Protein Pada Biskuit Yang Beredar Di Pasar Banjarbaru', *CERATA Jurnal Ilmu Farmasi*, 10(2), pp. 51–55. Available at: <https://doi.org/10.61902/cerata.v10i2.77>.
- Nout, M.J.R. and Kiers, J.L. (2005) 'Tempe fermentation , innovation and functionality : update into the third millenium', pp. 789–805. Available at: <https://doi.org/10.1111/j.1365-2672.2004.02471.x>.
- Pargiyanti, P. (2019) 'Optimasi Waktu Ekstraksi Lemak dengan Metode Soxhlet Menggunakan Perangkat Alat Mikro Soxhlet', *Indonesian Journal of Laboratory*, 1(2), p. 29. Available at: <https://doi.org/10.22146/ijl.v1i2.44745>.
- Pateiro, M., Gagaoua, M. and Barba, F.J. (2019) 'antioxidants A Comprehensive Review on Lipid Oxidation in Meat and Meat Products', (October). Available at: <https://doi.org/10.3390/antiox8100429>.
- Puspitasari, A., Astawan, M. and Wresdiyati, T. (2020) 'Pengaruh Germinasi Kedelai terhadap Komposisi Proksimat dan Komponen Bioaktif Isoflavon Tempe Segar dan Semangit', *Pangan*, 29(1), pp. 35–44.
- Putri Wahyuni Arnold, Pinondang Nainggolan and Darwin Damanik (2020) 'Analisis Kelayakan Usaha dan Strategi Pengembangan Industri Kecil Tempe di Kelurahan Setia Negara Kecamatan Siantar Sitalasari', *Jurnal Ekuilnomi*, 2(1), pp. 29–39. Available at: <https://doi.org/10.36985/ekuilnomi.v2i1.349>.
- Rachmayanti, M.A. (2023) 'Analisis Aktifitas Antioksidan dan Komponen Kimia pada Gulai, Kalio, dan Rendang Tempe', *Skripsi Universitas Andalas [Preprint]*.
- Radiati, A.R. (2016) 'Analisis Sifat Fisik, Sifat Organoleptik, Dan Kandungan Gizi Pada Produk Tempe Dari Kacang Non-Kedelai', *Jurnal Aplikasi Teknologi Pangan*, 5(1), pp. 16–22. Available at: <https://doi.org/10.17728/jatp.v5i1.32>.
- Refdi, C.W. et al. (2023) 'Characteristics of Physical, Chemical, and Organoleptic Properties of Gulai, Kalio, and Rendang from Rubber Seeds (*Hevea Brasiliensis*) as Traditional Plant-based Food', *IOP Conference Series: Earth and Environmental Science*, 1182(1). Available at: <https://doi.org/10.1088/1755-1315/1182/1/012066>.
- Rehman, Z.U. and Shah, W.H. (2005) 'Thermal heat processing effects on antinutrients, protein and starch digestibility of food legumes', *Food Chemistry*, 91(2), pp. 327–331. Available at: <https://doi.org/10.1016/j.foodchem.2004.06.019>.

- Rini et al. (2016) 'The Evaluation of Nutritional Value of Rendang Minangkabau', *Agriculture and Agricultural Science Procedia*, 9, pp. 335–341. Available at: <https://doi.org/10.1016/j.aaspro.2016.02.146>.
- Rizal, S. et al. (2022) 'Changes of nutritional composition of tempeh during fermentation with the addition of *Saccharomyces cerevisiae*', 23(3), pp. 1553–1559. Available at: <https://doi.org/10.13057/biodiv/d230345>.
- Rodrigo Alonso-Villegas, Rosa María González-Amaro, C.Y.F.-H. and Rodríguez-Buenfil, and I.M. (2023) 'The Genus *Capsicum* : A Review of Bioactive Properties of Its Polyphenolic and Capsaicinoid Composition', *Molecules*, 28(4239), pp. 1–23.
- Romulo, A. and Surya, R. (2021) 'Tempe: A traditional fermented food of Indonesia and its health benefits', *International Journal of Gastronomy and Food Science*, 26(August). Available at: <https://doi.org/10.1016/j.ijgfs.2021.100413>.
- Saccenti, E. (2024) 'A gentle introduction to principal component analysis using tea-pots , dinosaurs , and pizza', (February 2023), pp. 38–52. Available at: <https://doi.org/10.1111/test.12363>.
- Sahribulan and Pagarra, H. (2023) 'Identifikasi Gugus Fungsi dari Senyawa Metabolit Sekunder Ekstrak Etanol Daun Kayu Jawa *Lannea Coromandelica*', *Jurnal Sains Dan Pembelajaran Matematika*, 1(1), pp. 1–4. Available at: <https://doi.org/10.51806/jspm.v1i1.17>.
- Saputri, M.A. et al. (2023) 'Profil Spektra FTIR (Fourier Transform Infrared Spectrophotometry) Sari Ikan Gabus dengan Variasi Metode Ekstraksi', *Jurnal Ilmiah Multi Science Kesehatan*, 15(2), p. 126. Available at: <https://jurnal.stikes-aisyiyah-palembang.ac.id/index.php/Kep/article/view/>.
- Segneanu, A.E. et al. (2012) 'Organic Compounds FT-IR Spectroscopy', IntechOpen [Preprint].
- Sena, M.M. et al. (2021) 'Chemometrics in bioanalytical chemistry', *Tools and Trends in Bioanalytical Chemistry*, 2, pp. 497–541. Available at: https://doi.org/10.1007/978-3-030-82381-8_26.
- Shanura Fernando, I.P. et al. (2017) 'FTIR characterization and antioxidant activity of water soluble crude polysaccharides of Sri Lankan marine algae', *Algae*, 32(1), pp. 75–86. Available at: <https://doi.org/10.4490/algae.2017.32.12.1>.
- Shaukat, M.N., Nazir, A. and Fallico, B. (2023) 'Ginger Bioactives : A Comprehensive Review of Health Benefits and Potential Food Applications', *antioxidants*, 12(2015), pp. 1–26.
- Stuart, B.H. (2005) *Infrared Spectroscopy: Fundamentals and Applications*, *Infrared Spectroscopy: Fundamentals and Applications*. Available at: <https://doi.org/10.1002/0470011149>.
- Sudarmadji, S. (1997) 'Prosedur Analisa Untuk Bahan Makanan dan Pertanian'. Yogyakarta: Liberty.
- Suknia, S.L. and Rahmani, T.P.D. (2020) 'Proses Pembuatan Tempe Home

- Industry Berbahan Dasar Kedelai (*Glycine max* (L.) Merr) dan Kacang Merah (*Phaseolus vulgaris* L.) di Candiwesi, Salatiga', *Southeast Asian Journal of Islamic Education*, 3(1), pp. 59–76. Available at: <https://doi.org/10.21093/sajie.v3i1.2780>.
- Tamam, B. et al. (2021) 'Bioactive Peptides from Tempeh Using Peptidocutter's Cleavage', *Bioinformatics and Biomedical Research Journal*, 3(2), pp. 35–40. Available at: <https://doi.org/10.11594/bbrj.03.02.05>.
- Teoh, S.Q. et al. (2024) 'A review on health benefits and processing of tempeh with outlines on its functional microbes', *Future Foods*, 9(February). Available at: <https://doi.org/10.1016/j.fufo.2024.100330>.
- Tiwow, V.A. et al. (2021) 'Pola Inframerah Arang Tempurung Kelapa Hasil Pemurnian Menggunakan Asam', *Chemistry Progress*, 14(2), p. 116. Available at: <https://doi.org/10.35799/cp.14.2.2021.37191>.
- Ts, L. and A, M.P. (2018) 'Coconut milk kefir: Nutrient composition and assessment of microbial quality', *International Journal of Food Science and Nutrition*, 3(1), pp. 141–144.
- Usoltsev, D. et al. (2019) 'Systematic FTIR spectroscopy study of the secondary structure changes in human serum albumin under various denaturation conditions', *Biomolecules*, 9(8), pp. 1–17. Available at: <https://doi.org/10.3390/biom9080359>.
- Utari, D.M., Hadi, R. and Muhilal, R. (2011) 'Potensi Asam Amino pada Tempe untuk Memperbaiki Profil Lipid dan Diabetes Mellitus Potency of Amino Acid in Tempeh for Improving Lipid Profile and Diabetes', *Jurnal Kesehatan Masyarakat Nasional*, 5.
- Vukovic, N.L. et al. (2024) 'Biological Activity and Phytochemical Characteristics of Star Anise (*Illicium verum*) Essential Oil and Its Anti-Salmonella Activity on Sous Vide Pumpkin Model', *Foods*, 13(1505), pp. 1–22.
- Wiwiwinanda et al. (2023) 'Kadar Lemak dan Organoleptik Rendang Dengan Penggunaan Serat Krim sebagai Substitusi Santan', *Jurnal Peternakan Lingkungan Tropis*, 6(2), pp. 89–99. Available at: <https://ocs.unmul.ac.id/index.php/ptk/article/view/13248>.
- Wulan Permata Sari et al. (2024) 'Pengaruh Mikroba Dalam Proses Fermentasi Pembuatan Tempe', *Jurnal Ilmiah Dan Karya Mahasiswa*, 2(3), pp. 84–93. Available at: <https://doi.org/10.54066/jikma.v2i3.1925>.
- Wulandari, W., Y, Darmadji, P., and Kurniawati, L. (2017) 'Antioxidant Properties of Kaffir Lime Oil as Affected by Hydrodistillation Process', 1(1).
- Xiao-Yu Xu, Xiao Meng, Sha Li, Ren-You Gan, Y.L. and H.-B.L. (2018) 'Bioactivity, Health Benefits, and Related Molecular Mechanisms of Curcumin: Current Progress, Challenges, and Perspectives', *Nutrients*, 10(1553). Available at: <https://doi.org/10.3390/nu10101553>.
- Yang, A. and James, A.T. (2014) 'Influence of globulin subunit composition of soybean proteins on silken tofu quality. 1. Effect of growing location and

11SA4 and 7Sa' deficiency', *Crop and Pasture Science*, 65(3), pp. 259–267.
Available at: <https://doi.org/10.1071/CP13398>.

