

DAFTAR PUSTAKA

- Adams DH, Shaw S. 1994. Leucocyte-endothelial interactions and regulation of leucocyte migration. *Lancet* 343:831–6
- Aiello RJ, Bourassa PA, Lindsey S, Weng W, Natoli E, Rollins BJ, et al. 1999. Monocyte chemoattractant protein-1 accelerates atherosclerosis in apolipoprotein E-deficient mice. *Arterioscler Thromb Vasc Biol.* 19:1518 – 25
- Alexander MR, Moehle CW, Johnson JL, Yang Z, Lee JK, Jackson CL, Owens GK. 2012. Genetic inactivation of IL-1 signaling enhances atherosclerotic plaque instability and reduces outward vessel remodeling in advanced atherosclerosis in mice. *J Clin Invest* 122(1):70-9
- Al Batran R, Al-Bayaty F, Al-Obaidi MMJ, Hussain SF, Mulok TZ. 2014. Evaluation of the effect of andrographolide on atherosclerotic rabbits induced by *Porphyromonas gingivalis*. *BioMed Research International*, article ID 724718
- Ariyani E. 2006. Penetapan kandungan kolesterol dalam kuning telur pada ayam petelur. Pusat Penelitian dan Pengembangan Peternakan
- Bancroft JD, Stevens A. *Theory and practice of histological techniques*, third ed. Churchill Livingstone, London, 1991:21-113
- Barreiro O, Yanez-Mo M, Serrador JM, Montoya MC, Vicente-Manzanares M, Tejedor R, et al. 2002. Dynamic interaction of VCAM-1 and ICAM-1 with moesin and ezrin in a novel endothelial docking structure for adherent leukocytes. *J Cell Biol* 157(7):1233-45
- Barton M, Minotti R, Haas E. 2007. Inflammation and atherosclerosis. *Circ Res* 101:750-1
- Baeuerle PA, Baltimore D. 1998. I κ B: a specific inhibitor of the NF- κ B transcription factor. *Science (Wash DC)* 242:540–6
- Bhaskar V, Yin J, Mirza AM, et al. 2011. Monoclonal antibodies targeting IL-1 beta reduce biomarkers of atherosclerosis in vitro and inhibit atherosclerotic plaque formation in apolipoprotein E-deficient mice. *Atherosclerosis* 216: 313-20
- Blake GJ, Ridker PM. 2001. Novel clinical markers of vascular wall inflammation. *Circ Res* 89:763–71
- Bobryshev YV. 2006. Monocyte recruitment and foam cell formation in atherosclerosis. *Micron.* 37: 208–22

- Brand K, Eisele T, Kreusel U, Page M, Page S, Haas M, et al. 1997. Dysregulation of monocyte nuclear factor- κ B by oxidized low-density lipoprotein. *Arterioscler Thromb Vasc Biol.* 17:1901–9
- Burris RL, Ng HP, Nagarajan S. 2014. Soy protein inhibits inflammation-induced VCAM-1 and inflammatory cytokine induction by inhibiting the NF- κ B and AKT signaling pathway in apolipoprotein E-deficient mice. *Eur J Nutr* 53:135–48
- Chamberlain J, Francis S, Brookes Z, et al. 2009. Interleukin-1 regulates multiple atherogenic mechanisms in response to fat feeding. *PLoS One* 4: e5073
- Chan SJ, Wong WS, Wong PT, Bian JS. 2010. Neuroprotective effects of andrographolide in a rat model of permanent cerebral ischaemia. *Br J Pharmacol* 161(3):668–79
- Chao WW, Lin BF. 2010. Isolation and identification of bioactive compounds in *Andrographis paniculata* (chuanxinlian). *Chinese Medicine* 5:17
- Charo IF, Ransohoff RM. 2006. The many roles of chemokines and chemokine receptors in inflammation. *N Engl J Med* 354:610–21
- Chen C, Khismatullin DB. 2015. Oxidized low-density lipoprotein contributes to atherogenesis via co-activation of macrophages and mast cells. *Plos One* 10(3)
- Chen KS, Chen PN, Hsieh YS, Lin CY, Lee YH, Chu SC. 2015. Capsaicin protects endothelial cells and macrophage against oxidized low-density lipoprotein-induced injury by direct antioxidant action. *Chem Biol Interact.* 228:35–45
- Chen YL, Chang YJ, Jiang MJ. 1999. Monocyte chemotactic protein-1 gene and protein expression in atherogenesis of hypercholesterolemic rabbits. *Atherosclerosis* 143:115–23
- Chen YY, Hsu MJ, Hsieh CY, Lee LW, Chen ZC, Sheu JR. 2014. Andrographolide inhibits nuclear factor- κ B activation through jnk-akt-p65 signaling cascade in tumor necrosis factor- α -stimulated vascular smooth muscle cells. *The Scientific World Journal*, article ID 130381
- Cheng LC, Su KH, Kou YR, Shyue SK, Ching LC, Yu YB et al. 2011. α -Lipoic acid ameliorates foam cell formation via liver X receptor α -dependent upregulation of ATP-binding cassette transporters A1 and G1. *Free Radic Biol Med* 50:47–54
- Chiou WF, Chen CF, Lin JJ. 2000. Mechanisms of suppression of inducible nitric oxide synthase (iNOS) expression in RAW 264.7 cells by andrographolide. *Br J Pharmacol* 129:1553–60

- Chistiakov DA, Bobryshev YV, Orekhov AN. 2016. Macrophage-mediated cholesterol handling in atherosclerosis. *J. Cell. Mol. Med.* 20(1): 17-28
- Cho W, Kang JL, Park YM. 2015. Corticotropin-releasing hormone (CRH) promotes macrophage foam cell formation via reduced expression of ATP binding cassette transporter-1 (ABCA1). *PLoS One* 10(6):e0130587
- Colin S, Chinetti-Gbaguidi G, Staels B. 2014. Macrophage phenotypes in atherosclerosis. *Immunol Rev.* 262: 153–66
- Collins T, Cybulsky MI. 2001. NF- κ B: pivotal mediator or innocent bystander in atherogenesis? *J. Clin. Invest.* 107:255–64
- Collot-Teixeira S, Martin J, McDermott-Roe C, Poston R, McGregor JL. 2007. CD36 and macrophages in atherosclerosis. *Cardiovasc Res* 75:468–77
- Cushing SD, Berliner JA, Valente AJ, Territo MC, Navab M, Parhami F, et al. 1990. Minimally modified low density lipoprotein induces monocyte chemotactic protein-1 in human endothelial cells and smooth muscle cells. *Proc Natl Acad Sci.* 87:5134–38
- Cybulsky MI, Iiyama K, Li H, Zhu S, Chen M, Iiyama M, et al. 2001. A major role for VCAM-1, but not ICAM-1, in early atherosclerosis. *J Clin Investig* 107:1255–62
- Desai A, Darland G, Bland JS, Tripp ML, Konda VR. 2012. META060 attenuates TNF-alpha-activated inflammation, endothelial-monocyte interactions and matrix metalloproteinase-9 expression and inhibits NF-kappaB and AP-1 in Thp-1 monocytes. *Atherosclerosis* 223:130-6
- Deshmane SL, Kremlev S, Sawaya BE. 2009. Monocyte chemoattractant protein-1 (MCP-1): an overview. *J Interferon Cytokine Res* 29(6):313-26
- de Winther MPJ, Kanters E, Kraal G, Hofker MH. 2005. Nuclear Factor κ B Signalling in Atherosclerosis. *Arterioscler Thromb Vasc Biol* 25:904-14
- Eibl RH, Benoit M. 2004. Molecular resolution of cell adhesion forces. *IEE Proc Nanobiotechnol* 151(3):128-32
- Fruebis J, Gonzalez V, Silvestre M, Palinski W. 1997. Effect of probucol treatment on gene expression of VCAM-1, MCP-1, and M-CSF in the aortic wall of LDL receptor-deficient rabbits during early atherosclerosis. *Arterioscler Thromb Vasc Biol.* 17:1289–1302

- Gabrielian ES, Shukarian AK, Goukasova GI, Chandanian GL, Panossian AG, Wikman G, et al. 2002. A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination kan jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomedicine* 9(7):589–97
- Galkina E, Ley K. 2007. Vascular adhesion molecules in atherosclerosis. *Arterioscler Thromb Vasc Biol* 27:2292–2301
- Garg A, Agrawal L, Misra RC, Sarma S, Ghosh S. 2015. *Andrographis paniculata* transcriptome provides molecular insights into tissue-specific accumulation of medicinal diterpenes. *BMC Genomics* 16:659
- Gerszten RE, Garcia-Zepeda EA, Lim YC, Yoshida M, Ding HA, Gimbrone MA Jr, et al. 1999. MCP-1 and IL-8 trigger firm adhesion of monocytes to vascular endothelium under flow conditions. *Nature* 398:718–23
- Ghosh S. 2012. Early steps in reverse cholesterol transport: cholesteryl ester hydrolase and other hydrolases. *Curr Opin Endocrinol Diabetes Obes.* 19: 136–41
- Ghosh S, Zhao B, Bie J, Song J. 2010. Macrophage cholesteryl ester mobilization and atherosclerosis. *Vascul Pharmacol* 52:1–10
- Gimbrone MA Jr, Garcia-Cardena G. 2013. Vascular endothelium, hemodynamics, and the pathobiology of atherosclerosis. *Cardiovasc Pathol.* 22: 9–15
- Gomez D, Owens GK. 2012. Smooth muscle cell phenotypic switching in atherosclerosis. *Cardiovascular Research* 95(2):156-64
- Gosling J, Slaymaker S, Gu L, Tseng S, Zlot CH, Young SG, et al. 1999. MCP-1 deficiency reduces susceptibility to atherosclerosis in mice that overexpress human apolipoprotein B. *J Clin Invest.* 103:773–8
- Gu L, Okada Y, Clinton SK, Gerard C, Sukhova GK, Libby P, Rollins BJ. 1998. Absence of monocyte chemoattractant protein 1 reduces atherosclerosis in low density lipoprotein deficient mice. *Mol Cell* 2:275-81
- Guo J, Van Eck M, Twisk J, Maeda N, Benson GM, Groot PHE, et al. 2003. Transplantation of monocyte CC-chemokine receptor 2-deficient bone marrow into ApoE3-Leiden mice inhibits atherogenesis. *Arterioscler Thromb Vasc Biol.* 23:447– 53
- Guo W, Sun Y, Liu W, Wu X, Guo L, Cai P, et al. 2014. Small molecule-driven mitophagy-mediated NLRP3 inflammasome inhibition is responsible for the prevention of colitis-associated cancer. *Autophagy* 10(6):972–85

- Hanafiah KA. Rancangan percobaan: teori dan aplikasi. Jakarta: PT Rajagrafindo Persada, 2000
- Hansson GK. 2005. Inflammation, atherosclerosis, and coronary artery disease. *N Engl J Med* 352:1685-95
- Hansson GK, Hermansson A. 2011. The immune system an atherosclerosis. *Nature Immunology* 12:204-11
- Hansson GK, Libby P. 2006. The immune response in atherosclerosis: a double-edged sword. *Immunology* (6):508-19
- Hermansson A. 2010. Cellular immune responses to low density lipoprotein in atherosclerosis. Thesis for doctoral degree, Karolinska Institutet, Sweden
- Hernandez-Presa M, Bustos C, Ortego M, Renedo G, Ruiz-Ortega M, Egido J. 1997. Angiotensin-converting enzyme inhibitor prevents arterial nuclear factor- κ B activation, monocyte chemoattractant protein-1 expression and macrophage infiltration in a rabbit model of early accelerated atherosclerosis. *Circulation* 95:1532-41
- Herrmann J, Lerman LO, Lerman A. 2010. On to the road to degradation: atherosclerosis and the proteasome. *Cardiovascular Research* 85:291-302
- Hoesel B, Schmid JA. 2013. The complexity of NF- κ B signaling in inflammation and cancer. *Molecular Cancer* 12:86
- Hsieh CY, Hsu MJ, Hsiao G, Wang YH, Huang CW, Chen SW, et al. 2011. Andrographolide enhances nuclear factor- κ B subunit p65 ser536 dephosphorylation through activation of protein phosphatase 2A in vascular smooth muscle cells. *The Journal of Biological Chemistry* 286(8): 5942-55
- Ismawati, Oenzil F, Yanwirasti, Yerizel E. 2016. Changes in expression of proteasome in rats at different stages of atherosclerosis. *Anat Cell Biol* 49:99-106
- Jaruchotikamol A, Jarukamiorn K, Sirisangtrakul W, Sakuma T, Kawasaki Y, Nemoto N. 2007. Strong synergistic induction of CYP1A1 expression by andrographolide plus typical CYP1A inducers in mouse hepatocytes. *Toxicol Appl Pharmacol* 224:156-62
- Jessup W, Gelissen IC, Gaus K, Kritharides L. 2006. Roles of ATP binding cassette transporters A1 and G1, scavenger receptor BI and membrane lipid domains in cholesterol export from macrophages. *Curr Opin Lipidol* 17(3):247-57

- Jiang CG, Li JB, Liu FR, Wu T, Xu HM. 2007. Andrographolide inhibits the adhesion of gastric cancer cells to endothelial cells by blocking E-selectin expression. *Anticancer Res* 27:2439-48
- Kleemann R, Zadelaar S, Kooistra T. 2008. Cytokines and atherosclerosis: a comprehensive review of studies in mice. *Cardiovasc Res* 79:360–76
- Klingenberg R, Hansson GK. 2009. Treating inflammation in atherosclerotic cardiovascular disease: emerging therapies. *European Heart Journal* 30, 2838–44
- Klouche M, Gottschling S, Gerl V, Hell W, Husmann M, Dorweiler B, et al. 1998. Atherogenic properties of enzymatically degraded LDL: selective induction of MCP-1 and cytotoxic effects on human macrophages. *Arterioscler Thromb Vasc Biol.* 18:1376–85
- Kones R. 2011. Primary prevention of coronary heart disease: integration of new data, evolving views, revised goals, and role of rosuvastatin in management. A comprehensive survey. *Drug design, development and therapy* 5:325-80
- Kou W, Sun R, Wei P, Yao HB, Zhang C, Tang XY, et al. 2014. Andrographolide suppresses IL-6/Stat3 signaling in peripheral blood mononuclear cells from patients with chronic rhinosinusitis with nasal polyps. *Inflammation* (37):1738-43
- Kruth HS. 2013. Fluid-phase pinocytosis of LDL by macrophages: a novel target to reduce macrophage cholesterol accumulation in atherosclerotic lesions. *Curr Pharm Des.* 19: 5865–72
- Kumar RA, Sridevi K, Kumar NV, Nanduri S, Rajagopal S. 2004. Anticancer and immunostimulatory compounds from *Andrographis paniculata*. *J Ethnopharmacol* 92:291-5
- Kunjathoor VV, Febbraio M, Podrez EA, Moore KJ, Andersson L, Koehn S, et al. 2002. Scavenger receptors class A-I/II and CD36 are the principal receptors responsible for the uptake of modified low density lipoprotein leading to lipid loading in macrophages. *The Journal of Biological Chemistry* 277(51): 49982–8
- Li J, Chen CX, Shen YH. 2011. Effects of total glucosides from paeony (*Paeonia lactiflora* Pall) roots on experimental atherosclerosis in rats. *J Ethnopharmacol* 135:469-75
- Li Q, Verma IM. 2002. NF- κ B regulation in the immune system. *Nat Rev Immunol* 10: 725–34

- Li Y, Guo Y, Chen Y, Wang Y, You Y, Yang Q, et al. 2015. Establishment of an interleukin-1 β -induced inflammation-activated endothelial cell-smooth muscle cell-mononuclear cell co-culture model and evaluation of the anti-inflammatory effects of tanshinone IIA on atherosclerosis. *Molecular Medicine Reports* 12:1665-76
- Libby P. 2000. Changing concepts of atherogenesis. *J Intern Med.* 247: 349–58
- Libby P. 2002. Inflammation in atherosclerosis. *Nature* 420:868-74
- Libby P, Lichtman AH, Hansson GK. 2013. Immune effector mechanisms implicated in atherosclerosis: from mice to humans. *Immunity* 38
- Libby P, Okamoto Y, Rocha VZ, Folco E. 2010. Inflammation in atherosclerosis: transition from theory to practice. *Circulation Journal* 74:213-20
- Libby P, Ridker PM, Hansson GK. 2009. Inflammation in Atherosclerosis: from Pathophysiology to Practice. *J Am Coll Cardiol* 54:2129–38
- Libby P, Ridker PM, Maseri A. 2002. Inflammation and atherosclerosis. *Circulation* 105:1135–43
- Lindblom R, Ververis K, Tortorella SM, Karagiannis TC. 2015. The early life origin theory in the development of cardiovascular disease and type 2 diabetes. *Mol Biol Rep.* 42:791–7
- Liu J, Wang ZT, Ji LL, Ge BX. 2007. Inhibitory effects of neoandrographolide on nitric oxide and prostaglandin E2 production in LPS-stimulated murine macrophage. *Mol Cell Biochem* 298:49–57
- Liu Q, Li J, Hartstone-rose A, Wang J, Li J, Janicki JS, et al. 2015. Chinese herbal compounds for the prevention and treatment of atherosclerosis: experimental evidence and mechanisms. *Evidence-based Complementary and Alternative Medicine*, article ID 752610
- Liu X, Zhao G, Yan Y, Bao L, Chen B, et al. 2012. Ginkgolide B reduces atherogenesis and vascular inflammation in ApoE2/2 mice. *PLoS ONE* 7(5):e36237
- Loupatty AM, Suwandono A, Hargono D, Farouq, Setiawan H. 1998. Pemanfaatan Tanaman Obat Untuk Kesehatan Keluarga. Edisi 3. Jakarta: Departemen Kesehatan Republik Indonesia, 85
- Low M, Khoo CS, Münch G, Govindaraghavan S, Sucher NJ. 2015. An in vitro study of anti-inflammatory activity of standardised *Andrographis paniculata* extracts and pure andrographolide. *BMC Complementary and Alternative Medicine* 15:18

- Luo W, Liu Y, Zhang J, Luo X, Lin C, Guo J. 2013. Andrographolide inhibits the activation of NF- κ B and MMP-9 activity in H3255 lung cancer cells. *Experimental And Therapeutic Medicine* 6:743-6
- Luster AD. 1998. Chemokines: chemotactic cytokines that mediate inflammation. *N Engl J Med.* 338:436-45
- Lu B, Rutledge BJ, Gu L, Fiorillo J, Lukacs NW, Kunkel SL, et al. 1998. Abnormalities in monocyte recruitment and cytokine expression in monocyte chemoattractant protein 1-deficient mice. *J Exp Med.* 187:601-8
- Manning-Tobin JJ, Moore KJ, Seimon TA, Bell SA, Sharuk M, Alvarez-Leite J, et al. 2009. Loss of SR-A and CD36 activity reduces atherosclerotic lesion complexity without abrogating foam cell formation in hyperlipidemic mice. *Arterioscler Thromb Vasc Biol.* 29:19-26
- Maus U, Henning S, Wenschuh H, Mayer K, Seeger W, Lohmeyer J. 2002. Role of endothelial MCP-1 in monocyte adhesion to inflamed human endothelium under physiological flow. *Am J Physiol Heart Circ Physiol.* 283:2584-91
- Monaco C, Paleolog E. 2004. Nuclear factor κ B: a potential therapeutic target in atherosclerosis and thrombosis. *Cardiovascular Research* 61:671-82
- Moore KJ, Sheedy FJ, Fisher EA. 2013. Macrophages in atherosclerosis: a dynamic balance. *Nature* 13:709-21
- Murray CJ, Vos T, Lozano R, Naghavi M, Flaxman AD, Michaud C, et al. 2012. Disability adjusted life years (days) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the global burden of disease study 2010. *Lancet* 380:2197-223
- Murwani S, Ali M, Muliarta K. 2006. Diet aterogenik pada tikus putih (*Rattus norvegicus*) strain wistar sebagai model hewan aterosklerosis. *Jurnal Kedokteran Brawijaya* 22:6-12
- Nagarajan S. 2010. Mechanisms of anti-atherosclerotic functions of soy-based diets. *The Journal of Nutritional Biochemistry* 21(4):255-60
- Namiki M, Kawashima S, Yamashita T, Ozaki M, Hirase T, Ishida T, et al. 2002. Local overexpression of monocyte chemoattractant protein-1 at vessel wall induces infiltration of macrophages and formation of atherosclerotic lesion: Synergism with hypercholesterolemia. *Arterioscler Thromb Vasc Biol.* 22:115-20
- Ni J, Li Y, Li W, Guo R. 2017. Salidroside protects against foam cell formation and apoptosis, possibly via the MAPK and AKT signaling pathways. *Lipids in Health and Disease* 16:198

- Ohman MK, Wright AP, Wickenheiser KJ, Luo W, Russo HM, Eitzman DT. 2010. Monocyte chemoattractant protein-1 deficiency protects against visceral fat-induced atherosclerosis. *Arterioscler Thromb Vasc Biol.* 30:1151-8
- Okada M, Matsumori A, Ono K, Furukawa Y, Shioi T, Iwasaki A, et al. 1998. Cyclic stretch upregulates production of interleukin-8 and monocyte chemoattractant and activating factor/monocyte chemoattractant protein-1 in human endothelial cells. *Arterioscler Thromb Vasc Biol.* 18:894-901
- Okazaki H, Igarashi M, Nishi M, Sekiya M, Tajima M, Takase S, et al. 2008. Identification of neutral cholesterol ester hydrolase, a key enzyme removing cholesterol from macrophages. *The Journal of Biological Chemistry* 283(48): 33357-64
- Omoigui S. 2007. The interleukin-6 inflammation pathway from cholesterol to aging – role of statins, bisphosphonates and plant polyphenols in aging and age-related diseases. *Immunity & Ageing* 4:1
- Oram JF, Vaughan AM. 2006. ATP-binding cassette cholesterol transporters and cardiovascular disease. *Circ Res.* 99:1031-43
- Otsuki M, Hashimoto K, Morimoto Y, Kishimoto T, Kasayama S. 1997. Circulating vascular cell adhesion molecule-1 (VCAM-1) in atherosclerotic NIDDM patients. *Diabetes* 46:2096-101
- Packard RSS, Libby P. 2008. Inflammation in atherosclerosis: from vascular biology to biomarker discovery and risk prediction. *Clinical Chemistry* 54:24-38
- Paget GE, Barnes JM. 1964. Toxicity Test. In: Laurence DR, Bacharach AL (editors). *Evaluation of Drug Activities: Pharmacometrics.* Volume 1. London: Academic Press, 161
- Pang J, Xu Q, Xu X, Yin H, Xu R, Guo S, et al. 2010. Hexarelin suppresses high lipid diet and vitamin D3-induced atherosclerosis in the rat. *Peptides* 31:630-8
- Park MH, Hong JT. 2016. Roles of NF κ B in cancer and inflammatory diseases and their therapeutic approaches. *Cells* 5:15
- Park SY, Lee JH, Kim YK, Kim CD, Rhim BY, Lee WS, et al. 2005. Cilostazol prevents remnant lipoprotein particle-induced monocyte adhesion to endothelial cells by suppression of adhesion molecules and monocyte chemoattractant protein-1 expression via lectin-like receptor for oxidized low-density lipoprotein receptor activation. *JPET* 312:1241-8
- Peluso I, Morabito G, Urban L, Ioannone F, Serafini M. 2012. Oxidative stress in atherosclerosis development: the central role of LDL and oxidative burst. *Endocrine, Metabolic, and Immune Disorders: Drug Targets* 12(4):351-60

- Qin LH, Kong L, Shi GJ, Wang ZT, Ge BX. 2006. Andrographolide inhibits the production of TNF- α and IL-12 in LPS stimulated macrophages: role of mitogen activated protein kinases. *Biol Pharm Bull* 29:220-4
- Rahmathulla SBM, Devi KL. 2015. Advanced molecular and cell based therapies for atherosclerosis. *Asian J Pharm Clin Res*. 8(1):54-9
- Rajendran P, Rengarajan T, Thangavel J. 2013. The vascular endothelium and human diseases. *International Journal of Biological Sciences* 9(10):1057-69
- Ray KK. 2014. Interleukin-1 revisited: further insight into its role in atherosclerosis and as a potential therapeutic target for treatment. *J Am Coll Cardiol* 63(17):1735-8
- Reape TJ, Groot PH. 1999. Chemokines and atherosclerosis. *Atherosclerosis* 147:213–25
- Reddy HK, Lavmikanth B, Sujatha P, Modi P. 2013. A study of HS-CRP and lipid profile in overweight individual. *International journal of medical science* 2: 399-402
- Ren J, Liu Z, Wang Q, Giles J, Greenber J, Sheibani N, et al. 2016. Andrographolide ameliorates abdominal aortic aneurysm progression by inhibiting inflammatory cell infiltration through downregulation of cytokine and integrin expression. *J Pharmacol Exp Ther* 356(1):137-47
- Ross R. 1990. Mechanisms of atherosclerosis – a review. *Advances in Nephrology from the Necker Hospital* 19:79-86
- Ross R. 1993. The pathogenesis of atherosclerosis: a perspective for the 1990s. *Nature* 362:801–809
- Ross R. 1999. Atherosclerosis: an inflammatory disease. *N Engl J Med*. 340:115–26
- Sakai A, Kume N, Nishi E, Tanoue K, Miyasaka M, Kita T. 1997. P-selectin and vascular cell adhesion molecule-1 are focally expressed in aortas of hypercholesterolemic rabbits before intimal accumulation of macrophages and T lymphocytes. *Arterioscler Thromb Vasc Biol*. 17: 310–6
- Schleicher E, Friess U. 2007. Oxidative stress, AGE, and atherosclerosis. *Kidney International* 72:17-26
- Shen T, Yang WS, Yi YS, Sung GH, Rhee MH, Poo H, et al. 2013. AP-1/irf-3 targeted anti-inflammatory activity of andrographolide isolated from *Andrographis paniculata*. *Evidence-Based Complementary and Alternative Medicine* article ID 210736

- Sica A, Wang JM, Colotta F, Dejana E, Mantovani A, Oppenheim JJ, et al. 1990. Monocyte chemotactic and activating factor gene expression induced in endothelial cells by IL-1 and tumor necrosis factor. *J Immunol.* 144:3034–8
- Singha PK, Roy S, Dey S. 2007. Protective activity of andrographolide and arabinogalactan proteins from *Andrographis paniculata* Nees. against ethanol induced toxicity in mice. *J Ethnopharmacol* 111:13-21
- Singh RH, Mengi SA, Xu YJ, Arneja AS, Dhalla NS. 2002. Pathogenesis of atherosclerosis: a multifactorial process. *Experimental and Clinical Cardiology* 7(1):40-53
- Sithisomwongse N, Phengchata J, Cheewapatana S. 1989. Acute and chronic toxicity of *Andrographis paniculata* Nee. *Th Thai J Pharm Sci.* 12(2):109–17
- Stocker R, Keaney JF. 2004. Role of oxidative modifications in atherosclerosis. *Physiol Rev* 84:1381-478
- Su SY, Hsieh CL. 2011. Anti-inflammatory effects of Chinese medicinal herbs on cerebral ischemia. *Chinese Medicine* 6:26
- Sutarno S, Punyarajun S, Maramba NPC, Hargono D, Siregar CJP. 1993. Standard of Asean Herbal Medicine. Volume I. Jakarta, 36-49
- Syamsuhidayat SS, Hutapea JR. 1991. *Inventaris Tanaman Obat Indonesia* (1). Jakarta: Departemen Kesehatan Republik Indonesia, Balai Penelitian dan Pengembangan Kesehatan, 54-5
- Tabas I, Williams KJ, Borén J. 2007. Subendothelial lipoprotein retention as the initiating process in atherosclerosis: update and therapeutic implications. *Circulation.* 116:1832–44
- Tanaka E, Shimokawa H, Kamiuneten H, Eto Y, Matsumoto Y, Morishige K, et al. 2003. Disparity of MCP-1 mRNA and protein expressions between the carotid artery and the aorta in WHHL rabbits: One aspect involved in the regional difference in atherosclerosis. *Arterioscler Thromb Vasc Biol.* 23:244-250
- Tong Q, Zheng L, Lin L, Li B, Wang D, et al. 2006. Hypoxia-induced mitogenic factor promotes vascular adhesion molecule-1 expression via the PI-3K/Akt-NF-kappaB signaling pathway. *Am J Respir Cell Mol Biol* 35: 444–56
- Truskey GA, Herrmann RA, Kait J, Barber KM. 1999. Focal increases in vascular cell adhesion molecule-1 and intimal macrophages at atherosclerosis-susceptible sites in the rabbit aorta after short-term cholesterol feeding. *Arterioscler Thromb Vasc Biol.* 19:393–401

- Verma S, Gupta M, Ridker PM. 2012. Therapeutic targeting of inflammation in atherosclerosis: we are getting closer. *Can J Cardiol* 28:619–22
- Virmani R, Kolodgie FD, Burke AP, Farb A, Schwartz SM. 2000. Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions. *Arterioscler Thromb Vasc Biol*. 20:1262–75
- Vogiatzi G, Tousoulis D, Stefanadis C. 2009. The role of oxidative stress in atherosclerosis. *Hellenic J Cardiol* 50:402-9
- Von der Thusen JH, Kuiper J, Van Berkel TJC, Biessen EAL. 2003. Interleukins in atherosclerosis: molecular pathways and therapeutic potential. *Pharmacol Rev* 55:133–66
- Wang F, Lerman A, Herrmann J. 2015. Dysfunction of the ubiquitin-proteasome system in atherosclerotic cardiovascular disease. *Am J Cardiovasc Dis* 5(1):83-100
- Wang Q, Ji J, Hao S, Zhang M, Li K, Qiao T. 2016. Iron together with lipid downregulates protein levels of ceruloplasmin in macrophages associated with rapid foam cell formation. *Journal of Atherosclerosis. Thrombosis*. 23(10):1201–11
- Wang YJ, Wang JT, Fan QX, Geng JG. 2007. Andrographolide inhibits NF-kappaBeta activation and attenuates neointimal hyperplasia in arterial restenosis. *Cell Res* 17:933–41
- Westerterp M, Bochem AE, Yvan-Charvet L, et al. 2014. ATP-binding cassette transporters, atherosclerosis, and inflammation. *Circ Res*. 114: 157–70
- Widowati W. 2007. Peran antioksidan sebagai agen hipokolesterolemia, pencegah oksidasi lipid dan aterosklerosis. *Maj. Kedokt. Damianus* 3:227-35
- Wilck N, Fechner M, Dreger H, Hewing B, Arias A, Meiners L, et al. 2012. Attenuation of early atherogenesis in low-density lipoprotein receptor-deficient mice by proteasome inhibition. *Arterioscler Thromb Vasc Biol* 32:1418-26
- William KJ, Tabas I. 1995. The response to retention hypothesis of early atherogenesis. *Arterioscler Thromb Vasc Biol* 15(5):551-62
- Wong BW, Meredith A, Lin D, McManus BM. 2012. The biological role of inflammation in atherosclerosis. *Can J Cardiol* 28:631-41
- Wu JT, Wu LL. 2005. Association of soluble markers with various stages and major events of atherosclerosis. *Annals of Clinical & Laboratory Science*, 35(3): 240-50

- Wu M, Liu M, Guo G, Zhang W, Liu L. 2015. Polydatin inhibits formation of macrophage-derived foam cells. *Evid Based Complement Alternat Med*. 2015:729017
- Xie C, Kang J, Chen JR, et al. 2011. Phenolic acids are in vivo atheroprotective compounds appearing in the serum of rats after blueberry consumption. *J Agric Food Chem*. 59: 10381–7
- Xu G, Watanabe T, Iso Y, Koba S, Sakai T, Nagashima M, et al. 2009. Preventive effects of Heregulin- β 1 on macrophage foam cell formation and atherosclerosis. *Circ Res*. 105:500-10
- Yamin GE, Trisnawati L, Yusnayani WN. 1999. *Pedoman praktek laboratorium yang benar*. Jakarta: Departemen Kesehatan RI
- Yla-Herttuala S, Lipton BA, Rosenfeld ME, Sarkioja T, Yoshimura T, Leonard EJ, et al. 1991. Expression of monocyte chemoattractant protein 1 in macrophage-rich areas of human and rabbit atherosclerotic lesions. *Proc Natl Acad Sci* 88:5252–525
- Yu BC, Hung CR, Chen WC, Cheng JT. 2003. Antihyperglycemic effect of andrographolide in streptozotocin induced diabetic rats. *Planta Med* 69:1075-9
- Yu XH, Fu YC, Zhang DW, Yin K, Tang CK. 2013. Foam cells in atherosclerosis. *Clinica Chimica Acta* 424:245–52
- Zhang X, Huang H, Yang T, Ye Y, Shan J, et al. 2005. Chlorogenic acid protects mice against lipopolysaccharide-induced acute lung injury. *Injury* 36:387–94
- Zhang Z, Jiang J, Yu P, Zeng X, Larrick JW, Wang Y. 2009. Hypoglycemic and beta cell protective effects of andrographolide analogue for diabetes treatment. *J Translational Med* 7:62-73
- Zhao Y, Kao C, Wu K, Liao C, Ho Y, Chang Y. 2014. Chemical compositions, chromatographic fingerprints and antioxidant activities of andrographis herba. *Molecules* 19:18332-50
- Zhou F, Pan Y, Huang Z, Jia Y, Zhao X, Chen Y, et al. 2013. Visfatin induces cholesterol accumulation in macrophages through up-regulation of scavenger receptor-A and CD36. *Cell Stress and Chaperones* 18:643–52
- Zhou J, Lu GD, Ong CS, Ong CN, Shen HM. 2008. Andrographolide sensitizes cancer cells to TRAIL-induced apoptosis via p53 mediated death receptor 4 up-regulation. *Mol Cancer Ther* 7(7):2170-80
- Zhu T, Wang DX, Zhang W, Liao XQ, Guan X, et al. 2013. Andrographolide protects against LPS-induced acute lung injury by inactivation of NF- κ B. *Plos One* 8(2):e56407