

DAFTAR PUSTAKA

1. Pal B, Yasin A, Kaur R, Tebyetekerwa M, Zabihi F, Yang S, Yang CC, Sofer Z, Jose R. Understanding electrochemical capacitors with in-situ techniques. *Renewable and Sustainable Energy Reviews*. 2021;149:111418. doi:10.1016/j.rser.2021.111418
2. Long C, Su Z, Song H, Xu A, Liu L, Li Y, Zheng K, Ren W, Wu H, Ding X. Excellent energy storage properties with ultrahigh Wrec in lead-free relaxor ferroelectrics of ternary $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3\text{--SrTiO}_3\text{--Bi}_{0.5}\text{Li}_{0.5}\text{TiO}_3$ via multiple synergistic optimization. *Energy Storage Mater*. 2024;65:103055. doi:10.1016/j.ensm.2023.103055
3. Palneedi H, Peddigari M, Hwang GT, Jeong DY, Ryu J. High-Performance Dielectric Ceramic Films for Energy Storage Capacitors: Progress and Outlook. *Adv Funct Mater*. 2018;28(42):1–33. doi:10.1002/adfm.201803665
4. Zou K, Dan Y, Xu H, Zhang Q, Lu Y, Huang H, He Y. Recent advances in lead-free dielectric materials for energy storage. *Mater Res Bull*. 2019;113:190–201. doi:10.1016/j.materresbull.2019.02.002
5. Wendari TP, Zulhadjri, Emriadi. Observation of relaxor ferroelectric behavior and energy storage performances in $\text{Sr}_{1.25}\text{Bi}_{2.75}\text{Nb}_{1.25}\text{Ti}_{1.75}\text{O}_{12}$ aurivillius ceramic synthesized by molten salt method. *J Solid State Chem*. 2023;325:124150. doi:10.1016/j.jssc.2023.124150
6. Zhang Y, Cao M, Yao Z, Wang Z, Song Z, Ullah A, Hao H, Liu H. Effects of silica coating on the microstructures and energy storage properties of BaTiO_3 ceramics. *Mater Res Bull*. 2015;67:70–76. doi:10.1016/j.materresbull.2015.01.056
7. Zhang Q, Li Z, Li F, Xu Z. Structural and dielectric properties of $\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3\text{--BaTiO}_3$ lead-free ceramics. *Journal of the American Ceramic Society*. 2011;94(12):4335–4339. doi:10.1111/j.1551-2916.2011.04695
8. Lin Y, Li D, Zhang M, Zhan S, Yang Y, Yang H, Yuan Q. Excellent Energy-Storage Properties Achieved in BaTiO_3 -Based Lead-Free Relaxor Ferroelectric Ceramics via Domain Engineering on the Nanoscale. *ACS Appl Mater Interfaces*. 2019;11(40):36824–36830. doi:10.1021/acsami.9b10819
9. Yang C, Qian J, Lv P, Wu H, Lin X, Wang K, Ouyang J, Huang S, Cheng X, Cheng Z. Flexible lead-free BFO-based dielectric capacitor with large energy density, superior thermal stability, and reliable bending endurance. *Journal of Materiomics*. 2020;6(1):200–208. doi:10.1016/j.jmat.2020.01.010
10. Hirose K, Sinmyo R, Hernlund J. Perovskite in Earth's deep interior. *Science*. 2017;738:734–738. doi:10.1126/science.aam8561
11. Chen Y, Zhang L, Zhang Y, Gao H, Yan H. Large-area perovskite solar cells-a review of recent progress and issues. *RSC Adv*. 2018;8(19):10489–10508. doi:10.1039/C8RA00384J
12. Zhou D, Zhou T, Tian Y, Zhu X, Tu Y. Perovskite-Based Solar Cells: Materials, Methods, and Future Perspectives. *J Nanomater*. 2018;2018. doi:10.1155/2018/8148072
13. Shi Z, Jayatissa AH. Perovskites-based solar cells: A review of recent progress, materials and processing methods. *Materials*. 2018;11(5). doi:10.3390/ma11050729
14. Assirey EAR. Perovskite synthesis, properties and their related biochemical and industrial application. *Saudi Pharmaceutical Journal*. 2019;27(6):817–829. doi:10.1016/j.jsps.2019.05.003
15. Yuan Q, Chen M, Zhan S, Li Y, Lin Y, Yang H. Ceramic-based dielectrics for electrostatic energy storage applications: Fundamental aspects, recent progress, and remaining

- challenges. *Chemical Engineering Journal*. 2022;446:136315. doi.org/10.1016/j.cej.2022.136315
16. Yang Z, Du H, Jin L, Poelman D. High-performance lead-free bulk ceramics for electrical energy storage applications: design strategies and challenges. *J Mater Chem A Mater*. 2021;9(34):18026–18085. doi:10.1039/d1ta04504k
 17. Lv J, Li Q, Li Y, Tang M, Jin D, Yan Y, Fan B, Jin L, Liu G. Significantly improved energy storage performance of NBT-BT based ceramics through domain control and preparation optimization. *Chemical Engineering Journal*. 2021;420(P1):129900. doi:10.1016/j.cej.2021.129900
 18. Veerapandiyar V, Benes F, Gindel T, Deluca M. Strategies to improve the energy storage properties of perovskite lead-free relaxor ferroelectrics: A review. *Materials* 2020;13(24):1–47. doi:10.3390/ma13245742
 19. Steawart M, Cain G. *Ferroelectric Hysteresis Measurement & Analysis*; 1999
 20. Dragoman M, Cismaru A, Aldrigo M, Radoi A, Dinescu A, Dragoman D. MoS₂ thin films as electrically tunable materials for microwave applications. *Appl Phys Lett* 2015;107(24). doi:10.1063/1.4938145
 21. Rhimi N, Dhahri N, Laifi J, Bourguiba F, Abdelmoula N, Dhahri J, Castro C, Juraszek J. Deep insights into the Cu- and W-doped Na_{0.5}Bi_{0.5}TiO₃ solid solution: A study focusing on optical, dielectric and electrical properties. *J Mol Struct*. 2023;1294(P1):136319. Doi:10.1016/j.molstruc.2023.136319
 22. Deka B, Cho KH. BiFeO₃-based relaxor ferroelectrics for energy storage: Progress and prospects. *Materials*. 2021;14(23):1–25. doi:10.3390/ma14237188
 23. Che J, Yao X, Kong J, Lou L, Lin Y, Niu C, Huang R, Wang H, Deng B, Yu R. Molten-salt synthesis and spectral characteristics of perovskite KCa₂Nb₃O₁₀:Sm³⁺ phosphors. *J Lumin*. 2022;244:118665. doi:10.1016/j.jlumin.2021.118665
 24. Gupta SK, Mao Y. A review on molten salt synthesis of metal oxide nanomaterials: Status, opportunity, and challenge. *Prog Mater Sci*. 2021;117:100734. doi:10.1016/J.PMATSCI.2020.100734
 25. Christyaningsih RY. Aplikasi Fisika Kuantum-Hamburan Pada " X-Ray Diffraction (XRD)", UNDIP; 2020
 26. Quinn PS, Benzonelli A. XRD and Materials Analysis . *The Encyclopedia of Archaeological Sciences*. 2018:1–5. doi: 10.1002/9781119188230.saseas0619
 27. Abd Mutalib M, Rahman MA, Othman MHD, Ismail AF, Jaafar J. Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy. In *Membrane Characterization*. Elsevier; 2017. p. 161-179.
 28. Nandi S. Raman Spectroscopy. Kolkata: Indian Association for the Cultivation of Science; 2021
 29. Sun J, Wang H, Zhang Y, Zheng Y, Xu Z, Liu R. Use of diffuse reflectance spectroscopy for optical characterization of un-supported nanostructures. *Rev Mex Fis*. 2014;562:478–484. doi:10.1016/j.tsf.2014.04.019
 30. Hummel RE. Differential Reflectance Spectroscopy in Analysis of Surfaces. In *Encyclopedia of Analytical Chemistry* 2000.p.1–24.
 31. Xue P, Hu Y, Xia W, Wu H, Zhu X. Molten-salt synthesis of BaTiO₃ powders and their atomic-scale structural characterization. *J Alloys Compd*. 2017;695:2870–2877. doi:10.1016/j.jallcom.2016.11.395

32. Levin I, Laws WJ, Wang D, Reaney IM. Designing pseudocubic perovskites with enhanced nanoscale Polarization. *Appl Phys Lett*. 2017;111(21):212902. doi:10.1063/1.5007700
33. Zhang L, Pu Y, Chen M, Peng X, Wang B, Shang J. Design strategies of perovskite energy-storage dielectrics for next-generation capacitors. *J Eur Ceram Soc*. 2023;43(14):5713–5747. doi:10.1016/j.jeurceramsoc.2023.06.037
34. Machado P, Figueiras FG, Vilarinho R, Fernandes JRA, Tavares PB, Soares MR, Cardoso S, Silva JPB, Almeida A, Moreira JA. Strain-Engineered Tetragonal Phase and Ferroelectricity in GdMnO₃ Thin Films Grown on SrTiO₃ (001). *Sci Rep*. 2019;9(1):1–8. doi:10.1038/s41598-019-55227-2
35. Mukminin A. Analisis Komposisi Fasa dan Parameter Unit Sel Kristal Hasil Kalsinasi Suhu Tinggi Abu Cangkrang (Paguroidea) dengan Metode Rietveld. *J Sains Terapan*. 2019;5(1):1–5. doi:10.32487/jst.v5i1.635
36. Horchidan N, Ianculescu AC, Vasilescu CA, Deluca M, Musteata V, Ursic H, Frunza R, Malic B, Mitoseriu L. Multiscale study of ferroelectric-relaxor crossover in BaSn_xTi_{1-x}O₃ ceramics. *J Eur Ceram Soc*. 2014;34(15):3661–3674. doi:10.1016/j.jeurceramsoc.2014.06.005
37. Shi LN, Ren ZH, Jain A, Jin RH, Jiang SS, Zhou HZ, Chen FG, Wang YG. Enhanced energy storage performance achieved in Na_{0.5}Bi_{0.5}TiO₃–Sr_{0.7}Bi_{0.2}TiO₃ ceramics via domain structure and bandgap width tuning. *Ceram Int*. 2023;49(8):12822–12831. doi:10.1016/j.ceramint.2022.12.149
38. Chen X, Chen J, Ma D, Fang L, Zhou H. High relative permittivity, low dielectric loss and good thermal stability of BaTiO₃–Bi(Mg_{0.5}Zr_{0.5})O₃ solid solution. *Ceram Int*. 2015;41(2):2081–2088. doi:10.1016/j.ceramint.2014.10.003
39. Behara S, Ghatti L, Kanthamani S, Dumpala M, Thomas T. Structural, optical, and Raman studies of Gd doped sodium bismuth titanate. *Ceram Int*. 2018;44(11):12118–12124. Doi:10.1016/j.ceramint.2018.03.233
40. Chchiyai Z, El Bachraoui F, Lamhani M, Ouachouo L, Jerroudi M, Bih L, Lahmar A, Faik A, Manoun B. Beneficial effects of Bi/Co co-doping on the structural, optical, dielectric, and electrical properties of Ba_{1-x}Bi_xTi_{1-x}Co_xO₃ perovskite ceramics. *J Alloys Compd*. 2025;1011:178365. doi:10.1016/j.jallcom.2024.178365
41. Sumang R, Thongmee N, Bongkarn T, Prasertpalichat S, Kidkhunthod P, Yimnirun R, Vittayakorn N. Structural, optical and electrical properties of the microcrystalline structure of (Ba_{1-x}Y_{2x/3})(Zr_{0.20}Ti_{0.80})O₃ ceramics. *Radiation Physics and Chemistry*. 2020;172:108834. doi:10.1016/j.radphyschem.2020.108834
42. Liu S, Xiang H, Gong XG, Yang JH. Intrinsic Breakdown Strength: Theoretical Derivation and First-Principles Calculations. *Phys Rev Lett*. 2025;134(8). doi:10.1103/PhysRevLett.134.086301
43. Chchiyai Z, El Bachraoui F, Tamraoui Y, Mehdi Haily E, Bih L, Lahmar A, El Marssi M, Alami J, Manoun B. Effect of cobalt doping on the crystal structure, magnetic, dielectric, electrical and optical properties of PbTi_{1-x}Co_xO_{3.5} perovskite materials. *J Alloys Compd*. 2022;927:166979. doi:10.1016/j.jallcom.2022.166979
44. Kumar BP, Kumar HH, Kharat DK. Effect of porosity on dielectric properties and microstructure of porous PZT ceramics. *Materials Science and Engineering: B* 2006;127(2–3):130–133. doi:10.1016/j.mseb.2005.10.003
45. Iacomini A, Koblar M, Uršič H, Rojac T. Tuning the electrical conductivity and Maxwell-Wagner relaxation in BiFeO₃–BaTiO₃ piezoceramics. *J Eur Ceram Soc*. 2024;44(12):6948–6959. doi:10.1016/j.jeurceramsoc.2024.04.046

46. Thakur P, Sharma N, Pathak D, Sharma P, Kishore K, Dhar S, Lal M. State-of-art review on smart perovskites materials: properties and applications. *Emergent Mater* 2024;7(3):667–694. doi:10.1007/s42247-024-00645-w

