

DAFTAR PUSTAKA

1. The National Institute of Mental Health. Schizophrenia [Internet]. Department of Health and Human Services. 2014. Available from: <https://www.nimh.nih.gov/health/topics/schizophrenia/index.shtml>-diakses Juli 2019.
2. Hawari D. Pendekatan Holistik pada Gangguan Jiwa Skizofrenia. Jakarta: FK UI; 2009.
3. Barder HE, Sundet K, Rund BR, Evensen J, Haahr U, ten Velden Hegelstad W, et al. Neurocognitive Development in First Episode Psychosis 5 Years Follow Up: Associations between Illness Severity and Cognitive Course. *Schizophr Res.* 2013;149:63–9.
4. Ayuningtyas D, Rayhani M. Analisis Situasi Kesehatan Mental pada Masyarakat di Indonesia dan Strategi Penganggulangnya. *J Ilmu Kesehat Masy.* 2018;9(1):1–10.
5. WHO. Improving health systems and services for mental health [Internet]. 2009. Available from: <https://apps.who.int/iris/handle/10665/44219>-diakses Juli 2019.
6. Kementerian Kesehatan RI. Laporan Hasil Riset Kesehatan Dasar Indonesia Tahun 2018 [Internet]. Balitbangkes. 2018. Available from: <http://www.depkes.go.id/resources/download/info-terkini/hasil-risikesdas-2018.pdf>-diakses Juli 2019.
7. Kementerian Kesehatan RI. Laporan Hasil Riset Kesehatan Dasar Indonesia Tahun 2013 [Internet]. Balitbangkes. 2013. Available from: [http://www.depkes.go.id/resources/download/general/Hasil Risikesdas 2013.pdf](http://www.depkes.go.id/resources/download/general/Hasil_Risikesdas_2013.pdf)-diakses Juli 2019.
8. Dinas Kesehatan Provinsi Sumatera Barat. Laporan Kasus Kesehatan Provinsi Sumatera Barat. 2018.
9. Zahnia S, Sumekar DW. Kajian Epidemiologis Skizofrenia. *Majority.* 2016;5(4):160–6.
10. Kirkpatrick B. Understanding the physiology of schizophrenia. *J Clin Psychiatry.* 2013;74(3):5.
11. Dorofeikova M, Neznanov N, Petrova N. Cognitive deficit in patients with paranoid schizophrenia: Its clinical and laboratory correlates. *Psychiatry Res.* 2017;1–24.
12. Koola MM. Antipsychotic Minocycline-Acetylcysteine Combination for Positive, Cognitive, and Negative Symptoms of Schizophrenia. *Asian J Psychiatr.* 2019;40:100–2.

13. Safitri M. Perbedaan Kualitas Hidup Antara Pasien Skizofrenia Gejala Positif dan Gejala Negatif Menonjol [Skripsi]. Universitas Sebelas Maret; 2010.
14. Al-halabí S, Fernández-artamendi S, Díaz-mesa EM, García-álvarez L, Flórez G, Santamaría EM, et al. Tobacco and Cognitive Performance in Schizophrenia Patients. *Adicciones*. 2017;29(1):6–12.
15. Patel M. Tobacco Dependence and Schizophrenia : A Complex Correlation. *J Young Investig*. 2010;19(20):1–10.
16. Sadock BJ, Sadock VA. Kaplan & Sadock Buku Ajar Psikiatri Klinis. 2nd ed. Muttaqin H, Sihombing RNE, editors. Jakarta: EGC; 2010.
17. Forchuk C, Norman R, Malla A, Al E. Schizophrenia and the Motivation for Smoking. *Perspect Psychiatr Care*. 2002;38(2):41–9.
18. Patkar AA, Gopalakrishnan R, Lundy A, Leone FT, Certa KM, Weinstein SP. Relationship between tobacco smoking and positive and negative symptoms in schizophrenia. *J Nerv Ment Dis*. 2002;190(9):604–10.
19. Kumari V, Postma P. Nicotine use in schizophrenia: The self medication hypotheses. *Neurosci Biobehav Rev*. 2005;29:1021–34.
20. Levin ED, Simon BB. Nicotinic acetylcholine involvement in cognitive function in animals. *Psychopharmacology (Berl)*. 1998;138:217–30.
21. Potasiewicz A, Golebiowska J, Popik P, Nikiforuk A. Pro-cognitive effects of varenicline in the animal model of schizophrenia depend on $\alpha 4\beta 2$ - and $\alpha 7$ -nicotinic acetylcholine receptors. *J Psychopharmacol*. 2019;33(1):62–73.
22. Saputra KK. Perbedaan fungsi sustained attention pada perokok ringan dan perokok berat. Universitas Katolik Widya Mandala; 2018.
23. Hilmy N, Mardijana A, Rachmawati DA. Hubungan Derajat Ketergantungan Nikotin dengan Gejala Negatif pada Pasien Skizofrenia di Poli Psikiatri RS PTPN XI Djatiroto Lumajang. *J Agromedicine Med Sci*. 2018;4(1):25–30.
24. Maslim R. Diagnosis Gangguan Jiwa Rujukan Ringkas dari PPDGJ-III dan DSM 5. Jakarta: PT Nuh Jaya; 2013.
25. Widhidewi W. Hubungan antara Ketergantungan Tembakau dan Skizofrenia. *E-Jurnal Med Udayana*. 2014;1–19.
26. Stahl SM. Beyond the dopamine hypothesis of schizophrenia to three neural networks of psychosis: dopamine, serotonin, and glutamate. *CNS Spectr*. 2018;23:187–91.
27. Hidayati B. Keefektifan Terapi Tambahan Asam Folat dan Vitamin B12 dalam Memperbaiki Skor PANSS Pasien Skizofrenia Kronik di RSJD dr.

Arif Zainudin Surakarta [Skripsi]. Universitas Sebelas Maret; 2016.

28. Kemenkes RI. Keputusan Menteri Kesehatan Republik Indonesia [Internet]. Indonesia; 2015. Available from: http://hukor.kemkes.go.id/uploads/produk_hukum/KMK_No._HK_.02_.02-MENKES-73-2015_ttg_Pedoman_Nasional_Pelayanan_Kedokteran_Jiwa_.pdf-diakses Juli 2019.
29. Perhimpunan Dokter Spesialis Kedokteran Jiwa Indonesia. Konsensus Penatalaksanaan Gangguan Skizofrenia. Jakarta: PDSKJI; 2011.
30. Hall JE, Guyton AC. Guyton dan Hall Buku Ajar Fisiologi Kedokteran. Elsevier. Singapore; 2014.
31. Suharnan. Psikologi Kognitif. Surabaya: Srikandi; 2005.
32. MacKenzie NE, Kowalchuk C, Agarwal SM, Costa-Dookhan KA, Caravaggio F, Gerretsen P, et al. Antipsychotics, Metabolic Adverse Effects, and Cognitive Function in Schizophrenia. *Front Psychiatry*. 2018;9(12):1–12.
33. Blondell SJ, Hammersley-Mather R, Veerman JL. Does physical activity prevent cognitive decline and dementia?: A systematic review and meta-analysis of longitudinal studies. *BMC Public Health*. 2014;14(1):1–12.
34. Swanson CL, Gur RC, Bilker W, Petty RG, Gur RE. Premorbid educational attainment in schizophrenia: Association with symptoms, functioning, and neurobehavioral measures. *Biol Psychiatry*. 1998;44(8):739–47.
35. Tréhout M, Dollfus S. Physical activity in patients with schizophrenia: From neurobiology to clinical benefits. *Encephale*. 2016;44(6):538–47.
36. Fujino H, Sumiyoshi C, Sumiyoshi T, Yasuda Y, Yamamori H, Ohi K, et al. Predicting employment status and subjective quality of life in patients with schizophrenia. *Schizophr Res Cogn*. 2015;3:20–5.
37. Agustia S, Sabrian F, Woferst R. Hubungan Gaya Hidup dengan Fungsi Kognitif Pada Lansia. *J Online Mhs Progr Stud Ilmu Keperawatan Univ Riau*. 2014;1(2):1–8.
38. Nyer M, Kasckow J, Fellows I. The Relationship of Marital Status and Clinical Characteristics in Middle-aged and Older Patients with Schizophrenia and Depressive Symptoms. *Ann Clin Psychiatry*. 2010;22(3):172-9.
39. Hakulinen C, Mcgrath JJ, Timmerman A, Skipper N, Bo P. The association between early - onset schizophrenia with employment , income , education , and cohabitation status : nationwide study with 35 years of follow - up. *Soc Psychiatry Psychiatr*. 2019.

40. Logue SF, Gould TJ. The Neural and Genetic Basis of Executive function: Attention, Cognitive Flexibility, and Response Inhibition. *Pharmacol Biochem Behav.* 2013;1–52.
41. Ochoa S, Usall J, Cobo J, Labad X, Kulkarni J. Gender Differences in Schizophrenia and First-Episode Psychosis: A Comprehensive Literature Review. *Schizophr Res Treatment.* 2012;2012:1–9.
42. Canuso CM, Pandina G. Gender and Schizophrenia. *Psychopharmacol Bull.* 2007;40(4):178-90.
43. Jauhar S, Veronese M, Nour MM, Rogdaki M, Hathway P, Natesan S, et al. The Effects of Antipsychotic Treatment on Presynaptic Dopamine Synthesis Capacity in First-Episode Psychosis: A Positron Emission Tomography Study. *Biol Psychiatry.* 2019;85(1):79–87.
44. Veselinović T, Scharpenberg M, Heinze M, Cordes J, Mühlbauer B, Juckel G, et al. Disparate effects of first and second generation antipsychotics on cognition in schizophrenia – Findings from the randomized NeSSy trial. *Eur Neuropsychopharmacol.* 2019;29(6):720–39.
45. Cadena EJ, White DM, Kraguljac N V., Reid MA, Jindal R, Pixley RM, et al. Cognitive control network dysconnectivity and response to antipsychotic treatment in schizophrenia. *Schizophr Res.* 2019;204:262–70.
46. Theresa RM, Trihandini I. Hubungan Antara Fungsi Kognitif dengan Tingkat Kemandirian dan Kualitas Hidup Warga Usia Lanjut. *Bina Widya.* 2013;24(3):139–44.
47. Goldberg TE, Green MF. Neurocognitive Functioning in Patients with Schizophrenia. In: *Neuropsychopharmacology: The Fifth Generation of Progress.* 1995. p. 657–69.
48. Tanaka T, Tomotake M, Ueoka Y, Kaneda Y, Taniguchi K, Nakataki M, et al. Cognitive dysfunction in schizophrenia. *Psychiatry Clin Neurosci.* 2012;66:491–8.
49. Julayanont P, Phillips N, Chertkow H, Nasreddine ZS. The Montreal Cognitive Assessment (MoCA): Concept and Clinical Review. To appear in *A.* 2012;(10):111–52.
50. Newman G. How to Assess Mental Status. *MSD Man.* 2018;1–3.
51. Kipps CM, Hodges JR, Hodges JR. Cognitive Assessment for Clinician. *J Neurol Neurosurg Psychiatry.* 2005;76.
52. Peer M, Salomon R, Goldberg I, Blanke O, Arzy S. Brain system for mental orientation in space, time, and person. *Proc Natl Acad Sci U S A.* 2015;112(35):11072–7.

53. Fawzani N, Triratnawati A. Terapi Berhenti Merokok. *Br Med J*. 2005;9(1):15–22.
54. Perhimpunan Dokter Paru Indonesia. Penyakit Paru Obstruktif Kronik (PPOK) Pedoman diagnosis dan penatalaksanaan di Indonesia. 2003.
55. Liem A. Pengaruh Nikotin Terhadap Aktifitas dan Fungsi Otak Serta Hubungannya dengan Gangguan Psikologis Pada Pecandu rokok. *Bul Psikol*. 2010;18(2):37–50.
56. Barrus H. Hubungan Pengetahuan Perokok Aktif Tentang Rokok dengan Motivasi Berhenti Merokok pada Mahasiswa FKM dan FISIP Universitas Indonesia. Universitas Indonesia; 2012.
57. Amelia R, Nasrul E, Basyar M. Hubungan Derajat Merokok Berdasarkan Indeks Brinkman dengan Kadar Hemoglobin. *J Kesehat Andalas*. 2016;5(3):619–24.
58. Pinaryo. Pengaruh Iklan Layanan Masyarakat Pictorial Health Warning (PHW) pada Bungkus Rokok di Warung Kopi Doel Surya Ponorogo. *J Aristo*. 2016;4(1):120–9.
59. Kurniasih PT, Saminan, Saragih J. Hubungan Derajat Merokok dengan Perubahan Penderita Skizofrenia di Rumah Sakit Jiwa Aceh. *J Ilm Mhs Kedokt Medisia*. 2017;2(2):1–6.
60. Krishnadas R, Jauhar S, Telfer S, Shivashankar S, McCreadie RG. Nicotine dependence and illness severity in schizophrenia. *Br J Psychiatry*. 2012;201:306–12.
61. Sopiyyudin Dahlan M. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. *Epidemiologi Medika*. 2016.
62. Husein N, Lumempouw S, Ramli Y, Herquatanto. Montreal Ccognitive Assessment Versi Idonesia (MoCA-Ina) Untuk Skrining Gangguan Fungsi Kognitif. *Maj Neurona*. 2010.
63. Camellia D. The Psyche of Estrogen Part I : Estrogen and Mood. In Medan: Fakultas Kedokteran Universitas Sumatera Utara; 2010. p. 4–6.
64. Kementerian Kesehatan RI. Situasi Kesehatan Reproduksi Remaja. *Infodatin*. 2017. p. 1–8.
65. Erlina, Soewadi, Pramono D. Pada Pasien Rawat Jalan Di Rumah Sakit Jiwa Prof . Hb Saanin Padang Sumatera Barat. *Ber Kedokt Masy*. 2010;26(2):71–80.
66. Fakhari A, Ranjbar F, Dadashzadeh H, Moghaddas F. An Epidemiological Survey of Mental Disorders among Adults in the North, West of Tabriz, Iran. *Pakistan J Med Sci*. 2007;23(1):54–8.

67. Smith GL. Schizophrenia, Smoking and Boredom. *Am J Psychiatry*. 1996;153(4):583.
68. Jiwa BK, Keperawatan F, Syiah U, Banda K. Karakteristik Pasien Skizofrenia Dengan Riwayat Rehospitalisasi. *Idea Nurs J*. 2016;7(3):23–9.
69. Kurnia FYP. Analisis Faktor-Faktor yang Mempengaruhi Terjadinya Kekambuhan pada Pasien Skizofrenia di Poli Psikiatri RSD dr. Soebandi Jember. Universitas Jember; 2015.
70. Situmeang E, Setiawati Y. Early Onset Schizophrenia. *J Univ Airlangga*. :48–59.
71. Pagehgi TP. Gambaran Profil Aspek Intelektual Penderita Skizofrenia Berdasarkan Tes Rorschach, 2002;
72. Dickerson F, Yolken R. Cigarette Smoking in Schizophrenia is Associated with Worse Cognitive Functioning, Suicide Attempts, and Premature Mortality. *Schizophr Bull*. 2019;45:95.
73. Sagud M, Mihaljevic Peles A, Pivac N. Smoking in Schizophrenia: Recent Findings About an Old Problem. *Curr Opin Psychiatry*. 2019;32(5):402–8.



