

DAFTAR PUSTAKA

- Abu-Zreig, M., Fujimaki, H., & Elbasit, M. A. A. (2020). Enhancing water infiltration through heavy soils with sand-ditch technique. *Water (Switzerland)*, 12(5), 1–15. <https://doi.org/10.3390/W12051312>
- Alaoui, A., Rogger, M., Peth, S., & Blöschl, G. (2018). Does soil compaction increase floods? A review. *Journal of Hydrology*, 557(December), 631–642. <https://doi.org/10.1016/j.jhydrol.2017.12.052>
- Almeida, W. S. de, Panachuki, E., Oliveira, P. T. S. de, Menezes, R. da S., Sobrinho, T. A., & Carvalho, D. F. de. (2018a). Effect of soil tillage and vegetal cover on soil water infiltration. *Soil and Tillage Research*, 175(June 2017), 130–138. <https://doi.org/10.1016/j.still.2017.07.009>
- Angel, S. (2023). Urban expansion: theory, evidence and practice. In *Buildings and Cities* (Vol. 4, Issue 1, pp. 124–138). Web Portal Ubiquity Press. <https://doi.org/10.5334/bc.348>
- Arsyad, S. (2009). *Konservasi Tanah dan Air*. IPB Press, 2009.
- Arvand, S., Ganji Noroozi, Z., Delghandi, M., & Alipour, A. (2023). Evaluating the impact of LID-BMPs on urban runoff reduction in an urban sub-catchment. *Urban Water Journal*, 1–12. <https://doi.org/10.1080/1573062X.2023.2207083>
- ASCE. (1996). Chapter 3 : Infiltration. In G. D. of the A. S. of C. Engineers (Ed.), *Hydrology Handbook* (Vol. 0, pp. 75–124). American Society of Civil Engineers (ASCE).
- ASTM D698-7. (2007). ASTM D 698-07 Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort. *Gostroizdat*, 3, 15.
- Badan Standardisasi Nasional. (2002). *SNI 03-2453-2002 - Tata Cara Perencanaan Sumur Resapan Air Hujan Untuk Lahan Pekarangan*. 18.
- Badan Standardisasi Nasional. (2008). *SNI 1965:2008 Cara uji penentuan kadar air untuk tanah dan batuan di laboratorium*. 16.
- Bambang Triadmojo. (2019). Pembangunan Berwawasan Lingkungan >< Konvensional. *Webinar: Tantangan Pembangunan Struktur Pantai Di Wilayah Pesisir Indonesia, Departemen Oseanografi FPIK Undip PUI-PT PKMBRP Undip (CoREM) Center for ICZM*, 200–215.
- Bartens, J., Day, S. D., Harris, J. R., Dove, J. E., & Wynn, T. M. (2008). Can Urban Tree Roots Improve Infiltration through Compacted Subsoils for Stormwater Management? *Journal of Environmental Quality*, 37(6), 2048–2057. <https://doi.org/10.2134/jeq2008.0117>
- Basset, C., Abou Najm, M., Ghezzehei, T., Hao, X., & Daccache, A. (2023). How does soil structure affect water infiltration? A meta-data systematic review.

- Soil and Tillage Research*, 226(October 2022).
<https://doi.org/10.1016/j.still.2022.105577>
- Beven, K. (2004). Robert E. Horton's perceptual model of infiltration processes. *Hydrological Processes*, 18(17), 3447–3460.
<https://doi.org/10.1002/hyp.5740>
- Bezerra, P. H. L., Coutinho, A. P., Lassabatere, L., Neto, S. M. D. S., de Melo, T. D. A. T., Antonino, A. C. D., Angulo-Jaramillo, R., & Montenegro, S. M. G. L. (2022). Water Dynamics in an Infiltration Trench in an Urban Centre in Brazil: Monitoring and Modelling. *Water (Switzerland)*, 14(4).
<https://doi.org/10.3390/w14040513>
- Blocken, B., Derome, D., & Carmeliet, J. (2013). Rainwater runoff from building facades: A review. In *Building and Environment* (Vol. 60, pp. 339–361).
<https://doi.org/10.1016/j.buildenv.2012.10.008>
- Booth, D. B., & Leavitt, J. (1999). Field evaluation of permeable pavement systems for improved stormwater management. *Journal of the American Planning Association*, 65(3), 314–325.
<https://doi.org/10.1080/01944369908976060>
- Boukalová, Z., Těšitel, J., Hrkál, Z., & Kahuda, D. (2014). Artificial infiltration as an integrated water resources management tool. *WIT Transactions on Ecology and the Environment*, 182, 201–210. <https://doi.org/10.2495/WP140181>
- Braga, A., Horst, M., & Traver, R. G. (2007). Temperature effects on the infiltration rate through an infiltration basin BMP. *Journal of Irrigation and Drainage Engineering*, 133(6), 593–601. [https://doi.org/10.1061/\(ASCE\)0733-9437\(2007\)133:6\(593\)](https://doi.org/10.1061/(ASCE)0733-9437(2007)133:6(593))
- Brata, K. R., Lubang, P., & Biopori, R. (1993). *Kamir R. Brata : Penemu "Lubang Resapan Biopori "*.
- Brotowiryatmo, S. H. (2000). *Hidrologi, Teori Masalah dan Penyelesaian*. Nafiri.
<https://doi.org/10.1017/CBO9781107415324.004>
- Cao, X., Huang, N., Chen, R., Jiang, Y., & Shi, Y. (2021). Evaluating rainwater storage capacity of green infrastructure for urban flood management. *Urban Water Journal*, 18(9), 673–680.
<https://doi.org/10.1080/1573062X.2021.1925704>
- Chahar, B. R., Graillot, D., & Gaur, S. (2012). Storm-Water Management through Infiltration Trenches. *Journal of Irrigation and Drainage Engineering*, 138(3), 274–281. [https://doi.org/10.1061/\(ASCE\)IR.1943-4774.0000408](https://doi.org/10.1061/(ASCE)IR.1943-4774.0000408)
- Chow, V. Te, Maidment, D. R., Mays, L. W., & Ven Te Chow, David R. Maidment, L. W. M. (1998). *Applied Hydrology Chow 1988.pdf* (pp. 1–294).
- Cleophas, F., Isidore, F., Musta, B., Mohd Ali, B. N., Mahali, M., Zahari, N. Z., & Bidin, K. (2022a). Effect of soil physical properties on soil infiltration rates. *Journal of Physics: Conference Series*, 2314(1).
<https://doi.org/10.1088/1742-6596/2314/1/012020>

- CSIRO. (2020). *Water repellent soils*. <https://www.csiro.au/en/Research/AF/Areas/Sustainable-farming-systems/Soil-water-landscape/Water-repellent-soils>
- Cui, Z., Wu, G.-L., Huang, Z., & Liu, Y. (2019). Fine roots determine soil infiltration potential than soil water content in semi-arid grassland soils. *Journal of Hydrology*, 578, 124023. <https://doi.org/10.1016/j.jhydrol.2019.124023>
- Curtis, M. J., & Claassen, V. P. (2007). Using Compost to Increase Infiltration and Improve the Revegetation of a Decomposed Granite Roadcut. *Journal of Geotechnical and Geoenvironmental Engineering*, 133(2), 215–218. [https://doi.org/10.1061/\(asce\)1090-0241\(2007\)133:2\(215\)](https://doi.org/10.1061/(asce)1090-0241(2007)133:2(215))
- Daily, S. (2020). *Infiltration (hydrology)*. Stormwater Infiltration. <https://doi.org/10.1201/9780203738238-3>
- Das, B. M. (1995). *Mekanika Tanah (Prinsip-prinsip Rekayasa Geoteknik)*. Penerbit Erlangga, 1–300.
- Dingman, S. L. (1993). *Physical Hydrology*. <https://www.researchgate.net/publication/48448373>
- E.Asheefali, M.Rajesh, & Mrs.L.Soundari, M. E. (2018). Improvement of Infiltration by Artificial Recharge. *SSRG International Journal of Civil Engineering (SSRG-IJCE)*, April, 121–124.
- Eijkelkamp. (2015). Double Ring Infiltrometer Manual. *Double Ring Infiltrometer*, 1–9.
- Estes, C. J. (2007). *Storm Water Infiltration in Clay Soils: A Case Study of Storm Water Retention and Infiltration Techniques in The North Carolina Piedmont*. 159–170.
- Fahim Aslam, M., Habib-ur-Rehman, M., & Muhammad Khan, N. (2021). Assessing the Role of Infiltration Galleries to Enhance Groundwater Recharge in Model Town Lahore. *American Journal of Water Science and Engineering*, 7(1), 14. <https://doi.org/10.11648/j.ajwse.20210701.12>
- FAO. (2012). *Infiltration rate and infiltration test*. Water. <http://www.fao.org/3/S8684E/s8684e0a.htm%0Ahttp://www.fao.org/docrep/s8684e/s8684e0a.htm>
- Fennessey, L., Hamlett, J. M., & Ralston, M. A. (2009). Low-Head Weirs for Enhancing Infiltration: Central Pennsylvania Case Study. *Journal of Hydrologic Engineering*, 14(8), 862–871. [https://doi.org/10.1061/\(asce\)he.1943-5584.0000058](https://doi.org/10.1061/(asce)he.1943-5584.0000058)
- Ferré, T. P. A., & Warrick, A. W. (2004). Infiltration. *Encyclopedia of Soils in the Environment*, 4(1977), 254–260. <https://doi.org/10.1016/B0-12-348530-4/00382-9>
- Freeborn, J. R., Sample, D. J., & Fox, L. J. (2012). Residential stormwater: Methods for decreasing runoff and increasing stormwater infiltration. *Journal of Green Building*, 7(2), 15–30. <https://doi.org/10.3992/jgb.7.2.15>

- García-Ávila, F., Guanoquiza-Suárez, M., Guzmán-Galarza, J., Cabello-Torres, R., & Valdiviezo-Gonzales, L. (2023). Rainwater harvesting and storage systems for domestic supply: An overview of research for water scarcity management in rural areas. In *Results in Engineering* (Vol. 18). Elsevier B.V. <https://doi.org/10.1016/j.rineng.2023.101153>
- Ghabayen, S. M., Nassar, A., Dirawi, S. El, Rashwan, H., & Sarsour, H. (2013). Enhancement of Artificial Infiltration Capacity in Low Permeability Soils for Gaza Coastal Aquifer. *Environment and Natural Resources Research*, 3(4), 155–166. <https://doi.org/10.5539/enrr.v3n4p155>
- Ghotbi, A. R., Omidvar, M., & Barari, A. (2011). Infiltration in unsaturated soils - an analytical approach. *Computers and Geotechnics*, 38(6), 777–782. <https://doi.org/10.1016/j.compgeo.2011.05.007>
- Goenaga, B., Shane Underwood, B., Tirkolaei, H., & Neithalath, N. (2023). Effect of soil amendments on the compaction characteristics, hydraulic conductivity, and tire sinkage potential of roadside soils. *Transportation Geotechnics*, 41, 101019. <https://doi.org/10.1016/j.trgeo.2023.101019>
- Gregory, J. H., Dukes, M. D., Jones, P. H., & Miller, G. L. (2006a). Effect of urban soil compaction on infiltration rate. *Journal of Soil and Water Conservation*, 61(3), 117–124.
- Gregory, J. H., Graduate, F., & D, M. (2005). Analysis of Double-Ring Infiltration Techniques and Development of a Simple Automatic Water Delivery System Applied Turfgrass Science Applied Turfgrass Science. *Applied Turfgrass Science*, April. <https://doi.org/10.1094/ATS-2005-0531-01-MG.Abstract>
- Guo, J. C. Y. (2020). Drain Time for Porous Stormwater Basin. *Journal of Hydrologic Engineering*, 25(5), 04020017. [https://doi.org/10.1061/\(asce\)he.1943-5584.0001915](https://doi.org/10.1061/(asce)he.1943-5584.0001915)
- Guo, J. C. Y., & Luu, T. M. (2015). Hydrologic model developed for stormwater infiltration practices. *Journal of Hydrologic Engineering*, 20(9), 2–9. [https://doi.org/10.1061/\(ASCE\)HE.1943-5584.0001161](https://doi.org/10.1061/(ASCE)HE.1943-5584.0001161)
- Hanley, P. A., Livesley, S. J., Fletcher, T. D., Grey, V., & Szota, C. (2024). Stormwater retention performance of tree integrated infiltration trenches designed for suburban streetscapes. *Science of the Total Environment*, 954. <https://doi.org/10.1016/j.scitotenv.2024.176634>
- HAR, R., Aprisal, Darta Taifur, W., & Haria Aditia Putra, T. (2021). The effect of land uses to change on infiltration capacity and surface runoff at latung sub watershed, Padang City Indonesia. *E3S Web of Conferences*, 331, 08002. <https://doi.org/10.1051/e3sconf/202133108002>
- Harisuseno, D., & Cahya, E. N. (2020). Determination of soil infiltration rate equation based on soil properties using multiple linear regression. *Journal of Water and Land Development*, 47(1), 77–88. <https://doi.org/10.24425/jwld.2020.135034>

- Hassan, W. H., & N.ghazi, Z. (2023). Assessing Artificial Recharge on Groundwater Quantity Using Wells Recharge. *Civil Engineering Journal (Iran)*, 9(9), 2233–2248. <https://doi.org/10.28991/CEJ-2023-09-09-010>
- Haynes, M. A., McLaughlin, R. A., & Heitman, J. L. (2013). Comparison of Methods to Remediate Compacted Soils for Infiltration and Vegetative Establishment. *Open Journal of Soil Science*, 03(05), 225–234. <https://doi.org/10.4236/ojss.2013.35027>
- Horton, R. E. (1941). An Approach Toward A Physical Interpretation of Infiltration Capacity. *Soil Science Society Proceedings*.
- Ichsan, I., & Hualalata, Z. (2018). Analisa Penerapan Resapan Biopori Pada Kawasan. *Journal of Infrastructure & Science Engineering*, 1(1), 33–46.
- Indonesia, BSN. (2008). *Cara Uji Berat Jenis dan Penyerapan Air Agregat Kasar*.
- Indonesia, BSN. (2008). *Cara uji Kelulusan Air Benda Uji Tanah di Laboratorium dengan Tekanan Tetap*.
- Jennings, A. A., & Baker, K. (2016). Hydraulic Performance of a Residential Stormwater Infiltration Gallery. *Journal of Environmental Engineering (United States)*, 142(3), 1–9. [https://doi.org/10.1061/\(ASCE\)EE.1943-7870.0001063](https://doi.org/10.1061/(ASCE)EE.1943-7870.0001063)
- Juliandari, M. (2013). Efektivitas Lubang Resapan Biopori Terhadap Laju Resapan (Infiltrasi). *Jurnal Teknologi Lingkungan Lahan Basah*, 1(1), 1–10. <https://doi.org/10.26418/jtlb.v1i1.3441>
- Kayhanian, M., Li, H., Harvey, J. T., & Liang, X. (2019). Application of permeable pavements in highways for stormwater runoff management and pollution prevention: California research experiences. *International Journal of Transportation Science and Technology*, 8(4), 358–372. <https://doi.org/10.1016/j.ijtst.2019.01.001>
- Kays, B. L., McLaughlin, R., Heitman, J., Mohammad Shirazi, F., & Brown, V. (2015). Amending soils for enhanced infiltration of stormwater. *International Low Impact Development Conference 2015*, 123–132. <https://doi.org/10.1061/9780784479025.012>
- Kirenda, V., & Mugume, S. N. (2019). Effectiveness of infiltration galleries in reduction of surface runoff and flooding in urban areas. *NOVATECH*, July, 1–6.
- Kirkham, M. B. (2014). 13.1 Definition of Infiltration. *Principles of Soil and Plant Relations*, 201–227. <https://doi.org/10.1016/B978-0-12-420022-7.00013-6>
- Kodikara, J., Islam, T., & Sounthararajah, A. (2018). Review of soil compaction: History and recent developments. *Transportation Geotechnics*, 17(September), 24–34. <https://doi.org/10.1016/j.trgeo.2018.09.006>
- Kohnke, H. (1968). *Soil physics*. New York: McGraw-Hill Companies.

- Kordana, S., & Słyś, D. (2020). Decision criteria for the development of stormwater management systems in Poland. *Resources*, 9(2). <https://doi.org/10.3390/resources9020020>
- Kostiakov, A. N. (1932). On the Dynamics of the Coefficients of Water Percolation in Soils and on the Necessity of Studying It from a Dynamic Point of View for Purpose of Amelioration. *Transactions of 6th Committee International Society of Soil Science, Russia, Part A*, 17-21.
- Kuma, H. G., Feyessa, F. F., & Demissie, T. A. (2023). Assessing the impacts of land use / land cover changes on hydrological processes in Southern Ethiopia: The SWAT model approach. *Cogent Engineering*, 10(1). <https://doi.org/10.1080/23311916.2023.2199508>
- Kuntjoro, Hadi.P., A. F., & Santoso, I. B. (2011). Peningkatan Kapasitas Infiltrasi dan Konduktifitas Tanah Dengan Bambu Gading Untuk Rekayasa Drainase Micro Seepage. *Seminar Nasional Aplikasi Teknologi Prasarana Wilayah*, 53–56.
- Kurnia, U., Agus, F., Adimihardja, A., & Dariah, A. (2006). Sifat Fisik Tanah dan Metode Analisisnya. *Buku Petunjuk Teknis Analisa Fisika Tanah, Analisa Fisika Tanah*, 1–261.
- LHCCREM. (2007). *Infiltration Devices*. <https://www.newcastle.nsw.gov.au/Newcastle/media/Documents/environment>
- Liakopoulos, A. C. (1966). Theoretical approach to the solution of the infiltration problem. *International Association of Scientific Hydrology. Bulletin*, 11(1), 69–110. <https://doi.org/10.1080/02626666609493444>
- Liu, Q. Q., Chen, L., Li, J. C., & Singh, V. P. (2004). Two-dimensional kinematic wave model of overland-flow. *Journal of Hydrology*, 291(1–2), 28–41. <https://doi.org/10.1016/j.jhydrol.2003.12.023>
- Loáiciga, H. A., & Johnson, J. M. (2018). Infiltration on sloping terrain and its role on runoff generation and slope stability. *Journal of Hydrology*, 561(April), 584–597. <https://doi.org/10.1016/j.jhydrol.2018.04.023>
- Locatelli, L., Mark, O., Mikkelsen, P. S., Arnbjerg-Nielsen, K., Deletic, A., Roldin, M., & Binning, P. J. (2017). Hydrologic impact of urbanization with extensive stormwater infiltration. *Journal of Hydrology*, 544, 524–537. <https://doi.org/10.1016/j.jhydrol.2016.11.030>
- Locatelli, L., Mark, O., Mikkelsen, P. S., Arnbjerg-Nielsen, K., Wong, T., & Binning, P. J. (2015). Determining the extent of groundwater interference on the performance of infiltration trenches. *Journal of Hydrology*, 529 (July 2019), 1360–1372. <https://doi.org/10.1016/j.jhydrol.2015.08.047>
- LPPM-IPB. (2009). *Biopori : Teknnologi Tepat Guna*. <https://lppm.ipb.ac.id/biopori-teknologi-tepat-guna/>

- Mao, L. L., Li, Y. Z., Hao, W. P., Mei, X. R., Bralts, V. F., Li, H. R., Guo, R., & Lei, T. W. (2016). An approximate point source method for soil infiltration process measurement. *Geoderma*, 264, 10–16. <https://doi.org/10.1016/j.geoderma.2015.09.011>
- Markovič, G., Zeleňáková, M., Káposztásová, D., & Hudáková, G. (2014). Rainwater infiltration in the urban areas. *WIT Transactions on Ecology and the Environment*, 181(October 2015), 313–320. <https://doi.org/10.2495/EID140271>
- Mbagwu, J. (1994). Soil Physical Properties Influence The Fitting Parameter in Philip and Kostiaikov Infiltration Models. *Atomic Energy*, May.
- Meng, X., Li, X., Nghiem, L. D., Ruiz, E., Johir, M. A., Gao, L., & Wang, Q. (2022). Improved stormwater management through the combination of the conventional water sensitive urban design and stormwater pipeline network. *Process Safety and Environmental Protection*, 159, 1164–1173. <https://doi.org/10.1016/j.psep.2022.02.003>
- Mgolozeli, S., Nciizah, A. D., Wakindiki, I. I. C., Mudau, F. N., & Onwona-Agyeman, S. (2022). Investigation of Infiltration and Runoff Rate on Agri-Mats Using a Laboratory Rainfall Simulation Study. *Communications in Soil Science and Plant Analysis*, 54(8), 1005–1014. <https://doi.org/10.1080/00103624.2022.2137187>
- Minnesota. (2020). *BMPs for stormwater infiltration - Minnesota Stormwater Manual*. https://stormwater.pca.state.mn.us/index.php?title=BMPs_for_stormwater_infiltration
- Miskowska, A., & Koda, E. (2017). Change of water permeability of nonwoven geotextile exploited in earthfill dam. *Proceedings of the 24th International PhD Students Conference–MendelNet 2017, January*, 790–795.
- Molla, E., Getnet, K., & Mekonnen, M. (2022). Land use change and its effect on selected soil properties in the northwest highlands of Ethiopia. *Heliyon*, 8(8), e10157. <https://doi.org/10.1016/j.heliyon.2022.e10157>
- Mulyatiningsih, E. (2011). *Riset Terapan Bidang Pendidikan dan Teknik* (A. Nuryanto, Ed.). UNY Press.
- Nieber, J. L., Erickson, A. J., Weiss, P. T., Gulliver, J. S., & Hozalski, R. M. (2013). *Monitoring Infiltration Practices Stormwater Treatment: Assessment and Maintenance*. <http://stormwaterbook.dl.umn.edu/infiltration-practices/monitoring-infiltration-practices>
- Obour, P. B., & Ugarte, C. M. (2021). A meta-analysis of the impact of traffic-induced compaction on soil physical properties and grain yield. *Soil and Tillage Research*, 211(August 2020), 105019. <https://doi.org/10.1016/j.still.2021.105019>
- Olson, N. C., Gulliver, J. S., Nieber, J. L., & Kayhanian, M. (2013). Remediation to improve infiltration into compact soils. *Journal of Environmental Management*, 117, 85–95. <https://doi.org/10.1016/j.jenvman.2012.10.057>

- Peters, R. W. (2012). Hydrology and floodplain analysis, 5th edition. *Environmental Progress & Sustainable Energy*, 31(3), 332–334. <https://doi.org/10.1002/ep.11677>
- Philip, J. R. (1958). The theory of infiltration: 7. In *Soil Science* (Vol. 85, Issue 6, pp. 333–337). <https://doi.org/10.1097/00010694-195806000-00007>
- Philip, J. R. (1969). Theory of Infiltration. In *Advances in Hydrosience* (Vol. 5, pp. 215–296). Academic Press, INC. <https://doi.org/10.1016/b978-1-4831-9936-8.50010-6>
- Pitt, R., Asce, M., Chen, S., Asce, A. M., Clark, S. E., Asce, M., Swenson, J., Asce, A. M., Ong, C. K., & Asce, A. M. (2009). *Compaction's Impacts on Urban Storm-Water Infiltration*. 134(5), 652–658.
- Pizarro, R., Vidal-Silva, C., Jaque, D., Ibáñez Córdova, A., Sangüesa, C., Toledo, C., & García-Chevesich, P. A. (2024). Open-Source Design of Infiltration Trenches for Sustainable Soil and Water Conservation in Rural Areas of Central Chile. *Sustainability* (Switzerland), 16(13). <https://doi.org/10.3390/su16135645>
- Rahmasari, A. F., Suripin, S., & Sudarno, S. (2015). Pengaruh Peresapan Air Hujan Menggunakan Lubang Resapan Biopori (LRB). *Jurnal Ilmu Lingkungan*, 1(Oktober), 1–8.
- Rawls, W. J., & Brakensiek, D. L. (1989). Estimation of Soil Water Retention and Hydraulic Properties. *Unsaturated Flow in Hydrologic Modeling*, 1986, 275–300. https://doi.org/10.1007/978-94-009-2352-2_10
- Rencana Tata Ruang Wilayah Kota Padang Tahun 2010-2030, Pemerintah Daerah Kota Padang 1 (2012).
- Rodney, L., Fangmeier, D. D., & Elliot, W. J. (2013). Infiltration and Runoff. In *Soil and Water Conservation Engineering Seventh Edition* (Seventh ed, pp. 81–113). American Society of Agricultural Engineers. <https://doi.org/10.13031/swce.2013.5>
- Sakai, A., Hagihara, Y., Asada, K., & Shengping, Z. (2004). Management of rainfall-related environmental risks in urban area. *Journal of Risk Research*, 7(7–8), 731–744. <https://doi.org/10.1080/1366987032000081150>
- Sawden, J. J. S. P. G. (1984). Chapter V: Infiltration. In *Basic Hydrology*.
- Schwab, G. O. (1981). *Soil and Water Conservation Engineering*. New York: John Wiley & Sons. <https://doi.org/10.2134/jeq1994.00472425002300020032x>
- Seaburn, GE. (1970). Preliminary Results of Hydrologic Studies at Two Recharge Basins on Long Island, New York. *US Geological Survey Professional Paper*.
- Seyhan, E. (1990). *Dasar-dasar Hidrologi* (S. Prawirohatmodjo, Ed.). Gadjah Mada University Press.
- Shahzad, H., Myers, B., Boland, J., Hewa, G., & Johnson, T. (2022). Stormwater runoff reduction benefits of distributed curbside infiltration devices in an

- urban catchment. *Water Research*, 215, 118273.
<https://doi.org/10.1016/j.watres.2022.118273>
- SNI. (2004). *Tata cara pengukuran laju infiltrasi di lapangan menggunakan infiltrometer cincin ganda dengan cincin dalam tertutup*.
- SNI 03-3423-1994. (1994). *Metode pengujian analisis ukuran butir tanah dengan alat hidrometer*. 10(10), 1–9.
- SNI 1742:2008. (2008). Cara Uji Kepadatan Ringan untuk Tanah. *Sni 1742:2008*, 1–20.
- Standar Nasional Indonesia. (2008). Cara Uji Berat Jenis Tanah. *Sni 1964:2008*, 1–14.
- Strohbach, M. W., Döring, A. O., Möck, M., Sedrez, M., Mumm, O., Schneider, A. K., Weber, S., & Schröder, B. (2019). The “hidden urbanization”: Trends of impervious surface in low-density housing developments and resulting impacts on the water balance. *Frontiers in Environmental Science*, 7(MAR), 1–10. <https://doi.org/10.3389/fenvs.2019.00029>
- Sun, D., Yang, H., Guan, D., Yang, M., Wu, J., Yuan, F., Jin, C., Wang, A., & Zhang, Y. (2018). The effects of land use change on soil infiltration capacity in China: A meta-analysis. *Science of the Total Environment*, 626, 1394–1401. <https://doi.org/10.1016/j.scitotenv.2018.01.104>
- Sunjoto. (1989). Teknik Konservasi Air pada Kawasan Pemukiman. *Media Teknik* (Vol. 2, pp. 76–82).
- Szpakowska, B., Świerk, D., Dudzińska, A., Pajchrowska, M., & Gołdyn, R. (2022). The influence of land use in the catchment area of small waterbodies on the quality of water and plant species composition. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-11115-w>
- Tp, S., Abhishek, D., Gvr, S. R., & Abbulu, Y. (2017). A Study on Infiltration Characteristics of Soils at Andhra University Campus, Visakhapatnam. 7(1), 29–44.
- Tuffour, H. O., Asare, J., & Nutakor, G. M. (2018). Prediction of infiltration from soil hydraulic properties. *Eurasian Journal of Soil Science (Ejss)*, 7(1), 64–72. <https://doi.org/10.18393/ejss.336816>
- T. William Lambe and Robert V Whitman. (1969). Soil Mechanics. *T. William Lambe*.
- Tyas, Y., Safitri, D., & Harisuseno, D. (2022). Studi Laju Infiltrasi Menggunakan Model Horton dan Model Philip Berbagai Tutupan Lahan. 2(1), 81–90.
- Uddin, S. (2018). Artificial Infiltration of Roof Rainwater in Dhaka City Artificial Infiltration of Roof Rainwater in Dhaka City. *IJETMAS*, 4(11), 161–173.
- UNDP. (2015). *Sustainable Development Goals*. Sustainable Development Goals. <https://www.undp.org/content/undp/en/home/sustainable-development-goals>

- United State Environmental Protection Agency (USEPA). (1999). *Storm Water Technology Fact Sheet Infiltration Trench*. EPA 832-F-99-048, 7.
- USDA. (2013). *Soil Texture*. https://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/survey/?cid=nrcs142p2_054167
- USEPA. (2003). *"Protecting Water Quality from Urban Runoff."* EPA 841-F-03-003. www.epa.gov/nps
- Verma, N., Anda, M., & Wijayanti, Y. (2019). Artificial Recharge for Sustainable Groundwater Management Plain in Yogyakarta. *Indonesian Journal of Urban and Environmental Technology*, 120–133. <https://doi.org/10.25105/urbanenvirotech.v2i2.4364>
- Witthoeft, A. F., Conkle, C. S., & Stern, A. (2014). Techniques for in situ evaluation of stormwater infiltration rate. *Geotechnical Special Publication*, 234 GSP, 3432–3443. <https://doi.org/10.1061/9780784413272.333>
- Wu, G. L., Yang, Z., Cui, Z., Liu, Y., Fang, N. F., & Shi, Z. H. (2016). Mixed artificial grasslands with more roots improved mine soil infiltration capacity. *Journal of Hydrology*, 535, 54–60. <https://doi.org/10.1016/j.jhydrol.2016.01.059>
- Wu, W., Jamali, B., Zhang, K., Marshall, L., & Deletic, A. (2023). Water Sensitive Urban Design (WSUD) Spatial Prioritisation through Global Sensitivity Analysis for Effective Urban Pluvial Flood Mitigation. *Water Research*, 235, 119888. <https://doi.org/10.1016/j.watres.2023.119888>
- Xiao, F., Wang, X., & Fu, C. (2023). Impacts of land use/land cover and climate change on hydrological cycle in the Xiaoxingkai Lake Basin. *Journal of Hydrology: Regional Studies*, 47(December 2022), 101422. <https://doi.org/10.1016/j.ejrh.2023.101422>
- Xu, C., Rahman, M., Haase, D., Wu, Y., Su, M., & Pauleit, S. (2020). Surface runoff in urban areas: The role of residential cover and urban growth form. *Journal of Cleaner Production*, 262, 121421. <https://doi.org/10.1016/j.jclepro.2020.121421>
- Yang, J. L., & Zhang, G. L. (2011). Water infiltration in urban soils and its effects on the quantity and quality of runoff. *Journal of Soils and Sediments*, 11(5), 751–76. <https://doi.org/10.1007/s11368-011-0356-1>
- Yang, M., Zhang, Y., & Pan, X. (2020). Improving the Horton infiltration equation by considering soil moisture variation. *Journal of Hydrology*, 586, 124864. <https://doi.org/10.1016/j.jhydrol.2020.124864>
- Yang, S., Hu, S., Wang, S., & Zou, L. (2020). Effects of rapid urban land expansion on the spatial direction of residential land prices: Evidence from Wuhan, China. *Habitat International*, 101. <https://doi.org/10.1016/j.habitatint.2020.102186>
- Yohana, C., Griandini, D., & Muzambeq, S. (2017). Penerapan Pembuatan Teknik Lubang Biopori Resapan Sebagai Upaya Pengendalian Banjir. *Jurnal*

Pemberdayaan Masyarakat Madani (JPMM), 1(2), 296–308.
<https://doi.org/10.21009/jpmm.001.2.10>

Yu, M., Mapuskar, S., Lavonen, E., Oskarsson, A., McCleaf, P., & Lundqvist, J. (2022). Artificial infiltration in drinking water production: Addressing chemical hazards using effect-based methods. *Water Research*, 221, 118776. <https://doi.org/10.1016/j.watres.2022.118776>

Zaqout, T., Andradóttir, H. Ó., & Arnalds, Ó. (2022). Infiltration capacity in urban areas undergoing frequent snow and freeze–thaw cycles: Implications on sustainable urban drainage systems. *Journal of Hydrology*, 607. <https://doi.org/10.1016/j.jhydrol.2022.127495>

Zewide, I. (2021). Review Paper on Effect of Natural Condition on Soil Infiltration. *International Journal of Green Chemistry*, 7(November). <https://doi.org/10.37628/IJGC>

Zhang, J., & Peralta, R. C. (2019). Estimating infiltration increase and runoff reduction due to green infrastructure. *Journal of Water and Climate Change*, 10(2), 237–242. <https://doi.org/10.2166/wcc.2018.354>

Zhang, L., Wang, C., Liang, G., Cui, Y., & Zhang, Q. (2020). Influence of land use change on hydrological cycle: Application of SWAT to Su-Mi-Huai area in Beijing, China. *Water (Switzerland)*, 12(11), 1–17. <https://doi.org/10.3390/w12113164>.

