

## DAFTAR PUSTAKA

- Agustina. 2006. Peran Sektor Limbah Produksi Bio Fuel Sebagai Bahan Alternatif. Paper pada Konferensi Nasional Pemanfaatan Hasil Samping Industri Biofuel serta Peluang Pengembangan Industri Integrated-nya. Jakarta.
- Ali, M.B., R. Saidura and M.S. Hossain. 2011. A review on emission analysis in cement industries. *Renewable and Sustainable Energy Reviews* 15 (2011)::2252–2261
- Alter, H. 1996. International Reports The “Recycling” Of Densified Refuse Derived Fuel. *Waste Management & Research* 14: 311–317.
- Al-Widyan, M. I. and H.F. Al-Jalil. 2001. Stress–Density Relationship And Energy Requirement Of Compressed Olive Cake. *Applied Engineering in Agriculture*, 17(6).
- [ASI] Asosiasi Semen Indonesia. 2014. Laporan Tahunan Konsumsi Bahan Bakar Batu- Bara Industri Semen: 202-205
- Bakti, A. S. 2006. Pengeringan Pakan Pellet dengan alat pengering Buatan. *Temu Teknis Nasional Tenaga Fungsional Pertanian*: 4-5
- Brady, J.E. 1990 . *General Chemistry: Principles and Structure*, Fifth Edition. New York: Jhon Wiley. 826p.
- Channiwala, S.A and P.P. Parikh. 2002. A unified correlation for estimating HHV of solid, liquid and gaseous fuels. *Fuel* 81: 1051 -1063
- Chang, C.Y., J.L. Shie., J.P. Lin., C.H Wu., D.J.Lee and C.F.Chang. 2000. Major productsobtained from the pyrolysis of oil sludge. *Energy & Fuel* 14: 1176–1183.
- Chidambaram, S. 2018. Thermal damage of sulfur processed chamber under Claus operating reaction conditions—A case study. *Case Studies in Construction Materials* 8: 517–529.
- [CEMBUREAU] The European Cement Association. 2009. Sustainable Cement Production: Co-processing of Alternative Fuels and Raw Materials in the European Cement Industry. Brussels.

- Churney, K.L., A.E. Ledford Jr., T.J. Buckley and E.S. Domalski. 1988. Chlorine Mass Balance In The Combustion Of Refuse-Derived Fuel. Chemical Thermodynamics Division, Center for Chemical Physics National Bureau of Standards Gaithersburg, Maryland.
- Cory, Y.D. 2001. Pengaruh Kadar Perekat dan Tekanan Kempa Terhadap Sifat Fisis dan Kimia Briket Arang Dari Serasah Daun Acacia mangium. Skripsi, Jurusan Teknologi Hasil Hutan Fakultas Kehutanan Institut Pertanian Bogor.
- [CSI WBCSD ] Cement Sustainability Initiative , World Business Council for Sustainable Development . 2014. Guidelines for Co-Processing Fuels and Raw Materials in Cement Manufacturing: 5-6.
- Da Silva, V.L., F.C. Alves and F.P.De Franca. 2012. A review of the technological solutions for the treatment of oily sludges from petroleum refineries, *Waste. Manage. Res* , 30: 1016-1030.
- Daugherty, K.E. 1986. Refuse - Derived Fuel, Monthly Reports to the U.S. Department of Energy, North Texas State University, Denton, Texas: 112-113
- Direktorat Jenderal Perkebunan. 2017. Statistik Perkebunan Indonesia (2015 – 2017) Kelapa.<http://ditjenbun.pertanian.go.id>. [diakses 17 juni 2019].
- Edo, M., N. Skoglund., Q. Gao., P.E. Persson and S. Jansson. 2017. Fate of metals and emissions of organic pollutants from torrefaction of waste wood, MSW, and RDF. *Waste Management*: 89-100
- El Naggat, A.Y., E.A. Saad., A.T. Kandil and H.O. Elmoher. 2010. Petroleum cuts as solventextractor for oil recovery from petroleum sludge, *J. Petrol. Technol. Altern.Fuels* 1: 10–19.
- [EN] European Standards. 2014. Standard Pellet: 88-89
- [EURITS] European Union for Responsible Incineration and Treatment of Special Waste. 2003. Final Report Refuse Derived Fuel ,Criteria for Co-Incineration of Waste In Cement Kilns: 29-30.

- Ekins, P., R. Vanner and J. Firebrace. 2005. Management of produced water on offshore oil installations: A comparative assesment using flow analysis. Final Report: 44-47
- Gatot, M dan M. Rahadi. 2010. Pemanfaatan Limbah Biomassa Sebagai Bahan Bakar Alternatif Dalam Kegiatan Co-Processing Di Semen Gresik. Seminar Rekayasa Kimia dan Proses. ISSN: 1411 - 4216.
- Gazineu, M.H.P., A.A. de Araújo., Y.B. Brandão., C.A. Hazin and J.M. Godoy. 2005. Radioactivity concentration in liquid and solid phases of scale and sludge generated in the petroleum industry, J. Environ. Radioact. 81: 47–54.
- Gendenbien, A., A. Leavens., K. Blackmore., A. Godley., K. Lewin., K.J. Whiting and R. Davis. 2003. Refuse Derived Fuel, Current Practice And Perspective (B4 - 3040/2000/306517/MAR/E3), Final report. Report No. CO5087–4
- Hajinezhad, A., E.Z. Halimehjani and M. Tahani. 2016. “Utilization of Refuse-Derived Fuel ( RDF ) from Urban Waste as an Alternative Fuel for Cement Factory : A Case Study”.
- Hou, S., M.C. Chen and T.H. Lin. 2014. “Experimental Study of the Combustion Characteristics of Densified Refuse Derived Fuel (RDF-5) Produced from Oil Sludge.” *Fuel* 116: 201–7.
- Horkoss, S. 2008. Reducing the SO<sub>2</sub> emission from a Cement Kiln. International Assosiation of Natural & Social Science Vol 1: 7 - 14
- Hu, G., J. Li and G. Zeng. 2013. *Recent Development in the Treatment of Oily Sludge from Petroleum Industry: A Review*. Elsevier B.V. Retrieved (<http://dx.doi.org/10.1016/j.jhazmat.2013.07.069>).
- Hu, J., J. Gan., J. Li., Y. Luo and G. Wa. 2017. “Extraction of Crude Oil from Petrochemical Sludge: Characterization of Products Using Thermogravimetric Analysis.” *Fuel* 188: 166–72. Retrieved (<http://dx.doi.org/10.1016/j.fuel.2016.09.068>).
- Hseu, Z., Y. 2004, Evaluating heavy metal contents in nine composts using four digestion methods. *Bioresource Technology* 95: 53–59. Retrieved (<http://dx.doi.org/10.1023/A:1021302405128>)

- Huang, M., X. Ying., D. Shen., H. Feng., N. Li., Y. Zhou and Y. Long. 2017. "Evaluation of Oil Sludge as an Alternative Fuel in the Production of Portland Cement Clinker." *Construction and Building Materials* 152: 226–31.
- Huang, Q., F. Mao., X. Han., J. Yan and Y. Chi. 2014. "Characterization of Emulsified Water in Petroleum Sludge." *Fuel* 118: 214–19. Retrieved (<http://dx.doi.org/10.1016/j.fuel.2013.10.053>).
- Kääntee, U., R. Zevenhoven., R. Backman and M. Hupa. 2004. "Cement Manufacturing Using Alternative Fuels and the Advantages of Process Modelling." *Fuel Processing Technology* 85(4): 293–301.
- Kamil, W., C. Jan., K. Antonín., K. Zdeněk and R. Václav. 2006. Fate Of Chlorine Compound In Combustion Of Alternative Fuels. *Acta Geodyn. Geomater.* Vol.3, No.1 (141): 79-86.
- Komarayati, S., D. Setiawan, D dan Mahpudin. 2004. Beberapa Sifat dan Pemanfaatan Arang dari Serasah dan Kulit Kayu Pinus. *Jurnal Penelitian Hasil Hutan* Vol. 22 No.1.
- Korbee, R., J.H.A Kiel., M. Zevenhoven., B. Skrifvars., P.A. Jensen and F.J. Frandsen. 2001. Investigation of Biomass Inorganic Matter by Advanced Fuel Analysis and Conversion Experiments. *Proceedings of Power Production in the 21st Century: Impacts of Fuel Quality and Operations*, United Engineering Foundation Advanced Combustion Engineering Research Center, Snowbird, UT: 149-159
- Lin, B., Q. Huang., M. Ali., F. Wang., Y. Chi and Yan, J. 2018. "Continuous Catalytic Pyrolysis of Oily Sludge Using U-Shape Reactor for Producing Saturates-Enriched Light Oil." *Proceedings of the Combustion Institute* 000:1–8. Retrieved (<https://doi.org/10.1016/j.proci.2018.05.143>).
- Liu, J., X. Jiang., L. Zhou., X. Han and Z. Cui. 2009 . Pyrolysis treatment of oil sludge and model-free kinetics analysis. *Journal Hazard. Mater*, 161: 1208-1215.
- Listiyanawati, D. 2008. Eko Briket dari Sampah Plastik dan Lignoselulosa sebagai Alternatif Bahan Bakar. [Tesis]. Surabaya. Fakultas Teknik. Institut Teknologi Sepuluh Nopember. 27 hal.

- Lu, P., Q. Huang., A.C. Bourtsalas., N.J. Themelis., Y. Chi1 and J. Yan. 2018. Review on fate of chlorine during thermal processing of solid wastes. *Journal Of Environmental Sciences*.
- Madloul, N.A., R. Saidur, M.S. Hossain and N.A. Rahim. 2011. "A Critical Review on Energy Use and Savings in the Cement Industries." *Renewable and Sustainable Energy Reviews* 15(4): 2042–60.
- Maraver, A.G., V. Popov and M. Zamorano. 2011. review of European standards for pellet quality. *Renewable Energy* 36: 3537-3540
- Mazlova, E. A and S.V. Meshcheryakov. 1999. Ecological characteristics of oil sludges, *Chem. Technol. Fuels Oils* 35: 49–53.
- Mokrzycki, E., A. U. Bocheńczyk and M. Sarna. 2003. Use of alternative fuels in the Polish cement industry. *Applied Energy* 74(1–2): 101–111.
- Mishra, S., B. Lal, J. Jyot, S. Rajan, S. Khanna and R. Kuhad. 1999. Field study: In situ biore-mediation of oily sludge contaminated land using "oilzapper", *Hazardous and Industrial Wastes: Proceedings of Mid-Atlantic Industrial Waste Conference*: 177–186.
- Nahmad, D.G. 2012. Method to recover crude oil from sludge or emulsion, United States Patent, US 8,197,667 B2: 4-5
- Najib, L dan S. Darsopuspito. 2012. Karakterisasi Proses Gasifikasi Biomassa Tempurung Kelapa Sistem Downdraft Kontinyu dengan Variasi Perbandingan Udara-Bahan Bakar (AFR) dan Ukuran Biomassa. *JURNAL TEKNIK ITS* Vol. 1, No. 1, ISSN: 2301-9271
- Novita, D.M dan E. Damanhuri. 2010. Perhitungan Nilai Kalor Berdasarkan Komposisi dan Karakteristik Sampah Perkotaan di Indonesia Dalam Konsep Waste To Energy. *Jurnal Teknik Lingkungan* Volume 16 Nomor 2: 103-114
- Nuamah, A., A. Malmgren., G. Riley and E. Lester. 2012. *Biomass Co-Firing*. Elsevier: 58-59.
- Nunes, L. J. R., J.C.O. Matias and J.P.S. Catalão. 2014. "Mixed Biomass Pelets for Thermal Energy Production: A Review of Combustion Models." *Applied Energy* 127: 135–40.
- Palz, W and J. Coombs. 1985. *Energy from biomass* third edition. London : Elsevier Applied Science: 57-60

- PERMEN LH No 02. 2008. Pemanfaatan Limbah Bahan Berbahaya dan Beracun. Jakarta
- PERMEN LHK No 19. 2017. Baku Mutu Emisi Bagi Usaha Dan/Atau Kegiatan Industri Semen. Jakarta.
- Pine, S.H., J.B. Hendrickson., D.J. Cram and G.S. Hammond. 1988. Kimia Organik 1. Joedodibroto R dan Hadiwidjoyo S.W.B., penerjemah. Bandung: ITB. Terjemahan dari : Organic Chemistry, fourth edition. 1039 p.
- Prasad, C.S., K.N. Maiti and R. Venugopal. 2001. "Effect of rice husk ash in whiteware compositions", Ceramic International, 27: 629-635.
- [PR PT SP] Production Report PT Semen Padang. 2019. Laporan Harian Produksi Indarung VI: 18 - 24
- Priambodo, E., Nuryadi dan Sutiman. 2009. Aktif Belajar Kimia untuk SMA dan MA kelas XI. Jakarta: Kemdikbud. 238 hal.
- [PTP PT SP] Perencanaan Teknik Pabrik PT Semen Padang. 2018. Laporan Pemakaian Batu-Bara Kuartal III: 77-80
- Punnaruttanakun, P., V. Meeyoo., C.Kalambaheti., P. Rangsunvigit., T. Rirksomboon and B. Kitiyanan. 2003. Pyrolysis of API separator sludge. Journal Anal. Appl. Pyrol : 68-69, 547-560.
- Putri, A.P dan Sukandar. 2013. Utilization Study of Sludge Produce Water Hazardous Waste As the Main Material for Refuse Derived Fuel (RDF): 1-10.
- Rabier, F., M. Temmerman., T. Bo'hm., H. Hartmann., P.D. Jensen., J. Rathbauer., J. Carrasco and M. Fernandez. 2006. Particle density determination of pellets and briquettes .Biomass and Bioenergy 30: 954-963
- Roknia, E., X. Ren., A. Panahia and Y.A. Levendis. 2018. Emissions of SO<sub>2</sub>, NO<sub>x</sub>, CO<sub>2</sub>, and HCl from Co-firing of coals with raw and torrefied biomass fuels. Fuel 211: 363-374
- Schmidt, H and W. Kaminsky. 2001 .Pyrolysis of oil sludge in a fluidised bed reactor.Journal Chemosphere. Vol. 45: 285-290.
- Schofield, K. 2012. The chemical nature of combustion deposition and corrosion: The case of alkali chlorides. Combustion and Flame 159: 1987-1996

- [SHE PT SP] Safety Health and Environmental PT Semen Padang. 2019. Laporan Pemanfaatan Limbah B3 Triwulan I: 23-24
- Shie, J.L., J.P. Lin., C.Y. Chang., D.J. Lee and C.H. Wu. 2002. Use of inexpensive additives in pyrolysis of oil sludge. *Energy. Fuel*, 16: 102-108.
- Shie, J.L., J.P. Lin., C.Y. Chang., D.J. Lee and C.H. Wu. 2003. Pyrolysis of oil sludge with additives of sodium and potassium compounds. *Resour. Conserv. Recy*, 39, 51-64.
- Shie, J.L., J.P. Lin., C.Y. Chang., S.M. Shih., D.J. Lee and C.H. Wu. 2004. Pyrolysis of oil sludge with additives of catalytic solid wastes. *Journal Anal. Appl. Pyrol*, 71: 695-707.
- Shuhn, S.H., C.C. Min and H.L. Ta. 2013. Experimental study of the combustion characteristics of densified refuse derived fuel (RDF-5) produced from oil sludge. *Journal Fuel*, 116: 201 - 207.
- Silalahi, M. 2015. Pengolahan Limbah Lumpur Minyak (Oil Sludge) Menjadi Bahan Bakar Gas Alternatif. [Penelitian]. Jakarta. Fakultas Arsitektur Lansekap dan Teknologi Lingkungan. Universitas Trisakti. 64 hal.
- Susilawati, N dan Rahmaniar. 2017. The effect of using tapioca flour to produce glue for tile rubber. Balai Riset dan Standardisasi Industri Palembang.
- Taiwo, E.A and J.A. Otolorin. 2009. Oil recovery from petroleum sludge by solvent extraction. *Petrol. Sci. Technol* (27): 836-844.
- Tchobanoglous, G., H.Theisen and S.A.Vigil. 1993. *Integrated Solid Waste Management*. Mc.Graw Hill
- Tillman, D. A., D. Duong and B. Miller. 2009. Chlorine in Solid Fuels Fired in Pulverized Fuel Boilers s Sources, Forms, Reactions, and Consequences: a Literature Review. *Energy & Fuels* (23): 3379–3391
- Triantaphyllou, E. 2000. *Multi-Criteria Decision Making Methods: A Comparative Study*. 289 hal.
- [UNEP] United Nations Environment Programme. 2011. Annual Report. ISBN: 978-92-807-3244-3: 112-113
- Usman, H dan P.S. Akbar. 2008. *Pengantar Statistika Edisi Kedua*. Jakarta. 201 hal.

- Veil, J.A., M.G. Puder., D. Elcock and R.J. Redweik. 2004. A white paper describing produced water from production of crude oil, natural gas, and coal bed methane. <https://publications.anl.gov/anlpubs/2004/02/49109.pdf> [diakses 30 Juli 2019]
- Vesilind, P.A., W. Worrell and D. Reinhart. 2002. Solid Waste Engineering Books. Cole. Thornton Learning: 7-9
- Wang, Z., Q. Guo., X. Liu., and C. Cao. 2007. Low Temperature Pyrolysis Characteristics of Oil Sludge under Various Heating Conditions, *Energy & Fuels* (21): 957-962.
- Xua, S., D. Laia., Z. Xi., L. Zhanga., Z. Han., J. Cheng., R. Wua., O. Mašekd and G. Xu. 2018. Pyrolysis characteristics of waste tire particles in fixed-bed reactor with internals. *Carbon Resources Conversion*: 228-237.
- Yang, J., Q. Li., J. Zhao., Y. Zhao and J. Zhang. (2019). Sorbents for trace elements in coal-derived flue gas. *Emission and Control of Trace Elements from Coal-Derived Gas Streams*, 287–373.
- Yanik, J., G. Duman., O. Karlström and A. Brink. 2018. NO and SO<sub>2</sub> emissions from combustion of raw and torrefied biomasses and their blends with lignite. *Journal of Environmental Management* (227): 55-161
- Yokoyama, S. 2008 . Buku Panduan Biomassa Asia: Panduan untuk Produksi dan Pemanfaatan Biomassa. *The Japan Institute of Energy*: 56-58
- Zubaidy, E. A. H dan D.M. Abouelnasr. 2010. Fuel recovery from waste oily sludge using solvent extraction. *Process Safety and Environmental Protection* , 88(5): 318–326.