

## DAFTAR PUSTAKA

- Alexander, L. K., Lopes, B., Ricchetti-masterson, K., & Yeatts, K. B. (2013). Common measures and statistics in epidemiological literature. *UNC CH Department of Epidemiology Medical*, 5.
- Arora, J. S., Khoshab, N., Kanack, M., Chase, L., Kadakia, N., Vargas, S., Zadeh, T., & Vyas, R. M. (2025). Newly Identified Developmental Delays in a Large Population of Children with Nonsyndromic Cleft Lip and Palate. *Plastic and Reconstructive Surgery - Global Open*, 13, 1–7. <https://doi.org/10.1097/01.gox.0000799348.86803.e5>
- Ayu, I. M. (2015). *Disain Studi Kohort*. 6.
- Bakhtiar, D. A. (2021). Obturator Bottle Feeding untuk Bayi Baru Lahir dengan Kelainan Celah Langit. *Indonesian Journal of Dentistry*, 1(1), 24–27. <https://doi.org/10.26714/ijd.v1i1.6877>
- Beaty, T. H., Marazita, M. L., & Leslie, E. J. (2016). Genetic factors influencing risk to orofacial clefts: Today's challenges and tomorrow's opportunities. *F1000Research*, 5(0), 1–10. <https://doi.org/10.12688/f1000research.9503.1>
- Boesoirie, S. F., Aroeman, N. A., Nursyaфи, D., & Gatera, V. A. (2021). Hubungan Derajat Celah Langit-Langit dengan Keadaan Telinga Tengah Berdasarkan Timpanogram pada Pasien Celah Langit-Langit. *Indonesian Journal of Clinical Pharmacy*, 10(2), 110–118. <https://doi.org/10.15416/ijcp.2021.10.2.110>
- BPS. (2024). *Dalam Angka Dalam Angka*.
- Burg, M. L., Chai, Y., Yao, C. A., Iii, W. M., & Figueiredo, J. C. (2016). Epidemiology , Etiology , and Treatment of Isolated Cleft Palate. *Frontiers in Physiology*, 7(March), 1–16. <https://doi.org/10.3389/fphys.2016.00067>
- Castro, Emmanuel Angulo; Luis F Acosta-Alfaro, Alma M Guadron-Llanos, Adrian Canizalez-Román, Fernando Gonzalez-Ibarra, Ignacio Osuna-Ramírez, \*Joel Murillo-Llanes. (2017). Maternal Risk Factors Associated with the Development of Cleft Lip and Cleft Palate in Mexico: A Case-Control Study. *Iranian Journal of Otorhinolaryngology*, 29(4), 189–195. <https://doi.org/10.5944/trc.37.2016.17029>
- Corona-rivera, J. R., Bobadilla-morales, L., Corona-rivera, A., Peña-padilla, C., Olvera-molina, S., Orozco-martín, M. A., García-cruz, D., Ríos-flores, I. M., Gómez-rodríguez, B. G., Rivas-soto, G., & Pérez-molina, J. J. (2018). Prevalence of orofacial clefts and risks for nonsyndromic cleft lip with or without cleft palate in newborns at a university hospital from West Mexico. <https://doi.org/10.1111/cga.12276>
- Dixon, M. J., Marazita, M. L., Beaty, T. H., & Murray, J. C. (2011). Cleft lip and palate: Understanding genetic and environmental influences. *Nature Reviews Genetics*, 12(3), 167–178. <https://doi.org/10.1038/nrg2933>

Dr. Rr. Nur Fauziyah, SKM, MKM, R. (2018). *Analisis Data Menggunakan Chi Square Test di Bidang Kesehatan Masyarakat dan Klinis*.

Efrizal, Ikbal, C. A., & Jannatan, R. (2024). The Teratogenic Effect of Dimefluthrin-Based Mosquito Coils on Pregnant Mice (*Mus musculus* L.). *Malaysian Applied Biology*, 53(1), 83–91. <https://doi.org/10.55230/mabjournal.v53i1.2470>

Elfiah, U., -, K., & Wahyudi, S. (2021). Analisis Kejadian Sumbing Bibir dan Langit: Studi Deskriptif Berdasarkan Tinjauan Geografis. *Jurnal Rekonstruksi Dan Estetik*, 6(1), 34. <https://doi.org/10.20473/jre.v6i1.28230>

Farronato, G., Cannaliere, P., Martinelli, G., Tubertini, I., Giannini, I., Galbiati, G., & Maspero, C. (2014). Cleft lip and/or palate: review. *Minerva Stomatol*, 63(26), 111–126.

Farshidfar, N., Ajami, S., Sahmeddini, S., Goli, A., & Foroutan, H. R. (2023). Epidemiological and Spatiotemporal Descriptive Analysis of Patients with Nonsyndromic Cleft Lip and/or Palate: A 12-Year Retrospective Study in Southern Iran. *BioMed Research International*, 2023. <https://doi.org/10.1155/2023/7624875>

Franchella, A., Pellegrinelli, S., Carinci, F., Zollino, I., Carnevali, G., Candotto, V., Franchella, S., Pinto, V., & Morselli, G. P. (2012). Cleft Lip and Palate: a Case Series Analysis. *European Journal of Inflammation*, 10(1), 43–47.

Franklin, P., Tan, M., Hemy, N., & Hall, G. L. (2019). Maternal exposure to indoor air pollution and birth outcomes. *International Journal of Environmental Research and Public Health*, 16(8). <https://doi.org/10.3390/ijerph16081364>

Garland, M. A., Reynolds, K., & Zhou, C. J. (2021). *Environmental mechanisms of orofacial clefts*. 112(19), 1660–1698. <https://doi.org/10.1002/bdr2.1830>

Hafizh Alza Afra, Y. A. (2021). Article Review : Analysis of Patients with Labioschisis or Cleft Lip Review Artikel : Analisis Penderita Labioschisis atau Bibir Sumbing. 1401–1407.

Heryana, A. (2020). UJI CHI SQUARE. *Universitas Esa Unggul*, May, 1–20. <https://doi.org/10.13140/RG.2.2.23266.15047>

Khoiruddin, M. A. (2018). Perkembangan Anak Ditinjau dari Kemampuan Sosial Emosional. *Jurnal Pemikiran Keislaman*, 29(2), 425–438. <https://doi.org/10.33367/tribakti.v29i2.624>

Kummet, C. M., Moreno, L. M., Wilcox, A. J., Romitti, P. A., Deroo, L. A., Munger, R. G., Lie, R. T., & Wehby, G. L. (2016). Passive Smoke Exposure as a Risk Factor for Oral Clefts-A Large International Population-Based Study. *American Journal of Epidemiology*, 183(9), 834–841. <https://doi.org/10.1093/aje/kwv279>

Kurniawan, R., Rantona, S., & Husna, A. (2019). Pesan Verbal – Nonverbal Pada Komunikasi Terapeutik ; Latihan Bicara Pasien Anak Celah Bibir dan Langit-Langit ( CBL ) di Kota Bandung. *Jurnal Common*, 3(2), 195–204.

Langlois, P. H., Hoyt, A. T., Lupo, P. J., Lawson, C. C., Waters, M. A., Desrosiers, T. A., Shaw, G. M., Romitti, P. A., & Lammer, E. J. (2013). Maternal occupational exposure to polycyclic aromatic hydrocarbons and risk of oral cleft-affected pregnancies. *Cleft Palate-Craniofacial Journal*, 50(3), 337–346. <https://doi.org/10.1597/12-104>

Leal, M. F. C., Lemos, A., Costa, G. F., & Lopes Cardoso, I. (2020). Genetic And Environmental Factors Involved In The Development Of Oral Malformations Such As Cleft Lip/Palate In Non-Syndromic Patients And Open Bite Malocclusion. *European Journal of Medical and Health Sciences*, 2(3). <https://doi.org/10.24018/ejmed.2020.2.3.262>

Lieff, S., Olshan, A. F., Werler, M., Strauss, R. P., Smith, J., & Mitchell, A. (1999). *Maternal Cigarette Smoking during Pregnancy and Risk of Oral Clefts in Newborns*. 150(7).

Little, J., Cardy, A., & Munger, R. G. (2004). Tobacco smoking and oral clefts: A meta-analysis. *Bulletin of the World Health Organization*, 82(3), 213–218.

Martelli, D. R. B., Coletta, R. D., Oliveira, E. A., Swerts, M. S. O., Rodrigues, L. A. M., Oliveira, M. C., & Martelli, H. (2015). Association between maternal smoking, gender, and cleft lip and palate. *Brazilian Journal of Otorhinolaryngology*, 81(5), 514–519. <https://doi.org/10.1016/j.bjorl.2015.07.011>

Mossey, P. A., Little, J., Munger, R. G., Dixon, M. J., & Shaw, W. C. (2009). Cleft lip and palate. *The Lancet*, 374(9703), 1773–1785. [https://doi.org/10.1016/S0140-6736\(09\)60695-4](https://doi.org/10.1016/S0140-6736(09)60695-4)

Mossey, P. A., & Modell, B. (2012). Epidemiology of Oral Clefts 2012: An International Perspective Part 1: Descriptive Epidemiology for Orofacial Clefts. *Epidemiology, Aetiology and Treatment. Front Oral Biol.* Basel, Karger, 16, 1–18.

Negara, I. C., & Prabowo, A. (2018). Penggunaan Uji Chi-Square untuk Mengetahui Pengaruh Tingkat Pendidikan dan Umur terhadap Pengetahuan Penasun Mengenai HIV–AIDS di Provinsi DKI Jakarta. *Prosiding Seminar Nasional Matematika Dan Terapannya 2018*, 1(1), 1–8.

Poorten, V. Vander, Wellens, W., & Debruyne, F. (2006). B-ENT Cleft lip and palate: a multidisciplinary approach. In *Royal Belgian Society of Otorhinolaryngology*.

Nasroen, S.L. (2022). *Celah Bibir dan Langit-langit Non Sindromik: Pemahaman dan Pendekatan Polimorfisme Gen*. Aceh, Syiah Kuala University Press.

Pourhoseingholi, M. A., Baghestani, A. R., & Vahedi, M. (2012). How to control confounding effects by statistical analysis. *Gastroenterology and Hepatology from Bed to Bench*, 5(2), 79–83.

Rosenberg, J., Albert, M., Aspinall, C., Bautista, S., Bellucci, C. C., Edwards, T. C., Heike, C. L., Mecham, S. H., Patrick, D. L., Stueckle, L., & Kapp-simon, K. (2018). Parent Observations of the Health Status of Infants With Clefts of the Lip: Results From Qualitative Interviews. *American Cleft Palate-Craniofacial Association*, Mc 588, 1–12. <https://doi.org/10.1177/1055665618793062>

Rusdy, H., Isnandar, Siregar, I. B., & Veronica. (2022). Cleft lip and palate based on birth order and family history at Mitra Sejati General Hospital, Indonesia. *Dental Journal*, 55(4), 221–225. <https://doi.org/10.20473/J.DJMKG.V55.I4.P221-225>

Sadler, T. W. (2018). Langman's Medical Embryology. 14th Edition. In *Morphologia*. <https://doi.org/10.26641/1997-9665.2019.4.90-96>

Schutte, B. C., & Murray, J. C. (1999). The many faces and factors of orofacial clefts. *Human Molecular Genetics*, 8(10), 1853–1859.

Sosiawan, A., Kurniati, M., Danudiningrat, C. P., Wahjuningrum, D. A., & Mulyawan, I. (2021). The role of family history as a risk factor for non-syndromic cleft lip and/or palate with multifactorial inheritance. *Dental Journal*, 54(2), 108–112. <https://doi.org/10.20473/J.DJMKG.V54.I2.P108-112>

Taib, Dr Bilal G. Dr Adnan G Taib, Mr Andrew C Swift, M. S. van E. (2015). Cleft lip and palate: diagnosis and management Cleft. *British Journal of Hospital Medicine*, 76(10), 584–591. [https://doi.org/10.5005/jp/books/11960\\_19](https://doi.org/10.5005/jp/books/11960_19)

Tanaka, S. A., Mahabir, R. C., Jupiter, D. C., & Menezes, J. M. (2012). Updating the epidemiology of cleft lip with or without cleft palate. *Plastic and Reconstructive Surgery*, 129(3), 511–518. <https://doi.org/10.1097/PRS.0b013e3182402dd1>

Tao, K., Qiang, T., Ping, T., Tao, K., Qiang, T., & Ping, T. (2021). Association of pregnancy exposure to household chemicals with risks of adverse birth outcomes. *中国公共卫生*, 37(3), 498–502. <https://doi.org/10.11847/zggws1126565>

Tobing, J. N. (2017). *Identifikasi Faktor Risiko Eksogen Maternal Orofacial Cleft Non-sindromik Identification of Exogenous Maternal Risk Factor for Non-syndromic Orofacial Cleft*. 44(10), 690–694. [http://www.kalbemed.com/Portals/6/07\\_257Identifikasi\\_Faktor\\_Risiko\\_Eksogen\\_Maternal\\_Orofacial\\_Cleft\\_Nonsindromik.pdf](http://www.kalbemed.com/Portals/6/07_257Identifikasi_Faktor_Risiko_Eksogen_Maternal_Orofacial_Cleft_Nonsindromik.pdf)

Wang, M., Yuan, Y., Wang, Z., Liu, D., Wang, Z., Sun, F., Wang, P., Zhu, H., Li, J., Wu, T., & Beaty, T. H. (2017). Prevalence of Orofacial Clefts among Live Births in China: A Systematic Review and Meta-Analysis. *Birth Defects Research*, 109(13), 1011–1019. <https://doi.org/10.1002/bdr2.1043>

Weinfeld, J. P., Johnels, J. Å., & Persson, C. (2021). Prevalence of Reading Difficulties in 9- to 10-Year Old Children in Sweden Born With Cleft Palate. *American Cleft Palate-Craniofacial Association*, 1–9. <https://doi.org/10.1177/10556656211013236>

Weraman, P., & Haryadi, A. M. (2022). The effect of folic acid supplementation during early pregnancy on orofacial cleft among children 6–24 months in Kupang City. *Neurologico Spinale Medico Chirurgico*, 1(1), 1–5. [https://doi.org/10.4103/nsmc.nsmc\\_27\\_22](https://doi.org/10.4103/nsmc.nsmc_27_22)

World Health Organization. (2016). *WHO recommendations on antenatal care for a positive pregnancy experience*. World Health Organization. <https://www.who.int/publication/item/9789241549912>

Wibowo, A. (2017). Uji Chi-square pada Statistika dan SPSS. *Jurnal Ilmiah SINUS*, 4(2), 37–46.

Wilcox, A. J., Lie, R. T., Solvoll, K., Taylor, J., McConnaughey, D. R., Åbyholm, F., Vindenes, H., Vollset, S. E., & Drevon, C. A. (2007). Folic acid supplements and risk of facial clefts: National population based case-control study. *British Medical Journal*, 334(7591), 464–467. <https://doi.org/10.1136/bmj.39079.618287.0B>

Xu, L. F., Zhou, X. L., Wang, Q., Zhou, J. L., Liu, Y. P., Ju, Q., Wang, H., Zhang, J. P., Wu, Q. R., Li, Y. Q., Xia, Y. J., Peng, X., Zhang, M. R., Yu, H. M., & Xu, L. C. (2015). A case-control study of environmental risk factors for nonsyndromic cleft of the lip and/or palate in Xuzhou, China. *Biomedical and Environmental Sciences*, 28(7), 535–538. <https://doi.org/10.3967/bes2015.076>