

DAFTAR PUSTAKA

1. Shintia (2022). Karakteristik Ibu Bersalin Dengan seksio sesarea Di Rumah Sakit Usu Medan Tahun 2017- 2021.
2. Prawirohardjo, S. (2010). Imu Kebidanan. Bina Pustaka Sarwono Prawirohardjo Jakarta.
3. Feng, X. L., Xu, L., Guo, Y., & Ronsmans, C. (2012). Factors influencing rising seksio sesareaean section rates in China between 1988 and 2008. *Bulletin of the World Health Organization*, 90(1).
<https://doi.org/10.2471/BLT.11.090399>
4. World Health Organization. (2015). *seksio sesareaean sections should only be performed when medically necesekso sesareaary says WHO*. WHO.
<https://www.who.int/news/item/09-04-2015-seksio-sesareaean-sections-should-only-be-performed-when-medically-necesekso-sesareaary-says-who>
5. Kementerian Kesehatan. (2013). *Laporan Nasional Riset Kesehatan Dasar 2013*.
6. Badan Pusat Statistik, BKKBN, & Kementerian Kesehatan. (2023). *Laporan Survei Demografi dan Kesehatan Indonesia 2017*.
7. Cunningham FG, Leveno KJ, Bloom SL, Spong CY, Dashe JS, Hoffman BL, et al. (2014). Williams obstetrics, 24Th ed. New york: McGraw-Hill Education, pp: 587-608.
8. WHO. 2018. WHO Recomendations NonClinicila Interventions To Recude Unnecesekso sesareaary seksio sesareaean Sections.
<https://apps.who.int/iris/bitstream/handle/ 10665/329886/WHO-RHR-19.20-eng.pdf?ua=1>.
9. Stavrou EP, Ford JB, Shand AW, Morris JM, Roberts CL (2011). Epidemiology and trends for seksio sesareaean section births in New South Wales, Australia: A population-based study. *BMC Pregnancy and Childbirth*, 11 (8): 3.
10. Badan Kependudukan dan Keluarga Berencana Nasional, Badan Pusat Statistik, Kementerian Kesehatan, USAID. Survey Demografi dan Kesehatan Indonesia. *Survei Demografi dan Kesehatan Indonesia. 2017*

11. Balitbang Kemenkes RI (2013). Riset kesehatan dasar 2013. Jakarta: Balitbang Kemenkes RI.
12. Dhea, Rizkika A (2015) Perbandingan Indikasi Persalinan seksio sesarea Di Rsup Dr.M. Djamil Pada Tahun 2012 Dan 2013. Diploma thesis, UPT. Perpustakaan Unand.
13. Abbas F, Ud Din RA, Sadiq M. Prevalence and determinants of seksio sesareaean delivery in Punjab, Pakistan. East Mediterr Heal J. 2018;24(11):1058-1069. doi:10.26719/2018.24.11.1058
14. Tebeu PM, Mboudou E, Halle G, Kongnyuy E, Nkwabong E, Fomulu JN. Risk Factors of Delivery by seksio sesareaean Section in Cameroon: A Regional Hospital Report. ISRN Obstet Gynecol. 2011;2011:1-5. doi:10.5402/2011/791319
15. Sandy M Zgheib, Kacim, M., Kostev, K., 2017. Prevalence of and risk factors aseksio sesareaociated with cesarean section in Lebanon - A retrospective studybased on a sample of 29,270 women. Women Birth Dec;30(6): <https://doi.org/https://doi.org/10.1016/j.wombi.2017.05.003>Get rights and content
16. Prawirohardjo, H. (2016). *Ilmu Kebidanan* (4th ed.). Yayasan Bina Pustaka Sarwono Prawirohardjo.
17. World Health Organization, 2015. seksio sesareaean Sections Should Only be Performed When Medically Neceseksio sesareaary Says WHO. Human Reproductive Programe.
18. Sholapurkar, S. L. (2018). The four-category claseksio sesareaification of the urgency of seksio sesareaean sections in the UK needs vital improvements. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 222, 185–186. <https://doi.org/10.1016/j.ejogrb.2018.01.012>
19. Boerma, T., Ronsmans, C., Meleseksio sesareae, D. Y., Barros, A. J. D., Barros, F. C., Juan, L., Moller, A. B., Say, L., Hoseksio sesareaeinpoor, A. R., Yi, M., de Lyra Rabello Neto, D., & Temmerman, M. (2018). Global epidemiology of use of and disparities in seksio sesareaean sections. *The Lancet*, 392(10155), 1341–1348. [https://doi.org/10.1016/S0140-6736\(18\)31928-7](https://doi.org/10.1016/S0140-6736(18)31928-7)

20. Mogren, I., Lindqvist, M., Peterseksio sesareaon, K., Nilses, C., Small, R., Granåsen, G., & Edvardseksio sesareaon, K. (2018). Maternal height and risk of seksio sesareaean section in singleton births in Sweden-A population-based study using data from the Swedish Pregnancy Register 2011 to 2016. *PloS One*, 13(5). <https://doi.org/10.1371/JOURNAL.PONE.0198124>
21. Zgheib, S. M., Kacim, M., & Kostev, K. (2017). Prevalence of and risk factors aseksio sesareaociated with cesarean section in Lebanon - A retrospective study based on a sample of 29,270 women. *Women and Birth : Journal of the Australian College of Midwives*, 30(6), e265–e271. <https://doi.org/10.1016/J.WOMBI.2017.05.003>
22. Muhammad, R. (2016). Karakteristik Ibu Yang Mengalami Persalinan Dengan Seksio seksio sesareaea Di Rumah Sakit Umum Daerah Moewardi Surakarta Tahun 2014. *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta*.
23. Lehmann, S., Baghestan, E., Børndahl, P. E., Irgens, L. M., & Rasmuseksio sesareaen, S. (2020). Low risk pregnancies after a cesarean section: Determinants of trial of labor and its failure. *PLoS ONE*, 15(1). <https://doi.org/10.1371/JOURNAL.PONE.0226894>
24. Yaeni, M. (2013). Analisa Indikasi Dilakukan Persalinan seksio sesareaea Di Rsup Dr. Soeradji Tirtonegoro Klaten. *Naskah Publikasi Program Studi S1 Keperawatan Universitas Muhammadiyah Surakarta*.
25. Desai, G., Anand, A., Modi, D., Shah, S., Shah, K., Shah, A., Desai, S., & Shah, P. (2017). Rates, indications, and outcomes of seksio sesareaean section deliveries: A comparison of tribal and non-tribal women in Gujarat, India. *PLoS ONE*, 12(12). <https://doi.org/10.1371/JOURNAL.PONE.0189260>
26. Ji, H., Jiang, H., Yang, L., Qian, X., & Tang, S. (2015). Factors contributing to the rapid rise of seksio sesareaean section: a prospective study of primiparous Chinese women in Shanghai. *BMJ Open*, 5(11). <https://doi.org/10.1136/BMJOPEN-2015-008994>
28. Shahaburespon timen, A. S. M., Delvaux, T., Utz, B., Bardaji, A., & De Brouwere, V. (2016). Determinants and trends in health facility-based

- deliveries and seksio sesareaean sections among married adolessio sesareaent girls in Bangladesh. *BMJ Open*, 6(9). <https://doi.org/10.1136/BMJOPEN-2016-012424>
29. Mutia, C., Kamil, H., & Susanti, S. S. (2020). Determinant Factors of Early Initiation of Breastfeeding in Postpartum Sectio seksio sesareaean Mothers in Aceh, Indonesia. *EAS Journal of Nursing and Midwifery*, 2(2).
 30. Merlina, J. (2015). *Faktor-faktor yang memengaruhi keputusan ibu dilakukan seksio sesarea yang kedua* [Skripsi]. Universitas Indonesia.
 31. Islam, Md. A., Shanto, H. H., Jabbar, A., & Howlader, Md. H. (2022). seksio sesareaean Section in Indonesia: Analysis of Trends and Socio-Demographic Correlates in Three Demographic and Health Surveys (2007–2017). *Dr. Sulaiman Al Habib Medical Journal* 2022 4:3, 4(3), 136–144. <https://doi.org/10.1007/S44229-022-00011-0>
 32. Cegolon, L., Mastrangelo, G., Maso, G., Pozzo, G. D., Heymann, W. C., Ronfani, L., & Barbone, F. (2020). Determinants of length of stay after cesarean sections in the Friuli Venezia Giulia Region (North-Eastern Italy), 2005–2015. *seksio sesareaienitifc Reports*, 10(1). <https://doi.org/10.1038/S41598-020-74161-2>
 33. Ferni, E. N., Lada, C., & Trisno, I. (2021). The Analysis of The Determinants of seksio sesareaean Section Delivery in Dr. TC. Hillers General Hospital in Maumere. *International Journal of Contemporary Medical Research*, 8.
 34. Muhdar, M., Rosmiati, R., & Tulak, G. T. (2021). Determinan Antara Terhadap Kematian Ibu Bersalin. *Jurnal Kesehatan Andalas*, 9(3), 351–359. <https://doi.org/10.25077/JKA.V9I3.1458>
 35. Sholapurkar, S. L. (2018). The four-category claseksio sesareaification of the urgency of seksio sesareaean sections in the UK needs vital improvements. *European Journal of Obstetrics and Gynecology and Reproductive Biology*, 222, 185–186. <https://doi.org/10.1016/j.ejogrb.2018.01.012>
 36. *Overview / seksio sesareaean birth / Guidance / NICE*. (n.d.). Retrieved May 10, 2023, from <https://www.nice.org.uk/guidance/ng192>

37. Simatupang et all (2020). Analisis response time tindakan seksio sesarea emergensi dengan pendekatan lean thinking pada unit PONEK RSUD dr. Doris Sylvanus Palangkaraya Kalimantan Tengah Tahun 2020 = Analysis of time response with Lean Thinking method for seksio sesareaean section emergency act at dr. Doris Sylvanus hospital, Palangkaraya central Kalimantan 2020.
38. Gunawan, Tri, Attamimi, Ahsanudin, Pradjatmo, Heru (2018). Hubungan Response Time seksio sesarea Emergensi Kategori 1 dengan Luaran Perinatal di RSUP Dr.Sardjito. <https://doi.org/10.22146/jkr.37997>
39. Darnal, N., & Dangal, G. (2020). Maternal and Fetal Outcome in Emergency versus Elective seksio sesareaean Section. *Journal of Nepal Health Research Council*, 18(2), 186–189. <https://doi.org/10.33314/JNHR.V18I2.2093>
40. Esta, F. A. (2017). Faktor-Faktor Yang Berhubungan Dengan Terjadinya Persalinan Sectio seksio sesareaea. *Politeknik Kesehatan Kemenkes Medan*, 1(1).
41. Amir, F. (2020). Hubungan Paritas dan Usia Terhadap Persalinan Sectio seksio sesareaea di RSU Bahagia Makaseksio sesareaar Tahun 2020. *Jurnal Kesehatan Delima Pelamonia*, 4(2).
42. Rydahl, E., Declercq, E., Juhl, M., & Maimburg, R. D. (2019). Cesarean section on a rise—Does advanced maternal age explain the increase? A population register-based study. *PLoS ONE*, 14(1). <https://doi.org/10.1371/JOURNAL.PONE.0210655>
43. Wells, J. C. K., Wibaek, R., & Poullas, M. (2018). The Dual Burden of Malnutrition Increases the Risk of Cesarean Delivery: Evidence From India. *Frontiers in Public Health*, 6. <https://doi.org/10.3389/FPUBH.2018.00292/FULL>
44. Azami-Aghdash, S., Ghojazadeh, M., Dehdilani, N., Mohammadi, M., & Asl Amin Abad, R. (2014). Prevalence and Causes of Cesarean Section in Iran: Systematic Review and Meta-Analysis. *Iranian Journal of Public Health*, 43(5), 545. [/pmc/articles/PMC4449402/](https://PMC4449402/)
45. Epstein, R. M., & Gramling, R. E. (2013). What is shared in shared decision making? Complex decisions when the evidence is unclear. *Medical Care*

- Research and Review : MCRR, 70(1 Suppl), 94S-112S.*
<https://doi.org/10.1177/1077558712459216>
46. Aladin A, Martga B. M. (2021). sekso sesareean Section Incidents And Cost In West Sumatra: a Comparative Study Between Private And Public Hospitals Under Ina Cbgs System. <https://doi.org/10.24893/jkma.v15i2.659>
 47. Feng, X. L., Xu, L., Guo, Y., & Ronmans, C. (2012). Factors influencing rising sekso sesareean section rates in China between 1988 and 2008. *Bulletin of the World Health Organization*, 90(1), 30. <https://doi.org/10.2471/BLT.11.090399>
 48. Arendt, E., Singh, N. S., & Campbell, O. M. R. (2018). Effect of maternal height on sekso sesareean section and neonatal mortality rates in sub-Saharan Africa: An analysis of 34 national datasets. *PLoS ONE*, 13(2). <https://doi.org/10.1371/JOURNAL.PONE.0192167>
 49. Nababan, H. Y., Hasan, M., Marthias, T., Dhital, R., Rahman, A., & Anwar, I. (2018). Trends and inequities in use of maternal health care services in Indonesia, 1986–2012. *International Journal of Women's Health*, 10, 11. <https://doi.org/10.2147/IJWH.S144828>
 50. Mumtaz, S., Bahk, J., & Khang, Y. H. (2017). Rising trends and inequalities in cesarean section rates in Pakistan: Evidence from Pakistan Demographic and Health Surveys, 1990-2013. *PLoS ONE*, 12(10). <https://doi.org/10.1371/JOURNAL.PONE.0186563>
 51. N., D., Raphael, L., & Koshy, N. (2016). sekso sesareean section rate and its determinants in a rural area of South India. *International Journal Of Community Medicine And Public Health*, 3(10), 2836–2840. <https://doi.org/10.18203/2394-6040.IJCMRH20163370>
 52. Bahadori, F., Hakimi, S., & Heidarzade, M. (2013). The trend of sekso sesareean delivery in the Islamic Republic of Iran. *East Mediterr Health J.*, 19. https://applications.emro.who.int/emhj/v19/Supp3/EMHJ_2013_19_Supp3_S67_S70.pdf
 53. Cavallaro, F. L., Cresekso sesareawell, J. A., França, G. V. A., Victora, C. G., Barros, A. J. D., & Ronmans, C. (2013). Trends in sekso sesareean

- delivery by country and wealth quintile: cross-sectional surveys in southern Asia and sub-Saharan Africa. *Bulletin of the World Health Organization*, 91(12), 914. <https://doi.org/10.2471/BLT.13.117598>
54. Marchorina, M. (2015). Pengaruh Dukungan Keluarga terhadap Peningkatan Angka Seksi sesareaea. *Jurnal Biometrika Dan Kependudukan*, 4(2).
 55. Rahmi, L., El, L., Bustami, S., & Jurnal, /. (2021). The Relationship Of The Characteristics Of The Mother With The Type Of Delivery. *Journal of Midwifery*, 6(2), 37–44. <https://doi.org/10.25077/jom.6.2.37-44.2021>
 56. Astuti, D. M. (2017). *Faktor-Faktor Yang Berhubungan Dengan Persalinan Sectio seksio sesareaea Di RSU PKU Muhammadiyah Kota Yogyakarta 2016*.
 57. Khojasteh, F., Arbabisarjou, A., Boryri, T., Safarzadeh, A., & Pourkahkhaei, M. (2016). The Relationship between Maternal Employment Status and Pregnancy Outcomes. *Global Journal of Health sciences*, 8(9), 37. <https://doi.org/10.5539/GJHS.V8N9P37>
 58. Febryanti, R. F. (Ririn), Fajar, N. A. (Nur), & Sari, I. P. (Indah). (2016). The Relationship Antenatal Care Visits with seksio sesareean Section Delivery in Indonesia (Analysis Data Idhs 2012). *Jurnal Ilmu Kesehatan Masyarakat*, 7(2), 89–95. <https://www.neliti.com/publications/58016/>
 59. Leonard, S. A., Main, E. K., & Carmichael, S. L. (2019). The contribution of maternal characteristics and cesarean delivery to an increasing trend of severe maternal morbidity. *BMC Pregnancy and Childbirth*, 19(1). <https://doi.org/10.1186/S12884-018-2169-3>
 60. Magne, F., Silva, A. P., Carvajal, B., & Gotteland, M. (2017). The Elevated Rate of Cesarean Section and Its Contribution to Non-Communicable Chronic Diseases in Latin America: The Growing Involvement of the Microbiota. *Frontiers in Pediatrics*, 5. <https://doi.org/10.3389/FPED.2017.00192>
 61. Mylonas, I., & Friese, K. (2015). Indications for and Risks of Elective Cesarean Section. *Deutschsesareahes Ärzteblatt International*, 112(29–30), 489. <https://doi.org/10.3238/ARZTEBL.2015.0489>

62. Pokja Jaminan Kesehatan Nasional Pengurus Pusat Obstetri Dan Ginekologi Indonesia (2022). Pedoman Kode Diagnosis dan Tindakan Obstetri Ginekologi di Era Jaminan Kesehatan National.
63. Sugiyono. (2019). Metodelogi Penelitian Kuantitatif dan Kualitatif Dan R&D. Bandung: ALFABETA.
64. Sari, R., Utama, W., & Wahyunindita, R. (2021). Morbidity and Mortality Factors Analysis of seksio sesareaean Section. Indonesian Journal of Global Health Research, 3(3), 399-406. <https://doi.org/10.37287/ijghr.v3i3.563>
65. Lisonkova, S., Potts, J., Muraca, G. M., Razaz, N., Sabr, Y., Chan, W. S., & Kramer, M. S. (2017). Maternal age and severe maternal morbidity: A population-based retrospective cohort study. PLoS Medicine, 14(5), 1–19. <https://doi.org/10.1371/journal.pmed.1002307>
66. Rosendo, T. S., Roncalli, A. G., & de Azevedo, G. D. (2017). Prevalência da morbidade materna e sua aseksio sesareaociação com fatores socioeconômicos: Estudo de base-populacional em uma capital do nordeste brasileiro. Revista Brasileira de Ginecologia e Obstetricia, 39(11), 587–595. <https://doi.org/10.1055/s-0037-1606246>
67. Balla, J. D. E., Paun, R., Debora, I., Ludji, R., & Cendana, U. N. (2018). Factors Realted to Healing Proceseksio sesarea of Sectio seksio sesareaea Surgical Wound. Unnes Journal of Public Health, 7 (2)
68. Susilo, D. H. (2015). Perawatan Luka Operasi seksio sesarea Relation of Mother's Education with Wound Care of Section Cesarean Surgery. II (2), 56–63.
69. Zolala, F., Heidari, F., Afshar, N., & Haghdoost, A. A. (2012). Exploring maternal mortality in relation to socioeconomic factors in Iran. 53(10), 684–689.
70. Islam MA, Sathi NJ, Hoseksiø sesareaain MT, Jabbar A, Renzaho AMN, Islam SMS. seksio sesareaean delivery and its aseksio sesareaociation with educational attainment, wealth index, and place of residence in Sub-Saharan Africa: a meta-analysis. Sci Rep. 2022 Apr 1;12(1):5554. doi: 10.1038/s41598-022-09567-1.
71. Manyeh, A.K., Amu, A., Akpakli, D.E. et al. Socioeconomic and demographic factors aseksio sesareaociated with seksio sesareaean section delivery in Southern Ghana: evidence from INDEPTH Network member site. BMC Pregnancy Childbirth 18, 405 (2018). <https://doi.org/10.1186/s12884-018-2039-z>

72. Bjorklund J, Wiberg-Itzel E, Wallstrom T. Is there an increased risk of cesarean section in obese women after induction of labor? A retrospective cohort study. *PLoS One.* 2022 Feb 25;17(2):e0263685. doi: 10.1371/journal.pone.0263685.
73. Ellis JA, Brown CM, Barger B, Carlson NS. Influence of Maternal Obesity on Labor Induction: A Systematic Review and Meta-Analysis. *Journal of midwifery & women's health.* 2019;64(1):55–67. Epub 2019/01/17. doi: 10.1111/jmwh.12935; PubMed Central PMCID: PMC6758543.
74. Carpenter JR. Intrapartum Management of the Obese Gravida. *Clin Obstet Gynecol.* 2016;59(1):172–9. Epub 2016/01/13. doi: 10.1097/GRF.0000000000000174.
75. Harper LM, Caughey AB, Odibo AO, Roehl KA, Zhao Q, Cahill AG. Normal progreseksio sesarea of induced labor. *Obstetrics and gynecology.* 2012;119(6):1113–8. Epub 2012/05/10. doi: 10.1097/AOG.0b013e318253d7aa.
76. Kim seksio sesarea, Zhu Y, Grantz KL, Hinkle SN, Chen Z, Wallace ME, et al. Obstetric and Neonatal Risks Among Obese Women Without Chronic Disease. *Obstetrics and gynecology.* 2016;128(1):104–12. Epub 2016/06/09. doi: 10.1097/AOG.0000000000001465
77. Arrowsmith S, Wray S, Quenby S. Maternal obesity and labour complications following induction of labour in prolonged pregnancy. *BJOG: an international journal of obstetrics and gynaecology.* 2011;118(5):578–88. Epub 2011/01/27. doi: 10.1111/j.1471-0528.2010.02889.x
78. Islam, M.A., Shanto, H.H., Jabbar, A. et al. seksio sesareaean Section in Indonesia: Analysis of Trends and Socio-Demographic Correlates in Three Demographic and Health Surveys (2007–2017). *Dr. Sulaiman Al Habib Med J* 4, 136–144 (2022). <https://doi.org/10.1007/s44229-022-00011-0>
79. Sihombing NM, Saptarini I, Putri DSK. Determinan persalinan sectio seksio sesareaea di Indonesia (analisis lanjut data Riskesdas 2013). *Indones J Reprod Health.* 2017;8(1):63–73
80. Prasetyoputra P, Sitohang MY, Rahadian AS, Hafsari TA. Too posh to push: determinants of planned c-section delivery among Indonesian Women. In:

- 4th International Symposium on Health Research (ISHR 2019). Atlantis Preseksio sesarea; 2020. p. 604–10.
81. Bond DM, Middleton P, Levett KM, van der Ham DP, Crowther CA, Buchanan SL, et al. Planned early birth versus expectant management for women with preterm prelabour rupture of membranes prior to 37 weeks' gestation for improving pregnancy outcome. Cochrane Database Syst Rev 2017, Iseksio sesareaue 3 Art. No.: CD004735.
 82. Dowswell T, Carroli G, Duley L, Gates S, Gülmезoglu AM, Khan-Neelofur D, et al. Alternative versus standard packages of antenatal care for low-risk pregnancy. Cochrane Database Syst Rev 2015, Iseksio sesareaue 7 Art. No.: CD000934 10.1002/14651858.CD000934.pub3
 83. Villar J, Carroli G, Zavaleta N, Donner A, Wojdyla D, Faunders A, et al. Maternal and neonatal individual risks and benefits aseksio sesareaociated with cesarean delivery: multicentre prospective study. BMJ. 2007;335:1025-29.
 84. Driscoll AK, Gregory ECW. Increases in prepregnancy obesity: United States, 2016-2019. NCHS Data Brief. 2020;(392):1-8.
 85. Fisher SC, Kim SY, Sharma AJ, Rochat R, Morrow B. Is obesity still increasing among pregnant women? prepregnancy obesity trends in 20 states, 2003-2009. Prev Med. 2013;56(6):372-378. doi: 10.1016/j.ypmed.2013.02.015
 86. Fridman M, Korst LM, Chow J, Lawton E, Mitchell C, Gregory KD. Trends in maternal morbidity before and during pregnancy in California. Am J Public Health. 2014;104(suppl 1):S49-S57. doi: 10.2105/AJPH.2013.301583
 87. Wolfson C, Strobino DM, Gemmill A. Does delayed fertility explain the rise in comorbidities among the birthing population? J Womens Health (Larchmt). 2023;32(6):670-679. doi: 10.1089/jwh.2022.0370
 88. Wolfson C, Strobino DM, Gemmill A. Does delayed fertility explain the rise in comorbidities among the birthing population? J Womens Health (Larchmt). 2023;32(6):670-679. doi: 10.1089/jwh.2022.0370
 89. Gibson K, Bailit JL. Cesarean delivery as a marker for obstetric quality. Clin Obstet Gynecol. 2015;58(2):211-216. doi: 10.1097/GRF.0000000000000107