

DAFTAR PUSTAKA

- Akwa, A. (2015). What is the Importance of Educating Women on Postpartum Depression ? *Master of Social Work Clinical Research Papers*, pp. 1–29. St. Catherine University.
- Alvaro, P. K., Honors, B. P., Roberts, R. M., Hons, B. A., Clinical, M., Harris, J. K., Psych, C. (2011). Systematic Review Assessing Bidirectionality between Sleep Disturbances , Anxiety , and Depression. *Review of Sleep Disturbances*, 37(7), 1059–1068.
- Amagai, Y., Ishikawa, S., Gotoh, T., Kayaba, K., Nakamura, Y., & Kajii, E. (2010). *Sleep Duration and Incidence of Cardiovascular Events in a Japanese Population : The Jichi Medical School Cohort Study*. 20(April 1992), 106–110. <https://doi.org/10.2188/jea.JE20090053>
- American Psychiatric Association. (2000). Diagnostic and Statistical Manual for Psychiatric Disorders. In *vol.4* (4th Editio). Wasington DC : American Psychiatric Association.
- Augner, C. (2011). Associations of subjective sleep quality with depression score , anxiety , physical symptoms and sleep onset latency in students. *Central European Journal of Public Health*, 19(2), 115–117. <https://doi.org/10.21101/cejph.a3647>
- Azami, M., Badfar, G., Soleymani, A., & Rahmati, S. (2019). The association between gestational diabetes and postpartum depression: A systematic review and meta-analysis. *Diabetes Research and Clinical Practice*, 149, 147–155. <https://doi.org/10.1016/j.diabres.2019.01.034>
- Bao, W., Rong, Y., Jackson, C. L., & Hu, F. B. (2015). *Sleep Duration and Risk of Type 2 Diabetes : A Meta-analysis of Prospective Studies*. 38(March), 529–537. <https://doi.org/10.2337/dc14-2073>
- Barlow, A., Mullany, B., Neault, N., Goklish, N., Billy, T., Hastings, R., Walkup, J. T. (2015). Paraprofessional Delivered Home Visiting Intervention for American Indian Teen Mothers and Children: 3 Year Outcomes From a Randomized Controlled Trial. *American Journal of Psychiatry*, 172(2), 154–162. <https://doi.org/10.1176/appi.ajp.2014.14030332>
- Barnet, B., Liu, J., & Devoe, M. (2008). Depressive Symptoms and Rapid Subsequent Pregnancy in Adolescent Mothers. *Arch Pediatrics*, 162(3), 246–252.

- Barone, M. T. U., & Menna-barreto, L. (2011). Diabetes and sleep : A complex cause-and-effect relationship. *Diabetes Research and Clinical Practice*, 91(2), 129–137. <https://doi.org/10.1016/j.diabres.2010.07.011>
- Basri, A. H., Zulkifli, A., Abdullah, M. T., Basri, A. H., & Km, S. (2014). Efektivitas Psikoedukasi Terhadap Depresi Postpartum di RSIA Sitti Fatimah dan RSIA Pertiwi Makassar Tahun 2014. *Universitas Hasanuddin*, 1–12.
- Bathory, E., & Tomopoulos, S. (2016). Sleep Regulation, Physiology and Development, Sleep Duration and Patterns, and Sleep Hygiene in Infants, Toddlers, and Preschool-Age Children. *Current Problems in Pediatric and Adolescent Health Care*, 1–13. <https://doi.org/10.1016/j.cppeds.2016.12.001>
- Battle, C. L., Weinstock, L. M., & Howard, M. (2014). Clinical correlates of perinatal bipolar disorder in an interdisciplinary obstetrical hospital setting. *Journal of Affective Disorders*, 158(4), 97–100. <https://doi.org/10.1016/j.jad.2014.02.002>
- Bin, Y. S. (2016). Is Sleep Quality More Important than Sleep Duration for Public Health ? *Sleep*, 39(9), 1629–1630.
- Bjorvatn, B., & Pallesen, S. (2009). A practical approach to circadian rhythm sleep disorders. *Sleep Medicine Reviews*, 13, 47–60. <https://doi.org/10.1016/j.smrv.2008.04.009>
- Bland, R. C., & Streiner, D. L. (2013). Recommendations on screening for depression in adults. *Canadian Medical Association Journal*, 185(9), 753–754. <https://doi.org/10.1503/cmaj.130634>
- Blunden, S., & Galland, B. (2014). The complexities of defining optimal sleep : Empirical and theoretical considerations with a special emphasis on children. *Sleep Medicine Reviews*, 1–8. <https://doi.org/10.1016/j.smrv.2014.01.002>
- Brockington, I. (2004). Diagnosis and management of post-partum disorders: a review. *World Psychiatry: Official Journal of the World Psychiatric Association (WPA)*, 3(2), 89–95.
- Brummelte, S., & Galea, L. A. M. (2016). Postpartum depression: Etiology, treatment and consequences for maternal care. *Hormones and Behavior*, 77, 153–166. <https://doi.org/10.1016/j.yhbeh.2015.08.008>
- Buxton, O. M., Pavlova, M., Reid, E. W., Wang, W., Simonson, D. C., & Adler, G. K. (2010). *Sleep Restriction for 1 Week Reduces Insulin Sensitivity in Healthy Men*. 59(September). <https://doi.org/10.2337/db09-0699>.

- Buysse, D. J., Frank, E., Lowe, K. K., Cherry, C. R., & Kupfer, D. J. (1997). Electroencephalographic sleep correlates of episode and vulnerability to recurrence in depression. *Biological Psychiatry*, 41(4), 406–418. [https://doi.org/10.1016/S0006-3223\(96\)00041-8](https://doi.org/10.1016/S0006-3223(96)00041-8)
- Buysse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index : A New Instrument Psychiatric Practice and Research. *Psychiatry Research*, 28, 193–213.
- Buysse, J. D., Hall, L. M., Strollo, J. P., Kamarck, W. T., Owens, J., Lee, L., Mathews, A. K. (2008). Pittsburgh Sleep Quality Index (PSQI). *Journal of Clinical Sleep Medicine*, 4(6), 28–33. <https://doi.org/10.1017/S174413741200015X>
- Camargo, A. C., Hennekens, H. C., Gaziano, J. M., Glynn, R. J., Manson, E. J., & Stampfer, M. J. (2015). Prospective Study of Moderate Alcohol in US Male Physicians. *Arch Intern Med*, 157, 79–85.
- Cappuccio, F. P., Elia, L. D., Strazzullo, P., & Miller, M. A. (2010). Sleep Duration and All-Cause Mortality : A Systematic Review and Meta-Analysis of Prospective Studies. *Sleep*, 33(5), 585–592.
- Carley, D. W., & Farabi, S. S. (2016). Physiology of Sleep. *Diabetes Spectrum*, 29(1), 5–9. <https://doi.org/10.2337/diaspect.29.1.5>
- Chakravorty, S., Jackson, N., Chaudhary, N., Kozak, P. J., Perlis, M. L., Shue, H. R., & Grandner, M. A. (2014). Daytime Sleepiness : Associations with Alcohol Use and Sleep Duration in Americans. *Sleep Disorders*, 2014, 7. <https://doi.org/10.1155/2014/959152>
- Chang, F., Lee, W., Liu, Y., Yang, J., Chen, S., Cheng, K., Liu, J.-M. (2016). The relationship between economic conditions and postpartum depression in Taiwan: a nationwide population-based study. *Journal of Affective Disorders*, 204, 174–179. <https://doi.org/10.1016/j.jad.2016.06.043>
- Chang, J., Huang, P., Lin, Y., Lin, C., Lin, C., Shieh, Y., Hospital, W. F. (2015). Association Between Sleep Duration and Sleep Quality, and Metabolic Syndrome in Taiwanese Police Officers. *International Journal of Occupational Medicine and Environmental Health*, 28(102), 1011–1023.
- Chaudron, L. H., Szilagyi, P. G., Tang, W., Anson, E., Talbot, N. L., Wadkins, H. I. M., Wisner, K. L. (2010). Accuracy of Depression Screening Tools for Identifying Postpartum Depression Among Urban Mothers. *Pediatrics*, 125(3), e609–e617. <https://doi.org/10.1542/peds.2008-3261>

- Chen, K., Xu, M., Zhang, Z., Chang, W., Gaj, T., Schaffer, D. V., & Dan, Y. (2018). A Hypothalamic Switch for REM and Non-REM Sleep. *Neuron*, 97(5), 1168–1176.e4. <https://doi.org/10.1016/j.neuron.2018.02.005>
- Chien, M., & Chen, H. (2015). Poor Sleep Quality is Independently Associated with Physical Disability in Older Adults. *Journal of Clinical Sleep Medicine*, 11(3), 225–232.
- Chokroverty, S. (2010). Overview of sleep & sleep disorders. *Sleep and Sleep Disorders*, 110, 126–140.
- Cloninger, C. R. (2015). Neurogenetic adaptive mechanisms in Neurogenetic Adaptive Mechanisms Alcoholism. *ResearchGate*, 236(MAY 1987). <https://doi.org/10.1126/science.2882604>
- Coble, a, Reynolds, F., Kupfer, D. J., Giles, E., Houck, R., & Day, L. (1994). Childbearing in Women With and Without a History of Affective Disorder. II. Electroencephalographic Sleep. *Comprehensive Psychiatry*, 35(3), 215–224.
- Colten, R. H., & Alevogt, M. B. (2006). *Sleep Disorders and Sleep Depreivation Book*. Institute of Medicine of The National Academies Washington DC.
- Coo, S., Milgrom, J., & Trinder, J. (2014). Mood and Objective and Subjective Measures of Sleep During Late Pregnancy and the Postpartum Period. *Behavioral Sleep Medicine*, 12(4), 317–330. <https://doi.org/10.1080/15402002.2013.801348>
- Cormier, R. E. (1987). Sleep Disturbances. *Sleep Disturbances*, 77, 398–403.
- Corrigan, C. P., Kwasky, A. N., & Groh, C. J. (2015). *Social Support , Postpartum Depression , and Professional Assistance: A Survey of Mothers in the Midwestern United States*. 24(1), 48–60.
- Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of Postnatal Depression. *British Journal of Psychiatry*, 150(06), 782–786. <https://doi.org/10.1192/bjp.150.6.782>
- Creti, L., Libman, E., Rizzo, D., Fichten, C. S., Bailes, S., Tran, D., & Zelkowitz, P. (2017). Sleep in the Postpartum: Characteristics of First-Time , Healthy Mothers. *Sleep Disorders*, 2017, 1–10. <https://doi.org/10.1155/2017/8520358>
- Dahlan, M. S. (2010). *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan* (3rd ed.; A. Suslia, Ed.). Jakarta: Salemba Medika.

- Dennis, C.-L., & McQueen, K. (2009). The Relationship Between Infant-Feeding Outcomes and Postpartum Depression: A Qualitative Systematic Review. *Pediatrics*, 123(4), e736–e751. <https://doi.org/10.1542/peds.2008-1629>
- Dierickx, P., Van Laake, L. W., & Geijsen, N. (2017). Circadian clocks: from stem cells to tissue homeostasis and regeneration. *EMBO Reports*, 19(1), 18–28. <https://doi.org/10.15252/embr.201745130>
- Doering, J. (2017). Sleep Quality and quantity. *European Pharmaceutical Contractor*, 42(Winter), 36–37. <https://doi.org/10.1002/pdi.1960090102>
- Dorheim, S. K., Bjorvatn, B., & Eberhard Gran, M. (2012). Insomnia and Depressive Symptoms in Late Pregnancy: A Population-Based Study. *Behavioral Sleep Medicine*, 10(3), 152–166. <https://doi.org/10.1080/15402002.2012.660588>
- Earls, M. F. (2010). Incorporating Recognition and Management of Perinatal and Postpartum Depression Into Pediatric Practice. *Pediatrics*, 126(5), 1032–1039. <https://doi.org/10.1542/peds.2010-2348>
- Ebert, R. M., Wood, A., & Okun, M. L. (2015). Minimal Effect of Daytime Napping Behavior on Nocturnal Sleep in Pregnant Women. *Journal of Clinical Sleep Medicine*, 11(6), 635–643.
- Ebrahim, I. O., Shapiro, C. M., Williams, A. J., & Fenwick, P. B. (2013). Alcohol and Sleep I: Effects on Normal Sleep. *Alcoholism Clinical and Experimental Research*, 37(4), 539–549. <https://doi.org/10.1111/acer.12006>
- Facco, F. L., & Kramer, J. (2010). Sleep Disturbances in Pregnancy. *American College of Obstetricians and Gynecologists*, 115(1), 13–15.
- Faraut, B., Zouaoui, K., Dyzma, M., Rousseau, A., David, E., Stenuit, P., Kerkhofs, M. (2011). Benefits of Napping and An Extended Duration of Recovery Sleep on Alertness and Immune Cells After Acute Sleep Restriction. *Brain Behavior and Immunity*, 25(1), 16–24. <https://doi.org/10.1016/j.bbi.2010.08.001>
- Filtness, A. J., Mackenzie, J., & Armstrong, K. (2014). Longitudinal Change in Sleep and Daytime Sleepiness in Postpartum Women. *Sleep and Sleepiness in Postpartum Women*, 9(7), 1–7. <https://doi.org/10.1371/journal.pone.0103513>
- Frokjaer, V. G., Pinborg, A., Holst, K. K., Overgaard, A., Henningsson, S., Heede, M., Knudsen, G. M. (2015). Role of Serotonin Transporter Changes in Depressive Responses to Sex-Steroid Hormone Manipulation: A Positron Emission Tomography Study. *Biological Psychiatry*, 78(8), 534–543. <https://doi.org/10.1016/j.biopsych.2015.04.015>

Fujiwara, T., Yamaoka, Y., & Morisaki, N. (2016). *Self-Reported Prevalence and Risk Factors for Shaking and Smothering Among Mothers of 4-Month-Old Infants in Japan*. 26(1), 4–13. <https://doi.org/10.2188/jea.JE20140216>

Furuta, M., Numakawa, T., Chiba, S., Ninomiya, M., Kajiyama, Y., Adachi, N., Kunugi, H. (2013). Estrogen, Predominantly via Estrogen Receptor α , Attenuates Postpartum-Induced Anxiety and Depression-Like Behaviors in Female Rats. *Endocrinology*, 154(10), 3807–3816. <https://doi.org/10.1210/en.2012-2136>

Galea, L. A. M., Leuner, B., & Slattery, D. A. (2014). Hippocampal Plasticity during the Peripartum Period: Influence of Sex Steroids, Stress and Ageing. *Journal of Neuroendocrinology*, 26(10), 641–648. <https://doi.org/10.1111/jne.12177>

Gao, L., Chan, S. W., Li, X., Chen, S., & Hao, Y. (2010). Evaluation of an interpersonal-psychotherapy-oriented childbirth education programme for Chinese first-time childbearing women: A randomised controlled trial. *International Journal of Nursing Studies*, 47(10), 1208–1216. <https://doi.org/10.1016/j.ijnurstu.2010.03.002>

Gay, L. C., Lee, A. K., & Lee, S.-Y. (2005). Sleep Patterns and Fatigue in New Mothers and Fathers. *PMC*, 5(4), 311–318.

Gaynes, B., & Gavin, N. I. (2005). Perinatal Depression : Prevalence , Screening Accuracy , and Screening Outcomes. *Agency for Healthcare Research and Quality*, 5(1), 1–8.

Gelaye, B., Barrios, Y. V., Zhong, Q., Rondon, M. B., Christina, P. C., Henderson, D. C., Aplicadas, P. D. C. (2016). Association of poor subjective sleep quality with suicidal ideation among pregnant Peruvian women *HHS Public Access*. 37(5), 441–447. <https://doi.org/10.1016/j.genhosppsych.2015.04.014>

Gerber, M., Brand, S., Herrmann, C., Colledge, F., Holsboer-Trachsler, E., & Pühse, U. (2014). Increased objectively assessed vigorous-intensity exercise is associated with reduced stress, increased mental health and good objective and subjective sleep in young adults. *Physiology & Behavior*, 30, 30. <https://doi.org/10.1016/j.physbeh.2014.05.047>

Glynn, L. M., Davis, E. P., Sandman, C. A., & Goldberg, W. A. (2016). Gestational hormone profiles predict human maternal behavior at 1-year postpartum. *Hormones and Behavior*, 85, 19–25. <https://doi.org/10.1016/j.yhbeh.2016.07.002>

Government of Alberta. (2009). Health Information Standards Committee for Alberta : Alberta Postpartum Depression Data Set. *Health Information Data Standart*, 1, 1–30.

- Grandner, M. A., Chakravorty, S., Perlis, M. L., Oliver, L., & Gurubhagavatula, I. (2014). Habitual sleep duration associated with self-reported and objectively determined cardiometabolic risk factors. *Sleep Medicine*, 15(1), 42–50. <https://doi.org/10.1016/j.sleep.2013.09.012>
- Grandner, M. A., Jackson, N. J., & Izci-balserak, B. (2015). Social and behavioral determinants of perceived insufficient sleep. 6(June). <https://doi.org/10.3389/fneur.2015.00112>
- Quintivano, J., Payne, J. L., Arad, M., Kaminsky, Z. A., & Gould, T. D. (2013). Antenatal prediction of postpartum depression with blood DNA methylation biomarkers. *Molecular Psychiatry*, 19(5), 560–567. <https://doi.org/10.1038/mp.2013.62>
- Guyton, A. C., & Hall, J. E. (2006). *Text Book of Medical Physiology* (11th ed.). Mississippi: Elsevier.
- Hall, M. H., Casement, M. D., Troxel, W. M., Matthews, K. A., Bromberger, J. T., Kravitz, H. M., Buysse, D. J. (2018). Chronic Stress is Prospectively Associated with Sleep in Midlife Women : The SWAN Sleep Study. 38(10), 1645–1654.
- Hammond, E. C. (1964). Some Preliminary Findings on Physical Complaints From A Prospective Study of 1,064,004 Men and Women. *A.J.P.H*, 14(3), 191–203. <https://doi.org/10.1016/j.smrv.2009.07.006.Mortality>
- Hayashi, M., Motoyoshi, N., & Hori, T. (2005). Recuperative Power of a Short Daytime Nap With or Without Stage 2 Sleep. *Sleep, Sleep Restriction, and Performance*, 28(7), 829–836.
- Hedman, C., Pohjasvaara, T., Tolonen, U., Suhonen-Malm, A. ., & Myllylä, V. . (2002). Effects of pregnancy on mothers' sleep. *Sleep Medicine*, 3(1), 37–42. [https://doi.org/10.1016/S1389-9457\(01\)00130-7](https://doi.org/10.1016/S1389-9457(01)00130-7)
- Hodgkinson, S., Beers, L., Southammakosane, C., & Lewin, A. (2014). Addressing the Mental Health Needs of Pregnant and Parenting Adolescents. *Pediatrics*, 133(1), 114–122. <https://doi.org/10.1542/peds.2013-0927>
- Hudgel, D. W. (2013). The Need for a Greater Focus on Obesity and Its Treatment in Sleep Medicine. *Sleep*, 36, 23–26.
- Hunter, L. P., Rychnovsky, J. D., & Yount, S. M. (2009). A Selective Review of Maternal Sleep. *Journal of Obstetric Gynecologic and Neonatal Nursing*, 38(1), 60–68. <https://doi.org/10.1111/j.1552-6909.2008.00309>

- Ing, H., Fellmeth, G., White, J., Stein, A., Simpson, J. A., & McGready, R. (2017). Validation of the Edinburgh Postnatal Depression Scale (EPDS) on the Thai–Myanmar border. *Tropical Doctor*, 47(4), 339–347. <https://doi.org/10.1177/0049475517717635>
- Ingersoll, R. G. (2011). Forum Climate Change Impacts Indoor Environment. *Environmental Health Perspectives*, 119(9), 2011.
- Iranpour, S., Kheirabadi, G., Esmaillzadeh, A., Heidari-Beni, M., & Maracy, M. (2016). Association between sleep quality and postpartum depression. *Journal of Research in Medical Sciences*, 21(1), 110. <https://doi.org/10.4103/1735-1995.193500>
- Irish, L. A., Kline, C. E., Gunn, H. E., Buysse, D. J., & Hall, M. H. (2014). The role of sleep hygiene in promoting public health: A review of empirical evidence. *Sleep Medicine Reviews*, 22, 23–36. <https://doi.org/10.1016/j.smrv.2014.10.001>
- Jung, D. W., Lee, Y. J., Jeong, D., Park, K. S., Woon, D., Jin, Y., Suk, K. (2016). New predictors of sleep efficiency. *Chronobiology International*, 00(00), 1–12. <https://doi.org/10.1080/07420528.2016.1241802>
- Katon, W., Russo, J., & Gavin, A. (2014). Predictors of Postpartum Depression. *Journal of Women's Health*, 23(9), 753–759. <https://doi.org/10.1089/jwh.2014.4824>
- Kazmi, S. F., Khan, M., Tahir, R., Dil, S., & Khan, A. M. (2013). Relationship between Social Support and Postpartum Depression. *Institute of Medical Sciences*, 9(4), 191–194.
- Krystal, A. D., & Edinger, J. D. (2008). Measuring sleep quality. *Sleep Medicine*, 1(2008), 10–17.
- Kurotani, K., Kochi, T., Nanri, A., Eguchi, M., & Kuwahara, K. (2015). Dietary patterns and sleep symptoms in Japanese workers : the Furukawa Nutrition and Health Study. *Sleep Medicine*, 16(2), 298–304. <https://doi.org/10.1016/j.sleep.2014.09.017>
- Lan, L., Pan, L., Lian, Z., Huang, H., & Lin, Y. (2014). Experimental study on thermal comfort of sleeping people at different air temperatures. *Building and Environment*, 73, 24–31. <https://doi.org/10.1016/j.buildenv.2013.11.024>
- Lan, L., Tsuzuki, K., Liu, Y. F., & Lian, Z. W. (2017). Thermal environment and sleep quality: A review. *Energy & Buildings*, 149, 101–113. <https://doi.org/10.1016/j.enbuild.2017.05.043>

Leung, P. L., Hui, D. S. C., Leung, T. N., Yuen, P. M., & Lau, T. K. (2005). Sleep disturbances in Chinese pregnant women. *BJOG: An International Journal of Obstetrics and Gynaecology*, 112(11), 1568–1571. <https://doi.org/10.1111/j.1471-0528.2005.00737.x>

Lovato, N., & Lack, L. (2010). The effects of napping on cognitive functioning. In *Progress in Brain Research* (Vol. 185). <https://doi.org/10.1016/B978-0-444-53702-7.00009-9>

Malish, S., Arastu, F., & Brien, L. M. O. (2016). A Preliminary Study of New Parents , Sleep Disruption , and Driving : A Population at Risk ? *Maternal and Child Health Journal*, 20(2), 290–297. <https://doi.org/10.1007/s10995-015-1828-5>

Manzar, M. D., Zannat, W., Hussain, M. E., Pandi-Perumal, S. R., Bahammam, A. S., Barakat, D., Spence, D. W. (2016). Dimensionality of the Pittsburgh Sleep Quality Index in the collegiate young adults. *SpringerPlus*, 5(1), 0–5. <https://doi.org/10.1186/s40064-016-3234-x>

Mazeheri, M. A., Rabiei, L., Masoudi, R., Hamidizadeh, S., Nooshabadi, M. R. R., & Najimi, A. (2014). Understanding the factors affecting the postpartum depression in the mothers of Isfahan city. *Journal of Education and Health Promotion*, 3(24), 80–85. <https://doi.org/10.4103/2277>

McDevitt, E. A., Alaynick, W. A., & Mednick, S. C. (2012). The effect of nap frequency on daytime sleep architecture. *Physiology & Behavior*, 107(1), 40–44. <https://doi.org/10.1016/j.physbeh.2012.05.021>

Meng, L., Zheng, Y., & Hui, R. (2013). *The relationship of sleep duration and insomnia to risk of hypertension incidence : a meta-analysis of prospective cohort studies*. 36(11), 985–995. <https://doi.org/10.1038/hr.2013.70>

Milgrom, J., Schembri, C., Erickson, J., Ross, J., & Gemmill, A. W. (2011). Towards Parenthood: An Antenatal Intervention to Reduce Depression, Anxiety and Parenting Difficulties. *Journal of Affective Disorders*, 130(3), 385–394. <https://doi.org/10.1016/j.jad.2010.10.045>

Min, Y., Nadpara, P. A., & Slattum, P. W. (2016). *The Association between Sleep Problems , Sleep Medication Use , and Falls in Community-Dwelling Older Adults : Results from the Health and Retirement Study 2010. 2016.* <https://doi.org/10.1155/2016/3685789>

Morikawa, M., Okada, T., Ando, M., Aleksic, B., & Kunimoto, S. (2015). Relationship between social support during pregnancy and postpartum depressive state : a prospective cohort study. *Nature Publishing Group*,

(December 2014), 1–9. <https://doi.org/10.1038/srep10520>

Morselli, L. L., Guyon, A., & Spiegel, K. (2012). Sleep and metabolic function. *Pflügers Archiv - European Journal of Physiology*, 463(1), 139–160. <https://doi.org/10.1007/s00424-011-1053-z>

Motzfeldt, I., Andreasen, S., Pedersen, A. L., Lynge, M., Motzfeldt, I., Andreasen, S., Pedersen, M. L. (2013). Prevalence of postpartum depression in Nuuk, Greenland: a cross-sectional study using Edinburgh Postnatal Depression Scale. *Nternational Journal of Circumpolar Health*, 3982(October 2017), 2242–3982. <https://doi.org/10.3402/ijch.v72i0.21114>

Muraca, G. M., & Joseph, K. S. (2014). The Association Between Maternal Age and Depression. *Journal of Obstetrics and Gynaecology Canada*, 36(9), 803–810. [https://doi.org/10.1016/S1701-2163\(15\)30482-5](https://doi.org/10.1016/S1701-2163(15)30482-5)

Murillo-rodríguez, E., Arias-carrión, O., & Sanguino-rodríguez, K. (2009). *Mechanisms of Sleep-Wake Cycle Modulation*. 245–253.

Neault, N., Compton, S., Ph, D., Carter, A., Ph, D., Hastings, R., Walkup, J. T. (2013). Effect of a Paraprofessional Home-Visiting Intervention on American Indian Teen Mothers ' and Infants ' Behavioral Risks: A Randomized Controlled Trial. *Journal of Psychiatry*, 170(1), 83–93.

Niroomand, F., Hauer, O., Tiefenbacher, C ., Katus, H. ., & Kuebler, W. (2004). Influence of Alcohol Consumption on Restenosis Rate After Percutaneous Transluminal Coronary Angioplasty and Stent Implantation. *Heart*, 90, 1189–1194. <https://doi.org/10.1136/hrt.2003.025627>

Ohara, M. W. (1987). Postpartum blues, depression, and psychosis : a review. *Journal of Psychosomatic Obstetrics and Gynaecology*, 7(1987), 205–227.

Ohayon, M., Wickwire, E. M., Hirshkowitz, M., Albert, S. M., Avidan, A., Daly, F. J., Vitiello, M. V. (2017). National Sleep Foundation's sleep quality recommendations: first report. *Sleep Health: Journal of the National Sleep Foundation*, 3(1), 6–19. <https://doi.org/10.1016/j.sleh.2016.11.006>

Okamoto-mizuno, K., & Mizuno, K. (2012). Effects of thermal environment on sleep and circadian rhythm. *Journal of Physiological Anthropology*, 31(14), 1–9.

Okun, L. M., Kiewra, K., Luther, J. F., Wisniewski, S. R., & Wisner, K. L. (2012). Sleep Disturbances in Depressed and Non-Depressed Pregnant Women. *PMC*, 28(8), 676–685. <https://doi.org/10.1002/da.20828.Sleep>

Okun, M. L. (2015). Sleep and postpartum depression. *Current Opinion in Psychiatry*, 28(6), 490–496. <https://doi.org/10.1097/YCO.0000000000000206>

- Okun, M. L., Hanusa, B. H., Hall, M., & Wisner, K. L. (2009). Sleep Complaints in Late Pregnancy and the Recurrence of Postpartum Depression. *Behavioral Sleep Medicine*, 7(2), 106–117. <https://doi.org/10.1080/15402000902762394>
- Okun, M. L., Luther, J., Prather, A. A., Perel, J. M., Wisniewski, S., & Wisner, K. L. (2011). Changes in Sleep Quality, But Not Hormones Predict Time to Postpartum Depression Recurrence. *Journal of Affective Disorders*, 130(3), 378–384. <https://doi.org/10.1016/j.jad.2010.07.015>
- Okun, M. L., Schetter, C. D., & Glynn, L. M. (2011). Poor Sleep Quality is Associated with Preterm Birth. *Sleep*, 34(11), 1493–1498.
- Park, E. M., Meltzer-Brody, S., & Stickgold, R. (2013). Poor sleep maintenance and subjective sleep quality are associated with postpartum maternal depression symptom severity. *Archives of Women's Mental Health*, 16(6), 539–547. <https://doi.org/10.1007/s00737-013-0356-9>
- Park, S., Oh, M., Lee, B., Kim, H., Lee, W., Lee, J., Kim, J. (2015). The Effects of Alcohol on Quality of Sleep. *Korean Journal of Family Medicine*, 36, 294–299.
- Phillips, A. J. K., Clerx, W. M., Brien, C. S. O., Akane, S., Laura, K., Picard, R. W., Charles, A. (2017). Irregular sleep / wake patterns are associated with poorer academic performance and delayed circadian and sleep / wake timing. *Scientific Reports*, 3216(7), 1–13. <https://doi.org/10.1038/s41598-017-031714>
- Posmontier, B. (2008). Sleep Quality in Women With and Without Postpartum Depression. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 37(6), 722–737. <https://doi.org/10.1111/j.1552-6909.2008.00298>.
- R. Zielinski, M., T. McKenna, J., & W. McCarley, R. (2016). Functions and Mechanisms of Sleep. *AIMS Neuroscience*, 3(1), 67–104. <https://doi.org/10.3934/Neuroscience.2016.1.67>
- Reed, D. L., & Sacco, W. P. (2016). Measuring Sleep Efficiency : What Should the Denominator Be ?*Journal of Clinical Sleep Medicine*. 12(2), 12–15.
- Reid, K. J., Baron, K. G., Lu, B., & Naylor, E. (2011). *Aerobic Exercise Improves Self-Reported Sleep and Quality of Life in Older Adults with Insomnia*. 11(9), 934–940. <https://doi.org/10.1016/j.sleep.2010.04.014>.
- Reid, K. M., & Taylor, M. G. (2015). Social support, stress, and maternal postpartum depression: A comparison of supportive relationships. *Social Science Research*, 54, 246–262. <https://doi.org/10.1016/j.ssresearch.2015.08.009>

- Rn, L. K. M. (2009). Health Care for Women International Is Rubin ' s " taking - in " and " taking - hold " a useful paradigm ? *Health Care for Women International*, 17(1), 37–41. <https://doi.org/10.1080/07399339609516215>
- Roehrs, T., & Roth, T. (2008). *Caffeine : Sleep and daytime sleepiness*. 153–162. <https://doi.org/10.1016/j.smrv.2007.07.004>
- Rubin, R. (1984). *Maternal Identity and the Maternal Experience*. New York: Springer International Publishing.
- Rusch, H. L., Guardado, P., Baxter, T., Mysllwiec, V., & Gill, J. (2015). Depression and PTSD Arousal Symptoms and Increases in IGF-1 Concentrations. *Journal of Clinical Sleep Medicine*, 11(6), 615–623.
- Sangsawang, B., Wacharasin, C., & Sangsawang, N. (2019). Interventions for the prevention of postpartum depression in adolescent mothers: a systematic review. *Archives of Women's Mental Health*, 22(2), 215–228. <https://doi.org/10.1007/s00737-018-0901-7>
- Sasahara, I., Fujimura, N., Nozawa, Y., Furuhata, Y., & Sato, H. (2015). Physiology & Behavior The Effect of Histidine on Mental Fatigue and Cognitive Performance in Subjects with High Fatigue and Sleep Disruption Scores. *Physiology & Behavior*, 147, 238–244. <https://doi.org/10.1016/j.physbeh.2015.04.042>
- Sasai-sakuma, T., & Inoue, Y. (2015). Differences in electroencephalographic findings among categories of narcolepsy-spectrum disorders. *Sleep Medicine*, 16(8), 999–1005. <https://doi.org/10.1016/j.sleep.2015.01.022>
- Shang, X. (2015). Meta-Analysis of Self-Reported Daytime Napping and Risk of Cardiovascular or All-Cause Mortality. *Medical Science Monitor*, 21, 1269–1275. <https://doi.org/10.12659/MSM.893186>
- Sharma, I., Rai, S., & Pathak, A. (2015). Postpartum psychiatric disorders: Early diagnosis and management. *Indian Journal of Psychiatry*, 57(6), 216. <https://doi.org/10.4103/0019-5545.161481>
- Shrestha, S. D., Pradhan, R., Tran, T. D., Gualano, R. C., & Fisher, J. R. W. (2016). Reliability and validity of the Edinburgh Postnatal Depression Scale (EPDS) for detecting perinatal common mental disorders (PCMDs) among women in low-and lower-middle-income countries: a systematic review. *BMC Pregnancy and Childbirth*, 16(1), 72. <https://doi.org/10.1186/s12884-016-0859-2>

- Signal, T. L., Gander, P. H., Sangalli, M. R., Travier, N., Firestone, R. T., & Tuohy, J. F. (2007). Sleep duration and quality in healthy nulliparous and multiparous women across pregnancy and post-partum. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 2007, 47(April 2006), 16–22. <https://doi.org/10.1111/j.1479-828X.2006.00672.x>
- Sit, D. K., & Wisner, K. L. (2010). The Identification of Postpartum Depression. *PM&R*, 52(3), 1–12. <https://doi.org/10.1097/GRF.0b013e3181b5a57c>.
- Skouteris, H., Wertheim, E. H., Germano, C., Paxton, S. J., & Milgrom, J. (2009). Assessing Sleep During Pregnancy. *Women's Health Issues*, 19(1), 45–51. <https://doi.org/10.1016/j.whi.2008.10.004>
- Smyth, C. A. (2008). Evaluating sleep quality in older adults: The Pittsburgh sleep quality index can be used to detect sleep disturbances or deficits. *American Journal of Nursing*, 108(5), 42–50. <https://doi.org/10.1097/01.NAJ.0000317300.33599.63>
- Spaeth, A. M., Dinges, D. F., & Goel, N. (2014). Sex and Race Differences in Caloric Intake During Sleep Restriction in Healthy Adults. *The American Journal of Clinical Nutrition*, 100(2), 559–566. <https://doi.org/10.3945/ajcn.114.086579>
- Suhl, J. (2007). *The Neuropharmacology of Sleep Disorders : Better Sleeping Through Chemistry ?* 181–191. <https://doi.org/10.1177/0897190007305149>
- Summary, B. (2013). *Caffeine Effects on Sleep Taken 0, 3, or 6 Hours before Going to Bed.* 9(11).
- Syaafriani, N. (2018). Perbedaan Kemungkinan Terjadinya Gangguan Depresi Postpartum Antara Primipara dengan Multipara di Puskesmas Lubuk Buaya dan Andalas di Kota Padang. *Universitas Andalas*.
- Taylor, P., Hanita, N., Majid, A., Takagi, N., Hokoi, S., & Ekasiwi, S. N. N. (2014). Field Survey of Air Conditioner Temperature Settings in A Hot , Dry Climate (Oman) Field Survey of Air Conditioner Temperature Settings in A Hot , Dry Climate (Oman). *HVAC&R Research*, 20(7), 750–759. <https://doi.org/10.1080/10789669.2014.953845>
- Taylor, P., House, M., Street, M., Wt, L., Pan, L., Lian, Z., Lan, L. (2012). Investigation of sleep quality under different temperatures based on subjective and physiological measurements Investigation of sleep quality under different temperatures based on subjective and physiological measurements. *HVAC&R Research*, 18(5), 37–41. <https://doi.org/10.1080/10789669.2012.667037>
- The American College of Obstetricians and Gynecologists. (2012). Depression and

Postpartum Depression: Resource Overview. In *Women's Health Care Physicians*. Washington DC: the American College of Obstetricians and Gynecologists.

The American College of Obstetricians and Gynecologists. (2018). ACOG Committee Opinion Number 757: Screening for Perinatal Depression. *Obstetrics and Gynecology*, 132(757), 208–212.

Thombs, B. D., Benedetti, A., Kloda, L. A., Levis, B., Riehm, K. E., Azar, M., Vigod, S. (2015). Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. *BMJ Open*, 5(10), e009742. <https://doi.org/10.1136/bmjopen-2015-009742>

U.S. Department of Health and Human Service. (2017). Postpartum Depression Facts. *National Institute of Mental Health*, 91, 399–404.

Vadodaria, K., Loveday, D. L., & Haines, V. (2014). Measured winter and spring-time indoor temperatures in UK homes over the period 1969 – 2010 : A review and synthesis. *Energy Policy*, 64, 252–262. <https://doi.org/10.1016/j.enpol.2013.07.062>

Weissman, M. M. (2016). Interpersonal Psychotherapy. *Arch Gen Psychiatry*, 51, 599–606.

Werner, E., Miller, M., Osborne, L. M., Kuzava, S., & Monk, C. (2015). Preventing postpartum depression: review and recommendations. *Archives of Women's Mental Health*, 18(1), 41–60. <https://doi.org/10.1007/s00737-014-0475-y>

Williams, A. J., Zimmerman, J. F., & Janice, B. F. (2018). Norms and Trends of Sleep Time Among US Children and Adolescents. *JAMA Pediatric*, 167(1), 55–60. <https://doi.org/10.1001/jamapediatrics.2013.423.Norms>

Wittmann, M., Dinich, J., Merrow, M., & Roenneberg, T. (2009). Social Jetlag : Misalignment of Biological and Social Time. *Chronobiology International*, 0528(1&2), 497–509. <https://doi.org/10.1080/07420520500545979>

Wolfson, A. R., Crowley, S. J., Anwer, U., & Bassett, J. L. (2010). Changes in Sleep Patterns and Depressive Symptoms in First- Time Mothers: Last Trimester to 1-Year Postpartum. *Behavioral Sleep Medicine*, 2002(February 2017), 37–41. <https://doi.org/10.1207/S15402010BSM0101>

Z Assefa, S., Diaz-Abad, M., M Wickwire, E., & M Scharf, S. (2015). The Functions of Sleep. *AIMS Neuroscience*, 2(3), 155–171. <https://doi.org/10.3934/Neuroscience.2015.3.155>

Zaidi, F., Nigam, A., & Anjum, Rubi, A. R. (2017). Postpartum Depression in Women: A Risk Factor Analysis. *Journal of Clinical and Diagnostic Research*, 11(8), 13–16. <https://doi.org/10.7860/JCDR/2017/25480.10479>

Zeitzer, J. M., Dijk, D., Kronauer, R. E., Brown, E. N., & Czeisler, C. A. (2000). Sensitivity of the human circadian pacemaker to nocturnal light : melatonin phase resetting and suppression. *Journal of Physiology*, 536(3), 695–702.

Zisberg, A., Gur-yaish, N., & Shochat, T. (2010). Contribution of Routine to Sleep Quality in Community Elderly. *Sleep*, 33(4), 509–514.

Zlotnick, C. (2006). A Preventive Intervention for Pregnant Women on Public Assistance at Risk for Postpartum Depression. *American Journal of Psychiatry*, 163(8), 1443. <https://doi.org/10.1176/appi.ajp.163.8.1443>

Zlotnick, C., Capezza, N. M., & Parker, D. (2011). An interpersonally based intervention for low-income pregnant women with intimate partner violence: a pilot study. *Archives of Women's Mental Health*, 14(1), 55–65. <https://doi.org/10.1007/s00737-010-0195-x>

