

DAFTAR PUSTAKA

- Abdullah SA, Pasaribu S, Wijaya H, Pasaribu AP. Warning sign as a predictor of dengue infection severity in children. *Med J of Indonesia.* 2018;27:101-07.
- Adams MR. (2006). Clinical assessment of endothelial function endothelium. *AHA Journals,* 13(6),367-374.
- Aird WC. (2007). Phenotypic heterogeneity of the endothelium: II. Representative Vascular Beds. *Circ Res,* 100(2), 174-190.
- Ampaiwan Chuansumrit KT. (2006). Pathophysiology and management of dengue hemorrhagic fever. *Transfusion Alternatives in Transfusion Medicine,* 8(1), 3-11
- Anderson JM.(2001). Molecular structure of tight junctions and their role in epithelial transport.*New physiol Sci,* 16(6), 126-130.
- Anderson, R., Wang, S., Osiowy, C., Issekutz, A. (1997). Activation of endothelial cells via antibody enhanced Dengue virus infection of peripheral blood monocytes. *J Virol,* 71,4226-4232.
- Azeredo EL, Monteiro RQ, Pinto LMO. (2015). Thrombocytopenia in dengue: interrelationship between virus and the imbalance between coagulation and fibrinolysis and inflammatory mediators. *Mediators of Inflammation,* 1, 1-16.
- Baker CJ. Dengue.(2013). Red Book ATLAS of pediatric infectious diseases 2nd Edition. Elk Grove Village: American Academy of Pediatrics Department of Marketing and Publications.
- Barton, W.A., Tzvetkova, D., Nikolov, D.B., (2005). Structure of the Angiopoietin-2 receptor binding domain and identification of surface involved in Tie2 recognition. *Structure,* 15, 825-832.
- Basu A, Chaturvedi UC. (2008). Vascular endothelium: the battlefield of dengue viruses. *FEMS Immunology and Medical Microbiology,* 53(3), 287-299.
- Bazzoni, G. and Dejana, E. (2004). Endothelial cell-to-cell junctions: molecular organization and role in vascular homeostasis. *Physiol. Rev.* 84, 869-901.
- Bergmeier W, Chauhan AK, Wagner DD. (2008). Glycoprotein Ibalpha and von Willebrand factor in primary platelet adhesion and thrombus formation: lessons from mutant mice. *Thromb Haemost,* 99(2), 264-270.
- Bilquiss Shabbir et al. Acute Abdominal Pain in Dengue Fever. (2012) *P J M H S VOL .6 NO.1. Jan- Mar 2012*

- Boonnak K, Slike BM, Burgess TH, Mason RM, Wu SJ, Sun P, et al. (2008).Role of dendritic cells in antibody-dependent enhancement of dengue virus infection. *J Virol*, 82(8), 3939-3951
- Brindle N, Saharinen P, Alitalo K.(2006).Signalling and functions of Angiopoietin-1 inVascular protection. *Circ Res*, 98(8), 1014–1023.
- Cabello-Gutierrez, C., Manjarrez-Zavala, M.E., Huerta- Zepeda, A., et al. (2009).Modification of the cytoprotective protein C pathway during Dengue virus infection of human endothelial vascular cells. *Thromb Haemost*,101,916-28.
- Cardier JE, Rivas B, Romano E, Rothman AL, Perez-Perez C, Ochoa M, et al. 2006. Evidence of vascular damage in dengue disease: demonstration of high levels of soluble cell adhesion molecules and circulating endothelial cells. *Endothelium*, 13(5), 335-340.
- Cardozo FTGDS, Baimukanova G, Lanteri MC, Keating SM, Ferreira FM, *et al.*. (2017). Serum from dengue virus – infected patients with and without plasma leakage differentially affects endothelial cells barrier function in vitro. *Journal Pone*.
- Chen YC, Wang SY. (2002). Activation of terminally differentiated human monocytes/ macrophages by dengue virus: productive infection, hierarchical production of innate cytokines and chemokines and the synergistic effect of lipopolysaccharide. *J Virol*, 76(10), 9877-9887
- Choudhury J, Mohanty D, Routray SS. (2016). Clinical profile and outcome, of dengue fever and dengue haemorhagic fever in pediatric age group. *J Int Contemp Pediatr*. 3 (2):442-4
- Chuang YC, Wang SY, Lin YS, Chen HR, Yeh TM. (2013). Re-evaluation of the pathogenic roles of nonstructural protein 1 dan its antibodies during dengue virus infection. *Journal of Boimedika Science*. 20:42
- Clyde K, Kyle JL, Harris E. (2006). Recent advances in deciphering viral and host determinants of dengue virus replication and pathogenesis. *J.Virol*, 80(23), 11418-11431.
- Dahlan S. (2010).Statistik untuk kesehatan dan kedokteran : deskriptif, bivariate dan multivariate. Edisi 5. Jakarta : Salemba Medika.
- Dalrymple NA, Mackow ER. (2012). Roles of endothelial cells in dengue virus infection. *Advances in virology*, July, 1-8.
- Davis, S., Aldrich, T.H., Acheson, A., Compton,D.l., et al. (1996).Isolation of angiopoietin-1, a ligand for the TIE2 receptor by secretion-trap expression cloning. *Cell*,87,1161-1169.

David S, Mukherjee A, Ghosh CC, Yano M, Khankin EV, Wenger JB, et al. (2012) Angiopoietin-2 may contribute to multiple organ dysfunction and death in sepsis. Crit Care Med. 40:3034 – 41

Dejana E, Tournier-Lasserve E, Weinstein BM. (2009). The control of vascular integrity by endothelial cell junctions: molecular basic and pathological implications. Dev Cell, 16(2), 209-221.

Dejnirattisai W, Duangchinda T, Lin CL, Vasanawathana S, Jones M, Jacobs M, et al. (2008). A complex interplay among virus, dendritic cells, T cells, and cytokines in dengue virus infections. J Immunol, 181(9), 5865-5874.

Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan Kementerian Kesehatan (2012). Laporan akuntabilitas kinerja DITJEN PP dan PL tahun 2012.

Djamiatun, K., Van der Ven AJ., de Groot, P.G., Faradz, S.M., Hapsari, D., et al. (2012). Severe dengue is associated with consumption of von willebrand factor and its cleaving enzyme ADAMTS-13. PLoSNegl Trop Dis,6,16-28.

Depkes RI. (2009). Data Laporan Tahunan Demam Berdarah Dengue. Jakarta: Subdit Arbovirus Dirjen P2PLP-Depkes RI.

Dewi BE, Takasaki T, Kurane I. (2008). Peripheral blood mononuclear cells increase the permeability of dengue virus-infected endothelial cells in association with down regulation of vascular endothelial cadherin. J. Gen Virol, 89, 642-652

Elmy S, BNP Arhana, IKG Suandi, IGL Sidiartha. 2009. Obesitas Sebagai Faktor Risiko Sindrom Syok Dengue. Sari Pediatri 11(4): 238-243).

Fadilah S, Abdul wahid, Sanusi S, Zawawi M, Ali R.(2000). A comparison of the pattern of liver involvement in dengue hemorrhagic fever with classic dengue fever. 2000. Southeast Asian J Trop Med Public Health.259-63

Forster C. (2008). Tight junctions and the modulation of barrier function in disease. Histochem Cell Biol, 130(1), 55-70

Gavard J. (2009).Breaking the VE-cadherin bonds. FEBS Lett, 583(1), 1-6.

Giepmans BW, Van IJzendoorn SC. (2009). Epithelial cell-cell junctions and plasma membrane domains. Biochim Biophys Acta,1788(4), 820-831.

Green S, Rothman A. (2006). Immunopathological mechanisms in dengue and dengue hemorrhagic fever. Curr Opin Infect Dis, 19(5), 429-436.

Green S, Vaughn DW, Kalayanarooj S, Nimmannitya S, Suntayakorn S, Nisalak A, et al. (1999). Early immune activation in acute dengue illness is related to development of plasma leakage and disease severity. J Infect Dis, 179(4), 755-762

- Gubler DJ. (1998). Dengue and dengue hemorrhagic fever. Clin Microbiol Rev, 11(3), 480-496.
- Gubler DJ.(2002). Epidemic dengue/dengue hemorrhagic fevers as a public health, social and economic problem in the 21 st century. Trends Microbiol, 10(2),100-103.
- Guzman MG, Alvarez M, Rodriguez R, Rosario D, Vazquez S, Vald SL, et al. (1999).Fatal dengue hemorrhagic fever in Cuta. 1997. Int J Infect Dis, 3(3), 130-135.
- Hadinegoro SRS, Moedjito I, Chairulfatah A. (2014).Pedoman diagnosis dan tatalaksana infeksi virus dengue pada anak. Jakarta: badan penerbit Ikatan Dokter Anak Indonesia.
- Halstead SB,Shotwell H,Casals J. (1973).Studies on the pathogenesis of dengue infection in monkeys.Clinical laboratory responses to primary infection. J Infect Dis, 128(1), 7-14.
- Hasan S, Jamdar SF, Alolawai M, Beajii SMAAA. (2016). Dengue virus: A global human threat: Review of literature. J Int Soc Prev Community Dent. 6(1): 1–6.
- Hartoyo E, Indra R, Widajanto E, Hadinegoro SR. (2014). Peran interleukin-17 pada terjadinya perembesan plasma demam berdarah dengue melalui aktivasi sitokin proinflamasi.International Journal of Science and Research (IJSR), 3(11), 1711-1717
- Hastono SP. (2007). Analisis data kesehatan. Jakarta : FKM UI
- Huang J, Roth R, Heuser JE, Sadler JE. (2009). Integrin alpha(v)beta(3) on human endothelial cells binds von willebrand factor strings under fluid shear stress. B-lood, 113(7), 1589-1597
- Ho LJ, Wang JJ, Shaio MF, Kao CL, Chang DM, Han SW, et al. (2001). Infection of human dendritic cells by dengue virus causes cell maturation and cytokine production. J Immunol, 166(3), 1499-1506.
- Hordijk PL, Anthony E, Mul FP, Rentsma R, Oomen LC, Ross D. (1999). Vascular-endothelial-cadherin modulates endothelial monolayer permeability. J Cell Sci, 112(Pt 12), 1915-1923.
- Jain A, Alam S, Shalini A, Mazahir R. (2018). Paediatric Risk of Mortality III Score to Predict Outcome in Patients Admitted to PICU with Dengue Fever. IABCR [Internet]. 4(2):80-3.
- John DV, Lin YS, Perng GC. (2015). Biomarkers of severe dengue disease – a review. J Biomed Sci, (22), 83-89.

- Jones, N., Iljin, K., Dumont, D.J., and Alitalo, K. (2001). Tie receptors: new modulators of angiogenic and lymphangiogenic responses. *Nat Rev Mol Cell Biol*,(2), 257-267.
- Karyanti MR, Uiterwaal CSPM, Kusriastuti R, Hadinegoro SR, Rovers MM, Heesterbeek H, et al. (2014). The changing incidence of dengue haemorrhagic fever in Indonesia: a 45-year registry-base analysis. *BMC Infectious disease*, 14, 1-7
- Kanlaya R, Pattanakitsakul S, Sinchaikul S, Chn ST, Thongboonkerd V. (2009). *Journal of Proteome Research* 2009,8, 2551-62.
- Khan E, Kisat M, Khan N, Nasir A, Ayub S, Hasan R.. (2010). Demographic and clinical features of dengue fever in Pakistan from 2003–2007: a retrospective cross-sectional study. *PLoS one*, 5(9), 1-7
- Khair RE, Sukorini U. (2010). Kinetika faktor von willebrand demam berdarah dengue orang dewasa. *Artikel Media Clinical Pathology and Medical Laboratory*, 16(2), 68-72.
- Kranidioti H, Orfanos SE, Vaki I, Kotanidou, Raftogiannis M, Dimopoulou I, et al. (2009). Angiopoietin 2 is increased in septic shock: evidence for the existence of a circulatory factor stimulating its release from human monocyte. *Immunol Lett*, 125, 65-71.
- Krishnamurti C, kalayanarooj S, Cutting MA, Peat RA, Rothwill SW, Reid TJ et al. (2001). Mechanisms of hemorrhage in dengue without circulatory collapse. *Am J Trop Med Hyg*, 65(6), 840-847
- Kumpers P, Lukasz A, David S, Horn R, Hafer C, Faulhaber-Walter R, et al. (2008). Excess circulating angiopoietin-2 a strong predictor of mortality in critically ill medical patient. *Clin Care*, 12, 147.
- Kurane I. (2007). Dengue hemorrhagic fever with special emphasis on immunopathogenesis. *Comp Immunol Microbial Infect Dis*, 30(5-6), 329-340.
- Kyle JL, Beatty PR, Harris E. (2007). Dengue virus infect macrophages and dendritic cells in a mouse model of infection. *J Infect Dis*, 195(12), 1808-1817.
- Lagendijk AK, Hogan BM. (2014). VE-cadherin in vascular development : a coordinator of cell signaling nd tissue morphogenesis. *Current Topics in Developmental Biology*, 112, 325-353.
- Ledika MA, Setiabudi D, Dhamayanti M. (2015). Association between clinical profiles and severe dengue infection in children in developing country. *American Journal of Epidemiology and Infectious Disease*, 3(3), 45-49.

- Lei HY, Yeh TM, Liu HS, Lin YS, Chen SH, Liu CC. (2001). Immunopathogenesis of dengue virus infection. *J. Biomed Sci*, 8(5), 377-388.
- Levick JR, Michel CC. (2010). Microvascular fluid exchange and the revised Starling Principle. *Cardiovasc Res*, 87(2), 198-210.
- Lin CF, Wan SW, Cheng HJ, Lei HY, Lin YS. (2006). Autoimmune pathogenesis in dengue virus infection. *Viral Immunol*, 19(2), 127-132.
- Lin CF, Wan SW, Chen MC, Lin SC, Cheng CC, Chiu SC, et al. (2008). Liver injury caused by antibodies against dengue virus nonstructural protein 1 in a murine model. *Lab Invest*, 88(10), 1079-89
- Lukasz A, Kumpers P, David S. (2012). Role of Angiopoietin/Tie2 in Critical Illness: Promising Biomarker, Disease Mediator, and Therapeutic Target?. *Scientifica*, 2012, 1-8.
- Luplertlop N, Misra D, Bray D, Deleuze V, Gonzales JP, Leardkamolkarn V, et al. (2006). Dengue virus infected dendritic cells trigger vascular leakage through metalloproteinase over production. *EMBO Rep*, 7(11), 1176-1181
- Mamdouh Z, Mikhailov A, Muller WA. (2009) Transcellular migration of leukocyte is mediated by the endothelial lateral border recycling compartment. *J Exp Med*, 206(12), 2795-2808.
- Martina BE, Koraka P, Osterhaus AD. (2009). Dengue virus pathogenesis: an integrated view. *Clin microbiol Rev*, 22(4), 564-581
- Maron GM, Clara AW, Diddle JW, Pleites EB, Miller L, Mac Donald G, et al. (2010). Association between nutritional status and severity of dengue infection in children in El Salvador. *Am J Trop Med Hyg*, 82(2), 324-329
- May AE, Seizer P, Gawaz M. (2008). Platelets: inflammatory firebugs of vascular walls. *Arterioscler Thromb Vasc Biol*, 28(3), 5-10.
- Mayetti. (2010). Hubungan gambaran klinis dan laboratorium sebagai faktor risiko syok pada demam berdarah dengue. *Sari Pediatri*, 11, 367-73.
- Megariani, Mariko R, Alkamar A, Eka Putra A (2014). Uji Diagnostik Pemeriksaan Antigen Nonstruktural 1 Untuk Deteksi Dini Infeksi Virus Dengue Pada Anak. *Sari Pediatri*, 12, 121-27.
- Mehta D, Malik AB. (2006). Signalling mechanism regulating endothelial permeability. *Physiol Rev*, 1, 279-367.
- Michel CC, Neal CR. (1999). Openings through endothelial cells associated with increased microvascular permeability. *Microcirculation*, 6(1), 45-54.

Mitchel M, van der Ven AJAM, Djamiatun K, Fijnheer R, de Groot P, Griffioen AW, et al.(2012) Imbalance of Angiopoietin 1 and Angiopoietin-2 in severe dengue and relationship with thrombocytopenia, endothelial activation and vascular stability. Am J Trop Hyg. 87(5):943-6

Miller JL, de Wet BJ, Martinez-Pomares L, Radcliffe CM, Dwek RA, Rudd PM, et al. (2008). The mannose receptor mediates dengue virus infection of macrophages. PLoS Pathog, 4(2), 1-6

Moss, A. (2013).The Angiopoietin: Tie 2 interaction: a potential target for future therapies in human vascular disease. Cytokine Growth Factor Rev.

Mura M, Sahtos C, Stewart D, Liu M. (2004). Vascular endothelial growth factor and related molecules in acute lung injury. The Journal American Physiological, 97(5), 1605-17

Nagaram PP, Pidugu P, Munagala VK, Matli VV. (2017). Clinical abd laboratory profile and outcome of dengue cases among children attending a tertiary care hospital of South India. Int J Contemp Pediatr. 4(3):1074-80

Nascimento EJM, Hottz EU, Garcia-Bates TM, Bozza F, Marques ETA, Barrat-Boyes SM. (2014). Emerging concepts in dengue pathogenesis: Interplay between plasmablasts, platelets, and complement in triggering vasculopathy. Crirical Reviews in Immunology, 34(3), 227-240

Nascimento EJ, Silva AM, Cordeiro MT, Brito CA, Gil LH, Braga-Neto U, et al. (2009). Alternative complement pathway deregulation is correlated with dengue severity. PLoS One, 4(8)

Navarro-Sanchez E, Despres P, Cedillo-Barron L. (2005).Innate immune responses to dengue virus. Arch Med Res, 36(5), 425-35

Nelli, S. (2007). Hubungan status gizi dengan kejadian renjatan pada penderita anak demam berdarah dengue pada periode Januari – Juni 2006 di RSUP Dr. M. Djamil Padang. Universitas Andalas. Padang.

Nielsen DG. (2009). The relationship of interacting immunological components in dengue pathogenesis. Virol J, 6, 211.

Nguyen TH, Nguyen TL, Lei HY, Lin YS, Le BL, Huang KJ, et al. (2005).Association between sex, nutritional status, severity of dengue hemorrhagic fever, and immune status in infant with dengue hemorrhagic fever.Am J trop Med Hyg, 72(4), 370-374.

Noisakran S, Perng GC. (2008). Alternate hypothesis on the pathogenesis of dengue hemorrhagic fever (DHF)/dengue syok syndrome (DSS) in dengue viral infection. Exp Bio Med, 233(4), 401-408.

Nuyttens BP, Thijs T, Deckmyn H, Bross K. (2011). Platelet adhesion to collagen.Thromb Res, 127 Suppl 2, 26-9.

- Oishi K, Saito M, Mapua CA, Natividad FF. (2007). Dengue illness: clinical features and pathogenesis. *J Infect Chemother*, 13(3), 125-133.
- Olsson AK, Dimberg A, Kreuger J, Claesson-Welsh L. (2006). VEGF receptor signalling-in control of vascular function. *Nat Rev Mol Cell Biol*, 7(5), 359-371.
- Paes MV, Pinhao AT, Barreto DF, Costa SM, Oliveira MP, Nogueira AC, et al. (2005) Liver injury and viremia in mice infected with dengue-2 virus. *Virology*, 338(2), 236-246.
- Pancharoen C, Rungasaranont A, Thisyakorn U. (2002). Hepatic dysfunction in dengue patients with various severity. *J Med Assoc Thai*.85(1), S298-301.
- Parkash O, Almas A, Jafri SM, Hamid S, Akhtar J, Alishah H. (2010) Severity of acute hepatitis and its outcome in patients with dengue fever in a tertiary care hospital Karachi, Pakistan (South Asia). *BMC Gastroenterol*, 10, 43.
- Pusat Data dan Informasi Kementerian Kesehatan Indonesia: Situasi DBD. 2016.
- Pichainarong N, Mongkalangoon N, Kalayanarooj S, Chaveepojnkamjorn W. Relationship between body size and severity of dengue hemorrhagic fever among children aged 0–14 years. 2006. *Southeast Asian J Trop Med Public Health* 37(2): 283–288.
- Pries AR K. (2006).Normal Endothelium.Berlin Springer Verlag Berlin Heidelberg. Berlin: Berlin Springer Verlag Berlin Heidelberg
- Pober JS, Sessa WC. (2007). Evolving functions of endothelial cell in inflammation. *Nature reviews Immunology*, 7(10), 803-815.
- Pothapregada S, Kamalakannan B, Thulasingham M. (2015). Risk factors for shock in children with dengue fever. *Indian J Crit Care Med*, 19,661-664.
- Potts JA, Gibbons RV, Rothman AL, Srikiathkhachorn A, Thomas SJ, Supradish PA, et al. (2010). Prediction of dengue disease severity among pediatric Thai patients using early clinical laboratory indicators, 4(8), 1-7
- Pober JS, Sessa WC. Evolving functions of endothelial cells in inflammation. (2007). *Nature reviews immunology*, (10), 803-815
- Pongpan S, Wisitwong A, Tawichasri C, Patumanond J. (2013).Prognostic indicators for dengue infection severity. *Int J Clin Pediatr*, 2(1), 12-8.
- Rahbar E, Cardenas JC, Baimukanova G, et al. Endothelial glycocalyx shedding and vascular permeability in severely injured trauma patients. *J Transl Med* 2015; 13:117.

Ralapanawa U, Alawattegama ATM, Gunaratne M, Tennakoon S, Kularatne SAM, Jayalath T. (2018). Value of peripheral blood count for dengue severity prediction. *BMC Res Notes*. 11:400

Rampengan NH, Daud D, Warouw S, Ganda LJ.(2015) Serum Angiopoietin-2 as marker of plasma leakage in dengue viral infection. *American Journal of Clinical and Experimental Medicine*, 3(1), 39-43.

Rasyada A, Nasrul E, Edward Z. (2014). Hubungan Nilai Hematokrit Terhadap Jumlah Trombosit pada Penderita Demam Berdarah Dengue. *Jurnal Kesehatan Andalas*. 3(3): 343-347.

Ravishankar K, Vinoth PN, Venkatramanan P. (2015). Biochemical and radiological markers as predictors of dengue severity in children admitted in a tertiary care hospital. *Int J Contemp Pediatr*. 2(4), 311-6.

Sastroasmoro S, Ismael S. (2010). Dasar-Dasar Metode Penelitian Klinis. Edisi 3.CV Sagung Seto. Jakarta.

Saharinen P, Alitalu K. The Yin, the yang, and the Angiopoietin-1. (2011). *The Journal of Clinical investigation*. Helsinki, 121(6), 2157-9.

Salmon AH, Satchell SC. (2012). Endothelial Glycocalyx dysfunction in disease: albuminuria and increased microvascular permeability. *The journal of pathology*, 226(4), 562-74.

Satari HI. (2012). Pitfalls pada Diagnosis dan Tatalaksana Infeksi Dengue dalam: Hadinegoro SR, Kadim M, Devaera Y, Idris NS, AMbarsari CG, editor. PKB 23 Update Management of infectious diseases and gastrointestinal disorders. Departemen ilmu kesehatan anak FKUI. 27-39

Seneviratne SL, Malavige GN, de Silva HJ. (2006). Pathogenesis of liver involvement during dengue viral infection. *Trans R Soc Trop Med Hyg*, 100(7), 608-14.

Setiati TE, Soemantri AG, (1997). Blood lactic acids as a predictor of mortality in severe dengue haemorrhagic fever in drKariadi Hospital–Semarang, Central Java. Semarang: Universitas Diponegoro,10-19

Shroff RC, Price KL, Kolatsi-Joannou M, Todd AF, Wells D, Deanfield J, Johnson RJ, et al. (2013). Circulating angiopoietin-2 is a marker for early cardiovascular disease in children on chronic dialysis. *PloS ONE*, 8 (2),1-10.

Simmons CP, Farrar JJ, Nguyen VV, Wills B. (2012) Dengue. *N Engl J Med*, 366(15), 1423-1432.

Sierra B, Perez AB, Vogt K, Garcia G, Schmolke K, Aguirre E, et al. (2010). Secondary heterologous dengue infection risk: disequilibrium between immune regulation and inflammation? *Cell Immunol*, 262(2), 134-140.

- Sierra B, Perez AB, Alvarez M, Garcia G, Vogt K, Aguirre E, et al. (2012). Variation in inflammatory/regulatory cytokines in secondary, tertiary and quaternary challenges with dengue virus. *Am J Trop Med Hyg*, 87(3), 538-547
- Siner JM, Bhandari V, Engle KM, Elias JA, Siegel MD. 2009. Elevated serum Angiopoietin 2levels are associated with increased mortality in sepsis. *Shock*, 31, 348-353
- Soemarmo SP. Demam Berdarah Dengue pada Anak. Jakarta. Penerbit Universitas Indonesia, 1988.
- Suchita Chaudhry SS, Navin Khanna.(2006). Viral genetics as a basic of dengue pathogenesis. *Dengue bulletin*, 30
- Supriatan M. (2004). Gangguan Fungsi Hati pada Demam Berdarah Dengue (Tesis). Semarang. Program Pendidikan Dokter Spesialis I Fakultas Kedokteran Universitas Diponegoro
- Sutaryo. 2004. Dengue. Medika Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta Indonesia.
- Suwarto S, Sasmono RT, SIInto R, Ibrahim E, Suryamin M. (2017). Association of endothelial glycocalyx and tight and adherens junctions with severity of plasma leakage in dengue infection. Oxford University Press for the Infectious Diseases Society of America.
- Srikiatkachorn A. (2009). Plasma leakage in dengue hemoragic fever. *Throm Haemost*, 101, 1042-1049
- Steyerberg EW. (2009). Clinical prediction models : a practical approach to development, validation and updating. Springer, USA.
- Tambolkar SA. (2015).Liver functions as a marker of severity of disease in children with dengue fever. *Webmed Central PAEDIATRICS*, 6(8), 1-7.
- Tatura SNN, Daud D, Yusuf I, Wahyuni S, Bernadus JB. (2016). Association between interleukin-8 and severity of dengue shock syndrome in children. *Paediatrica Indonesiana*, 56(2), 1-10
- Tarbell JM. (2010). Shear stress and the endothelial transport barrier. *Cardiovasc Res*, 87(2), 320-330.
- Thomas M. (2008). Moleculer Mechanism of Angiopoietin 2 mediated destabilization of the vascular endothelium. Disertasi. Program Doktoral Universitas Freiburg.
- Thomas ST, Rothman AL, Srikiatkachorn A, Kalayanarooj S. (2018). Dengue virus infection. Uptodate.

- Thurston G, Rudge JS, Ioffe E, Zhou H, Ross L, Croll SD, et al. (2000). Angiopoetin-1 protects the adult vasculature against plasma leakage. *Nature med.* 6 (4), 460-463.
- Trang NTH, Long NP, Hue TTM, Hung LP, Trung TD, Dinh DN, et al. (2016). Association between nutritional status and dengue infection: a systematic review and meta-analysis. *BMC Infectious Diseases*, 16, 2-11
- Trayhurn P, Wood LS. 2005. Signalling role of adipose tissue: adipokines and inflammation in obesity. *Biochemical Society Transactions* (33): 78-81.
- Trung DT, Theo Le TT, Hien TT, Yung NT, Vinh NN, Hien PT, et al. (2010). Liver involvement associated with dengue infection in adults in Vietnam. *Am. J Trop Med Hyg.* 83(4), 774-80.
- Van de Weg CAM, Pannuti CS, Van de Ham HJ, Araujo ESA, Boas LSV, Felix AC, et al. (2014). Serum angiopoetin-2 and soluble VEGF receptor 2 are surrogate markers for plasma leakage in patients with acute dengue virus infection. *Jour of Clin virol.* 60, 328-335.
- Valentino B, Riyanto B, Dewi RM. (2012). Hubungan antara hasil pemeriksaan darah lengkap dengan derajat klinik infeksi dengue pada pasien dewasa di RSUP Dr. Kariadi Semarang. *Jurnal Medi Medika Muda*.
- Valenzuela, D.M., Griffiths, J.A., Rojas, J., Aldrich, T.H., Jones, P.F., et al. (1996). Angiopoietin 3 and 4: diverging gene counterparts in mice and human. *ProcNatiAcad Sci*, 96, 1904-1909.
- Vestweber D. (2007). Molecular mechanisms that control leukocyte extravasation through endothelial cell contacts. *Ernst Schering Found Symp Proc*, 3, 151-167.
- Wallez Y, Huber P. (2008). Endothelial adherens and tight junctions in vascular homeostasis, inflammation, and angiogenesis. *Biochim Biophys Acta*, 1778(3), 794-809.
- Wahid SF, Sanusi S, Zawawi MM, Ali RA. (2000). A comparison of the pattern of liver involvement in dengue hemorrhagic fever with classic dengue fever. *Southeast Asian J Trop Med Public Health*, 31(2), 259-263
- Weis, W. I. and Nelson, W. J. (2006). Re-solving the cadherin-catenin-actin conundrum. *J. Biol. Chem.* 281, 35593-35597.
- Wiwanitkit V. (2007). Liver dysfunction in dengue infection: an analysis of the previously published Thai cases. *J Ayub Med Coll Abbottabad*. 19(1):10-2.
- World Health Organization-Southeast Asia Regional Office.(2011). Comprehensive guidelines for prevention and control of dengue and dengue hemorrhagic fever. India. WHO.

World Health Organization and The Special Programme for Research and Training in Tropical Disease (TR). (2009). Dengue guidelines for diagnosis, treatment, prevention, and control. New Edition.

World Health Organization. (1997). Dengue Haemorrhagic Fever. Diagnosis, treatment, prevention and control 2nd ed. Geneva

Wu SJ, Grouard-Vogel G, Sun W, Mascola JR, Brachtel E, Putvatana R, et al. (2000). Human skin langerhans cells as targets of dengue virus infection. Nat. Med. 6(7), 816-20.

Yacoub S, Mongkolsapaya J, Screaton G. (2016). Recet advances in understanding dengue. F1000 Research 2016,5(F1000 Faculty Rev): 78

Yadav DK, Choudhary S, Gupta PK, Beniwal MK, Agarwal S, Shukla U. 2013. The Tei index and asymptomatic myocarditis in children with severe dengue. Pediatr Cardiol. 34,1307-1313.

Yua, X., Seegarb, T., Daltonb, A.C., Robeva, D.T., Goldgura, Y., Rajashankarc, K.R., et al. (2013).Structural basis for Angiopoietin-1-mediated signaling initiation. PNAS,110,7205-7210.

Yuan HT, Khankin EV, Karumanchi A, Parikh SM. (2009) Angiopoietin 2 is a partial agonist/antagonist of Tie-2 signaling in the endothelium. Mol Cell Biol 29: 2011-22

Yulianto A, Laksono IS, Juffrie M. (2016). Faktor Prognosis Derajat Keparahan Infeksi Dengue. Sari Pediatri. 18(3): 198-03

Zhang H, Zhou YP, Peng HJ, Zhang XH, Zhou FY, Liu ZH,Chen XG. (2014). Predictive symptoms and signs of severe dengue disease forpatients with dengue fever: A meta-analysis. BioMed Research International, 1-10.



