

## DAFTAR PUSTAKA

1. Suhaimi NHS, Azhar R, Adzis NS, et al. Recent updates on TiO<sub>2</sub>-based materials for various photocatalytic applications in environmental remediation and energy production. *Desalin Water Treat* 2025;321(August 2024):100976.:<https://doi.org/10.1016/j.dwt.2024.100976>
2. Bartošík M, Edelmannová MF, Mach J, Kočí K. Next-generation photocatalytic system: Ga<sub>2</sub>O<sub>3</sub>-modified Ga Nanoislands on graphene for H<sub>2</sub> production. *Appl Catal O Open* 2024;191(May):206944.
3. Mohd Amin NAA, Mohd Zaid HF. A review of hydrogen production using TiO<sub>2</sub>-based photocatalyst in tandem solar cell. *Int J Hydrogen Energy* 2024;77(April):166–183: <https://doi.org/10.1016/j.ijhydene.2024.05.407>
4. Esmat M, El-Hosainy H, Tahawy R, et al. Nitrogen doping-mediated oxygen vacancies enhancing co-catalyst-free solar photocatalytic H<sub>2</sub> production activity in anatase TiO<sub>2</sub> nanosheet assembly. *Appl Catal B Environ* 2021;285(November 2020):119755.:<https://doi.org/10.1016/j.apcatb.2020.119755>
5. Mani SS, Rajendran S, Mathew T, Gopinath CS. A review on the recent advances in the design and structure-activity relationship of TiO<sub>2</sub>-based photocatalysts for solar hydrogen production. *Energy Adv* 2024;3(7):1472–1504.
6. Mohsin M, Bhatti IA, Zeshan M, Yousaf M, Iqbal M. Prospects, challenges, and opportunities of the metals-modified TiO<sub>2</sub> based photocatalysts for hydrogen generation under solar light irradiation: A review. *FlatChem* 2023;42(June):100547. Available from: <https://doi.org/10.1016/j.flatc.2023.100547>
7. Divyasri YV, Lakshmana Reddy N, Lee K, et al. Optimization of N doping in TiO<sub>2</sub> nanotubes for the enhanced solar light mediated photocatalytic H<sub>2</sub> production and dye degradation. *Environ Pollut* 2021;269:116170.:<https://doi.org/10.1016/j.envpol.2020.116170>
8. Isnaeni IN, Indriyati, Dedi, Sumiarsa D, Primadona I. Green synthesis of different TiO<sub>2</sub> nanoparticle phases using mango-peel extract. *Mater Lett* 2021;294:129792. :<https://doi.org/10.1016/j.matlet.2021.129792>
9. Khan JA, Sayed M, Shah NS, et al. Synthesis of N-doped TiO<sub>2</sub> nanoparticles with enhanced photocatalytic activity for 2,4-dichlorophenol degradation and H<sub>2</sub> production. *J Environ Chem Eng* 2023;11(6):111308. <https://doi.org/10.1016/j.jece.2023.111308>
10. YU X, LV Q. N doping of TiO<sub>2</sub> nanocrystal for efficient photodegradation of organic pollutants under ultraviolet and visible light irradiation. *Turkish J Chem* 2021;45(5):1366–1374.
11. Natarajan TS, Mozhiarasi V, Tayade RJ. Nitrogen Doped Titanium Dioxide (N-TiO<sub>2</sub>): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications. *Photochem* 2021;1(3):371–410.
12. Wellia DV, Syafawi A, Putri YE, Muldarisnur N. The effect of cetyltrimethylammonium bromide (CTAB) addition on green synthesis of porous N-doped TiO<sub>2</sub> for photoreduction of heavy metal ion Cr(vi). *RSC Adv* 2023;13(42):29645–29656.
13. Bakre P V, Tilve SG, Shirsat RN. Influence of N sources on the photocatalytic activity of N-doped TiO<sub>2</sub>. *Arab J Chem [homepage on the Internet]* 2020;13(11):7637–7651. Available from: <https://doi.org/10.1016/j.arabjc.2020.09.001>
14. Arabani M, Farkhondeh J. Evaluation of rheological and microstructural behavior of modified asphalt binder with chitosan derived from shrimp shell powder. *Results Eng* 2024;23(June):102758. Available from: <https://doi.org/10.1016/j.rineng.2024.102758>
15. Pakizeh M, Moradi A, Ghassemi T. Chemical extraction and modification of chitin and chitosan from shrimp shells. *Eur Polym J* 2021;159(May):110709.:<https://doi.org/10.1016/j.eurpolymj.2021.110709>
16. Vega-Ramírez E, Chaparro-Garnica J, Salinas-Torres D, Morallón E, Cazorla-Amorós D. Sustainable Synthesis of N,P-doped activated carbons from chitosan for superior supercapacitor performance. *Electrochim Acta* 2025;530(May).
17. Hamlehdar M, Beardsmore G, Narsilio GA. Hydrogen production from low-temperature geothermal energy – A review of opportunities, challenges, and mitigating solutions. *Int J Hydrogen Energy* 2024;77(June):742–768.:

- <https://doi.org/10.1016/j.ijhydene.2024.06.104>
18. Mohammed Y, Hafeez HY, Mohammed J, Suleiman AB, Ndikilar CE, Idris MG. Hydrogen production via photocatalytic water splitting using spinel ferrite-based photocatalysts: Recent and future perspectives. *NextEnergy* 2024;4(April):100145.:<https://doi.org/10.1016/j.nxener.2024.100145>
19. Singh R, Dutta S. A review on H<sub>2</sub> production through photocatalytic reactions using TiO<sub>2</sub>/TiO<sub>2</sub>-assisted catalysts. *Fuel* 2018;220(July 2017):607–620.
20. Christoforidis KC, Fornasiero P. Photocatalytic Hydrogen Production: A Rift into the Future Energy Supply. *ChemCatChem* 2017;9(9):1523–1544.
21. Ahmad H, Kamarudin SK, Minggu LJ, Kassim M. Hydrogen from photo-catalytic water splitting process : A review. 2015;43:599–610.
22. Azem FAK, Birlik I, Keskin OY, Delice TKOC. Afyon Kocatepe Üniversitesi Fen ve Mühendislik Bilimleri Dergisi Improvement of Photocatalytic Degradation of Titanium Dioxide Nanomaterials by Non-metal Doping Ametal Katkılıma ile Titanyum Dioksit Nanomalzemelerin Fotokatalitik Bozunmasının İyileştirilir. 2023;23:874–882.
23. Karim S, Pardoyo P, Subagio A. Sintesis dan Karakterisasi TiO<sub>2</sub> Terdoping Nitrogen (N-Doped TiO<sub>2</sub>) dengan Metode Sol–Gel. *J Kim Sains dan Apl* 2016;19(2):63–67.
24. He F, Ma F, Li T, Li G. Solvothermal synthesis of N-doped TiO<sub>2</sub> nanoparticles using different nitrogen sources, and their photocatalytic activity for degradation of benzene. *CuihuaXuebao/ChineseJ Catal* 2013;34(12):2263–2270.  
[http://dx.doi.org/10.1016/S1872-2067\(12\)60722-0](http://dx.doi.org/10.1016/S1872-2067(12)60722-0)
25. Basavarajappa PS, Patil SB, Ganganagappa N, Reddy KR, Raghu A V., Reddy CV. Recent progress in metal-doped TiO<sub>2</sub>, non-metal doped/codoped TiO<sub>2</sub> and TiO<sub>2</sub> nanostructured hybrids for enhanced photocatalysis. *Int J Hydrogen Energy* 2020;45(13):7764–7778.
26. Chakraborty AK, Ganguli S, Sabur MA. Nitrogen doped titanium dioxide (N-TiO<sub>2</sub>): Electronic band structure, visible light harvesting and photocatalytic applications. *J WaterProcessEng* 2023;55(August):104183.<https://doi.org/10.1016/j.jwpe.2023.104183>
27. Ayyubi SN, Atmaja L, Purbasari A. Valorisation of Shrimp Waste into Chitosan/Montmorillonite-Sulfosuccinic Acid Composite Membrane for DMFC Application. *Reaktor* 2022;21(4):146–154.
28. Boudouaia N, Bengharez Z, Jellali S. Preparation and characterization of chitosan extracted from shrimp shells waste and chitosan film: application for Eriochrome black T removal from aqueous solutions. *Appl Water Sci* 2019;9(4):1–12. Available from: <https://doi.org/10.1007/s13201-019-0967-z>
29. Rahman M, Maniruzzaman M, Kumar R. South African Journal of Chemical Engineering A green route of antibacterial films production from shrimp ( Penaeus monodon ) shell waste biomass derived chitosan : Physicochemical , thermomechanical , morphological and antimicrobial activity analysis Deg. South African J Chem Eng he 2025;51(January 2024):153–169. Available from: <https://doi.org/10.1016/j.sajce.2024.11.005>
30. Mahatmanti FW, Kusumastuti E, Jumaeri J, et al. Pembuatan Kitin Dan Kitosan Dari Limbah Cangkang Udang Sebagai Upaya Memanfaatkan Limbah Menjadi Material Maju. *Inov Kim* 2022;(1):1–38.
31. Hisham F, Maziati Akmal MH, Ahmad FB, Ahmad K. Facile extraction of chitin and chitosan from shrimp shell. *Mater Today Proc* 2021;42:2369–2373. Available from: <https://doi.org/10.1016/j.matpr.2020.12.329>
32. Mohan K, Muralisankar T, Jayakumar R, Rajeevgandhi C. A study on structural comparisons of α-chitin extracted from marine crustacean shell waste. *Carbohydr Polym Technol Appl* 2021;2(May 2020):100037. <https://doi.org/10.1016/j.carpta.2021.100037>
33. Said Al Hoqani HA, AL-Shaysi N, Hossain MA, Sibani MA Al. Isolation and optimization of the method for industrial production of chitin and chitosan from Omani shrimp shell. *CarbohydrRes* 2020;492(March):108001. <https://doi.org/10.1016/j.carres.2020.108001>
34. Li Jianlin, Qingliu Wu and JW. Handbook of nanoparticles. Handb Nanoparticles 2015;(January 2016):1–1426.
35. Ningsih SKW. Sintesis Anorganik. 2016;
36. Ali A, Chiang YW, Santos RM. X-Ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and

- Research Directions. Minerals 2022;12(2).
37. Setiabudi A, Hardian R, Muzakir A. Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia. 2012;
38. Febiyanto SS. UV-Vis Diffuse Reflectance Spectroscopy ( UV-Vis DRS ). Inorg Mater Notes 2019;(c):2–4.
39. Torrent J, Barrón V. Diffuse reflectance spectroscopy. Methods Soil Anal Part 5 Mineral Methods 2015;5(March):367–385.
40. Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskopi. padang: LPTIK Universitas Andalas, 2004;
41. Sharma SK, Verma DS, Khan LU, Kumar S, Khan SB. Handbook of Materials Characterization. Handb Mater Charact 2018;(September):1–613.
42. Akuan A. Pengantar Karakterisasi Material. 2021;
43. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. J Nano Saintek 2009;2(1):1–9.
44. A. Mohammed, A. Abdullah. Scanning Electron Microscopy (SEM): A review. Proc 2018 Int Conf Hydraul Pneum - HERVEX 2018;(January):77–85.
45. Smith E, Dent G. Resonance Raman Scattering A practical Approach. 2019;
46. T A. Understanding Raman Spectroscopy. Principles and Theory. 2021;(April):1–5. Available from: [https://www.utsc.utoronto.ca/~traceslab/PDFs/raman\\_understanding.pdf](https://www.utsc.utoronto.ca/~traceslab/PDFs/raman_understanding.pdf)
47. Kanani N, Kurniawan T, Kosimaningrum W, Meliana Y, Jayanudin, Wardhono E. Ultrasonic irradiation as a mild and efficient protocol for the demineralization of chitin from shrimp shell wastes. South African J Chem Eng 2023;43(August2022):359–368. Available from: <https://doi.org/10.1016/j.sajce.2022.12.004>
48. Eamrat R, Rujakom S, Pussayanavin T, Taweesan A, Witthayaphirom C, Kamei T. Optimizing biocoagulant aid from shrimp shells (*Litopenaeus vannamei*) for enhancing microplastics removal from aqueous solutions. Environ Technol Innov 2024;33(September2023):103457. Available from: <https://doi.org/10.1016/j.eti.2023.103457>
49. Toe ED, Kurniawan W, Mariquit EG, Hinode H. Synthesis of N-doped mesoporous TiO<sub>2</sub> by facile one-step solvothermal process for visible light photocatalytic degradation of organic pollutant. J Environ Chem Eng 2018;6(4):5125–5134. Available from: <https://doi.org/10.1016/j.jece.2018.08.005>
50. Sarifuddin WS, Mahadi AH, Hussin MR, et al. Cu doped ZnFe<sub>2</sub>O<sub>4</sub> photocatalysts for enhanced hydrogen production and dye degradation in the visible region. J Photochem Photobiol A Chem [homepage on the Internet] 2024;453(January):115658. Available from: <https://doi.org/10.1016/j.jphotochem.2024.115658>
51. Mulyani R, Mulyadi D, Yusuf N. Chitosan Membrane from Shrimp Shells (*Panaeus Modonon*) as an Antibacterial Food. J Phys Conf Ser 2020;1477(7).
52. Ngadiwiyana, Fachriyah E, Ria P, Adiwibawa NB. Jurnal Kimia Sains dan Aplikasi Synthesis of Nano Chitosan as Carrier Material of Cinnamon 's Active Component. 2018;21(2):92–97.
53. Taro S. Kimia Anorganik. Kim Anorg [homepage on the Internet] 2009;(October):155–170. Available from: [https://www.researchgate.net/publication/317717590\\_Ikatan\\_kovalen\\_structur\\_Lewis\\_hibridisasi\\_VSPR\\_kepolaran\\_ikatan\\_muatan\\_formal\\_cuplikan\\_buku\\_non\\_komersial\\_free\\_download\\_untuk\\_bahan\\_aja](https://www.researchgate.net/publication/317717590_Ikatan_kovalen_structur_Lewis_hibridisasi_VSPR_kepolaran_ikatan_muatan_formal_cuplikan_buku_non_komersial_free_download_untuk_bahan_aja)
54. Dai L, Fu P, Chen J, Sun F. Nitrogen doping mediated oxygen vacancy and Ti valence regulation to enhance photocatalytic H<sub>2</sub> generation. Int J Hydrogen Energy 2023;48(67):26187–26199.
55. Divya G, Jaishree G, Rao TS, Chippada MLVP, Lakshmi KVD, Supriya SS. Improved catalytic efficiency by N-doped TiO<sub>2</sub> via sol gel under microwave irradiation: Dual applications in degradation of dye and microbes. Hybrid Adv 2022;1(November):100010.: <https://doi.org/10.1016/j.hybadv.2022.100010>
56. Lim C, An H, Ha S, et al. Applied Surface Science photocatalysts produced by underwater plasma technology for environmental and biomedical applications. Appl Surf Sci 2023;638(May):158123.: <https://doi.org/10.1016/j.apsusc.2023.158123>
57. Mragui Abderrahim, Imane Aadinan, Omar Zegaoui E da S El. Physico-chemical characterization and photocatalytic activity assessment under UV-A and Visible Light

- Irradiation od Iron-doped TiO<sub>2</sub> nanoparticles. 2023;
58. Saqib M, Rahman N, Safeen K, et al. Structure phase-induced photodegradation properties of cobalt-sulfur co-doped TiO<sub>2</sub> nanoparticles synthesized by hydrothermal route. J Mater Res Technol [homepage on the Internet] 2023;26:8048–8060. Available from: <https://doi.org/10.1016/j.jmrt.2023.09.151>
59. Cheng X, Yu X, Xing Z, Yang L. Synthesis and characterization of N-doped TiO<sub>2</sub> and its enhanced visible-light photocatalytic activity. Arab J Chem 2016;9:S1706–S1711. Available from: <http://dx.doi.org/10.1016/j.arabjc.2012.04.052>
60. Ariza-Tarazona MC, Villarreal-Chiu JF, Hernández-López JM, et al. Microplastic pollution reduction by a carbon and nitrogen-doped TiO<sub>2</sub>: Effect of pH and temperature in the photocatalytic degradation process. J Hazard Mater 2020;395(January):122632: <https://doi.org/10.1016/j.jhazmat.2020.122632>
61. Xu QC, Wellia DV., Yan S, Liao DW, Lim TM, Tan TTY. Enhanced photocatalytic activity of C-N-codoped TiO<sub>2</sub> films prepared via an organic-free approach. J Hazard Mater 2011;188(1–3):172–180.: <http://dx.doi.org/10.1016/j.jhazmat.2011.01.088>
62. Mahendra IP, Huda A, Ngoc HM, Nghia PT, Tamrin T, Wirjosentono B. Investigation of TiO<sub>2</sub> doped with nitrogen and vanadium using hydrothermal/Sol-Gel method and its application for dyes photodegradation. Arab J Basic Appl Sci 2019;26(1):242–253.
63. Zhang Xiaoyan, Peng Song X cui. Nitrogen-doped TiO<sub>2</sub> Photocatalyst Synthesized from Titanium Nitride: Characterizations and Photocatalytic Hydrogen Evolution Performance hidrogen.pdf. J Adv Oxid Technol 2013;16:131–136.

