

DAFTAR PUSTAKA

1. Brown EN, Lydic R, Schiff ND. General Anesthesia, Sleep, and Coma. *N Engl J Med*. 2010;363(27):2638–50.
2. Diao S, Ni J, Shi X, Liu P, Xia W. Mechanisms of action of general anesthetics. *Front Biosci*. 2014;19(1):747–57.
3. Woodall NM, Cook TM. National census of airway management techniques used for anaesthesia in the UK: first phase of the Fourth National Audit Project at the Royal College of Anaesthetists. *Br J Anaesth*. 2011;106(2):266–71.
4. Forman SA, Chin VA. General Anesthetics and Molecular Mechanisms of Unconsciousness. *Int Anesth Clin*. 2008;46(3):43–53.
5. Butterworth IV JF, Mackey DC, Wasnick JD. *Clinical Anesthesiology*. 5th ed. USA: McGraw-Hill Education; 2013.
6. Rüsç D, Eberhart LHJ, Wallenborn J, Kranke P. Nausea and Vomiting After Surgery Under General Anesthesia. *Dtsch Arztebl Int*. 2010;107(42):733–41.
7. Wadood F, Muhammad R, Jamil M, Un Nisa W. Efficacy of ondansetron alone and ondansetron plus dexamethasone in preventing nausea and vomiting after middle ear surgery. *J Ayub Med Coll Abbottabad JAMC*. 2014;26(1):80–3.
8. Smith HS, Smith EJ, Smith BR. Postoperative nausea and vomiting. *Ann Palliat Med*. 2012;1(2):94–102.
9. Macario A, Weinger M, Carney S, Kim A. Which clinical anesthesia outcomes are to be avoided? The perspective of patients. *Anesth Analg*. 1999;89:652–8.
10. Gan TJ, Sloan F, de L Dear G, El-Moalem HE, Lubarsky DA. How Much Are Patients Willing to Pay to Avoid Postoperative Nausea and Vomiting? *Anesth Analg*. 2001;92(2):393–400.
11. Myles PS, Wengritzky R. Simplified postoperative nausea and vomiting impact scale for audit and post-discharge review. *Br J Anaesth*. 2012;108(3):423–9.
12. Myles PS, Chan MT V, Kasza J, Leslie K, Peyton PJ, Sessler DI, et al. Severe Nausea and Vomiting in the Evaluation of Nitrous Oxide in the Gas Mixture for Anesthesia II Trial. *Anesthesiology*. 2016;124(5):1032–40.
13. Silva AC, O’Ryan F, Poor DB. Postoperative Nausea and Vomiting (PONV) After Orthognathic Surgery: A Retrospective Study and Literature Review. *J Oral Maxillofac Surg*. 2006;64(9):1385–97.
14. Gan TJ, Meyer T, Apfel CC, Chung F, Davis PJ, Eubanks S, et al. Consensus guidelines for managing postoperative nausea and vomiting. *Anesth Analg*. 2003;97(1):62–71.
15. Putri WM. Studi penggunaan obat antiemetik dalam mencegah mual dan muntah pasca operasi pada pasien bedah ortopedi di rumkital dr. Ramelan surabaya (skripsi). Fakultas Farmasi Universitas Airlangga. 2016.
16. Gan TJ, Diemunsch P, Habib AS, Kovac A, Kranke P, Meyer TA, et al. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg*. 2014;118(1):85–113.
17. Kogan A, Eidelman LA, Raanani E, Orlov B, Shenkin O, Vidne BA. Nausea and vomiting after fast-track cardiac anaesthesia. *Br J Anaesth*.

- 2003;91(2):214–7.
18. Pierre S, Whelan R. Nausea and vomiting after surgery. *Contin Educ Anaesthesia, Crit Care Pain*. 2013;13(1):28–32.
 19. McCracken G, Houston P, Lefebvre G. Guideline for the Management of Postoperative Nausea and Vomiting. *J Obstet Gynaecol Canada*. 2008;30(7):600–7.
 20. Apfel CC, Heidrich FM, Jukar-Rao S, Jalota L, Hornuss C, Whelan RP, et al. Evidence-based analysis of risk factors for postoperative nausea and vomiting. *Br J Anaesth*. 2012;109(5):742–53.
 21. Sari NM. Tingkat kepuasan pasien pasca operasi dengan anestesi regional dan anestesi umum di RS PKU Muhammadiyah Gamping (skripsi). Fakultas kedokteran Universitas Muhammadiyah Yogyakarta. 2017.
 22. Gautam B, Shrestha Babu R, Lama P, Rai S. Antiemetic prophylaxis against postoperative nausea and vomiting with ondansetron-dexamethasone combination compared to ondansetron or dexamethasone alone for patients undergoing laparoscopic cholecystectomy. *Kathmandu Univ Med J*. 2008;6(23):319–28.
 23. Donnerer J. *Antiemetic Therapy*. Vol. 1. Karger; 2003. 121-160 p.
 24. Cao X, White PF, Ma H. An update on the management of postoperative nausea and vomiting. *J Anesth*. 2017;31(4):617–26.
 25. Sholihah A, Sikumbang KM, Husairi A. Gambaran angka kejadian Post Operative Nausea and Vomiting (PONV) di RSUD Ulin Banjarmasin Mei-Juli 2014. *Berk Kedokt*. 2014;11(1):119–29.
 26. Wijaya AA, Fithrah BA, Marsaban AHM, Hidayat J. Efektivitas Pemberian Cairan Praoperatif Ringer Laktat 2 mL/kgBB/jam Puasa untuk Mencegah Mual Muntah Pascaoperasi. *J Anestesi Perioper*. 2014;2(3):200–7.
 27. Ratnasari DD. Studi penggunaan propofol kombinasi pada induksi anestesi (skripsi). Fakultas Farmasi Universitas Airlangga. 2016.
 28. Son Y. Molecular mechanisms of general anesthesia. *Korean J Anesth*. 2010;59(1):3–8.
 29. Cheng VY, Martin LJ, Elliott EM, Kim JH, Mount HTJ, Taverna FA, et al. α 5GABAA A Receptors Mediate the Amnestic But Not Sedative- Hypnotic Effects of the General Anesthetic Etomidate. *J Neurosci*. 2006;26(14):3713–20.
 30. Krogsgaard-larsen P, Frølund B, Liljefors T, Ebert B. GABA A agonists and partial agonists : THIP (Gaboxadol) as a non-opioid analgesic and a novel type of hypnotic. *Biochem Pharmacol*. 2004;68(8):1573–80.
 31. Hentschke H, Schwarz C, Antkowiak B. Neocortex is the major target of sedative concentrations of volatile anaesthetics : strong depression of firing rates and increase of GABA A receptor-mediated inhibition. *Eur J Neurosci*. 2005;21(1):93–102.
 32. Uhrig L, Dehaene S, Jarraya B. Cerebral mechanisms of general anesthesia. *Ann Fr Anesth Reanim*. 2014;33(2):72–82.
 33. Egan TD. Total Intravenous Anesthesia Versus Inhalation Anesthesia: A Drug Delivery Perspective. *J Cardiothorac Vasc Anesth*. 2015;29:1–16.
 34. Smith DJ, Howie MB. General Anesthesia: Intravenous and Inhalational Agents. In: Craig CR, Stitzel RE, editors. *Modern Pharmacology with Clinical Applications*. 6th ed. Philadelphia: Lippincott Williams & Wilkins;

2004. p. 291–309.
35. Apfel CC, Roewer N, Korttila K. How to study postoperative nausea and vomiting. *Acta Anaesthesiol Scand*. 2002;46(8):921–8.
 36. Singh P, Yoon SS, Kuo B. Nausea: A review of pathophysiology and therapeutics. *Therap Adv Gastroenterol*. 2016;9(1):98–112.
 37. Hasler WL, Chey WD. Nausea and vomiting. *Medicine (Baltimore)*. 2003;125(6):1860–1867.
 38. Squire Y, Spencer R. Postoperative nausea and vomiting. *Anaesth intensive care Med*. 2018;26(3):120–6.
 39. Eberhart LHJ, Hogel J, Seeling W, Staack AM, Geldner G, Georgieff M. Evaluation of three risk scores to predict postoperative. *Acta Anaesthesiol Scand*. 2000;(3):480–8.
 40. Grant MC, Betz M, Hulse M, Zorrilla-Vaca A, Hobson D, Wick E, et al. The Effect of Preoperative Pregabalin on Postoperative Nausea and Vomiting: A Meta-analysis. *Anesth Analg*. 2016;123(5):1100–7.
 41. Guyton AC, Hall JE. *Textbook of Medical Physiology*. 11th ed. Philadelphia: Elsevier Ltd; 2006. 823-824 p.
 42. Becker DE. Nausea, Vomiting, and Hiccups: A Review of Mechanisms and Treatment. *Anesth Prog*. 2010;57(4):150–7.
 43. Doubravská L, Dostalová K, Fritscherová S, Zapletalová J, Adamus M. Incidence of postoperative nausea and vomiting in patients at a university hospital. Where are we today? *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 2010;154(1):69–76.
 44. Apfel CC, Philip BK, Cakmakaya OZ, Shilling A, Shi YY, Leslie JB, et al. Who Is at Risk for Postdischarge Nausea and Vomiting after Ambulatory Surgery? *Anesthesiology*. 2012;117(3).
 45. Eberhart LHJ, Geldner G, Kranke P, Morin AM, Schäuffelen A, Treiber H, et al. The development and validation of a risk score to predict the probability of postoperative vomiting in pediatric patients. *Anesth Analg*. 2004;99(6):1630–7.
 46. Farhat K, Waheed A, Pasha AK, Iqbal J, Mansoor Q. Effect of Smoking on Nausea, Vomiting and Pain. *J Postgrad Med Inst*. 2014;28(3):277–81.
 47. Shaikh SI, Nagarekha D, Hegade G, Marutheesh M. Postoperative nausea and vomiting: A simple yet complex problem. *Anesth Essays Res*. 2016;10:388–96.
 48. Hambridge K. Assessing the risk of post-operative nausea and vomiting. *Nurs Stand*. 2013;27(18):35–43.
 49. Shin HC, Kang TW, Wu YH, Sun HS, Tseng CCA. Validation of simplified postoperative nausea and vomiting intensity scale in Taiwan. Vol. 32, *Journal of Clinical Monitoring and Computing*. 2018. p. 937–44.
 50. Sherif L, Hegde R, Mariswami M, Ollapally A. Validation of the Apfel scoring system for identification of High-risk patients for PONV. *Karnataka Anaesth J*. 2015;1(3):115.
 51. Smith CA, Ruth-Sahd L. Reducing the Incidence of Postoperative Nausea and Vomiting Begins With Risk Screening: An Evaluation of the Evidence. *J Perianesthesia Nurs*. 2016;31(2):158–71.
 52. Hooper VD. SAMBA Consensus Guidelines for the Management of Postoperative Nausea and Vomiting: An Executive Summary for

- Perianesthesia Nurses. *J Perianesthesia Nurs.* 2015;30(5):377–82.
53. Lee A, Fan LTY. Stimulation of the wrist acupuncture point P6 for preventing postoperative nausea and vomiting. *Cochrane Database Syst Rev.* 2011;15(2).
 54. Kim YH, Kim KS, Lee HJ, Shim JC, Yoon SW. The Efficacy of Several Neuromuscular Monitoring Modes at the P6 Acupuncture Point in Preventing Postoperative Nausea and Vomiting. *Anesth Analg.* 2011;112(4):819–23.
 55. Eberhart LHJ, Seeling W, Bopp TI, Morin AM, Georgieff M. Dimenhydrinate for prevention of post-operative nausea and vomiting in female in-patients. *Eur J Anaesthesiol.* 1999;16(5):284–9.
 56. Fahma AU, Fuadi I, Setiadinata J. Incidence of Postoperative Nausea and Vomiting in Dr . Hasan Sadikin General Hospital Bandung Period May to October 2013. *Althea Med J.* 2017;4(1):58–63.
 57. Sudjito MH, Mulyata, Setyawati T. Kejadian Mual Muntah Pasca-Laparotomi (PONV) setelah Pemberian Granisetron Dibandingkan setelah Pemberian Kombinasi Ondansetron - Deksametason. *J Anestesi Indones.* 2018;45(3):172–5.
 58. Kurdi MS, Ramaswamy AH. Does the phase of the menstrual cycle really matter to anaesthesia ? *Indian J Anaesth.* 2018;62(12):330–6.
 59. Chatterjee S, Rudra A, Sengupta S. Current Concepts in the Management of Postoperative Nausea and Vomiting. *Anesthesiol Res Pract.* 2011;74(8031):1–10.
 60. Hendro RT, Pradian E, Indriasari. Penggunaan Skor Apfel sebagai Prediktor Kejadian Mual dan Muntah Pascaoperasi di RSUP Dr. Hasan Sadikin Bandung. *J Anestesi Perioper.* 2018;6(2):89–97.
 61. Nitahara K, Sugi Y, Shono S, Hamada T, Higa K. Risk factors for nausea and vomiting following vitrectomy in adults. *Eur J Anaesthesiol.* 2007;24:166–70.
 62. Kenny GNC. Risk factors for postoperative nausea and vomiting. *Anaesthesia.* 1994;49:6–10.
 63. Choi DH, Ko JS, Ahn HJ, Kim JA. A Korean Predictive Model for Postoperative Nausea and Vomiting. *J Korean Med Sci.* 2005;20:811–5.
 64. Apipan B, Rummasak D, Wongsirichat N. Postoperative nausea and vomiting after general anesthesia for oral and maxillofacial surgery. *J Dent Anesth Pain Med.* 2016;16(4):273–81.
 65. Rodseth RN, Gopalan PD, Cassimjee HM, Goga S. Reduced Incidence of Postoperative Nausea and Vomiting in Black South Africans and Its Utility for a Modified Risk Scoring System. *Anesth Analg.* 2010;110(6):1591–4.
 66. Alli A, Omar S, Tsang S, Naik BI. The Effect Of Ethnicity On The Incidence Of Postoperative Nausea And Vomiting In Moderate To High Risk Patients Undergoing General Anesthesia In South Africa: A Controlled Observational Study. *Middle East J Anaesthesiol.* 2018;24(2):119–29.
 67. Leong XYA, Kwa XWC, Ng SHE, Koh LKD. Singapore General Hospital Experience on Ethnicity and the Incidence of Postoperative Nausea and Vomiting after Elective Orthopaedic Surgeries. *J Anesthesiol.* 2015;2015:1–8.

68. Juliana YH, Irawan D, Hamidy MY. Gambaran Kejadian Post Operative Nausea And Vomiting (PONV) Pada Pasien Yang Menjalani Anestesi Umum Dengan Menggunakan Laryngeal Mask Airway (LMA) Di RSUD Arifin Achmad Provinsi Riau (skripsi). Fakultas Kedokteran Universitas Riau. 2013.
69. Whalen F, Sprung J, Burkle CM, Schroeder DR, Warner DO. Recent Smoking Behavior and Postoperative Nausea and Vomiting. *Ambul Anesth.* 2006;103(1):70–5.
70. Busoni P, Sarti A, Crescioli M, Agostino MR, Sestini G, Banti S. Motion sickness and postoperative vomiting in children. *Paediatr Anaesth.* 2002;12(2):65–8.
71. Gebremedhn E, Belayneh T, Hoyle J, Reddi D. Prevalence and factors associated with post-operative nausea and vomiting at University of Gondar Hospital , Northwest Ethiopia , 2012 : A cross-sectional study. *Ethiop J Heal Biomed Sci.* 2015;6(1):1–10.
72. Qudsi AS, Jatmiko HD. Prevalensi kejadian ponv pada pemberian morfin sebagai analgetik pasca operasi penderita tumor payudara dengan anestesi umum di RSUP Dr. Kariadi Semarang. *J Kedokt Diponegoro.* 2016;5(3):167–73.
73. Cohen MM, Duncan PG, Deboer DP, Tweed WA. The Postoperative Interview : Assessing Risk Factors for Nausea and Vomiting. *Anesth Analg.* 1994;78:7–16.
74. Brettner F, Janitza S, Prüll K, Weninger E, Mansmann U. Gender-Specific Differences in Low-Dose Haloperidol Response for Prevention of Postoperative Nausea and Vomiting : A Register-Based Cohort Study. *PLoS One.* 2016;11(1):1–15.
75. Won YJ, Yoo JY, Chae YJ, Kim DH, Park SK, Cho HB, et al. The Incidence of Postoperative Nausea and Vomiting after Thyroidectomy using Three Anaesthetic Techniques. *J Int Med Res.* 2011;39:1834–42.
76. Kim SH, Shin Y, Oh YJ, Lee JR, Chung SC, Choi YS. Risk Assessment of Postoperative Nausea and Vomiting in the Intravenous Patient-Controlled Analgesia Environment : Predictive Values of the Apfel ' s Simplified Risk Score for Identification of High-Risk Patients. *Yonsei Med J.* 2013;54(5):1273–81.
77. Kovac AL. Prevention and Treatment of Postoperative Nausea and Vomiting. *Drugs.* 2000;59(2):213–43.
78. Bilgen S, Kızılcık N, Haliloğlu M, Yıldırım G, Kaspar EÇ, Köner Ö. Effect of the Dexamethasone-Ondansetron Combination Versus Dexamethasone-Aprepitant Combination to Prevent Postoperative Nausea and Vomiting. *Turk J Anaesthesiol Reanim.* 2018;46(5):373–80.
79. Karanicolas PJ, Smith SE, Kanbur B, Davies E, Guyatt GH. The Impact of Prophylactic Dexamethasone on Nausea and Vomiting After Laparoscopic Cholecystectomy. *Ann Surg.* 2008;248(5):751–62.
80. Yanhil SI, Kambey BI, Tambajong HF. Perbandingan antara ondansetron 4 mg iv dan deksametason 5 mg iv dalam mencegah mual-muntah pada pasien laparotomi dengan anestesia umum. *J e-Clinic.* 2016;4(2):1–7.
81. Yang SY, Kim YH, Kang PS, Yoon SH. The Effect of Anaesthetic Technique on Postoperative Nausea and Vomiting in Patients undergoing

- Gynecologic Laparoscopy. *Korean J Anesth.* 2003;45(3):332–8.
82. Gurkan Y, Kilickan L, Toker K. Propofol-nitrous oxide versus sevoflurane-nitrous oxide for strabismus surgery in children. *Pediatr Anaesth.* 1999;9(7):495–9.
83. Apfel CC, Stoocklein K, Lipfert P. PONV : A problem of inhalational anaesthesia ? *Best Pract Res Clin Anaesthesiol.* 2005;19(3):485–500.
84. Yoo Y, Bai S, Lee K, Shin S, Choi EK, Lee JW. Total Intravenous Anesthesia with Propofol Reduces Postoperative Nausea and Vomiting in Patients Undergoing Robot-Assisted Laparoscopic Radical Prostatectomy : A Prospective Randomized Trial. *Yonsei Med J.* 2012;53(6):1197–202.
85. Son J, Doo A, Kwon Y, Han Y, Ko S. A comparison between ketorolac and nefopam as adjuvant for postoperative patient-controlled analgesia. *Korean J Anesth.* 2017;70(6):612–8.
86. Teunkens A, Vanhaecht K, Vermeulen K, Fieuws S, Velde M Van De, Rex S, et al. Measuring satisfaction and anesthesia related outcomes in a surgical day care centre : A three-year single-centre observational study. *J Clin Anesth.* 2017;43:15–23.

