


**PENGARUH TERAPI MUROTTAL TERHADAP PERUBAHAN
PERILAKU KEKERASAN PADA KLIEN SKIZOFRENIA
DI RSJ TAMPAN PROVINSI RIAU**

TESIS

Oleh:

RINA HERNIYANTI

BP: 1521312004



**PROGRAM STUDI S2 KEPERAWATAN
KEKHUSUSAN KEPERAWATAN JIWA
FAKULTAS KEPERAWATAN - UNIVERSITAS ANDALAS
PADANG 2018**

**PROGRAM STUDI S2 KEPERAWATAN
KEKHUSUSAN KEPERAWATAN JIWA
FAKULTAS KEPERAWATAN UNIVERSITAS ANDALAS**

**Tesis, Juli 2018
RINA HERNIYANTI**

**Pengaruh Terapi Murottal Terhadap Perubahan Perilaku Kekerasan Pada
Klien Skizofrenia Di RSJ Tampan Provinsi Riau.**

xvi+ 103 hal+ 14 tabel+ 4 skema+15 lampiran



Skizofrenia merupakan penyakit gangguan jiwa berat yang disebabkan oleh perubahan neurotransmitter di otak, dan angka kejadiannya mengalami peningkatan setiap tahunnya. Salah satu manifestasi gangguan perilaku pada skizofrenia adalah perilaku kekerasan, serta dapat mengakibatkan resiko mencederai diri sendiri atau orang lain. Terapi perilaku kekerasan salah satunya adalah terapi murottal. Terapi murottal adalah terapi yang dapat membuat seseorang menjadi rileks, membuat kenikmatan dan kenyamanan bagi tubuh. Tujuan penelitian untuk mengetahui pengaruh terapi murottal terhadap perubahan perilaku kekerasan pada klien skizofrenia. Desain penelitian adalah *Pre Test and Post Test control Group Design*, dengan rancangan *Quasy Experimental*. Penelitian dilakukan terhadap 46 responden yaitu 23 orang kelompok intervensi dan 23 orang kelompok kontrol. Teknik sampling yang digunakan adalah *purposive sampling*. Kelompok intervensi mendapatkan terapi murottal selama 7 hari. Hasil penelitian terdapat perbedaan yang signifikan antara perilaku kekerasan sebelum dan sesudah pemberian terapi murottal *p value* 0,000. Ada perbedaan yang signifikan antara perilaku kekerasan sebelum dan sesudah kelompok kontrol *p value* 0,000. Ada perbedaan yang bermakna antara perilaku kekerasan pada kelompok intervensi dengan kelompok kontrol *p value* 0,000. Dimana perbedaan perilaku kekerasan lebih besar terjadi pada kelompok intervensi dibanding kelompok kontrol. Sehingga terapi murottal direkomendasikan untuk dipertimbangkan pada klien skizofrenia dengan perilaku kekerasan.

Kata Kunci : Skizofrenia, Perilaku Kekerasan, Terapi Murottal.

Daftar Pustaka : 60 (2003-2017).

**S2 NURSING PROGRAM
SPECIFICITY PSYHIATRIC NURSING
FACULTY OF NURSING UNIVERSITY ANDALAS**

**Thesis, July 2018
RINA HERNIYANTI**

The Effect of Murottal Therapy on Changes in Violence Behavior in Schizophrenic Clients at RSJ Tampan Riau Province.

xvi+ 103 hal+ 14 table + 4 schemes+15 attachment



Schizophrenia is a severe psychiatric illness caused by changes in neurotransmitters in the brain, and the incidence rate increases every year. Behavioral disorder is one of the manifestations of schizophrenia that arise in violent behavior, which may lead to the risk of injury to self or others. Violent behavior therapy one of them is murottal therapy. Murottal therapy is a therapy that can make a person become relaxed, making pleasure and kenyaamanan for the body. The objective of the study was to investigate the effect of murottal therapy on changes in violent behavior on schizophrenic clients. The research design is Pre Test and Post Test control of Group Design, with Quasy Experimental design. The study was conducted on 46 respondents that is 23 people intervention group and 23 control group. The sampling technique used is purposive sampling. The intervention group received a murottal therapy for 7 days. The results of the study there were significant differences between violent behavior before and after murottal treatment p value 0,000. There was a significant difference between violent behavior before and after control group p value 0,000. There was a significant difference between violent behavior in the intervention group and the control group p value 0,000. Where differences in violent behavior occurred in the intervention group over the control group. So murottal therapy is recommended to be heard on schizophrenic clients with violent behavior.

Key words : schizophrenia, violent behavior, murottal therapy.

Reference : 60 (2003-2017).