

DAFTAR PUSTAKA

- Acet H, Faruk E, Mehmet Z, Mehmet A, Ferhat Ö, Mesut A, *et al.*, 2015. Nizamettin Toprak Postep The relationship between neutrophil to lymphocyte ratio, platelet to lymphocyte ratio and thrombolysis in myocardial infarction risk score in patients with ST elevation acute myocardial infarction before primary coronary intervention, In: Postep Kardiol Inter, 2 (40): 126–135
- Adukauskiene D, Ciginskiene A, Adukauskaite A, Pentiokiniene D, Slapikas R, Ceponiene I, 2016. Clinical Relevance of High Sensitivity C Reactive Protein in Cardiology, In: J Medici, 52:1-10
- Arima H, Michiaki K, Koji Y, Toshiharu N, Doi Y, Tanizaki Y, *et al.*, 2008. High-Sensitivity C-Reactive Protein and Coronary Heart Disease in a General Population of Japanese: The Hisayama Study, In: Arterioscler thromb vasc biol, 28(7);1385-91.
- Azab B, Zaher M, Weiserb K, Torbey E, Lacoissiere K, Gaddam S, *et al.*, 2010. Usefulness of neutrophil to lymphocyte ratio in predicting short and long term mortality after non STEMI, In: J AmJCard, 106(4);470-6
- Balta S, Demirkol S, Celik T, Kucuk U, Unlu M, Arsln Z, *et al.*, 2013. Association between coronary artery ectasia and neutrophil-lymphocyte ratio, In: Angiology, 64(8);627–632.
- Basha SJ, Kumar A, Prasad L, 2016. Role of High Sensitivity C-Reactive Protein in Detecting Myocardial Infarction, In: IOSR-JDMS, 2:19-22
- Bhat T, Teli S, Rijal J, Bhat H, Raza M, Khoueiry G, *et al.*, 2013. Neutrophil to Lymphocyte Ratio and Cardiovascular Diseases: A Review, In: Expert Rev Cardiovasc Ther, 12:55-59
- Budzianowski J, Pieszko K, Burchard P, Rzezniczak J, Hiczkiewicz J, 2017. The Role of Haemotological Indices in Patients with Acute Coronary Syndrom, In: Disease Markers, 2017, article id 30141565: 1-9
- Carbone F, Nencioni A, Mach F, Vuilleumier N, Montecucco F, 2013. Pathophysiological role of neutrophils in acute myocardial infarction, Thromb Haemost, 110: 501-14
- Char Douglas, 2005. The Pathophysiology Acute Coronary Syndrom, diunduh dari <https://pdfs.semanticscholar.org/91b0/b8490f5d91c9b553703eed586c5d1d87b74.pdf> pada tanggal 2 januari 2018
- Chen J, Man-Hua C, Sha L, Yuan-lin G, Cheng GZ, Rui XX, *et al.*, 2014. Usefullness of The Neutrophil to Lymphocyte Ratio in Predicting the Severity of Coronary Artery Disease: A Gensini Score, In: J Atheroscler Thromb, 21(12):1271-1282
- Choi YH, Hong YJ, Ahn Y, Park IH, Jeong MH, 2014. Relationship between Neutrophil to Lymphocyte Ratio and Plaque Components in Patients with Coronary Artery Disease: Virtual Histology Intravascular Ultrasound Analysis, In: J Korean Med Sci, 29:950-956
- Canadian Institute for Health Information, 2007. Acute Coronary Syndrome: Understanding the Spectrum, diunduh dari www ccpnetwork.ca/GWG/resources/ACS-spectrum.pdf pada tanggal 15 Januari 2018

- Darwin E, Elfi E, Elvira D. 2017. Endotel: Fungsi dan Disfungsi. Padang. Andalas University Press. 126-127
- Departemen Kesehatan RI. Survei kesehatan nasional, 2003. laporan studi mortalitas 2001: pola penyakit penyebab kematian di Indonesia, Jakarta: Badan Penelitian dan Pengembangan Kesehatan; 76
- Dominguez A, Gonzalez PA, Kaski JC, 2009. Inflammatory Systemic Biomarkers in Setting Acute Coronary Syndromes- Effects of the Diurnal Variation, In: Current Drug Targets, 10: 1001-1008
- Dur A, Ziya I, Medine I, Dursun A, Omer U, Huseyin M, *et al.*, 2017. Relationships Among Markers of Inflammation, Neutrophil to Lymphocyte Ratio, and Syntax Severity Score in the Early Phase of Acute Coronary Syndrome, In: Bezmialem Science, 5:56-60
- Eftekhari H, Bukharovich I, Aziz E., Hong MK, 2008. Epidemiology and Pathophysiology of Acute Coronary Syndrome, In: Hong M.K., Herzog E. (eds) Acute Coronary Syndrome. Springer, London, 25-36
- Fiarresga AJ, Ferreira RC, Feliciano J, Timoteo A, Pelicano N, Sousa L, *et al*, 2004. Prognostic value of neutrophil responses in the era of acute myocardial infarction mechanical reperfusion, Rev Port Cardiology,23;1387-1396
- Gomar FS, Quilis CP, Leischik R, Lucia A, 2016. Epidemiology of coronary heart disease and acute coronary syndrome, In: Ann Transl Med, 4(13):256
- He J, Jing L, Yunfei W, Peng H, Qi H, 2014. Neutrophil to Lymphocyte Ratio (NLR) Predicts Mortality and Adverse Outcomes after ST Segment Elevation Myocardial Infarction in Chinese People, In: Int J Clinl Exp Pathol, 7(7); 4045-4056
- Immanuel S, 2017. Peran Penanda Inflamasi pada Penyakit Kardiovaskular, dalam PPK, 161-181
- Kalay N, Dogdu O, Koc F, Yarlioglu M, Ardic I, AkpekM, *et al.*, 2012. Hematologic parameters and angiographic progression of coronary atherosclerosis, Angiology, 63(3);213–217
- Kamath DY, Xavier D, Sigamani A, Pais P, 2015. High sensitivity C Reactive protein (hsCRP) & Cardiovascular disease: An Indian Perspective, In: Indian J Med Res,142:261-268
- Kaya MG, Akpek M, Lam YY, Yarlioglu M, Celik T, Gunebakmaz O., *et al.*, 2013. Pronostic value of neutrophil/lymphocyte ratio in patients with ST-elevated myocardial infarction undergoing primary coronary intervention: a prospective, multicenter study, IJCard,168;1154-9
- Kemenkes, 2013. “Profil Kesehatan Indonesia Tahun 2013”, diunduh dari <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2013.pdf> pada tanggal 15 Februari 2018
- Keohane EM, Smith LJ, Walenga JM, 2016. Rodak’s Hematology Clinical Principles and Applications, 5th edition, London:Elsevier, 1-2
- Koenig, W, 2003. Update on C-Reactive Protein as A Risk Marker in Cardiovascular Disease, In: Kidney International, 63(84):s58-s61
- Kruk M, Przyluski J, Kalinczuk L, Pregowski J, Deptuch T, Kadziela J, *et al.*, 2008. Association of Non Specific Inflammatory Activation with Early

- Mortality in Patients with ST-Elevation Acute Coronary Syndrome Treated with primary Angioplasty, In: Circ J, 72;205-211
- Kurniawan LB, Bahrun U, Darmawaty ER, Arif M, 2015. Pengaruh Jumlah Leukosit terhadap Mortalitas Pasien Infark Miokard Akut selama Perawatan, In: CDK-233/ vol. 42:(10): 727-730
- Libby P, 2001. Current Concepts of the Pathogenesis of the Acute Coronary Syndromes, In: *Circulation*, 104:365-372
- Libby P, Okamoto Y, Rocha VZ, Folco E, 2010. Inflammation in Atherosclerosis: Transition From Theory to Practice, Circ J; 74: 213 – 220
- Libby P, 2013. Mechanisms of Acute Coronary Syndromes and Their Implications for Therapy, In: Engl j med 368(21):2004-2014
- Mach F, Sauty A, Larossi A, Sukhova G, Neote K, Libby P, Luster A. 1999. Differential expression of three T lymphocyte-activating CXC chemokines by human atheroma-associated cells, In: J. Clin. Invest. 104:1041–1050
- Mulvihill NT, Foley JB, 2001 Inflammation in Acute Coronary Syndrom, In: Heartjnl, 87:201-204
- Packard S, Libby P, 2008. Inflammation in Atherosclerosis: From Vascular Biology to Biomarker Discovery and Risk Prediction, In: Clin Chem 54(1):24-38
- Ridker PM, Hennekens CH, Buring JE, Rifai N, 2000. C-reactive protein and other markers of inflammation in the prediction of cardiovascular disease in Women, In: English Journal Medicine,342;836-43
- Riset Kesehatan Dasar. 2013. (diunduh 6 Juni 2018). Tersedia dari: URL: HYPERLINK <http://www.depkes.go.id>
- Salazar J, Martinez MS, Mervin Chavez M, Toledo A, Anez R, Yaquelín Torres Y, et al., 2014. C-reactive protein: clinical and epidemiological perspectives, Cardiol Res Pract, 6(5); 8-10
- Sharma K, Patel AK, Shah KH, Konat A, 2017. Is Neutrophil to Lymphocyte Ratio a Predictor of Coronary Artery Disease in Western Indians?, In:International Journal of Inflammation, vol 2017, article ID 4136126: 1-8
- Shin HC, Jang JS, Jin HY, Seo JS, Yang TH, Kim DK, et al., 2017. Combined Use of Neutrophil to Lymphocyte Ratio and C-Reactive protein Level to Predict Clinical Outcomes in Acute Myocardial Infarction Patients undergoing Percutaneous Coronary Intervention, In: Korean Circ J, 47(3):383-391
- Suliman M, Abdullah A, Ali A, Anil V, Salam S, Fass U, 2010. Predictive Value of Neutrophil to Lymphocyte Ratio in Outcomes of Patients with Acute Coronary Syndrome, In: J Arch Med, 12;618-622
- Tahto E, Radivoc J, Lamija P, Esmeralda K, 2017. Neutrophil to Lymphocyte Ratio and its Relation with markers of Inflammation and Myocardial Necrosis in Patients with Acute Coronary Syndrome, In: Med Arch; 7(5):312-315
- Tamhane U, Aneja S, Montgomery D, Rogers EK, Eagle K, Gurm H, 2008. Association between admission neutrophil to lymphocyte ratio and outcomes in patients with acute coronary syndrome, The American Journal of Cardiology, 102(6); 653–657

- Urbistondo DM, Beltran A, Beloqui O, Huerta A, 2016. The Neutrophil-Lymphocyte Ratio as a Marker of Systemic Endothelial Dysfunction in Asymptomatic Subjects, In: Nefrologia, 36(4); 397-403
- Wang XH, Liu SQ, Wang YL, Jin Y, 2014. Correlation of Serum High Sensitivity C-Reactive Protein and Interleukin-6 in Patients with Acute Coronary Syndrom, In: Genetics and Molecular Research, 13(2): 4260-4266
- Zahara F, Masrul S, Eti Y, 2013. Gambaran Profil Lipid pada Pasien Sindrom Koroner Akut di Rumah Sakit Khusus Jantung Sumatera Barat Tahun 2011-2012, Jurnal Kesehatan Andalas, 3(2);167-72
- Zahorec R, 2001. Ratio of Neutrophil to Lymphocyte counts. Rapid and Simple Parameter of Systemic Inflammation and Stress in Critically Ill, In: Bratisl Lek Listy, 102 (1): 5.14
- Zakynthios E, Pappa N, 2009. Inflammatory Biomarkers in Coronary Artery Disease, In: Journal of Cardiology, 53: 317—333
- Zazula AN, Neto DP, Gomes AM, Krucklis H, Barbieri GF, Yared R *et al.*, 2007. An Assessment of Neutrophil/Lymphocyte Ratio in Patients Suspected of Acute Coronary Syndrome, Cardiol Br, 1-6
- Zebrack JS, Anderson JL, Maycock CA, Horne BD, Bair TL, Muhlestein JB, 2002, Intermountain Heart Collaborative (IHC) Study Group. Usefulness of high-sensitivity C-reactive protein in predicting long-term risk of death or acute myocardial infarction in patients with unstable or stable angina pectoris or acute myocardial infarction, In: American Journal Cardiology, 89(2):145-9.
- Zouridakis EG, Garcia-Moll X, Kaski JC, 2000, Usefulness of the blood lymphocyte count in predicting recurrent instability and death in patients with unstable angina, In: American Journal Cardiology, 86:449e451

