

DAFTAR PUSTAKA

1. Zamzuri NA, Abd-Aziz S. Biovanillin from agro wastes as an alternative food flavour. *J Sci Food Agric*. 2013;93(3):429–38.
2. Priefert H, Rabenhorst J, Steinbüchel A. Biotechnological production of vanillin. *Appl Microbiol Biotechnol*. 2001;56(3–4):296–314.
3. Sinha AK, Sharma UK, Sharma N. A comprehensive review on vanilla flavor: Extraction, isolation and quantification of vanillin and others constituents. *Int J Food Sci Nutr*. 2008;59(4):299–326.
4. Xu L, Liaqat F, Sun J, Khazi MI, Xie R, Zhu D. Advances in the vanillin synthesis and biotransformation: A review. Vol. 189, *Renewable and Sustainable Energy Reviews*. 2024.
5. Hermiati N, Mardiah, Subhi FM, Suherman. Buletin Statistik Perdagangan Luar Negeri Impor Juni 2024. Badan Pusat Statistik RI; 2024.
6. Distribusi DS. Buletin Statistik Perdagangan Luar Negeri Impor Juni 2023 [Internet]. BPS RI. 2023. Available from: <http://ci.nii.ac.jp/naid/40005232449/>
7. Walton NJ, Mayer MJ, Narbad A. Vanillin. *Phytochemistry*. 2003;63(5):505–15.
8. Gallage NJ, Møller BL. Vanillin-bioconversion and bioengineering of the most popular plant flavor and its de novo biosynthesis in the vanilla orchid. *Mol Plant* [Internet]. 2015;8(1):40–57. Available from: <http://dx.doi.org/10.1016/j.molp.2014.11.008>
9. Hocking MB. Vanillin: Synthetic flavoring from spent sulfite liquor. *J Chem Educ*. 1997;74(9):1055–9.
10. Rana R, Mathue A, Jain C, Sharma S, Mathur G. Microbial Production of Vanillin. *Biotechnol Bioeng Res*. 2013;4(3):227–34.
11. Seshadri R, Lamm AS, Khare A, Rosazza JPN. Oxidation of isoeugenol by *Nocardia iowensis*. *Enzyme Microb Technol*. 2008;43(7):486–94.
12. Suheri, Purwaningsih NE, Mira RDP. Statistik Perdagangan Luar Negeri Indonesia Ekspor 2023. Vol. 19. Jakarta: BPS RI; 2024.
13. Syafrizayanti, Mohammad AE, Dharma A, Sudji IR. Isolation of *Bacillus* sp. capable of transforming isoeugenol to vanillin from waste-spent bleaching earth. *AIP Conf Proc* [Internet]. 2022;2638(1). Available from: <https://pubs.aip.org/aip/acp/article-abstract/2638/1/070005/2831193/Isolation-of-Bacillus-sp-capable-of-transforming?redirectedFrom=fulltext>
14. Dhawane S., Bora A., Kumar T, Halder G. Parametric optimization of biodiesel syntesis from rubber seed oil using iron doped carbon catalyst by Taguchi approach. *Renew Energy*. 2017;105:616–24.
15. Babaki M, Yousefi M, Habibi Z, Mohammadi M. Process optimization for biodiesel production from waste cooking oil using multi-enzyme systems through response surface methodology. *Renew Energy* [Internet]. 2017;105:465–72. Available from: <http://dx.doi.org/10.1016/j.renene.2016.12.086>
16. Tan YH, Abdullah MO, Nolasco-Hipolito C, Ahmad Zauzi NS. Application of RSM and Taguchi methods for optimizing the transesterification of waste cooking oil catalyzed by solid ostrich and chicken-eggshell derived CaO. *Renew Energy* [Internet]. 2017;114(PB):437–47. Available from: <http://dx.doi.org/10.1016/j.renene.2017.07.024>
17. Information NC for B. PubChem Compound Summary for CID 1183, Vanillin [Internet]. 2022 [cited 2022 Jan 28]. Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/Vanillin>
18. Banerjee G, Chattopadhyay P. Vanillin biotechnology: the perspectives and future. *J Sci Food Agric*. 2019;99(2):499–506.
19. Zhang S, Mueller C. Comparative analysis of volatiles in traditionally cured bourbon and ugandan vanilla bean (*vanilla planifolia*) extracts. *J Agric Food Chem*. 2012;60(42):10433–44.
20. Arya SS, Rookes JE, Cahill DM, Lenka SK. Vanillin: a review on the therapeutic prospects of a popular flavouring molecule. *Adv Tradit Med* [Internet]. 2021;21(3):415–31. Available from: <https://doi.org/10.1007/s13596-020-00531-w>
21. Walton NJ, Narbad A, Faulds CB, Williamson G. Novel approaches to the biosynthesis of vanillin. *Curr Opin Biotechnol*. 2000;11(5):490–6.

22. Mintarti IS. Ekstraksi Vanili Secara Enzimatis dari Buah Vanili (*Vanilla Planifolia* Andrews) Segar. Institut Pertanian Bogor; 2006.
23. Ciriminna R, Fidalgo A, Meneguzzo F, Parrino F, Ilharco LM, Pagliaro M. Vanillin: The Case for Greener Production Driven by Sustainability Megatrend. *ChemistryOpen*. 2019;8(6):660–7.
24. Gallage NJ, Møller BL. Vanilla: The most popular flavour. In: *Biotechnology of Natural Products*. Springer International Publishing; 2017. p. 3–24.
25. Han D, Ryu JY, Lee H, Hur HG. Bacterial biotransformation of phenylpropanoid compounds for producing flavor and fragrance compounds. *J Korean Soc Appl Biol Chem*. 2013;56(2):125–33.
26. Volk, Wesley A. *Mikrobiologi Dasar*. 5th ed. Jakarta: Erlangga; 1988.
27. Rolfe MD, Rice CJ, Lucchini S, Pin C, Thompson A, Cameron ADS, et al. Lag phase is a distinct growth phase that prepares bacteria for exponential growth and involves transient metal accumulation. *J Bacteriol*. 2012;194(3):686–701.
28. Maier RM. Review of Basic Microbiological Concepts. *Bact Growth*. 2009;37–54.
29. Kolter R, Siegele DA, Tormo A. The stationary phase of the bacterial life cycle. *Annu Rev Microbiol*. 1993;47:855–74.
30. Masoodi KZ, Lone SM, Rasool RS. Growth of bacterial cultures and preparation of growth curve. *Adv Methods Mol Biol Biotechnol*. 2021;163–6.
31. T Chatterjee, BK De, DK Bhattacharyya. Microbial conversion of isoeugenol to vanillin by *Rhodococcus rhodochrous*. *Indian J Chem*. 1993;38(May):3.
32. Saeed S, Ur Rehman Baig U, Tayyab M, Altaf I, Irfan M, Raza SQ, et al. Valorization of banana peels waste into biovanillin and optimization of process parameters using submerged fermentation. *Biocatal Agric Biotechnol*. 2021 Sep 1;36.
33. Kasana RC, Sharma UK, Sharma N, Sinha AK. Isolation and identification of a novel strain of *Pseudomonas chlororaphis* capable of transforming isoeugenol to vanillin. *Curr Microbiol*. 2007;54(6):457–61.
34. Chakraborty D, Kaur B, Obulisamy K, Selvam A, Wong JWC. Agrowaste to vanillin conversion by a natural *Pediococcus acidilactici* strain BD16. *Environ Technol (United Kingdom)*. 2017;38(13–14):1823–34.
35. Schrader J, Etschmann MMW, Sell D, Hilmer JM, Rabenhorst J. Applied biocatalysis for the synthesis of natural flavour compounds. *Biotechnol Lett*. 2004;26:463–72.
36. Zhao LQ, Sun ZH, Zheng P, Zhu LL. Biotransformation of isoeugenol to vanillin by a novel strain of *Bacillus fusiformis*. *Biotechnol Lett*. 2005 Oct;27(19):1505–9.
37. Wu H, Yang D, Zhou Q, Song Z. The effect of pH on anaerobic fermentation of primary sludge at room temperature. *J Hazard Mater*. 2009;172(1):196–201.
38. Montgomery DC. *Design and Analysis of Experiments*. Sixth. New York: John Wiley & Sons; 2005.
39. Anthony J. Some key things industrial engineering should know about experimental design. *Logist Inf Manag*. 1998;11.
40. Larson MG. Analysis of variance. *Circulation*. 2008;117(1):115–21.
41. Rashid DKMJ. Optimize the Taguchi method, the signal-to-noise ratio, and the sensitivity. *Int J Stat Appl Math*. 2023;8(6):64–70.
42. Karazi SM, Moradi M, Benyounis KY. Statistical and Numerical Approaches for Modeling and Optimizing Laser Micromachining Process-Review [Internet]. *Reference Module in Materials Science and Materials Engineering*. Elsevier Ltd.; 2019. 1–20 p. Available from: <http://dx.doi.org/10.1016/B978-0-12-803581-8.11650-9>
43. Saisana M. Analysis of Variance. In: *Encyclopedia of Quality of Life and Well-Being Research* [Internet]. Springer; 2024. p. 183–7. Available from: https://doi.org/10.1007/978-3-031-17299-1_83
44. Dwijuna Ahadi G, Wahyu Pratiwi S, Putri Isnarwati D. Pendekatan Desain Eksperimen Taguchi sebagai Metode Optimasi pada Bidang Teknik dan Industri (studi kasus pada proses bundling kemasan) Design of Experiment Taguchi as an Optimisation Method in Engineering and Industry. *Sij*. 2023;6(2):380–8.
45. Lozano-Sánchez J, Borrás-Linares I, Sass-Kiss A, Segura-Carretero A. Chromatographic Technique: High-Performance Liquid Chromatography (HPLC). *Modern Techniques for Food Authentication*. 2018. 459–526 p.

46. Slack GC, Snow NH. 8 HPLC sample preparation. *Sep Sci Technol*. 2007;8:237–68.
47. Li YH, Sun ZH, Zheng P. Determination of vanillin, eugenol and isoeugenol by RP-HPLC. *Chromatographia*. 2004;60(11–12):709–13.
48. Pratiwi ST. *Mikrobiologi Farmasi*. Jakarta: Erlangga; 2008.
49. Iqlima D, Ardiningsih P, Wibowo MA. Aktivitas Antibakteri isolat bakteri endofit b2d dari batang tanaman yakon (*smallanthus sonchifolius* (poepp. & endl.) H. Rob.) Terhadap bakteri *staphylococcus aureus* dan *salmonella thypimurium*. *J Kim Khatulistiwa* [Internet]. 2017;7(1):36–43. Available from: <https://jurnal.untan.ac.id/index.php/jkkmipa/article/view/23569>
50. Risna YK, Sri-Harimurti SH, Wihandoyo W, Widodo W. Kurva Pertumbuhan Isolat Bakteri Asam Laktat dari Saluran Pencernaan Itik Lokal Asal Aceh. *J Peternak Indones (Indonesian J Anim Sci*. 2022;24(1):1.
51. Faille C, Membre JM, Kubaczka M. Altered Ability of *Bacillus cereus* Spores To Grow under Unfavorable Conditions (Presence of Nisin , Low Temperature , Acidic pH , Presence of NaCl) following Heat Treatment during Sporulation. 2002;65(12):1930–6.
52. Bui CV, Nguyen MNT, Truong MHT, Bui XD. Screening for Optimal Parameters of Nattokinase Synthesis by *Bacillus* Screening for Optimal Parameters of Nattokinase Synthesis by *Bacillus subtilis natto* in Solid-State Fermentation. 2020;10(June):1207–13.
53. Han Z, Long L, Ding S. Expression and characterization of carotenoid cleavage oxygenases from *herbaspirillum seropedicae* and *rhodobacteraceae* bacterium capable of biotransforming isoeugenol and 4-vinylguaiacol to vanillin. *Front Microbiol*. 2019;10(AUG):1–11.
54. Zhao L, Xie Y, Chen L, Xu X, Zhao CX, Cheng F. Efficient biotransformation of isoeugenol to vanillin in recombinant strains of *Escherichia coli* by using engineered isoeugenol monooxygenase and sol-gel chitosan membrane. *Process Biochem* [Internet]. 2018;71:76–81. Available from: <https://doi.org/10.1016/j.procbio.2018.05.013>
55. Jadhav PK, Sahai RSN, Solanke S, Gawande SH. Multi-objective optimization of EN19 steel milling parameters using Taguchi, ANOVA, and TOPSIS approaches. *J Alloy Metall Syst* [Internet]. 2024;7(July):100102. Available from: <https://doi.org/10.1016/j.jalms.2024.100102>
56. Wangrangsimagul N, Klinsakul K, Vangnai AS, Wongkongkatep J, Inprakhon P, Honda K, et al. Bioproduction of vanillin using an organic solvent-tolerant *Brevibacillus agri* 13. *Appl Microbiol Biotechnol*. 2012;93(2):555–63.
57. Ashengroph M, Nahvi I, Zarkesh-Esfahani H, Momenbeik F. Conversion of isoeugenol to vanillin by *Psychrobacter* sp. Strain CSW4. *Appl Biochem Biotechnol*. 2012;166(1):1–12.
58. Yan L, Chen P, Zhang S, Li S, Yan X, Wang N, et al. Biotransformation of ferulic acid to vanillin in the packed bed-stirred fermentors. *Sci Rep*. 2016 Oct 6;6.
59. Tilay A, Bule M, Annapure U. Production of biovanillin by one-step biotransformation using fungus *Pycnoporous cinnabarinus*. *J Agric Food Chem*. 2010;58(7):4401–5.
60. Y. Muti H, Olimat S. HPLC Method of Analysis for Determination and Standardization of Luteolin and Vanillic Acid in Dry Extract of *Paronychia Argentea* Lam. *Orient J Chem*. 2018;34(6):2721–7.