

DAFTAR PUSTAKA

- [1] N. Nafisah, I. N. Syamsiana, R. I. Putri, W. Kusuma, and A. D. W. Sumari, "Implementation of fuzzy logic control algorithm for temperature control in robusta rotary dryer coffee bean dryer," *MethodsX*, vol. 12, no. 102580, Jan. 2024, doi: 10.1016/j.mex.2024.102580.
- [2] S. Prvulovic, P. Mosorinski, D. Radosav, J. Tolmac, M. Josimovic, and V. Sinik, "Determination of the temperature in the cutting zone while processing machine plastic using fuzzy-logic controller (FLC)," *Ain Shams Eng. J.*, vol. 13, no. 3, May 2022, Art. no. 101624, doi: 10.1016/j.asej.2021.10.019.
- [3] H. C. Pacco, "Simulation of temperature control and irrigation time in the production of tulips using Fuzzy logic," in *Procedia Computer Science*, Elsevier B.V., 2022, pp. 1–12. doi: 10.1016/j.procs.2022.01.199.
- [4] N. V. U. Suresh, A. Sadeghi, and M. Yazdani-Asrami, "Critical current parameterization of high temperature superconducting tapes: A novel approach based on fuzzy logic," *Superconductivity*, vol. 5, Mar. 2023, Art. no. 100036, doi: 10.1016/j.supcon.2023.100036.
- [5] A. K. Abdel-Rahman, "Modeling of Raw Cane-Sugar Syrup Concentration Using Direct Contact Membrane Distillation," *JES. J. Eng. Sci.*, vol. 36, no. 5, pp. 1145–1165, 2008, doi: 10.21608/jesaun.2008.118725.
- [6] Y. Yuan, K. Huang, H. Chen, L. Zhang, and S. Wang, "Configuring Effectively Double Temperature Difference Control Schemes for Distillation Columns," *Ind. Eng. Chem. Res.*, vol. 56, no. 32, pp. 9143–9155, 2017, doi: 10.1021/acs.iecr.7b02542.
- [7] S. A. James, A. A. Judice, and G. Kumaravel, "Distillation column control in LabVIEW using fuzzy inference system," *World Scientific News* [Online]. Available: www.worldscientificnews.com [Accessed: Jul. 6, 2025].
- [8] A. Dokht Shakibjoo, M. Moradzadeh, S. Z. Moussavi, A. Mohammadzadeh, and L. Vandevelde, "Load frequency control for multi-area power systems: A new type-2 fuzzy approach based on Levenberg–Marquardt algorithm," *ISA Transactions*, vol. 121, pp. 40–52, 2022, doi: 10.1016/j.isatra.2021.03.044.
- [9] T. Anggraini, R. Susanti, A. Arifin, and R. K. Azriful, "Sistem monitoring kenaikan kadar alkohol pada molasses berbasis mikrokontroler," *Proc. Semin. Nasional Sistem Informasi dan Teknologi (SISFOTEK)*, vol. 5, no. 1, pp. 296–301, Sep. 2021. [Online]. Available: <https://seminar.iaii.or.id/index.php/SISFOTEK/article/view/302/269>
- [10] A. Palmonari *et al.*, "Short communication: Characterization of molasses chemical composition," *J. Dairy Sci.*, vol. 103, no. 7, pp. 6244–6249, Jul. 2020, doi: 10.3168/jds.2019-17644.
- [11] A. Acosta-Cárdenas, W. Alcaraz-Zapata, and M. Cardona-Betancur, "Sugarcane molasses and vinasse as a substrate for polyhydroxyalkanoates (PHA) production," *DYNA*, vol. 85, no. 206, pp. 220–225, Jul. 2018, doi: 10.15446/dyna.v85n206.68279.
- [12] H. Zentou, Z. Z. Abidin, M. Zouanti, and D. Greetham, "Effect of operating conditions

- on molasses fermentation for bioethanol production,” *International Journal of Applied Engineering Research*, vol. 12, no. 15, pp. 5202–5206, Aug. 2017, [Online]. Available: [https://www.ripublication.com/ijaer17/ijaerv12n15_%20\(68\).pdf](https://www.ripublication.com/ijaer17/ijaerv12n15_%20(68).pdf)
- [13] M. J. R. Nout and K. E. Aidoo, “Asian fungal fermented food,” in *The Mycota*, vol. 10, *Industrial Applications*, M. Hofrichter, Ed. Berlin, Heidelberg: Springer-Verlag, 2010, pp. 29–58, doi: 10.1007/978-3-642-11458-8_2.
 - [14] S. Pattanakittivorakul, N. Lertwattanasakul, M. Yamada, and S. Limtong, “Selection of thermotolerant *Saccharomyces cerevisiae* for high temperature ethanol production from molasses and increasing ethanol production by strain improvement,” *Springer Nature Link*, vol. 112, no. 7, pp. 975–990, Jul. 2019, doi: 10.1007/s10482-019-01230-6.
 - [15] Sunardi, A. Yudhana, and Furizal, “Tsukamoto Fuzzy Inference System on Internet of Things-Based for Room Temperature and Humidity Control,” *IEEE Access*, vol. 11, pp. 6209–6227, 2023, doi: 10.1109/access.2023.3236183.
 - [16] A. Kviesis, V. Komasilovs, O. Komasilova, and A. Zacepins, “Application of fuzzy logic for honey bee colony state detection based on temperature data,” *Biosystems Engineering*, vol. 193, no. 1, pp. 90–100, May 2020, doi: 10.1016/j.biosystemseng.2020.02.010.
 - [17] M. M. A. S. Mahmoud, “Damping of Surge Effects and Enhancement of Dynamic Response of Distillation Plant Using MIMO Fuzzy Control,” in *IFAC-PapersOnLine*, Elsevier B.V., Jan. 2018, pp. 15–20. doi: 10.1016/j.ifacol.2018.11.237.
 - [18] N. Hambali, M. H. A. Manan, and N. N. Mohammad, “Nonlinear Modelling and Fuzzy Control of Steam Temperature for Distillation Column Pilot Plant,” in *2022 IEEE 18th International Colloquium on Signal Processing and Applications, CSPA 2022 - Proceeding*, Institute of Electrical and Electronics Engineers Inc., 2022, pp. 192–197. doi: 10.1109/cspa55076.2022.9781931.
 - [19] S. A. Jilani, “Overview of Distillation Techniques and Process in Recovery and Reuse of Volatile Liquids,” *International Journal for Research in Applied Science and Engineering Technology*, vol. 6, no. 2, pp. 132–136, Feb. 2018, doi: 10.22214/IJRASET.2018.2022.
 - [20] R. Stenz and U. Kuhn, “Automation of a batch distillation column using fuzzy and conventional control,” *IEEE Transactions on Control Systems Technology*, vol. 3, no. 2, pp. 171–176, June 1995, doi: 10.1109/87.388125.
 - [21] H. Nadhilah, F. R. Safira, S. Permana, and S. H. Putri, “Effectiveness analysis on vacuum distillation methods to increase patchouli oil purity using gap analysis approach,” *J. Teknol. Distilasi dan Minyak Atsiri*, vol. 1, no. 1, pp. 40–47, 2023.
 - [22] A. Jatoi *et al.*, “Optimization of the temperature effect on ethanol production through use of simulation,” 2017. [Online]. Available: <https://www.researchgate.net/publication/356645286> [Accessed: Jul. 6, 2025].
 - [23] Syamsul, R. Syahputra, Suherman, and Zamzami, “Control system based on fuzzy logic in nutmeg oil distillation process,” *Telkomnika (Telecommunication Comput. Electron. Control)*, vol. 16, no. 5, pp. 2254–2262, Oct. 2018, doi: 10.12928/telkomnika.v16i5.8350.

- [24] A. Górak and Ž. Olujić, *Distillation: Equipment and Processes*. Amsterdam: Academic Press (Elsevier), 2014. ISBN: 978-0-12-386878-7.
- [25] A. F. Oliveira, F. R. Santos, and R. R. Fonseca, “Fuzzy logic based plantwide control applied to ethanol production from potato starch,” *J. Eng. Exact Sci.*, vol. 8, no. 1, pp. 13650-1 – 13650-16, Jan. 2022, doi: 10.18540/jcecvl8iss1pp13650-01-16e.
- [26] N. F. A. Suhaime, Z. Muhammad, Z. M. Yusoff, N. A. M. Leh, M. H. C. Hashim, and M. A. Zaki, “Temperature regulation for distillation process using self-tuning fuzzy plus PID controller,” in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Dec. 2019. doi: 10.1088/1742-6596/1349/1/012117.
- [27] Y. Wang, H. Zou, J. Tao, and R. Zhang, “Predictive fuzzy PID control for temperature model of a heating furnace,” *Chinese Control Conf. CCC*, pp. 4523–4527, 2017, doi: 10.23919/ChiCC.2017.8028070.
- [28] I. Dwisaputra, R. P. Hidayat, R. A. Syaichu, E. M. I. Hidayat, D. Mahayana, and A. S. Handoko, “Fuzzy logic controller design and implementation for delayed and nonlinear time variant batch distillation column,” in *Proc. 2017 5th Int. Conf. Instrumentation, Communication, Information Technology, and Biomedical Engineering (ICICI-BME)*, Nov. 2017, pp. 68–72, doi: 10.1109/ICICI-BME.2017.8537722.
- [29] Y. N. Rustambekovich, A. F. Tulkunovich, and A. J. Alibekovich, “Fuzzy models and optimization by distillation units in the Aspen HYSYS software environment,” *Lect. Notes Netw. Syst.*, vol. 1089, no. 5, pp. 586–593, 2024, doi: 10.1007/978-3-031-67195-1_65.
- [30] F. Gurbanov, “IMCRA fuzzy logic of Lotfi Zadeh and methodological and epistemological analysis of set theory,” *Sci. Ethics Integr.*, vol. 5, no. 4, pp. 100–110, 2022, doi: 10.56334/sei/5.4.6.
- [31] R. Brussee, “Fuzzy logic and Markov kernels,” *arXiv preprint*, pp. 1–18, 2023. [Online]. Available: <http://arxiv.org/abs/2303.03725> [Accessed: Jul. 6, 2025].
- [32] B. Goertzel, “Uncertain linear logic via fibring of probabilistic and fuzzy logic,” *arXiv preprint*, pp. 1–11, 2020. [Online]. Available: <http://arxiv.org/abs/2009.12990> [Accessed: Jul. 6, 2025].
- [33] Y. S. Yun, “Graphic representation of a dimensional expansion of triangular fuzzy number,” *J. Math.*, vol. 2021, Art. no. 1970553, 2021, doi: 10.1155/2021/1970553.
- [34] M. A. Sadad, L. Narpulaela, and R. Rahmadewi, “Analisis Metode Fuzzy Logic Pada Sistem Pemberi Makan Kucing Otomatis Studi Kasus Makanan Kering,” *J. Tek. Elektro dan Komputasi*, vol. 5, no. 1, pp. 16–27, 2023, [Online]. Available: <http://jurnal.unmuhjember.ac.id/index.php/ELKOM/article/view/8544>
- [35] A. Zelenak and M. W. Pryor, “Gaussian-based adaptive fuzzy control,” in *Proc. IEEE Conf. Norbert Wiener in the 21st Century (21CW)*, Jun. 2014, pp. 1–8, doi: 10.1109/NORBERT.2014.6893857.
- [36] G. Nápoles, R. Bello, and K. Vanhoof, “Learning stability features on sigmoid fuzzy cognitive maps through a swarm intelligence approach,” in *Proc. Ibero-Am. Congr. Pattern Recognit. (CIARP)*, Lecture Notes in Computer Science, vol. 8258, Part I, J.

- Ruiz-Shuleloper and G. Sanniti di Baja, Eds., Berlin, Heidelberg: Springer, 2013, pp. 270–277, doi: 10.1007/978-3-642-41822-8_34.
- [37] D. Dzurkova, M. Bakosova, and A. Vasickaninova, “Implementation of fuzzy logic controllers on laboratory system of heat exchangers,” in *Proc. 31st Int. Conf. Cybern. Informat. (K&I)*, Jan. 2022, pp. 58–63, doi: 10.1109/KI55792.2022.9925952.
 - [38] M. Butkus, J. Repšytė, and V. Galvanauskas, “Fuzzy logic-based adaptive control of specific growth rate in fed-batch biotechnological processes: A simulation study,” *Appl. Sci.*, vol. 10, no. 19, pp. 1–15, Oct. 2020, doi: 10.3390/app10196818.
 - [39] R. Septiana, I. Roihan, and R. A. Koestoer, “Testing a calibration method for temperature sensors in different working fluids,” *J. Adv. Res. Fluid Mech. Therm. Sci.*, vol. 68, no. 2, pp. 84–93, 2020, doi: 10.37934/arfmts.68.2.8493.
 - [40] U. Utami, R. A. Nadiya, and L. Harianie, “The effect of molasses and yeast extract concentration on yeast growth as leavening agent for bread,” in *IOP Conf. Ser.: Earth Environ. Sci.*, vol. 1312, no. 1, Art. no. 012062, 2024, doi: 10.1088/1755-1315/1312/1/012062.
 - [41] G. F. Fine, L. M. Cavanagh, A. Afonja, and R. Binions, “Metal oxide semi-conductor gas sensors in environmental monitoring,” *Sensors*, vol. 10, no. 6, pp. 5469–5502, 2010, doi: 10.3390/s100605469.
 - [42] M. Namazov dan A. Alili, “Design of stable Takagi–Sugeno fuzzy control system for three interconnected tank system via LMIs with constraint on the output,” *IFAC-PapersOnLine*, Jan. 2018, pp. 721–726, doi: 10.1016/j.ifacol.2018.11.207.
 - [43] B. Wang and Y. Tang, “Research on fuzzy control of pwm rectifier voltage,” in *Proceedings - 2020 3rd International Conference on Advanced Electronic Materials, Computers and Software Engineering, AEMCSE 2020*, Institute of Electrical and Electronics Engineers Inc., Apr. 2020, pp. 798–801. doi: 10.1109/AEMCSE50948.2020.00174.
 - [44] G. Peter, K. Praghash, A. Sherine, and V. Ganji, “A combined PWM and AEM-based AC voltage controller for resistive loads,” *Math. Probl. Eng.*, vol. 2022, Art. no. 9246050, 2022, doi: 10.1155/2022/9246050.
 - [45] A. Aldi, “Rancang bangun sistem kendali intensitas cahaya lampu ruangan menggunakan fuzzy logic berbasis mikrokontroler Arduino Mega,” *J. Inform. Tek. Elektro Terap.*, vol. 12, no. 1, pp. 1–7, Jan. 2024, doi: 10.23960/jitet.v12i1.3642.
 - [46] M. Y. Hassan and S. S. Ezzat, “Interval type-2 fuzzy logic controller design for distillation column process,” *IAES Int. J. Robot. Autom.*, vol. 8, no. 3, pp. 155–163, Sep. 2019, doi: 10.11591/ijra.v8i3.pp155-163.
 - [47] I. Saukani dan R. Triturani, “Application of LM35 temperature sensor for seawater distillation,” *J. Neutrino*, vol. 14, no. 2, pp. 35–43, Apr. 2022, doi: 10.18860/neu.v14i2.13924.
 - [48] Nurhidayah, M. Peslinof, M. F. Afrianto, F. Deswardani, T. Restianingsih, and J. Pebralia, “Design of controlled temperature test in biochar production furnace automation,” *J. Phys.: Conf. Ser.*, vol. 1816, no. 1, Art. no. 012098, 2021, doi:

10.1088/1742-6596/1816/1/012098.

- [49] M. T. Islam and M. S. Islam, “Design and optimization of a self-tuning PID controller based on fuzzy logic for temperature control system of furnace,” in *Proc. Int. Conf. Electron., Commun. Inf. Technol. (ICECIT)*, Dec. 2021, pp. 122–127, doi: 10.1109/ICECIT54077.2021.9641453.
- [50] F. H. Sakaci and S. C. Yener, “Design of a microcontroller-based heating system controller using fuzzy logic,” in *Proc. 2021 Innovations Intell. Syst. Appl. Conf. (ASYU)*, Oct. 2021, pp. 1–5, doi: 10.1109/ASYU52992.2021.9599011.
- [51] T. Anggraini, M. N. Hamed, and R. Susanti, “Identification of bioethanol distillator of sugarcane drops kerosene substitute using artificial neural network,” *Int. J. Adv. Technol. Soc. Sci. (IJATSS)*, vol. 2, no. 12, pp. 1917–1928, 2024.

