

DAFTAR PUSTAKA

Adham M, Kurniawan AN, Muhtadi AI *et al.*, 2012. Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chin J Cancer*. 31(4):185-196.

Aello NM, Kang Y, 2019. Context-dependent EMT programs in cancer metastasis. *J Exp Med*. 216(5):1016-1026.

Ahmed HG, Suliman RSAG, El Aziz MSA, Alshammari FD, 2015. Molecular screening for Epstein Barr Virus among Sudanese patients with nasopharyngeal carcinoma (NPC). *Infect Agent Cancer*. 10(6):1-6.

Argion I, Zarins KR, Suwanrungrung K *et al.*, 2020. Subtype specific nasopharyngeal carcinoma incidence and survival trends: Differences between endemic and non-endemic populations. *Asian Pac J Cancer Prev*. 21(11):3291–3299.

Bakir B, Chiarella AM, Pitarresi JR, Rustgi AK, 2020. EMT, MET, Plasticity, and Tumor Metastasis. *Trends Cell Biol*. 30(10):764-776.

Baranwal S and Alahari SK, 2009. Molecular mechanisms controlling E-cadherin expression in breast cancer. *Biochem Biophys Res Commun*. 384(1):6-11.

Beyene ET, Ketema SG, Alabachew AN, Saleh MY, Gebremariyam TA, 2021. Descriptive epidemiology of nasopharyngeal carcinoma at Tikur Anbessa Hospital, Ethiopia. *BMC Cancer*. 21(1):1-5.

Bhome R, Bullock MD, Al Saihati HA *et al.*, 2015. A top-down view of tumor microenvironment: structure, cells, and signaling. *Front Cell Dev Biol*. 3(33):1-9.

Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A, 2018. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin*. 68(6):394–424.

Bray F, Laversanne M, Sung H *et al.*, 2024. Global cancer statistics 2022: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin*. 74(3):229-263.

Bruce JP, Yip K, Bratman SV, Ito E, Liu FF, 2015. Nasopharyngeal cancer: molecular landscape. *J Clin Oncol*. 33(29):3346-3355.

Carioli G, Negri E, Kawakita D, Garavello W, Vecchia VL, Malvezzi M, 2017. Global trends in nasopharyngeal cancer mortality since 1970 and prediction for 2020: focus on low-risk areas. *Int J Cancer*. 140(10):2256-2264.

Chen M, Jin F, Ma L, 2016. The detection and significance of T cells in nasopharyngeal carcinoma patients. *J Cancer Res Ther.* 14(Supplement):S331-S335

Cobanoglu B and Arslan S, 2019. Nasopharyngeal cancer: an update on diagnosis and treatment. *Mucosa* 2(1):1-5.

Cunha BR, Domigos C, Stefanini ACB *et al.*, 2019. Cellular interaction in the tumor microenvironment: the role of secretome. *J Cancer.* 10(19):4574-4587. <http://www.jcancer.org>.

Chou J, Lin YC, Kim J *et al.*, 2008. Nasopharyngeal carcinoma-review of the molecular mechanism of tumorigenesis. *Head Neck* 30(7):946-963.

Elzagheid A, Algars A, Bendardaf R *et al.*, 2006. E-cadherin expression pattern in primary colorectal carcinomas and their metastases reflects disease outcome. *World J Gastroenterol.* 12(27):4304-4309.

Fedele V and Melisi D, 2020. Permissive state of EMT: the role of immune cell compartment. *Front Oncol.* 10:1-6.

Fernandes Q, Merhi M, Raza A *et al.*, 2018. Role of Epstein-Barr virus in the pathogenesis of head and neck cancers and its potential as an immunotherapeutics target. *Front Oncol.* 8:1-14.

Fuxe J and Karlsson MCI, 2012. TGF- β -induced epithelial-mesenchymal transition: a link between cancer and inflammation. *Semin Cancer Biol.* 22(5-6):455-461.

Guo LF, Dai YQ, Yu YF, Wu SG, 2024. Gender-specific survival of nasopharyngeal carcinoma in endemic and non-endemic areas based on the US SEER database and a Chinese Single-Institutional Registry. *Clin Epidemiol.* 16:769-782.

Guo LF, Hong JG, Wang RJ, Chen GP, Wu SG, 2024. Nasopharyngeal carcinoma survival by histology in endemic and non-endemic areas. *Ann Med.* 56(1):1-10.

Hao Y, Baker D and Dijke PT, 2019. TGF- β -Mediated Epithelial-Mesenchymal Transition and Cancer Metastasis. *Int J Mol Sci.* 20(11):1-34.

Horikawa T, Yoshikazi T, Kondo S, Furukawa M, Kaizaki Y, Pagano JS, 2011. Epstein-Barr virus latent membrane protein 1 induces Snail and epithelial-mesenchymal transition in metastatic nasopharyngeal carcinoma. *Br J Cancer* 104(7):1160-1167.

Huang SCM, Tsao SW, Tsang CM, 2018. Interplay of viral infection, host cell factors and tumor microenvironment in pathogenesis of nasopharyngeal carcinoma. *Cancers (Basel)*. 10(4):1-18.

Jiang WG, Sanders AJ, Katoh M *et al*, 2015. Tissue invasion and metastasis: molecular, biological and clinical perspectives. *Semin Cancer Biol*. 35:Suppl, S244-S275.

Kalluri R *and* Weinberg RA, 2009. The basic of epithelial-mesenchymal transition. *J Clin Invest*. 119(6):1420-1428.

Kara I, Çağlı S, Vural A *et al*, 2019. The effect of FoxP3 on tumor stage, treatment response, recurrence, and survivability in nasopharyngeal cancer patients. *Clin Otolaryngol*. 44(3):349-355.

Książkiewicz M, Markiewicz A, Żaczek AJ, 2012. Epithelial-mesenchymal transition: a hallmark in metastasis formation linking circulation tumor cells and cancer stem cells. *Pathobiology* 79(4):195-208.

Kudo-Saito C, Shirako H, Takeuchi T *and* Kawakami Y, 2009. Cancer metastasis is accelerated through immunosuppression during Snail-induced EMT of cancer cells. *Cancer Cells*. 15(3):195-206

Kuo KT, Chou TY, Hsu HS, Chen WL, Wang LS, 2012. Prognostic significance of NBS1 and Snail expression in esophageal squamous cell carcinoma. *Ann Surg Oncol*. Suppl 3:S549-557.

Lei Y, Yan W, Lin Z, Liu J, Tian D, Han P, 2021. Comprehensive analysis of partial epithelial mesenchymal transition-related genes in hepatocellular carcinoma. *J Cell Mol Med*. 25(1):448–462.

Liang C, Kan J, Wang J, Lu W, Mo X, Zang Bei, 2024. Nasopharyngeal carcinoma-associated inflammatory cytokines: ongoing biomarkers. *Front Immunol*. 15:1-10.

Liao C, Wang Q, An J *et al.*, 2021. Partial EMT in squamous cell carcinoma: a snapshot. *Int J Biol Sci*. 17(12):3036-3047.

Liemiya R, Ruspita DA, Naftali Z, Muyassaroh, Farakoh, 2024. Epidemiological characteristics and 3-year overall survival outcome of nasopharyngeal cancer in Central Java: A single institution retrospective study. *Indonesian Journal of Cancer* 18(2):144-156.

Lisnawati L, Billianti YD, Manatar AF, 2021. Association between Foxp3 tumor-infiltrating lymphocyte expression and response after chemoradiation in nasopharyngeal carcinoma. *Open Access Maced J Med Sci*. 9(A):1285-1291.

Liu H, Tang L, Li Y, 2024. Nasopharyngeal carcinoma: current views on the tumor microenvironment's impact on drug resistance and clinical outcomes. *Mol Cancer*. 23(1):1-25.

Liu Y, Liu X, Sun S *et al.*, 2024. Evidence of being cured for nasopharyngeal carcinoma: results of a multicenter patient-based study in China. *Lancet Reg Health West Pac*. 49:1-11.

Lu J, Chen XM, Huang HR *et al.*, 2018. Detailed analysis of inflammatory cell infiltration and the prognostic impact on nasopharyngeal carcinoma. *Head Neck* 40(6):1245-1253.

Lu SJ, Day NE, Degos L *et al.*, 1990. Linkage of nasopharyngeal carcinoma susceptibility locus to the HLA region. *Nature*. 346(6283):470-471.

Lu W, Lou JY, Wu MH *et al.*, 2019. Expression of vimentin in nasopharyngeal carcinoma and its possible molecular mechanism: A study based on immunohistochemistry and bioinformatics analysis. *Pathol Res Pract*. 215(5):1020-1032.

Luo MS, Huang GJ, Liu BX, 2019. Immune infiltration in nasopharyngeal carcinoma based on gene expression. *Medicine (Baltimore)*. 98(39):1-7.

Luo W, Fang W, Li S, Yao K, 2012 (1). Aberrant expression of nuclear vimentin and related epithelial-mesenchymal transition markers in nasopharyngeal carcinoma. *Int J Cancer*. 131(8):1863-1873.

Luo WR, Li SY, Cai LM, Yao KT, 2012 (2). High expression of nuclear Snail, but not cytoplasmic staining, predicts poor survival in nasopharyngeal carcinoma. *Ann Surg Oncol*. 19(9):2971-2979.

Luo WR, Chen XY, Li SY, Wu AB, Yao KT, 2012 (3). Neoplastic spindle cells in nasopharyngeal carcinoma show features of epithelial-mesenchymal transition. *Histopathology* 61(1):113-122.

Lo AKF, Dawson CW, Lung HK, Wong KL, Young LS, 2021. The role of EBV-encoded LMP1 in the NPC tumor microenvironment: From function to therapy. *Front Oncol*. 11:1-17.

Lou Y, Diao L, Cuentas ERP *et al.*, 2016. Epithelial-mesenchymal transition is associated with a distinct tumor microenvironment including elevation of inflammatory signals and immune checkpoints in lung adenocarcinoma. *Clin Cancer Res*. 22(14):3630-3642.

Niedobitek G, 2000. Epstein-Barr virus infection in the pathogenesis of nasopharyngeal carcinoma. *Mol Pathol*. 53(5):248-254.

Oh E, Hong JW, Yun CO, 2019. Regulatory T cells induce metastasis by activating TGF- β and enhancing the epithelial-mesenchymal transition. *Cells*. 8(11):1-15.

Ooft ML, Ipenbrg JA, Braunius WW, Zuur CI, Koljenovic S, Willems SM, 2017. Prognostic role of tumor infiltrating lymphocytes in EBV positive and EBV negative nasopharyngeal carcinoma. *Oral Oncol*. 71:16-25.

Petersen RP, Campa MJ, Sperlazza J *et al.*, 2006. Tumor infiltrating FOXP3⁺ regulatory T-cells are associated with recurrent in pathologic stage I NSCLC. *Cancer*. 107(12):2866-2872.

Petersson BF, Bell D, El-Mofty SK *et al.*, 2017. Nasopharyngeal carcinoma. In (El-Naggar AK, Chan JKC, Grandis JR, Takata T, Slootweg eds). WHO classification of head and neck tumours, 4th ed. Lyon: IARC Press, pp 65-70.

Qian Y, Yao W, Yang T, *et al.*, 2017. aPKC-i/P-Sp1/Snail signaling induces epithelial-mesenchymal transition and immunosuppression in cholangiocarcinoma *Hepatology*. 66(4):1165-1182.

Ribatti D, Tamma R, Annese T, 2020. Epithelial-mesenchymal transition in cancer: a historical overview. *Trans Oncol*. 13(6):1-9.

Safavi A, Raad N, Raad N, Ghorbani J, 2015. Epidemiology of nasopharyngeal cancer in Iran: A 6-year report. *Asian Pac J Cancer Prev*. 16(10):4447-4450.

Salgado R, Denkert C, Demaria S, Sirtaine N, Klauschen F, Pruneri G, 2015. The evaluation of tumor-infiltrating lymphocytes (TILs) in breast cancer: recommendations by an International TILs Working Group 2014. *Ann Oncol*. 26(2):259–271.

Saleh R and Elkord E, 2020. FoxP3⁺ T regulatory cells in cancer: Prognostic biomarkers and therapeutic targets. *Cancer Lett*. 490:174-185.

Salehiniya H, Mohammadian M, Hafshejani M, Mahdifar N, 2018. Nasopharyngeal cancer in the world: epidemiology, incidence, mortality and risk factor. *WCRJ*. 5 (1):1-8.

Sastroasmoro S dan Ismael S. 2011. Dasar-dasar metodologi penelitian klinis. Sagung Seto.

Shi C, Chen Y, Chen Y, Yang Y, Bing W, Qi J, 2019. CD4⁺ CD25⁺ regulatory T cells promote hepatocellular carcinoma invasion via TGF- β 1-induced epithelial-mesenchymal transition. *Onco Target Ther*. 12:279-289.

Shiomi K, Ichinoe M, Yshiwata a, Eshima K, Nagashio R, Hayashi S, 2024. Insight into the significance of Foxp3 + tumor-infiltrating lymphocytes in squamous cell lung cancer. *Clin Transl Oncol*. 26(7):1708–1715.

Stelow EB and Wenig BM, 2017. Update from the 4th edition of the World Health Organization classification of head and neck tumours: nasopharynx. *Head Neck Pathol*. 11(1):16-22.

Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, *et al.* 2021. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA Cancer J Clin*. 71(3):209–249.

Taki M, Abiko K, Ukita M *et al.*, 2021. Tumor immune microenvironment during epithelial-mesenchymal transition. *Clin Cancer Res*. 27(17):4669-4679.

Tang X, Sui X, Weng L, Liu Y, 2021. SNAIL1: Linking tumor metastasis to immune evasion. *Front Immunol*. 12:1-11.

Tian Y, Qi P, Niu Q, Hu X, 2020. Combined Snail and E-cadherin predicts overall survival of cervical carcinoma patients: Comparison among various epithelial-mesenchymal transition proteins. *Front Mol Biosci*. 28:7:1-8.

Tsai JH and Yang J, 2013. Epithelial-mesenchymal plasticity in carcinoma metastasis. *Genes Dev*. 27(20):2192-2206.

Tsao SW, Tsang CM, Lo KW, 2017. Epstein-Barr virus infection and nasopharyngeal carcinoma. *Philos Trans R Soc Lond B Biol Sci*. 372(1732):1-15.

Tsao SW, Yip YL, Tsang CM *et al.*, 2014. The etiological factor of nasopharyngeal carcinoma. *Oral Oncol*. 50(5):330-338.

Tsang CM and Tsao SW, 2015. The role of Epstein-Barr virus infection in the pathogenesis of nasopharyngeal carcinoma. *Virolo Sin* 30(2):107-121.

Tulalamba W and Janvilisri T, 2012. Nasopharyngeal carcinoma signaling pathway: an update on molecular biomarker. *Inter J Cell Biol*. 2012:1-10.

Usman S, Waseem HN, Nguyen TKN *et al.*, 2021. Vimentin is at the heart of epithelial mesenchymal transition (EMT) mediated metastasis. *Cancers (Basel)*. 13(19):1-26.

Vergara D, Simeone P, Franck J *et al.*, 2016. Translating epithelial-mesenchymal transition markers into the clinic: novel insights from proteomics. *EuPA Open Proteom*. 10:31-41.

Vincent T, Neve EPA, Johnson JR *et al.*, 2009. A Snail1-SMAD3/4 transcriptional repressor complex promotes TGF- β mediated epithelial-mesenchymal transition. *Nat Cell Biol.* 11(8):943-950.

Wang J, Huang H, Lu J *et al.*, 2017. Tumor cells induced-M2 macrophage favors accumulation of Treg in nasopharyngeal carcinoma. *Int J Clin Exp Pathol.* 10(8):8389-8401.

Wang J, Luo Y, Bi P *et al.*, 2020. Mechanism of Epstein-Barr virus nuclear antigen 1 favor Treg accumulation in nasopharyngeal carcinoma. *Cancer Med.* 9(15):5598-5608.

Wang J, Xu Z, Wang Z, Du G, Lun L, 2021. TGF-beta signaling in cancer radiotherapy. *Cytokine.* 148:1-6.

Wang W, Yi M, Zhang R *et al.*, 2017. Vimentin is a crucial target for anti-metastasis therapy of nasopharyngeal carcinoma. *Mol Cell Biochem.* 438(1-2):47-57.

Wang Y, Liu T, Tang W *et al.*, 2016. Hepatocellular carcinoma cells induce regulatory T cells and lead to poor prognosis via production of transforming growth factor- β 1. *Cell Physiol Biochem.* 38(1):306-318.

Wang YQ, Chen YP, Zhang Y *et al.*, 2018. Prognostic significance of tumor infiltrating lymphocyte in nondisseminated nasopharyngeal carcinoma: A large-scale cohort study. *Int J Cancer.* 142(12):2558-2566.

Wei T, Zhong W, Li Q, 2020. Role of heterogenous T cells in the tumor microenvironment. *Pharmacolog Res.* 153:1-11.

Wu Y and Zhou BP, 2010. Snail, more than EMT. *Cell Adh Migr* 4(2):199-203.

Xie SH, Yu ITS, Tse LA, Mang OWK, L Yue, 2013. Sex difference in the incidence of nasopharyngeal carcinoma in Hong Kong 1983–2008: Suggestion of a potential protective role of oestrogen. *Eur J Cancer.* 49(1):150-155.

Yamashita N, Tokunaga E, Iimori M *et al.*, 2018. Epithelial paradox: Clinical significance of coexpression of E-cadherin and vimentin with regard to invasion and metastasis of breast cancer. *Clin Breast Cancer.* 18(5):e1003-e1009.

Yang L, Liu G, Li Y, Pan Y, 2021. The emergence of tumor-infiltrating lymphocytes in nasopharyngeal carcinoma: Predictive value and immunotherapy implication. *Genes Dis.* 9(5):1208-1219.

Young LS and Dawson CM, 2014. Epstein-Barr virus and nasopharyngeal carcinoma. *Chin J Cancer.* 33(12):581-590.

Zhang JW, Qin T, Hong SD *et al.*, 2015. Multiple oncogenic mutations related to targeted therapy in nasopharyngeal carcinoma. *Chin J Cancer*. 34(10):1-7.

Zhang YL, Li J, Mo HY *et al.*, 2010. Different subsets of tumor infiltrating lymphocytes correlate with NPC progression in different ways. *Mol Cancer*. 9(4):1-11

Zuo XY, Feng QS, Sun J, Wei PP, Chin YM, Guo YM, *et al.* 2019. X-chromosome association study reveals genetic susceptibility loci of nasopharyngeal carcinoma. *Biol Sex Differ*. 10(1):1-11.

Zou Z, Ha Y, Liu S, Huang B, 2020. Identification of tumor-infiltrating immune cells and microenvironment-relevant genes in nasopharyngeal carcinoma based on gene expression profiling. *Life Sci*. 263:1-12.

