

DAFTAR PUSTAKA

1. Salleh N, Ismail S, Ab Halim MR. Effects of Curcuma xanthorrhiza extracts and their constituents on phase II drug-metabolizing enzymes activity. *Pharmacognosy Res* 2016;8(4):309–315.
2. Septiana A, Wuryatmo E. Effect of Ethanol Concentration and Extraction Time with Microwave Assisted Extraction on Antioxidant Activity of Temulawak-Extract (Curcuma Xanthorrhiza.Roxb). *J Funct Food Nutraceutical* 2022;3(2):63–69.
3. Guo H, Yuan Q, Fu Y, et al. Extraction optimization and effects of extraction methods on the chemical structures and antioxidant activities of polysaccharides from snow chrysanthemum (*Coreopsis Tinctoria*). *Polymers (Basel)* 2019;11(2):1–21.
4. Ningrum IK, Santosa Y, Setiawan Y. Variation of weekly home range characteristics of Sumatran elephants (*Elephas maximus sumatranus*) in Bentang Seblat, Bengkulu Province, Indonesia. *Biodiversitas* 2023;24(11):5854–5862.
5. Yefrida Y, Refilda R, Hamidah N, Rosman W. Penentuan Kandungan Antioksidan Total pada Infusa Selada Hijau (*Lactuca sativa* L.) Hidroponik dan Konvensional secara Spektrofotometri dengan Modified Phenantroline Method (MPM). *J Ris Kim* 2022;13(1):122–129.
6. Yefrida, Ulfaningsih M, Loekman U. Validasi Metoda Penentuan Antioksidan Total (Dihitung Sebagai Asam Sitrat) Dalam Sampel Jeruk Secara Spektrofotometri dengan Menggunakan Oksidator FeCl₃ dan Pengompleks Orto-Fenantrolin. *J Ris Kim* 2014;7(2):186.
7. Masfufatun M, Sari M, Jamilah A. The Antioxidant and Hepatoprotective Potential of Temulawak (*Curcuma xanthorrhiza* Roxb) Ethanol Extract in Paracetamol-induced Rats. *SSRN Electron J* 2021;
8. Lukitaningsih E, Rohman A, Rafi M, Nurulhidayah AF, Windarsih A. In vivo antioxidant activities of Curcuma longa and Curcuma xanthorrhiza: A review. *Food Res* 2020;4(1):13–19.
9. Nurcholis W, Bintang M. Comparison between antioxidant activity and phenolics content of Curcuma xanthorrhiza and Curcuma aeruginosa Roxb. *Indones Herb J* 2017;2(1):25–29.
10. Verep D, Ates S, Karaogu E. A Review of Extraction Methods for Obtaining Bioactive Compounds in Plant-Based Raw Materials. *Bartın Orman Fakültesi Derg* 2023;25(3):492–513.
11. Fletes-Vargas G, Rodríguez-Rodríguez R, Pacheco N, Pérez-Larios A, Espinosa-Andrews H. Evaluation of the Biological Properties of an Optimized Extract of Polygonum cuspidatum Using Ultrasonic-Assisted Extraction. *Molecules* 2023;28(10):1–15.
12. Azahar NF, Gani SSA, Mokhtar NF mohd. Optimization of phenolics and flavonoids extraction conditions of Curcuma Zedoaria leaves using response surface methodology. *Chem Cent J* 2017;11(1):1–10.
13. Sai-Ut S, Kingwascharapong P, Mazumder MAR, Rawdkuen S. Optimization of extraction of phenolic compounds and antioxidants from passion fruit and rambutan seeds using response surface methodology. *J Agric Food Res* 2023;14:1–11.
14. Indriani L, Gunawan ER, Suhendra D. Optimasi Sintesis Asam Lemak Etanolamida Berbasis Minyak Ketapang Menggunakan Response Surface Methodology. *J Pijar Mipa* 2021;16(2):247–257.
15. Sholikhah NI, Alfian M, Fatimah FA. Uji Aktivitas Antioksidan Minuman Serbuk Instan Temulawak (*Curcuma xanthorrhiza* Roxb) Produksi Mitra Sehat Kiringan Bantul. *J Kefarmasian Akfarindo* 2023;8(1):50–55.
16. Syamsudin RAR, Perdana F, Mutiaz FS, et al. Temulawak Plant (*Curcuma xanthorrhiza* Roxb) as a Traditonal Medicine. *J Ilm Farm Bahari* 2019;10(1):51–65.
17. Rahmat E, Lee J, Kang Y. Javanese Turmeric (*Curcuma xanthorrhiza* Roxb.): Ethnobotany, Phytochemistry, Biotechnology, and Pharmacological Activities. *Evidence-based Complement Altern Med* 2021;2021.
18. Nurkhasanah, Bachri MS, Yuliani S. Antioksidan dan Stres Oksidatif. 2023;
19. Gulcin İ, Alwasel SH. DPPH Radical Scavenging Assay. *Processes* 2023;11(8).

20. Widyasanti A, Rohdiana D, Ekatama N. Aktivitas Antioksidan Ekstrak Teh Putih (*Camellia Sinensis*) dengan Metode DPPH (2,2 Difenil-1-Pikrilhidrazil). *Fortech* 2016;1(1):2016.
21. Konda JP, Siampa JP, Tallei TE, Kepel BJ, Fatimawali F. Aktivitas Antioksidan Ekstrak Metanol Biji Langsung (*Lansium domesticum* var. *pubescens*) dan Duku (*Lansium domesticum* var. *domesticum*) dengan Metode DPPH. *J Ilm Sains* 2020;20(2):113.
22. Echegaray N, Pateiro M, Munekata PES, et al. Measurement of antioxidant capacity of meat and meat products: Methods and applications. *Molecules* 2021;26(13).
23. Hidayat R, Patricia Wulandari. Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indones* 2021;2(1):73–79.
24. Arsa AK, Achmad Z. Ekstraksi Minyak Atsiri dari Rimpang Temu Ireng (*Curcuma aeruginosa* Roxb) dengan Pelarut Etanol dan N-Heksana. *J Teknol Technoscientia* 2020;13(1):83–94.
25. Goti D, Dasgupta DS. A comprehensive review of conventional and non-conventional solvent extraction techniques. *J Pharmacogn Phytochem* 2023;12(3):202–211.
26. Rasul MG. Conventional Extraction Methods Use in Medicinal Plants, their Advantages and Disadvantages. *Int J Basic Sci Appl Comput* 2018;2(6):10–14.
27. Nair AT, Makwana AR, Ahammed MM. The use of response surface methodology for modelling and analysis of water and wastewater treatment processes: A review. *Water Sci Technol* 2014;69(3):464–478.
28. Bezerra MA, Santelli RE, Oliveira EP, Villar LS, Escalera LA. Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta* 2008;76(5):965–977.
29. Cano-Lamadrid M, Martínez-Zamora L, Mozafari L, Bueso MC, Kessler M, Artés-Hernández F. Response Surface Methodology to Optimize the Extraction of Carotenoids from Horticultural By-Products—A Systematic Review. *Foods* 2023;12(24):1–17.
30. Tang X, Yan L, Gao J, Ge H, Yang H, Lin N. Optimization of extraction process and investigation of antioxidant effect of polysaccharides from the root of *Limonium sinense* Kuntze. *Pharmacogn Mag* 2011;7(27):186–192.
31. Ariffin ZZ, Saat MN, Zulkifle NT. A Review on Response Surface Methodology Optimization in Microbial Biotransformation. *Sci Lett* 2022;16(2):64–72.
32. Hwang SJ, Lee JH. Comparison of antioxidant activities expressed as equivalents of standard antioxidant. *Food Sci Technol* 2023;43:1–5.
33. Belete A, Yisak H, Chandravanshi BS, Yaya EE. Ascorbic Acid Content and the Antioxidant activity of Common Fruits Commercially Available in Ababa Ethiopia. *Bull Chem Soc Ethiop* 2023;37(2):277–288.
34. Santiago DM, Zubia C, Pacia SE, Duque SMM. Optimization of Antioxidant Extraction From Kalumpit (*Terminalia Microcarpa* Decne) Fruits. *J Microbiol Biotechnol Food Sci* 2020;10(2):301–309.
35. Fernández-Agulló A, Castro-Iglesias A, Freire MS, González-Álvarez J. Optimization of the extraction of bioactive compounds from walnut (*Juglans major* 209 x *juglans regia*) leaves: Antioxidant capacity and phenolic profile. *Antioxidants* 2020;9(18):1–14.
36. Sotiropoulou NS, Megremi SF, Tarantilis P. Evaluation of antioxidant activity, toxicity, and phenolic profile of aqueous extracts of chamomile (*Matricaria chamomilla* L.) and sage (*Salvia ocinalis* L.) prepared at different temperatures. *Appl Sci* 2020;10(7).
37. Arina IMZ, Harisun Y. Effect of extraction temperatures on tannin content and antioxidant activity of *Quercus infectoria* (Manjakani). *Biocatal Agric Biotechnol* 2019;19:1–5.
38. Khoa T Van, Hieu LT, Son LL, Vu HXA, Kiet T, Thi TT Van. Effect of Temperatures Extraction on in Vitro Antioxidant Activities of Polysaccharides From *Ophiocordyceps Sobolifera*. *Hue Univ J Sci Nat Sci* 2019;128:17–21.
39. Myo H, Khat-udomkiri N. Optimization of ultrasound-assisted extraction of bioactive compounds from coffee pulp using propylene glycol as a solvent and their antioxidant activities. *Ultrason Sonochem* 2022;89:1–13.
40. Zheng LL, Wen G, Yuan MY, Gao F. Ultrasound-assisted extraction of total flavonoids from corn silk and their antioxidant activity. *J Chem* 2016;2016:1–5.
41. Prakash Maran J, Manikandan S, Vigna Nivetha C, Dinesh R. Ultrasound assisted

extraction of bioactive compounds from *Nephelium lappaceum* L. fruit peel using central composite face centered response surface design. *Arab J Chem* 2017;10:S1145–S1157.

42. Chen X, Ding J, Ji D, He S, Ma H. Optimization of ultrasonic-assisted extraction conditions for bioactive components from coffee leaves using the Taguchi design and response surface methodology. *J Food Sci* 2020;85(6):1742–1751.
43. Sai-Ut S, Kingwascharapong P, Mazumder MAR, Rawdkuen S. Optimization of Ethanolic Extraction of Phenolic Antioxidants from Lychee and Longan Seeds Using Response Surface Methodology. *Foods* 2023;12(15).
44. Tabaraki R, Nateghi A. Optimization of ultrasonic-assisted extraction of natural antioxidants from rice bran using response surface methodology. *Ultrason Sonochem* 2011;18(6):1279–1286.
45. Tan YJ, Zhou GS, Guo S, et al. Simultaneous optimization of ultrasonic-assisted extraction of antioxidant and anticoagulation activities of compounds from *Leonurus japonicus* Houtt. by response surface methodology. *RSC Adv* 2018;8(71):40748–40759.
46. Ahmed IAM, Al-Juhaimi F, Adisa AR, et al. Optimization of ultrasound-assisted extraction of phenolic compounds and antioxidant activity from Argel (*Solenostemma argel* Hayne) leaves using response surface methodology (RSM). *J Food Sci Technol* 2020;57(8):3071–3080.
47. Singh B, Sharma HK, Sarkar BC. Optimization of extraction of antioxidants from wheat bran (*Triticum* spp.) using response surface methodology. *J Food Sci Technol* 2012;49(3):294–308.
48. Savic IM, Gajic IMS, Milovanovic GM, Zerajic S, Gajic DG. Optimization of Ultrasound-Assisted Extraction and Encapsulation of Antioxidants from Orange Peels in Alginate-Chitosan Microparticles. *Antioxidants* 2022;11(2):1–18.
49. Khamtache-Abderrahim S, Yahiaoui S, Otmani A, Bachir-Bey M. Optimization of Phenolic Compound Recovery and Antioxidant Activity From *Fumaria Officinalis* L. Using Response Surface Methodology. *Ann Univ Dunarea Jos Galati, Fascicle VI Food Technol* 2021;45(2):117–133.

