

DAFTAR PUSTAKA

Abdulmuthalib. 2010. Kelainan Hematologik. In: Ilmu Kebidanan. Jakarta: P.T..

Bina Pustaka Sarwono Prawirohardjo

Allen LH. (2000). Anemia and iron deficiency: effects on pregnancy outcome.

Am J Clin Nutr, 71: 1280S-1284S.

Andrews NC. (2009). Genes determining blood cell traits. Nat. Genet. 41, 1161-1162.

Bakta IM. (2009). Pendekatan terhadap Pasien Anemia. In: Buku Ajar Ilmu Penyakit Dalam Jilid II ed 5. Jakarta Pusat : Interna Publishing

Beguin Y, Lipscei G, Thoumsin H, Fillet G. (1991). Blunted erythropoietin production and decreased erythropoiesis in early pregnancy. Blood, 78(1): 89- 93.

Buttarelo M, Temporin V, Ceravolo R, Farina G, Bulian P. (2004). The new reticulocyte sparameter (RET-Y) of the Sysmex XE 2100: its use in the diagnosis and monitoring of posttreatment sideropenic anemia. Am J Clin Pathol, Apr;121(4):489-95

Centre for Disease Control and Prevention. (2017). Recommendation to control

and prevent and 311 control iron deficiency in the United States MMWR, 47: 1-2.

Chełchowska M, Ambroszkiewicz J, Gajewska J, Jabłońska-Głąb E, Maciejewski

TM, Ołtarzewski M. (2016). Hpcidin and Iron Metabolism in Pregnancy:

Correlation with Smoking and Birth Weight and Length. Biol Trace Elem

Res, 173(1): 14-20.

Cunningham. 2014. *Obstetri Williams*. Jakarta : EGC

Ervasti M, Kotisaari S, Heinonen S, Punnonen K. (2008). Elevated serum erythropoietin concentration is associated with coordinated changes in red blood cell and reticulocyte indices of pregnant women at term . The Scandinavian Journal of Clinical & Laboratory Investigation, 68(2): 160-65.

Fendrey T, Ammann P, Garzoni D, Korte W, Fierz W, Rickli H, et al. (2004). Interpretation of erythropoietin levels in patients with various degrees of renal insufficiency and anemia. *Kidney Int* 66(3):1206–11

Flesland O, Eskeland AK, Flesland AB, Falch D, Solheim BG, Seghatchian J.

(2004). Transferrin receptor in serum. A new tool in the diagnosis and prevention of iron deficiency in blood donors. *Transfus Apher Sci*, 31: 11-16

Georgieff MK. (2009). The Role of Iron in Neurodevelopment: Fetal Iron Deficiency and the Developing Hippocampus. *Biochem Soc Trans*, 36(Pt 6): 1267–1271

Ghezzi P, Brines M. (2004). Erythropoietin as an antiapoptotic, tissue-protective cytokine. *Cell Death Differ*. 11 (1): S37-S44.

Gisbert JP, Bermejo F, Pajares R, Pérez-Calle JL, Rodríguez M, Algaba A, et al. (2009).


Oral and intravenous iron treatment in inflammatory bowel disease:

hematological response and quality of life improvement. *Inflamm Bowel Dis*, 15(10):1485-91

Goldstein JD, Garry DJ, Maulik D. (2000) Obstetric conditions and erythropoietin levels. *Am J Obstet Gynecol*, 182:1055-57

Guyton AC, Hall JE. (2016). *Buku Ajar Fisiologi Kedokteran*. Edisi 11. Jakarta: Penerbit Buku Kedokteran EGC.

Haniff J, Das A, Onn LT, Sun CW, Nordin NM, Rampal S, et al. (2007). Anemia



in pregnancy in Malaysia: a cross-sectional survey. *Asia Pac J Clin Nutr*, 16(3):527-36.

Hayat A, Haria D, Salifu MO. (2008). Erythropoietin stimulating agents in the management of anemia of chronic kidney disease. *Patient Prefer Adherence*. 2: 195–200

Hoffbrand AV, Pettit JE, Moss PAH. (2002). *Kapita Selekt Hematologi* ed 4.

Jakarta : Penerbit Buku Kedokteran EGC.

Jelkmann W. (1998). Proinflammatory cytokines lowering erythropoietin production. *J Interferon Cytokine Res*, 18(8):555–9.

Jelkmann W. (2011). Regulation of erythropoietin production. *The Journal of Physiology*, 589 (Pt 6), 1251–1258.

Kalaivani K. (2009). Prevalence & consequences of anaemia in pregnancy. *Indian J Med Res*, 130(5):627-33.


Kasper DL, Fauci AS, Hauser SL, et al. (2015). *Harrison's Principles of Internal Medicine*, Mc Graw Hill Medical, New York, USA, 2015, 19th edition p:625-29

Kemenkes RI. (2007). *Riset Kesehatan Dasar (RISKESDAS) Indonesia*. Jakarta, Kemenkes RI.

Kemenkes RI. (2013). *Riset Kesehatan Dasar (RISKESDAS) Indonesia*. Jakarta, Kemenkes RI.

Kemenkes RI. (2018). *Riset Kesehatan Dasar (RISKESDAS) Indonesia*. Jakarta, Kemenkes RI.

Khalid S, McGrowder D, Kemp M, Johnson P. (2007). The use of soluble



transferrin receptor to assess iron deficiency in adults with cystic fibrosis.

Clin Chim Acta, 378:194- 200

Kozuma S. (2009). Approaches to Anemia in Pregnancy. JMAJ, 52(4): 214 -218.

Lakhal S, Schodel J, Townsend AR, Pugh CW, Ratcliffe PJ, Mole DR. (2011).

Regulation of type II transmembrane serine proteinase TMPRSS6 by hypoxia-inducible factors: new link between hypoxia signaling and iron homeostasis. J. Biol. Chem. 286, 4090–4097

Lin XM, Tian W, Ma L, Long Z, Zhang J, Shen XY, Zhang XP. (2008). The

responses of serum transferrin receptors to iron supplements in subjects with iron-deficiency erythropoiesis and iron-deficiency anemia. Br J Nutr, 99:416-20

Moore E, Bellomo R. (2011). Erythropoietin (EPO) in acute kidney injury. AnnIntensive-Care, 1(1): 3.

Oliver E, Olufunto K. (2012). Management of Anaemia in Pregnancy. In: Silvenberg, D. Anemia. Intech, 233-244. Available from: <http://www.intechopen.com/books/anemia/management-of-anaemia-inpregnancy> [Accessed 8 September 2018].

Pavord S, Myers B, Roinson S, Allard S, Strong J, Oppenheimer C. (2011). UK Guidelines on the Management of Iron Deficiency in Pregnancy

Peng H, Jaroslav T, Lee P. (2012). Iron-deficiency anemia from matriptase-2

inactivation is dependent on the presence of functional Bmp6. Changes, 29(6): 997– 1003.

Prawirohardjo S. (2014). Ilmu Kebidanan Sarwono Prawirohardjo. Jakarta: PT Bina Pustaka Sarwono Prawirohardjo.

Prenggono MD. (2015). Eritropoetin dan Penggunaan Eritropoetin pada Pasien

Kanker dengan Anemia. CDK-224, 42(1): 20-28.

Proverawati A. (2007). Anemia dan Anemia kehamilan. Yogyakarta : Nuha Medik.

Radlowski EC, Johnson RW. (2013). Perinatal iron deficiency and neurocognitive development. Front Hum Neurosci, 7: 585.

Rao R, Georgieff MK. (2007). Iron in fetal and neonatal nutrition. Semin Fetal

Neonatal Med. 12(1):54-63.

Sharma JB. (2003). Nutritional anemia during pregnancy in non-industrialized

countries. Studd J, ed. Progress in obstetrics and gynaecology. Edinburgh:

Churchill Livingstone.

Sharma JB, Bumma SD, Saxena R, Kumar S, Roy KK, Singh N, Vanamail P.

(2016). Cross sectional, comparative study of serum erythropoietin, transferrin receptor, ferritin levels and other hematological indices in normal pregnancies and iron deficiency anemia during pregnancy. Eur J Obstet Gynecol Reprod Biol. 203:99-103

Sukrat B, Suwathanapisate P, Siritawee S, Pongthong T, Phupongpankul K. (2010).

The prevalence of iron deficiency anemia in pregnant women in

Nakhonsawan, Thailand. J Med Assoc Thai, 93(7):765-70.

Tran PV, Carlson ES, Fretham SJ, Georgieff MK. (2008). Early-life iron deficiency anemia alters neurotrophic factor expression and hippocampal neuron differentiation in male rats. J Nutr, 138(12):2495-501.

World Health Organization. (2008). Standards for maternal and neonatal care:

iron and folate supplementation. Integrated management of pregnancy and childbirth (IMPAC). IMPAC.

World Health Organization. (2011). Hemoglobin concentrations for the diagnosis

of anemia and 308 assessment of severity. Vitamin and mineral nutritional information system. Geneva, World Health Organization.

World Health Organization. (2015). The global prevalence of anemia in 2011.

Geneva, World Health Organization.

Wright GL, Hanlon P, Amin K, Steenbergen C, Murphy E, Arcasoy MO. (2004).

Erythropoietin receptor expression in adult rat cardiomyocytes is associated with an acute cardioprotective effect for recombinant erythropoietin during ischemia-reperfusion injury. *FASEB J*,18:1031-3

