

DAFTAR PUSTAKA

- Adetoro, A. O., Opara, U. L., & Fawole, O. A. (2020). Effect of carrier agents on the physicochemical and technofunctional properties and antioxidant capacity of freeze-dried pomegranate juice (*Punica granatum*) powder. *Foods*, 9(10), 1388.
- Aeimsard, R., Benjawan Thumthanaruk, R. J. and, & Lekhavat, S. (2015). *Journal of Food Science and Agricultural Technology* Effect of drying on total phenolic compounds , antioxidant activities and physical properties of palm sugar. 1, 126–130.
- Ahmed, W., & Rashid, S. (2019). Functional and therapeutic potential of inulin: A comprehensive review. *Critical Reviews in Food Science and Nutrition*, 59(1), 1–13.
- Akbarbaglu, Z., Jafari, S. M., Sarabandi, K., Mohammadi, M., Heshmati, M. K., & Pezeshki, A. (2019). Influence of spray drying encapsulation on the retention of antioxidant properties and microstructure of flaxseed protein hydrolysates. *Colloids and Surfaces B: Biointerfaces*, 178, 421–429.
- Ali, B. H., Ziada, A., & Blunden, G. (2009). Biological effects of gum arabic: a review of some recent research. *Food and Chemical Toxicology*, 47(1), 1–8.
- Aminah, S. (2023). *Prosiding: Enkapsulasi Meningkatkan Kualitas Komponen Bioaktif Minuman Instan*.
- Ansar, A., Nazaruddin, N., & Azis, A. D. (2019). Pengaruh suhu dan lama penyimpanan terhadap perubahan pH dan warna nira aren (*Arenga Pinnata* Merr) setelah penyadapan. *Teknik Pertanian Lampung*, 8(1), 40–48.
- Araujo-Díaz, S. B., Leyva-Porras, C., Aguirre-Bañuelos, P., Álvarez-Salas, C., & Saavedra-Leos, Z. (2017). Evaluation of the physical properties and conservation of the antioxidants content, employing inulin and maltodextrin in the spray drying of blueberry juice. *Carbohydrate Polymers*, 167, 317–325. <https://doi.org/10.1016/j.carbpol.2017.03.065>
- Aslamiyah, N. A. A., Anastasia, D. S., & Luliana, S. (2019). Metode-metode pembuatan minuman serbuk instan. *Jurnal*

Mahasiswa Farmasi Fakultas Kedokteran UNTAN, 6(1).

- Astuti, M., Hafizah, Yuningsih, E., M., N., Mustikawati, D., & Wasingun, R., A. (2014). *Pedoman Budidaya Aren (Arenga Pinnata Merr) Yang Baik.*
- Ayu, K., Candra, K. P., & Yuliani. (2017). Pengaruh formulasi nira aren (*Arenga pinnata merr.*) dan ekstrak jahe merah (*Zingiber officinale* var. *Rubrum*) terhadap sifat kimia dan sensoris minuman jahe merah instan. *Jurnal Teknologi Pertanian Universitas Mulawarman*, 12(1), 21–25.
- Azhar, I., Risnasari, I., & Srena, M. F. (2019). The utilization of sugar palm (*arenga pinnata*) by the people around Batang Gadis Nasional park area. *IOP Conference Series: Earth and Environmental Science*, 305(1), 12016.
- Aziz, S., Ali, J., Bhandari, K. S., Chen, W., Li, S., & Jung, D. W. (2022). Reverse Offset Printed, Biocompatible Temperature Sensor Based on Dark Muscovado. *Sensors*, 22(22), 8726.
- Azorín-Ortuño, M., Urbán, C., Cerón, J. J., Tecles, F., Allende, A., Tomás-Barberán, F. A., & Espín, J. C. (2009). Effect of low inulin doses with different polymerisation degree on lipid metabolism, mineral absorption, and intestinal microbiota in rats with fat-supplemented diet. *Food Chemistry*, 113(4), 1058–1065.
- Badmus, A. A., Yusof, Y. A., Chin, N. L., & Aziz, N. A. (2016). Antioxidant capacity and phenolics of spray dried arenga pinnata juice powder. *Journal of Agricultural Science and Technology*, 6(1), 209–213.
- Bakowska-Barczak, A. M., & Kolodziejczyk, P. P. (2011). Black currant polyphenols: Their storage stability and microencapsulation. *Industrial Crops and Products*, 34(2), 1301–1309. <https://doi.org/10.1016/j.indcrop.2010.10.002>
- Barlina, R., Karouw, S., & Pasang, P. (2020). Pengaruh Sabut Kelapa Terhadap Kualitas Nira Aren Dan Palm Wine. *Jurnal Penelitian Tanaman Industri*, 12(4), 166. <https://doi.org/10.21082/jlitri.v12n4.2006.166-171>
- Bazaria, B., & Kumar, P. (2016). Effect of whey protein concentrate as drying aid and drying parameters on physicochemical and functional properties of spray dried

- beetroot juice concentrate. *Food Bioscience*, 14, 21–27.
- Boeckner, L. S., Schnepf, M. I., & Tungland, B. C. (2001). *Inulin: a review of nutritional and health implications*.
- Botrel, D. A., Rodrigues, I. C. B., de Souza, H. J. B., & de Barros Fernandes, R. V. (2016). Application of inulin in thin-layer drying process of araticum (*Annona crassiflora*) pulp. *LWT-Food Science and Technology*, 69, 32–39.
- Chavan, R. S., Khedkar, C. D., & Bhatt, S. (2016). *Fat Replacer* (B. Caballero, P. M. Finglas, & F. B. T.-E. of F. and H. Toldrá (eds.); pp. 589–595). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-384947-2.00271-3>
- Choong, C. C., Anzian, A., & ... (2016). Characterization of Sugar from *Arenga pinnata* and *Saccharum officinarum* sugars. *International Food* <https://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&authtype=crawler&jrnl=19854668&AN=116822340&h=BjGlhxNRSBYUY0086rF1XpUvmSV%2BsXLEBJBH3YU4maPnTmlbopb3QA9UwBusb000vGdNvNFPWonbRTU4yCDP4A%3D%3D&crl=c>
- Chranioti, C., & Tzia, C. (2014). Thermooxidative stability of fennel oleoresin microencapsulated in blended biopolymer agents. *Journal of Food Science*, 79(6), C1091–C1099.
- Çopur, Ö. U., İncedayı, B., & Karabacak, A. Ö. (2019). Technology and nutritional value of powdered drinks. In *Production and Management of Beverages* (pp. 47–83). Elsevier.
- Cui, S. W., Wu, Y., & Ding, H. (2013). 5 - The range of dietary fibre ingredients and a comparison of their technical functionality. In J. A. Delcour & K. B. T.-F.-R. and W. F. Poutanen (Eds.), *Woodhead Publishing Series in Food Science, Technology and Nutrition* (pp. 96–119). Woodhead Publishing. <https://doi.org/https://doi.org/10.1533/9780857095787.1.96>
- Damanik, R., Azhar, I., & Riswan. (2015). Inventarisasi dan Pemanfaatan Aren (*Arenga pinnata* Merr) Oleh Masyarakat Sekitar Hutan (Studi Kasus: Hutan Produksi Terbatas Desa Sihombu, Kec. Tarabintang, Kab. Humbang Hasundutan).

Program Studi Kehutanan, Fakultas Pertanian, Universitas Sumatera Utara, 18–24.

- Daza, L. D., Fujita, A., Fávaro-Trindade, C. S., Rodrigues-Ract, J. N., Granato, D., & Genovese, M. I. (2016). Effect of spray drying conditions on the physical properties of Cagaita (*Eugenia dysenterica* DC.) fruit extracts. *Food and Bioproducts Processing*, 97, 20–29. <https://doi.org/10.1016/j.fbp.2015.10.001>
- Dewi, B. K., Putra, I. N. K., & Yusasrini, N. L. A. (2022). Pengaruh suhu dan waktu pengeringan terhadap aktivitas antioksidan dan sifat sensori teh herbal bubuk daun pohpohan (*Pilea trinervia* W.). *Itepa: Jurnal Ilmu Dan Teknologi Pangan*, 11(1), 1–12.
- Dorđević, V., Paraskevopoulou, A., Mantzouridou, F., Lalou, S., Pantić, M., Bugarski, B., & Nedović, V. (2016). Encapsulation technologies for food industry. *Emerging and Traditional Technologies for Safe, Healthy and Quality Food*, 329–382.
- Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the Efficiency of Five Different Drying Carriers on the Spray Drying of Persimmon Pulp Powders. *Drying Technology*, 32(10), 1157–1166. <https://doi.org/10.1080/07373937.2014.886259>
- Ernawati, U. R., Umi, L., & Katri, R. B. (2014). *Pengaruh Variasi Nilai Dextrose Equivalents (DE) Maltodekstrin Terhadap Karakteristik Mikroenkapsulan Pewarna Alami Daun Jati*. 15(2), 111–120.
- Fang, Z., & Bhandari, B. (2012). Comparing the efficiency of protein and maltodextrin on spray drying of bayberry juice. *Food Research International*, 48(2), 478–483. <https://doi.org/10.1016/j.foodres.2012.05.025>
- Fernandes, R. V. D. B., Borges, S. V., & Botrel, D. A. (2014). Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. *Carbohydrate Polymers*, 101(1), 524–532. <https://doi.org/10.1016/j.carbpol.2013.09.083>
- Fiana, R. M., Murtius, W. S., & ASben, A. (2016). Pengaruh konsentrasi maltodekstrin terhadap mutu minuman instan dari

- teh kombucha. *Jurnal Teknologi Pertanian Andalas*, 20(2), 1–8.
- Fiani, A. (2015). Review: Strategi konservasi sumber daya genetik aren (*Arenga pinnata*). *Prosiding Seminar Nasional Masyarakat Biodeversiti Indonesia*, 1(3), 687–690.
- Franco, F. M. (2021). *Ethnobotany of the mountain regions of Southeast Asia*. Springer International Publishing.
- Galindo-rosales, F. J., Campo-deaño, L., Afonso, A. M., Alves, M. A., & Editors, F. T. P. (2019). *Proceedings of the Iberian Meeting on Rheology (IBEREO 2019)* (Issue Ibero). Springer Nature.
- Ganaie, T. A., Masoodi, F. A., Rather, S. A., & Gani, A. (2021). Exploiting maltodextrin and whey protein isolate macromolecules as carriers for the development of freeze dried honey powder. *Carbohydrate Polymer Technologies and Applications*, 2, 100040.
- Gawałek, J., & Domian, E. (2020). Tapioca dextrin as an alternative carrier in the spray drying of fruit juices-a case study of chokeberry powder. *Foods*, 9(8). <https://doi.org/10.3390/foods9081125>
- Gonçalves, C., Moreira, S., Carvalho, V., Silva, D., & Gama, F. M. (2016). *Dextrin*.
- Gunawan, W., Maulani, R. R., Hati, E. P., Awaliyah, F., Afif, A. H., & Albab, R. G. (2020). Evaluation of palm sap (*Neera*) quality (*Arenga pinnata* Merr) in processing of house hold palm sugar (case study on aren farmers in Gunung Halu village, Gunung Halu district, West Bandung regency). *IOP Conference Series: Earth and Environmental Science*, 466(1), 12001.
- Gusmalawati, D., & Mayasari, E. (2017). Karakteristik Fisikokimiawi Sari Buah Tapus (*Curculigo Latifolia* Dryand) Dengan Metode Ekstraksi Osmosis. *Jurnal Ilmiah Teknosains*, 3(2). <https://doi.org/10.26877/jitek.v3i2.1883>
- Harahap, D. E. (2021). Tanaman Aren Sebagai Tanaman Multi Guna Dalam Upaya Peningkatan Pendapatan Keluarga Petani Di Desa Sialaman Kabupaten Tapanuli Selatan. *J-ABDI: Jurnal Pengabdian Kepada Masyarakat*, 1(1), 69–74.

- Harahap, D. E., Mukhlis, & Mahmud, A. (2022). Sosialisasi teknik penyadapan bunga jantan untuk memperoleh air nira di desa Sialaman kabupaten Tapanuli Selatan. *Jurnal Pengabdian Masyarakat*, 5(5), 1964–1969.
- Hardy, Z., & Jideani, V. A. (2017). Foam-mat drying technology: A review. *Critical Reviews in Food Science and Nutrition*, 57(12), 2560–2572.
- Hariyadi, T., Witono, J. R., & Santoso, H. (2017). Pengaruh kondisi operasi dan foaming agent terhadap kualitas serbuk tomat pada pengeringan menggunakan tray dryer. *Prosiding Semnastek*.
- Hebbar, K. B., Pandiselvam, R., Manikantan, M. R., Arivalagan, M., Beegum, S., & Chowdappa, P. (2018). Palm Sap—Quality Profiles, Fermentation Chemistry, and Preservation Methods. *Sugar Tech*, 20(6), 621–634. <https://doi.org/10.1007/s12355-018-0597-z>
- Heryanto, R., Kusrini, N., Silitonga, Y. R., & Sirappa, M. P. (2023). Manisnya Potensi Aren dari Tanah Manndar. *Warta BSIP Perkebunan*, 1(2), 8–12.
- Ho, C. W., Aida, W. M. W., Maskat, M. Y., & Osman, H. (2007). Changes in volatile compounds of palm sap (*Arenga pinnata*) during the heating process for production of palm sugar. *Food Chemistry*, 102(4), 1156–1162. <https://doi.org/10.1016/j.foodchem.2006.07.004>
- Husniati, H., & Adi, W. A. (2018). Analisis Fasa dan Struktur Mikro Pada Tepung Tapioka dengan Penambahan Natrium Metabisulfit. *Jurnal Sains Materi Indonesia*, 13(2), 83–89.
- Hussain, S. A., Hameed, A., & Nazir, Y. (2018). *Microencapsulation and the Characterization of Polyherbal Formulation (PHF) Rich in Natural*. <https://doi.org/10.3390/nu10070843>
- Hutasoit, L. R. R., Puspawati, G. A. K. D., & Permana, D. M. (2023). *Pengaruh Rasio Maltodekstrin dan Gum Arab Terhadap Aktivitas Antioksidan dan Warna Serbuk Terung Belanda (Solanum betaceum Cav) Yang Terkopigmentasi*.
- Iesa, N. B., Chaipoot, S., Phongphisutthinant, R., Wiriyaacharee, P., Lim, B. G., Sringarm, K., Burgett, M., & Chuttong, B. (2023).

- Effects of maltodextrin and gum Arabic composition on the physical and antioxidant activities of dewaxed stingless bee cerumen. *Foods*, 12(20), 3740.
- Imraan, M., Ilyas, R. A., Norfarhana, A. S., Bangar, S. P., Knight, V. F., & Norraahim, M. N. F. (2023). Sugar palm (*Arenga pinnata*) fibers: new emerging natural fibre and its relevant properties, treatments and potential applications. *Journal of Materials Research and Technology*, 24, 4551–4572.
- Itoh, T., Widjaja, C. H., Matsuyama, A., Nasution, M. Z., & Kumendong, J. (1984). *Compositional characteristics of nira-palm juice of high sugar content from palm tree*.
- Jeong, S.-M., Kim, S.-Y., Kim, D.-R., Jo, S.-C., Nam, K. C., Ahn, D. U., & Lee, S.-C. (2004). Effect of heat treatment on the antioxidant activity of extracts from citrus peels. *Journal of Agricultural and Food Chemistry*, 52(11), 3389–3393.
- Julianto, T. S. (2019). Fitokimia Tinjauan Metabolit Sekunder dan Skrining fitokimia. In *Jakarta penerbit buku kedokteran EGC* (Vol. 53, Issue 9).
- Jumansyah, H., Johan, V. S., & Rahmayuni, R. (2017). *Penambahan Gum Arabterhadap Mutu Sirup Kulit dan Buah Nanas (Ananas Comosus Lmerr.)*. Riau University.
- Kandansamy, K., & Somasundaram, P. D. (2012). Microencapsulation of colors by spray drying-a review. *International Journal of Food Engineering*, 8(2).
- Kanha, N., Regenstein, J. M., & Laokuldilok, T. (2022). Optimization of process parameters for foam mat drying of black rice bran anthocyanin and comparison with spray-and freeze-dried powders. *Drying Technology*, 40(3), 581–594.
- Kania, W., Andriani, M. A. M., & Siswanti, S. (2015). Pengaruh variasi rasio bahan pengikat terhadap karakteristik fisik dan kimia granul minuman fungsional instan kecambah kacang komak (*Lablab purpureus* (L.) sweet). *Jurnal Teknosains Pangan*, 4(3).
- Karimi, I., Ghowsi, M., Mohammed, L. J., Haidari, Z., Nazari, K., & Schiöth, H. B. (2025). Inulin as a Biopolymer; Chemical Structure, Anticancer Effects, Nutraceutical Potential and Industrial Applications: A Comprehensive Review. *Polymers*,

- 17(3). <https://doi.org/10.3390/polym17030412>
- Klitzing, R. v, & Müller, H.-J. (2002). Film stability control. *Current Opinion in Colloid & Interface Science*, 7(1–2), 42–49.
- Kubbutat, P., Leitão, L., & Kulozik, U. (2021). Stability of foams in vacuum drying processes. Effects of interactions between sugars, proteins, and surfactants on foam stability and dried foam properties. *Foods*, 10(8), 1876.
- Kumar, G., Kumar, N., Prabhakar, P. K., & Kishore, A. (2023). Foam mat drying: Recent advances on foam dynamics, mechanistic modeling and hybrid drying approach. *Critical Reviews in Food Science and Nutrition*, 63(26), 8275–8291.
- Kurniawan, T., Jayanudin, J., Kustiningsih, I., & Adha Firdaus, M. (2018). Palm Sap Sources, Characteristics, and Utilization in Indonesia. *Journal of Food and Nutrition Research*, 6(9), 590–596. <https://doi.org/10.12691/jfmr-6-9-8>
- Kurniawan, T., & Kustiningsih, I. (2019). Phenolic analysis and characterization of palm sugar (*Arenga Pinnata*) produced by the spray dryer. *Oriental Journal of Chemistry*, 35(1), 150.
- Lacerda, E. C. Q., de Araújo Calado, V. M., Monteiro, M., Finotelli, P. V., Torres, A. G., & Perrone, D. (2016). Starch, inulin and maltodextrin as encapsulating agents affect the quality and stability of jussara pulp microparticles. *Carbohydrate Polymers*, 151, 500–510.
- Lachowicz, S., Michalska-Ciechanowska, A., & Oszmiański, J. (2020). The impact of maltodextrin and inulin on the protection of natural antioxidants in powders made of Saskatoon berry fruit, juice, and pomace as functional food ingredients. *Molecules*, 25(8), 1805.
- Laurentin, A., Cárdenas, M., Ruales, J., Pérez, E., & Tovar, J. (2003). Preparation of indigestible pyrodextrins from different starch sources. *Journal of Agricultural and Food Chemistry*, 51(18), 5510–5515.
- Leasa, H., & Matdoan, M. N. (2015). Pengaruh Lama Fermentasi Terhadap Total Asam Cuka Aren (*Arenga pinnata* Merr.). *BIOPENDIX: Jurnal Biologi, Pendidikan Dan Terapan*, 1(2), 140–145.

- <https://doi.org/10.30598/biopendixvoll1issue2page140-145>
- Lee, S. M., & Kim, Y. S. (2017). *Effects of maltodextrins with different dextrose - equivalent values*. July, 1–7. <https://doi.org/10.1002/ffj.3410>
- Lempang, M., & Mangopang, A. D. (2012). Efektivitas Nira Aren Sebagai Bahan Pengembang Adonan Roti. *Jurnal Penelitian Kehutanan Wallacea*, 1(1), 26. <https://doi.org/10.18330/jwallacea.2012.volliss1pp26-35>
- Li, K., Pan, B., Ma, L., Miao, S., & Ji, J. (2020). Effect of dextrose equivalent on maltodextrin/whey protein spray-dried powder microcapsules and dynamic release of loaded flavor during storage and powder rehydration. *Foods*, 9(12), 1878.
- Li, T. S., Sulaiman, R., Rukayadi, Y., & Ramli, S. (2021). Effect of gum Arabic concentrations on foam properties, drying kinetics and physicochemical properties of foam mat drying of cantaloupe. *Food Hydrocolloids*, 116, 106492.
- Lidiawati, D., Mubarak, S., & Khaerani, N. (2024). Analisis Kadar Alkohol Nira Manis Pohon Aren (*Arenga pinnata* Merr). *Arfak Chem: Chemistry Education Journal*, 7(2), 633–640.
- Likumahua, M. H., Moniharapon, E., & Tuhumury, H. C. D. (2022). Pengaruh Konsentrasi Gula Terhadap Karakteristik Fisikokimia Dan Organoleptik Marmalade Jeruk Nipis (*Citrus aurantiifolia* S.). *Jurnal Sains Dan Teknologi Pangan*, 7(2), 4978–4993.
- Liu, R. H. (2007). Whole grain phytochemicals and health. *Journal of Cereal Science*, 46(3), 207–219.
- Lu, X., Chen, J., Guo, Z., Zheng, Y., Rea, M. C., Su, H., Zheng, X., Zheng, B., & Miao, S. (2019). Using polysaccharides for the enhancement of functionality of foods: A review. *Trends in Food Science & Technology*, 86, 311–327.
- Luo, Y., & Hu, Q. (2017). Food-derived biopolymers for nutrient delivery. In *Nutrient delivery* (pp. 251–291). Elsevier.
- Maciel, K. S., Teixeira, L. J. Q., Lucia, S. M. Della, & Saraiva, S. H. (2022). Optimization of foam mat drying for instant coffee processing and its effect on drying kinetics and quality characteristics. *Drying Technology*, 40(9), 1866–1880.

- Mahdavi, S. A., Jafari, S. M., Ghorbani, M., & Assadpoor, E. (2014). Spray-drying microencapsulation of anthocyanins by natural biopolymers: A review. *Drying Technology*, 32(5), 509–518.
- Mahulette, F., Rupilu, Z., & Pattipeilohy, M. (2020). Pengaruh lama penyimpanan dan bahan pengawet terhadap karakteristik fisikokimia nira aren (*Arenga pinnata* Merr). *Jurnal Pangan Dan Agroindustri*, 8(4), 219–225.
- Marcelina, Y., Sinaga, R., Widyastuti, S., Ariyana, M. D., Yuniarto, K., Studi, P., Pertanian, T., & Mataram, U. (2025). Pengaruh variasi suhu dan waktu penyimpanan terhadap karakteristik nira aren. 11, 160–171. <https://doi.org/10.29303/profood.v11i1.543>
- Maretha, D. E., Hapida, Y., & Nugroho, Y. A. T. (2020). Pemanfaatan Air Nira Tanaman Aren (*Arenga Pinnata* Merr) Menjadi Gula Semut. *Noer Fikri Offset. Pelembang*.
- Mariod, A. A. (2018). Gum Arabic: Structure, properties, application and economics. In *Gum Arabic: Structure, Properties, Application and Economics* (Issue August).
- McNamee, B. F., O’Riorda, E. D., & O’Sullivan, M. (1998). Emulsification and microencapsulation properties of gum arabic. *Journal of Agricultural and Food Chemistry*, 46(11), 4551–4555.
- Meyer, T., Miguel, A. S. M., Fernández, D. E. R., & Ortiz, G. M. D. (2015). Biotechnological Production of Oligosaccharides — Applications in the Food Industry. *Food Production and Industry, October*. <https://doi.org/10.5772/60934>
- Michalska-Ciechanowska, A., Majerska, J., Brzezowska, J., Wojdyło, A., & Figiel, A. (2020). The influence of maltodextrin and inulin on the physico-chemical properties of cranberry juice powders. *ChemEngineering*, 4(1), 12.
- Michalska, A., Wojdyło, A., Brzezowska, J., Majerska, J., & Ciska, E. (2019). The influence of inulin on the retention of polyphenolic compounds during the drying of blackcurrant juice. *Molecules*, 24(22). <https://doi.org/10.3390/molecules24224167>
- Miravet, G., Alacid, M., Obón, J. M., & Fernández-López, J. A.

- (2016). Spray-drying of pomegranate juice with prebiotic dietary fibre. *International Journal of Food Science and Technology*, 51(3), 633–640. <https://doi.org/10.1111/ijfs.13021>
- Molina-Calle, M., Priego-Capote, F., & de Castro, M. L. (2017). Characterization of Stevia leaves by LC–QTOF MS/MS analysis of polar and non-polar extracts. *Food Chemistry*, 219, 329–338.
- Moreno, T., De Paz, E., Navarro, I., Rodríguez-Rojo, S., Matías, A., Duarte, C., Sanz-Buenhombre, M., & Cocero, M. J. (2016). Spray drying formulation of polyphenols-rich grape marc extract: Evaluation of operating conditions and different natural carriers. *Food and Bioprocess Technology*, 9, 2046–2058.
- Muda, N. A., & Awal, A. (2021). Sugar palm (*Arenga pinnata* Wurmb Merr.): a review on plant tissue culture techniques for effective breeding. *IOP Conference Series: Earth and Environmental Science*, 715(1), 12016.
- Mudgil, D., & Barak, S. (2019). Classification, technological properties, and sustainable sources. In *Dietary fiber: Properties, recovery, and applications* (pp. 27–58). Elsevier.
- Muhamad, I. I., Jusoh, Y. M. M., Nawi, N. M., Aziz, A. A., Padzil, A. M., & Lian, H. L. (2018). Advanced natural food colorant encapsulation methods: Anthocyanin plant pigment. In *Natural and artificial flavoring agents and food dyes* (pp. 495–526). Elsevier.
- Mulyawanti, I., Setyawan, N., Syah, A. N. A., & Risfaheri, R. (2011). Evaluasi mutu kimia, fisika dan mikrobiologi nira aren (*Arenga pinnata*) selama penyimpanan. *Agritech*, 31(4).
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret FTIR spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118.
- Nawi, N., Muhamad, I. I., & Mohd Marsin, A. (2015). The physicochemical properties of microwave-assisted encapsulated anthocyanins from *Ipomoea batatas* as affected by different wall materials. *Food Science & Nutrition*, 3(2), 91–99.

- Ningsih, D. R., Asnani, A., & Fatoni, A. (2010). Pembuatan Dekstrin dari Pati Ubi Kayu Menggunakan Enzim Amilase dari *Azospirillum* sp. JG3 dan Karakterisasinya. *Molekul*, 5(1), 15–21.
- Nunes, C., Mahendrasingam, A., & Suryanarayanan, R. (2005). Quantification of crystallinity in substantially amorphous materials by synchrotron X-ray powder diffractometry. *Pharmaceutical Research*, 22, 1942–1953.
- Nurhadi, B., Sukri, N., Saputra, R. A., Wandhani, F. I., & Nurlita, A. I. (2020). Physical characteristics of amorphous and crystalline coconut sugar powder with the addition of tricalcium phosphate (TCP) as an anticaking agent. *International Journal of Food Science*, 2020(1), 5320173.
- Parthasarathi, S., Ezhilarasi, P. N., Jena, B. S., & Anandharamakrishnan, C. (2013). A comparative study on conventional and microwave-assisted extraction for microencapsulation of *Garcinia* fruit extract. *Food and Bioproducts Processing*, 91(2), 103–110.
- Pereira, M. T. L., Cavalcante, M. P., da Silva, S. F., Sensheng, Y., Silva, S. dos S., de Aquino, A. C., Araújo, I. M. da S., Dantas, E. S., da Silva, B. M. B., & Alves Filho, E. de G. (2024). Effect of Different Carrier Agents on the Yield of Powered Plant Beverage Obtained by Spray Drying and Characterization of Physicochemical Properties. *ACS Food Science & Technology*, 4(10), 2392–2399.
- Permata, D. A., & Sayuti, K. (2016). Pembuatan Minuman Serbuk Instan Dari Berbagai Bagian Tanaman Meniran (*Phyllanthus niruri*). *Jurnal Teknologi Pertanian Andalas*, 20(1), 44–49.
- Perwira, C., Fitriana, I., & Sani, E. Y. (2018). Pengaruh perbedaan konsentrasi gum arab terhadap sifat fisik, kimia dan organoleptik pada pembuatan fruit leather selaput biji carica (*Carica pubescens*). *Jurnal Mahasiswa, Universitas Semarang*.
- Pilicheva, B., Uzunova, Y., & Katsarov, P. (2021). Comparative Study on Microencapsulation of Lavender (*Lavandula angustifolia* Mill.) and Peppermint (*Mentha piperita* L.) Essential Oils via Spray-Drying Technique. *Molecules*,

26(24), 7467.

- Pontoh, J. (2012). *Metode Analisa dan Komponen Kimia dalam Nira dan Gula Aren*.
- Powo. (2023). Plants of the world online. Facilitated by the Royal Botfile:///C:/Users/User/Downloads/Edge Downloads/Edge Downloads/scholar - 2025-01-15T223527.720.risanic Gardens, Kew. *Published on the Internet*.
- Pramitasari, Dika, A., Katri, R. B., & Fauza, G. (2011). The addition of ginger extract in making soymilk powder by spray drying method: Chemical constituents, sensory characteristic and antioxidant activity. *Asian Journal of Natural Product Biochemistry*, 9(1), 17–25.
- Putri, I., Ratnayanti, I. G. A., Sugiritama, I., & Arijana, I. G. K. (2021). Analisis fitokimia nira aren dan tuak aren (*Arenga pinnata* (Wurmb) Merr.). *J Med Udayana.*, 10(6).
- Qadri, O. S., Srivastava, A. K., & Yousuf, B. (2020). Trends in foam mat drying of foods: Special emphasis on hybrid foam mat drying technology. *Critical Reviews in Food Science and Nutrition*, 60(10), 1667–1676. <https://doi.org/10.1080/10408398.2019.1588221>
- Qodim, A., Setyorini, D., & A Assagaf, I. P. (2024). Analisa Kinetika Degradasi Kadar Gula pada Nira Aren untuk Pembuatan Alkohol. *Journal of Energy, Materials, & Manufacturing Technology*, 3(01), 19–24. <https://doi.org/10.61844/jemmtec.v3i01.723>
- Rahmah, A. K., & Sya'di, Y. K. (2023). Karakteristik Kimia, Sifat Sensori dan Waktu Larut Penyedap Rasa Bubuk Jamur Tiram (*Pleurotus ostreatus*) dan Tomat (*Solanum lycopersicum* L.) dengan Metode Foam-Mat Drying. *Jurnal Pangan Dan Gizi*, 13(2), 88–96.
- Ravichandran, K., Palaniraj, R., Saw, N. M. M. T., Gabr, A. M. M., Ahmed, A. R., Knorr, D., & Smetanska, I. (2014). Effects of different encapsulation agents and drying process on stability of betalains extract. *Journal of Food Science and Technology*, 51, 2216–2221.
- Rezagholidade-shirvan, A., Soltani, M., Shokri, S., Radfar, R., Arab, M., & Shamloo, E. (2024). Bioactive compound

- encapsulation: Characteristics, applications in food systems, and implications for human health. *Food Chemistry: X*, 24(November), 101953.
<https://doi.org/10.1016/j.fochx.2024.101953>
- Ridanti, C., Dharmono, D., & Riefani, M. K. (2022). Kajian Etnobotani Aren (*Arenga pinnata* Merr.) Di Desa Sabuhur Kecamatan Jorong Kabupaten Tanah Laut. *JUPEIS: Jurnal Pendidikan Dan Ilmu Sosial*, 1(3), 200–215.
- Rio, E., Drenckhan, W., Salonen, A., & Langevin, D. (2014). Unusually stable liquid foams. *Advances in Colloid and Interface Science*, 205, 74–86.
- Rodsuwan, U., Thumthanaruk, B., Vatanyoopaisarn, S., Thisayakorn, K., Zhong, Q., Panjawattanangkul, S., & Rungsardthong, V. (2024). Microencapsulation of gamma oryzanol using inulin as wall material by spray drying: optimization of formulation and characterization of microcapsules. *Journal of Food Science and Technology*, 61(11), 2177–2184.
- Rózańska, M. B., Siger, A., Szwengiel, A., Dziedzic, K., & Mildner-Szkodlarz, S. (2021). Maillard reaction products in gluten-free bread made from raw and roasted buckwheat flour. *Molecules*, 26(5), 1–10.
<https://doi.org/10.3390/molecules26051361>
- Ruengdech, A., & Siripatrawan, U. (2022). Improving encapsulating efficiency, stability, and antioxidant activity of catechin nanoemulsion using foam mat freeze-drying: The effect of wall material types and concentrations. *Lwt*, 162, 113478.
- Rumagit, H. M. (2015). Uji fitokimia dan uji aktivitas antioksidan dari ekstrak etanol spons *Lamellodysidea herbacea*. *Pharmakon*, 4(3), 183–192.
- Rumajar, H., Pajow, H., Walangitan, A. J. V., Syarif, S. R., Rosmaeni, A., Malitja, J., & Pangau, H. (2008). Teknologi pembuatan gula kristal. *Departemen Perindustrian, Balai Penelitian Dan Pengembangan Industri, Manado*.
- Safitri, D., Rahim, E. A., Prismawiryanti, P., & Sikanna, R. (2017). Sintesis karboksimetil selulosa (CMC) dari selulosa kulit

- durian (*Durio zibethinus*). *KOVALEN: Jurnal Riset Kimia*, 3(1), 58–68.
- Sangamithra, A., Sivakumar Venkatachalam, S. V., John, S. G., & Kannan Kuppuswamy, K. K. (2015). *Foam mat drying of food materials: A review*.
- Sankat, C. K., & Castaigne, F. (2004). Foaming and drying behaviour of ripe bananas. *LWT-Food Science and Technology*, 37(5), 517–525.
- Santhalakshmy, S., Don Bosco, S. J., Francis, S., & Sabeena, M. (2015). Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. *Powder Technology*, 274, 37–43. <https://doi.org/10.1016/j.powtec.2015.01.016>
- Sanyang, M. L., Sapuan, S. M., Jawaaid, M., Ishak, M. R., & Sahari, J. (2016). Recent developments in sugar palm (*Arenga pinnata*) based biocomposites and their potential industrial applications: A review. *Renewable and Sustainable Energy Reviews*, 54, 533–549.
- Saputro, A. D., Van de Walle, D., & Dewettinck, K. (2019). Palm Sap Sugar: A Review. *Sugar Tech*, 21(6), 862–867. <https://doi.org/10.1007/s12355-019-00743-8>
- Sarkar, A. K., Oraon, S., Mondal, S., & Sadhukhan, S. (2022). Ethno-pharmacological and industrial attributes on the underutilized *Arenga* species in India. *Journal of Food Biochemistry*, 46(12), e14441.
- Sarkar, T., Mukherjee, M., Roy, S., & Chakraborty, R. (2023). Palm sap sugar an unconventional source of sugar exploration for bioactive compounds and its role on functional food development. *Heliyon*, 9(4), e14788. <https://doi.org/10.1016/j.heliyon.2023.e14788>
- Sartinah, A., Nugrahani, I., Ibrahim, S., & Anggadiredja, K. (2022). Potential metabolites of Arecaceae family for the natural anti-osteoarthritis medicine: A review. *Heliyon*, 8(12), e12039. <https://doi.org/10.1016/j.heliyon.2022.e12039>
- Sepelevs, I., Stepanova, V., & Galoburda, R. (2018). Encapsulation of gallic acid with acid-modified low dextrose equivalent potato starch using spray-and freeze-drying techniques. *Polish*

Journal of Food and Nutrition Sciences, 68(3).

- Setiawan, Y. (2020). Analisis Fisikokimia Gula Aren Cair. *Agroscience (Agsci)*, 10(1), 69. <https://doi.org/10.35194/agsci.v10i1.971>
- Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2014). *Analisis Sensori untuk industri pangan dan argo*. Pt Penerbit Ipb Press.
- Shaari, N. A., Sulaiman, R., Rahman, R. A., & Bakar, J. (2018). Production of pineapple fruit (*Ananas comosus*) powder using foam mat drying: Effect of whipping time and egg albumen concentration. *Journal of Food Processing and Preservation*, 42(2), e13467.
- Shadnia, M. H., Rasouli, S., & Fasihi, M. (2025). Influence of surfactant type on the microstructure, mechanical and thermal properties of phenolic foams. *Scientific Reports*, 15(1), 2983.
- Shahidi, F., & Han, X. (1993). Encapsulation of food ingredients. *Critical Reviews in Food Science & Nutrition*, 33(6), 501–547.
- Shindo, H. (1960). Studies on the Infrared Spectra of Heterocyclic Compound. VIII. Infrared Spectra of Substituted Pyrazines and their N-Oxides. *Chemical and Pharmaceutical Bulletin*, 8(1), 33–45.
- Shishir, M. R. I., & Chen, W. (2017). Trends of spray drying: A critical review on drying of fruit and vegetable juices. *Trends in Food Science & Technology*, 65, 49–67.
- Siddiqui, S. A., Singh, P., Utama, D. T., Samatra, M. Y., Ahmad, A., & Wani, S. A. (2024). Encapsulation of bioactive compounds in foods for diabetics - sources, encapsulation technologies, market trends and future perspectives – A systematic review. *Food and Bioprocess Processing*, 147(June), 277–303. <https://doi.org/10.1016/j.fbp.2024.07.007>
- Silva, D. M., Nunes, C., Pereira, I., Moreira, A. S. P., Domingues, M. R. M., Coimbra, M. A., & Gama, F. M. (2014). Structural analysis of dextrans and characterization of dextrin-based biomedical hydrogels. *Carbohydrate Polymers*, 114, 458–466.
- Sinaga, O. T., Fevria, R., Chattri, M., & Violita. (2021). Pengaruh Suhu Terhadap Waktu Fermentasi Nira Aren (*Arenga pinnata*

- Merr.) SYMBIOTIC: Journal of Biological Education and Science. *Journal of Biological Education*, 2(1), 21–27.
- Sobulska, M., & Zbicinski, I. (2021). Advances in spray drying of sugar-rich products. *Drying Technology*, 39(12), 1774–1799.
- Sukmana, D. J., Suhada, A., Yanti, I. G. A. N. D., & Anam, H. (2022). Pengaruh Lama Penyimpanan terhadap Kadar “Gula Reduksi” Nira Aren dengan Penambahan Kapur Sirih. *Journal of Authentic Research*, 1(1), 33–39. <https://doi.org/10.36312/jar.v1i1.636>
- Sun, J., Zhao, R., Zeng, J., Li, G., & Li, X. (2010). Characterization of destrins with different dextrose equivalents. *Molecules*, 15(8), 5162–5173.
- Suprayogi, D. (2020). Uji kualitatif vitamin c pada berbagai makanan dan pengaruhnya terhadap pemanasan. *SAINMATIKA UNJA| Jurnal Sains Dan Matematika Universitas Jambi*, 1(1).
- Surono, I. S. (2016). Ethnic fermented foods and beverages of Indonesia. *Ethnic Fermented Foods and Alcoholic Beverages of Asia*, 341–382.
- Tangkeallo, C., & Widyaningsih, T. D. (2014). Aktivitas Antioksidan Serbuk Minuman Instan Berbasis Miana Kajian Jenis Bahan Baku Dan Penambahan Serbuk Jahe. *Jurnal Pangan Dan Agroindustri*, 2(4), 278–284.
- Tiefenbacher, K. F. (2017). Technology of main ingredients: water and flours. *Wafer and Waffle: Processing and Manufacturing*, 15–121.
- Tonon, R. V., Brabet, C., & Hubinger, M. D. (2010). Anthocyanin stability and antioxidant activity of spray-dried açai (*Euterpe oleracea* Mart.) juice produced with different carrier agents. *Food Research International*, 43(3), 907–914.
- Tontul, I., & Topuz, A. (2017). Spray-drying of fruit and vegetable juices: Effect of drying conditions on the product yield and physical properties. *Trends in Food Science and Technology*, 63, 91–102. <https://doi.org/10.1016/j.tifs.2017.03.009>
- Turchiuli, C., Fuchs, M., Bohin, M., Cuvelier, M.-E., Ordonnaud, C., Peyrat-Maillard, M. N., & Dumoulin, E. (2005). Oil encapsulation by spray drying and fluidised bed

- agglomeration. *Innovative Food Science & Emerging Technologies*, 6(1), 29–35.
- Ulyarti, U., Lavlinesia, L., Nuzula, N., & Nazarudin, N. (2018). Sifat fungsional pati ubi kelapa kuning (*Dioscorea alata*) dan pemanfaatannya sebagai pengental pada saus tomat. *AgriTECH*, 38(3), 235–242.
- Victor, I. (2015). Processing of Arenga Pinnata (Palm) Sugar. *Department of Bioresource Engineering Faculty of Agricultural and Environmental Sciences Macdonald Campus of McGill University Sainte-Anne-De-Bellevue, Québec, Canada, January*.
- Victor, I., & Orsat, V. (2018a). Characterization of Arenga pinnata (Palm) Sugar. *Sugar Tech*, 20(1), 105–109. <https://doi.org/10.1007/s12355-017-0537-3>
- Victor, I., & Orsat, V. (2018b). Colour changes during the processing of Arenga pinnata (palm) sap into sugar. *Journal of Food Science and Technology*, 55(9), 3845–3849. <https://doi.org/10.1007/s13197-018-3314-8>
- Walsh, D. J., Russell, K., & FitzGerald, R. J. (2008). Stabilisation of sodium caseinate hydrolysate foams. *Food Research International*, 41(1), 43–52.
- Wan, X., Guo, H., Liang, Y., Zhou, C., Liu, Z., Li, K., Niu, F., Zhai, X., & Wang, L. (2020). The physiological functions and pharmaceutical applications of inulin: A review. *Carbohydrate Polymers*, 246, 116589.
- Wang, J., Kliks, M. M., Jun, S., Jackson, M., & Li, Q. X. (2010). Rapid Analysis of Glucose, Fructose, Sucrose, and Maltose in Honeys from Different Geographic Regions using Fourier Transform Infrared Spectroscopy and Multivariate Analysis. *Journal of Food Science*, 75(2), 208–214. <https://doi.org/10.1111/j.1750-3841.2009.01504.x>
- Weaver, C. M. (2005). Inulin, oligofructose and bone health: experimental approaches and mechanisms. *British Journal of Nutrition*, 93(S1), S99–S103.
- White, D. R., Hudson, P., & Adamson, J. T. (2003). Dextrin characterization by high-performance anion-exchange chromatography–pulsed amperometric detection and size-

- exclusion chromatography–multi-angle light scattering–refractive index detection. *Journal of Chromatography A*, 997(1), 79–85. [https://doi.org/https://doi.org/10.1016/S0021-9673\(03\)00626-5](https://doi.org/10.1016/S0021-9673(03)00626-5)
- Wibowo, L., & Evi, D. A. N. (2012). Pengolahan Rumput Laut (*Eucheuma Cottoni*) Menjadi Serbuk Minuman Instan. *Issn 1693 – 9085*, 8, 101–109.
- Widiatmoko, M. C., & Hartomo, J. A. (1993). Emulsi dan Pangan Instan Berlesitin. *Andi Offset. Yogyakarta*.
- Widyasanti, A., Septianti, N. A., & Nurjanah, S. (2019). Pengaruh penambahan maltodekstrin terhadap karakteristik fisikokimia bubuk tomat hasil pengeringan pembusaan (foam mat drying). *Agrin*, 22(1), 22–38.
- Williams, P. A., & Phillips, G. O. (2009). Gum arabic. In *Handbook of hydrocolloids* (pp. 252–273). Elsevier.
- Yenrina, R. (2015). Metode Analisis Bahan Pangan dan Komponen Bioaktif. In *Andalas University Press* (Vol. 2).
- Yolandari, A. (2021). Formulasi Minuman Serbuk Instan Mentimun Menggunakan Metode Mixture Design. *Jurnal Teknologi Pangan Dan Kesehatan (The Journal of Food Technology and Health)*, 1(2), 75–92. <https://doi.org/10.36441/jtepakes.v1i2.187>
- Yuliwaty, S. T., & Susanto, W. H. (2014). Pengaruh Lama Pengeringan dan Konsentrasi Maltodekstrin terhadap Karakteristik Fisik Kimia dan Organoleptik Minuman Instan Daun Mengkudu (*Morinda citrifolia* L)[In Press Januari 2015]. *Jurnal Pangan Dan Agroindustri*, 3(1), 41–52.
- Zorzenon, M. R. T., Formigoni, M., Silva, S. B., Hodas, F., Piovan, S., Ciotta, S. R., Jansen, C. A., Dacome, A. S., Pilau, E. J., Mareze-costa, C. E., Milani, P. G., & Costa, S. C. (2020). *Spray drying encapsulation of stevia extract with maltodextrin and evaluation of the physicochemical and functional properties of produced powders*. 00. <https://doi.org/10.1111/1750-3841.15437>
- Zviely, M., Shqara, E. A., & Hodrien, D. (2003). *Chocarom Pyrazine: a pyrazine for flavors and fragrances*.