

DAFTAR PUSTAKA

- [1] Parnasari, M. Nurhanisa, and B. S. Nugroho, "Studi Kapasitansi dan Konstanta Dielektrik Pada Karbon Aktif Tandan Kosong Kelapa Sawit," vol. 10, no. 1, pp. 98–104, 2022.
- [2] C. Daniel, "Faktor Dominan yang Berhubungan dengan Konsumsi Gula pada Mahasiswa Nonkesehatan," vol. 12, no. 2, pp. 93–106.
- [3] J. N. Arini, "Perancangan Antena Mikrostrip Circular Patch 2,4 GHz Sebagai Sensor Untuk Mendeteksi Larutan Gula Dengan Metode Transmisi Langsung," Universitas Andalas, 2023.
- [4] S. Alam and K. A. Santoso, "Antena Mikrostrip Segitiga Dengan Parasitic Untuk Aplikasi Wireless Fidelity," vol. 2, no. 1, pp. 25–37, 1945.
- [5] Ismail and K. Budayawan, "VoteTEKNIKA," *J. Vocat. Tek. Elektron. dan Inform.*, vol. 10, no. 1, pp. 20–27, 2022.
- [6] A. E. Omer *et al.*, "Multiple-Cell Microfluidic Dielectric Resonator for Liquid Sensing Applications," *IEEE Sens. J.*, vol. 21, no. 5, pp. 6094–6104, 2021.
- [7] M. T. Islam, N. Rahman, M. S. J. Singh, and Samsuzzaman, "Detection of Salt and Sugar Contents in Water on the basis of Dielectric Properties using Microstrip Antenna-based Sensor," vol. 3536, pp. 1–9, 2017, doi: 10.1109/ACCESS.2017.2787689.
- [8] S. Jain, "Early Detection of Salt and Sugar by Microstrip Moisture Sensor Based on Direct Transmission Method," *Wirel. Pers. Commun.*, no. 0123456789, pp. 1–9, 2021, doi: 10.1007/s11277-021-08914-1.
- [9] C. A. Balanis, *Antenna Theory Analysis And Design Fourth Edition*, 4th ed. New Jerseys: John Wiley & Sons. Inc, 2016.
- [10] Z. Liu and K. Chen, "Crack Monitoring Method for an FRP-Strengthened Steel Structure Based on an Antenna Sensor," *Sensors (Switzerland)*, vol. 17, no. 10, 2017, doi: 10.3390/s17102394.
- [11] N. Julardi and A. H. Rambe, "Rancang Bangun Antena Mikrostrip Patch Circular (2,45 GHz) Dengan Teknik Planar Array Sebagai Penguat Sinyal Wi-Fi," vol. 1, no. 2, pp. 59–64, 2013.
- [12] Y. Christyono, I. Santoso, and R. D. Cahyo, "Perancangan Antena Mikrostrip Array Pada Frekuensi 850 MHz," *Transmisi*, vol. 18, no. 2, pp. 88–95, 2016.
- [13] M. I. Setiawan and J. Endri, "Rancang Bangun Antena Mikrostrip Path Rectangular pada Frekuensi 900 MHz untuk Aplikasi GSM," *Teknol. Inf.*, vol. 14, no. 2, pp. 53–60, 2019.
- [14] Z. Faisal, "Rancang Bangun Antena Mikrostrip Patch Sirkular Dengan

Metode Insert Feeding Untuk Aplikasi LTE di Frekuensi 2.600 MHz,” Akademi Telkom Jakarta, 2016.

- [15] Kusmadi and T. Mulyana, “Metoda Split Ring Resonator Untuk Performansi Bandpass Filter Pada Aplikasi Pemanen Energi,” *J. Infotronik*, vol. 7, no. 1, pp. 50–63, 2022, doi: 10.32897/infotronik.2022.7.1.1433.
- [16] B. E. Cahyono, Misto, and H. N. Arivah, “Analisa Kualitas Semen Melalui Pengukuran,” *R.E.M. (Rekayasa Energi Manufaktur) J.*, vol. 2, no. 2, pp. 57–61, 2017, doi: 10.21070/r.e.m.v2i2.1199.
- [17] D. Tobing, *Fisika Dasar I*, Vol 1. Jakarta: Gramedia Pustaka Umum, 1996.
- [18] L. Mei, A. Putri, T. Prihandono, and B. Supriadi, “Air adalah suatu zat kimia yang penting bagi semua bentuk kehidupan yang diketahui sampai saat ini di bumi,” *J. Pembelajaran Fis.*, vol. 6, no. 2, pp. 147–153, 2017.
- [19] E. H. Haryono, *Kimia Dasar*. Yogyakarta: Deepublish, 2019.
- [20] M. A. Ridhani, I. P. Vidyaningrum, N. N. Akmala, S. Azzahro, and N. Aini, “Potensi Penambahan Berbagai Jenis Gula Terhadap Sifat Sensori Dan Fisikokimia Roti Manis : Review,” *Pas. Food Technol. J.*, vol. 8, no. 3, pp. 61–68, 2021.
- [21] “Dextrose anhydrous,” ChemBK. Accessed: Jul. 14, 2025. [Online]. Available: [https://www.chembk.com/en/chem/Dextrose anhydrous](https://www.chembk.com/en/chem/Dextrose%20anhydrous)
- [22] “Dextrose Monohydrate,” Prakash Chemicals International. Accessed: Jan. 14, 2025. [Online]. Available: <https://www.pciplindia.com/product-detail/dextrose-monohydrate>
- [23] Y. Liang, M. Ma, F. Zhang, F. Liu, and Z. Liu, “An LC Wireless Microfluidic Sensor Based on Low Temperature Co-Fired Ceramic (LTCC) Technology,” *Sensors (Switzerland)*, vol. 19, no. 5, 2019, doi: 10.3390/s19051189.
- [24] A. Mukhtar, R. Hermana, A. Burhanudin, and Y. Setyoadi, *Sensor dan Aktuator*. Bandung: Widina Media Utama, 2023.
- [25] M. Yusro and A. Diamah, *Sensor & Transduser*. Jakarta: Universitas Negeri Jakarta, 2019.
- [26] I. Kurniawan, *Sensor dan Transduser*. Politeknik Jambi, 2012.
- [27] S. Karim, *Sensor dan Aktuator*. Malang: Kementerian Pendidikan & Kebudayaan, 2013.
- [28] M. El Gharbi, M. Martinez-estrada, R. Fernández-garcía, and I. Gil, “Determination of Salinity and Sugar Concentration by means of a Circular-Ring Monopole Textile Antenna-based Sensor,” *IEEE Sens. J.*, vol. 21, no. 21, pp. 23751–23760, 2021, doi: 10.1109/JSEN.2021.3112777.
- [29] G. N. A. Mohammed, K. Savarimuthu, V. Erattaiselvam, S. Rapuru, T. Yarasi, and N. Dommalapati, “A compact tri-band microwave resonator for ethanol gas detection,” *Int. J. RF Microw. Comput. Eng.*, vol. 29, no. 10, pp. 1–10, 2019, doi: 10.1002/mmce.21895.
- [30] International Telecommunication Union, “Frequency ranges for global or regional harmonization of short-range devices,” Geneva, Switzerland, 2018.

- [Online]. Available: https://www.itu.int/dms_pubrec/itu-r/rec/sm/R-REC-SM.1896-1-201809-I!!PDF-E.pdf
- [31] Yusantono, "Analisis dan Perbandingan Jaringan WiFi dengan frekuensi 2 . 4 GHz dan 5 GHz dengan Metode QoS," *J. Inf. Syst. Technol.*, vol. 05, no. 05, pp. 34–52, 2020.
- [32] "CST Studio Suite," Dassault Systemes. Accessed: Oct. 07, 2024. [Online]. Available: <https://www.3ds.com/products/simulia/cst-studio-suite>.
- [33] "VNA-0440," MeqiQ RF Development Tools. Accessed: Oct. 07, 2024. [Online]. Available: <https://www.megiq.com/products/vna-0440>
- [34] Z. Muttaqin and E. Srihartini, "Penerapan Metode Regresi Linier Sederhana Untuk Prediksi Persediaan Obat Jenis Tablet," *J. Sist. Inf.*, vol. 9, no. 1, pp. 12–16, 2022.
- [35] V. Riandaru, H. Lazuardi, A. Adhi, and C. Lauw, "Penerapan Aplikasi RapidMiner Untuk Prediksi Nilai Tukar Rupiah Terhadap US Dollar Dengan Metode Regresi Linier," *J. Nas. Teknol. dan Sist. Inf.*, vol. 07, no. 01, pp. 8–17, 2021, doi: 10.25077/TEKNOSI.v7i1.2021.8-17.

