

## DAFTAR PUSTAKA

1. El-Kammah M, Elkhatib E, Gouveia S, Cameselle C, Aboukila E. Cost-effective ecofriendly nanoparticles for rapid and efficient indigo carmine dye removal from wastewater: Adsorption equilibrium, kinetics and mechanism. *Environ Technol Innov* 2022;28:102595. Available from: <https://doi.org/10.1016/j.eti.2022.102595>
2. Shabaan OA, Jahan HS, Mohamed GG. Removal of anionic and cationic dyes from wastewater by adsorption using multiwall carbon nanotubes. *Arab J Chem* 2020;13(3):4797–4810. Available from: <https://doi.org/10.1016/j.arabjc.2020.01.010>
3. Zhou Y, Lu J, Zhou Y, Liu Y. Recent advances for dyes removal using novel adsorbents: A review. *Environ Pollut* 2019;252:352–365. Available from: <https://doi.org/10.1016/j.envpol.2019.05.072>
4. Ismail UM, Onaizi SA, Vohra MS. Crystal violet removal using ZIF-60: Batch adsorption studies, mechanistic & machine learning modeling. *Environ Technol Innov* 2024;33(December 2023):103456. Available from: <https://doi.org/10.1016/j.eti.2023.103456>
5. Paredes-Laverde M, Salamanca M, Diaz-Corrales JD, Flórez E, Silva-Agredo J, Torres-Palma RA. Understanding the removal of an anionic dye in textile wastewaters by adsorption on ZnCl<sub>2</sub>activated carbons from rice and coffee husk wastes: A combined experimental and theoretical study. *J Environ Chem Eng* 2021;9(4). Available from: <https://doi.org/10.1016/j.jece.2021.105685>
6. Sadoq M, Atlas H, Imame S, et al. Elimination of crystal violet from aqueous solution by adsorption on naturel polysaccharide: Kinetic, isotherm, thermodynamic studies and mechanism analysis. *Arab J Chem* 2024;17(1):105453. Available from: <https://doi.org/10.1016/j.arabjc.2023.105453>
7. Shen C, Pan Y, Wu D, et al. A crosslinking-induced precipitation process for the simultaneous removal of poly(vinyl alcohol) and reactive dye: The importance of covalent bond forming and magnesium coagulation. *Chem Eng J* 2019;374(March):904–913. Available from: <https://doi.org/10.1016/j.cej.2019.05.203>
8. Liu H, Zhang J, Lu M, Liang L, Zhang H, Wei J. Biosynthesis based membrane filtration coupled with iron nanoparticles reduction process in removal of dyes. *Chem Eng J* 2020;387(November 2019). Available from: <https://doi.org/10.1016/j.cej.2020.124202>
9. Mcyotto F, Wei Q, Macharia DK, Huang M, Shen C, Chow CWK. Effect of dye structure on color removal efficiency by coagulation. *Chem Eng J* 2021;405(August 2020). Available from: <https://doi.org/10.1016/j.cej.2020.126674>
10. Khasawneh OFS, Palaniandy P, Palaniandy P, Ahmadipour M, Mohammadi H, Hamdan MR Bin. Removal of acetaminophen using Fe<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>nanocomposites by photocatalysis under simulated solar irradiation: Optimization study. *J Environ Chem Eng* 2021;9(1). Available from: <https://doi.org/10.1016/j.jece.2020.104921>
11. Kadhim NJ, Mousa SA, Farhan AM, Muhammed EA. A comparative study of the adsorption of crystal violet dye from aqueous solution on rice husk and charcoal. *Baghdad Sci J* 2020;17(1):295–304. Available from: [https://doi.org/10.21123/bsj.2020.17.1\(Suppl.\).0295](https://doi.org/10.21123/bsj.2020.17.1(Suppl.).0295)
12. Pang X, Sellaoui L, Franco D, et al. Adsorption of crystal violet on biomasses from pecan nutshell, para chestnut husk, araucaria bark and palm cactus: Experimental study and theoretical modeling via monolayer and double layer statistical physics models. *Chem Eng J* 2019;378(June). Available from: <https://doi.org/10.1016/j.cej.2019.122101>
13. Haq HA, Javed T, Abid MA, Zafar S, Din MI. Adsorption of crystal violet dye from synthetic textile effluents by utilizing wheat bran (*Triticum aestivum*). *Desalin Water Treat* 2021;224:395–406. Available from: <https://doi.org/10.5004/dwt.2021.27178>
14. Lim LBL, Priyantha N, Kamaludin IF, Mohamad Zaidi NAH, Samaraweera APGMV. Adsorption of crystal violet dye with cellulose derived from bitter gourd waste. *Desalin Water Treat* 2021;217:431–441. Available from: <https://doi.org/10.5004/dwt.2021.26917>
15. Zein R, Astuti AW, Wahyuni D, Furqani F, Munaf E. Research Journal of Pharmaceutical , Biological and Chemical Sciences Removal of Methyl Red from Aqueous Solution by Neplhelium lappaceum . *Res J Pharm Biol Chem Sci* 2015;6(86):86–97.

16. Sultana S, Islam K, Hasan MA, et al. Adsorption of crystal violet dye by coconut husk powder: Isotherm, kinetics and thermodynamics perspectives. *Environ Nanotechnology, Monit Manag* [homepage on the Internet] 2022;17(May 2021). Available from: <https://doi.org/10.1016/j.enmm.2022.100651>
17. Aljeddani GS, Alghanmi RM, Hamouda RA. Study on the Isotherms, Kinetics, and Thermodynamics of Adsorption of Crystal Violet Dye Using Ag-NPs-Loaded Cellulose Derived from Peanut-Husk Agro-Waste. *Polymers (Basel)* [homepage on the Internet] 2023;15(22):1–21. Available from: <https://doi.org/10.3390/polym15224394>
18. Bayu A, Nandiyanto D, Novia D, et al. Analysis of Adsorption Isotherm Characteristics for Removing Curcumin Dyes From Aqueous Solutions Using Avocado Seed Waste Carbon Microparticles Accompanied By Computational Calculations. *J Eng Sci Technol* 2023;18(1):706–720.
19. Kurniawan K, Rahmat A. Determination of antioxidant activity, total phenolic, and total flavonoid contents from avocado seeds (*Persea americana*). *IOP Conf Ser Earth Environ Sci* [homepage on the Internet] 2023;1201(1). Available from: <https://doi.org/10.1088/1755-1315/1201/1/012098>
20. Mahmoud ME, El-Said GF, Ibrahim GAA, Elnashar AAS. Effective removal of hexavalent chromium from water by sustainable nano-scaled waste avocado seeds: adsorption isotherm, thermodynamics, kinetics, and error function. *Biomass Convers Biorefinery* [homepage on the Internet] 2022;(0123456789). Available from: <https://doi.org/10.1007/s13399-022-03619-2>
21. Essoufy M, Ouahabi I El, Benkaddour S, et al. Removal of basic yellow 28 and tartrazine dyes from water pollution using treated avocado seed: mechanisms, equilibrium, kinetics, and thermodynamics. *Green Chem Lett Rev* [homepage on the Internet] 2024;17(1). Available from: <https://doi.org/10.1080/17518253.2024.2357215>
22. Orozco S, Montiel E, Valencia JE, et al. Effective RhB Dye Removal Using Sustainable Natural Bioadsorbents Synthesized from Avocado Seed and Skin. *Water Air Soil Pollut* [homepage on the Internet] 2024;235(2):1–26. Available from: <https://doi.org/10.1007/s11270-024-06952-6>
23. Verti EA, Mustikarini ED, Lestari T. Diversity of Avocado germplasm (*Persea americana*) in Bangka island based on morphological character. *Fish Biol* [homepage on the Internet] 2021;33–38. Available from: <https://doi.org/10.33019/snppm.v5i0.2686>
24. Rivai H, Putri YT, Rusdi R. Qualitative and Quantitative Analysis of the Chemical Content of Hexane, Acetone, Ethanol and Water Extract from Avocado Seeds (*Persea americana* Mill.). *Sch Int J Tradit Complement Med Abbreviated Key Title Sch Int J Tradit Complement Med* [homepage on the Internet] 2019;(May):24–31. Available from: <https://doi.org/10.21276/sijtcm.2019.2.3.1%0D>
25. Bergh B, Ellstrand N. Taxonomy of the Avocado. *Calif Avocado Soc Yearb* 1986;70(January 1986):135–146.
26. Diana Y, Carlos M, Edith C. Effect of Maturity State of Avocado (*Persea Americana* Mill. cv. Hass) on Seed Characteristics. *Adv J Food Sci Technol* [homepage on the Internet] 2018;16(SPL):301–306. Available from: <https://doi.org/10.19026/ajfst.16.5971>
27. Diana Y, Carlos M, Edith C. Effect of Maturity State of Avocado (*Persea Americana* Mill.) on Seed Characteristics. *Adv J Food Sci Technol* 2018;16(SPL):301–306.
28. Ahmad T, Danish M. A review of avocado waste-derived adsorbents: Characterizations, adsorption characteristics, and surface mechanism. *Chemosphere* [homepage on the Internet] 2022;296. Available from: <https://doi.org/10.1016/j.chemosphere.2022.134036>
29. Zhang X, Li L, Xu F. Chemical Characteristics of Wood Cell Wall with an Emphasis on Ultrastructure: A Mini-Review. *Forests* [homepage on the Internet] 2022;13(3). Available from: <https://doi.org/10.3390/f13030439>
30. Mittal A, Mittal J, Malviya A, Kaur D, Gupta VK. Adsorption of hazardous dye crystal violet from wastewater by waste materials. *J Colloid Interface Sci* [homepage on the Internet] 2010;343(2):463–473. Available from: <https://doi.org/10.1016/j.jcis.2009.11.060>
31. Chieng CWS, Zaidi NAHM, Priyantha N, Lu Y, Lim LBL. Adsorption characteristics of sauporus androgynus and its base modified form toward cationic crystal violet dye. *Desalin Water Treat* [homepage on the Internet] 2021;210:446–460. Available from:

- <https://doi.org/10.5004/dwt.2021.26576>
32. Cheruiyot GK, Wanyonyi WC, Kiplimo JJ, Maina EN. Adsorption of toxic crystal violet dye using coffee husks: Equilibrium, kinetics and thermodynamics study. *Sci African* [homepage on the Internet] 2019;5:1–11. Available from: <https://doi.org/10.1016/j.sciaf.2019.e00116>
33. Anuse DD, Patil SA, Chorunmale AA, et al. Activated carbon from pencil peel waste for effective removal of cationic crystal violet dye from aqueous solutions. *Results Chem* [homepage on the Internet] 2025;13(December 2024):1–10. Available from: <https://doi.org/10.1016/j.rechem.2024.101949>
34. Hevira L, Zilfa, Rahmayeni, Ighalo JO, Zein R. Biosorption of indigo carmine from aqueous solution by Terminalia Catappa shell. *J Environ Chem Eng* 2020;8(5):104290.
35. Kumar A, Singh R, Kumar Upadhyay Sanjay Kumar S, Charaya MU. Biosorption: the Removal of Toxic Dyes From Industrial Effluent Using Phytobiomass- a Review. *Plant Arch* 2021;21(Suppliment-1):1320–1325.
36. Shrivastava P, Dwivedi MK, Malviya V, Jain P, Yadav A, Jain N. Adsorption of Crystal violet dye from aqueous solution by activated sewage treatment plant sludge. *Desalin Water Treat* [homepage on the Internet] 2023;283:222–236. Available from: <https://doi.org/10.5004/dwt.2023.29210>
37. Wathukarage A, Herath I, Iqbal MCM, Vithanage M. Mechanistic understanding of crystal violet dye sorption by woody biochar: implications for wastewater treatment. *Environ Geochem Health* [homepage on the Internet] 2019;41(4):1647–1661. Available from: <https://doi.org/10.1007/s10653-017-0013-8>
38. Mohammed AME, Kotb A, Sanad MMS, Abdel-Hakim M, Ahmed ASA. Enhanced adsorption of carbon sphere by doping with titania nanotubes for crystal violet removal: isotherm, kinetics, and thermodynamic studies. *RSC Adv* [homepage on the Internet] 2024;14(43):31332–31347. Available from: <https://doi.org/10.1039/d4ra04889j>
39. Miyah Y, Lahrichi A, Idrissi M, Boujraf S, Taouda H, Zerrouq F. Assessment of adsorption kinetics for removal potential of Crystal Violet dye from aqueous solutions using Moroccan pyrophyllite. *J Assoc Arab Univ Basic Appl Sci* [homepage on the Internet] 2017;23:20–28. Available from: <https://doi.org/10.1016/j.jaubas.2016.06.001>
40. Shoukat S, Bhatti HN, Iqbal M, Noreen S. Mango stone biocomposite preparation and application for crystal violet adsorption: A mechanistic study. *Microporous Mesoporous Mater* [homepage on the Internet] 2017;239:180–189. Available from: <http://dx.doi.org/10.1016/j.micromeso.2016.10.004>
41. Putra A, Fauzia S, Deswati, Arief S, Zein R. Preparation, characterization, and adsorption performance of activated rice straw as a bioadsorbent for Cr(VI) removal from aqueous solution using a batch method. *Desalin Water Treat* 2022;264(32):121–132.
42. Berthomieu C, Hienerwadel R. Fourier transform infrared (FTIR) spectroscopy. *Photosynth Res* 2009;101(2–3):157–170.
43. Abdullah A, Mohammed A. Scanning Electron Microscopy (SEM): A Review. *Proc 2018 Int Conf Hydraul Pneum - HERVEX* 2019;77–85.
44. Anjos MJ Dos, Lopes RT, Jesus EFO De, Assis JT, Cesareo R, Barradas CAA. Quantitative analysis of metals in soil using X-ray fluorescence. *Spectrochim acta, Part B At Spectrosc* 2000;55(7):1189–1194.
45. Saadatkhan N, Carillo Garcia A, Ackermann S, et al. Experimental methods in chemical engineering: Thermogravimetric analysis—TGA. *Can J Chem Eng* 2020;98(1):34–43.
46. Mohammed A. Elemental analysis using atomic absorption spectroscopy. *Eur J Eng Technol Res* [homepage on the Internet] 2021;6(7):48–51. Available from: <http://dx.doi.org/10.24018/ejers.2021.6.7.2639>
47. Zein R, Akmal C, Safni S, Fauzia S, Ramadhani P. Banana Stem (*Musa balbisiana* Colla) as Potential Biosorbent to Remove Methylene Blue Dye in Wastewater: Isotherm, Kinetic, Thermodynamic Studies and Its Application. *Appl Environ Res* [homepage on the Internet] 2023;45(3). Available from: <https://doi.org/10.35762/AER.2023015>
48. Hevira L, Rahmi A, Zein R, Zilfa Z, Rahmayeni R. The fast and of low-cost-adsorbent to the removal of cationic and anionic dye using chicken eggshell with its membrane. *Mediterr J Chem* [homepage on the Internet] 2020;10(3):294–301. Available from:

49. <http://dx.doi.org/10.13171/mjc02003261271lh>  
Zein R, Satrio Purnomo J, Ramadhani P, Safni, Alif MF, Putri CN. Enhancing sorption capacity of methylene blue dye using solid waste of lemongrass biosorbent by modification method. *Arab J Chem* [homepage on the Internet] 2023;16(2):104480. Available from: <https://doi.org/10.1016/j.arabjc.2022.104480>
50. Zein R, Prestica Y, Ramadhani P. Indonesian Journal of Environmental Management and Sustainability Utilization of Coffee Peel Waste as Biosorbent for Rhodamine B Dye. *Indones J Environ Manag Sustain* [homepage on the Internet] 2025;9:36–45. Available from: <https://doi.org/10.26554/ijems.2025.9.1.36-45>
51. Hevira L, Zilfa, Rahmayeni, Ighalo JO, Aziz H, Zein R. Terminalia catappa shell as low-cost biosorbent for the removal of methylene blue from aqueous solutions. *J Ind Eng Chem* [homepage on the Internet] 2021;97:188–199. Available from: <https://doi.org/10.1016/j.jiec.2021.01.028>
52. Zein R, Wulandari S, Ramadhani P, Deswati D. Utilisation of Shrimp Shell As a Low-Cost Biosorbent for the Adsorption of Methylene Blue Dyes. *Ecol Chem Eng S* [homepage on the Internet] 2024;31(1):63–73. Available from: <https://doi.org/10.2478/eces-2024-0005>
53. Munagapati VS, Wen HY, Vijaya Y, et al. Removal of anionic (Acid Yellow 17 and Amaranth) dyes using aminated avocado (*Persea americana*) seed powder: adsorption/desorption, kinetics, isotherms, thermodynamics, and recycling studies. *Int J Phytoremediation* [homepage on the Internet] 2021;23(9):911–923. Available from: <https://doi.org/10.1080/15226514.2020.1866491>
54. Ramadhani P, Chaidir Z, Zilfa, Tomi ZB, Rahmiarti D, Zein R. Shrimp shell (*Metapenaeus monoceros*) waste as a low-cost adsorbent for metanil yellow dye removal in aqueous solution. *Desalin Water Treat* 2020;197:413–423.
55. Tahar L Ben, Mogharbel R, Hameed Y, et al. Enhanced removal of the crystal violet dye from aqueous medium using tripolyphosphate–functionalized Zn–substituted magnetite nanoparticles. *Results Chem* [homepage on the Internet] 2025;14(February). Available from: <https://doi.org/10.1016/j.rechem.2025.102152>
56. Homagai PL, Poudel R, Poudel S, Bhattacharai A. Adsorption and removal of crystal violet dye from aqueous solution by modified rice husk. *Heliyon* [homepage on the Internet] 2022;8(4). Available from: <https://doi.org/10.1016/j.heliyon.2022.e09261>
57. El-Idreesy TT, Khoshala O, Firouzi A, Elazab HA. Equilibrium and kinetic study on the biosorption of trypan blue from aqueous solutions using avocado seed powder. *Biointerface Res Appl Chem* [homepage on the Internet] 2021;11(3):11042–11053. Available from: <https://doi.org/10.33263/BRIAC113.1104211053>
58. Ahmad R, Ejaz MO. Efficient adsorption of crystal violet (CV) dye onto benign chitosan-modified L-cysteine/bentonite (CS-Cys/Bent) bionanocomposite: Synthesis, characterization and experimental studies. *Dye Pigment* [homepage on the Internet] 2023;216(March). Available from: <https://doi.org/10.1016/j.dyepig.2023.111305>
59. Akdemir M, Isik B, Cakar F, Cankurtaran O. Comparison of the adsorption efficiency of cationic (Crystal Violet) and anionic (Congo Red) dyes on *Valeriana officinalis* roots: Isotherms, kinetics, thermodynamic studies, and error functions. *Mater Chem Phys* [homepage on the Internet] 2022;291(September). Available from: <https://doi.org/10.1016/j.matchemphys.2022.126763>
60. Raji Y, Nadi A, Mechouli I, Saadouni M, Cherkaoui O, Zyade S. High adsorption capacities of crystal violet dye by low-cost activated carbon prepared from Moroccan *Moringa oleifera* wastes: Characterization, adsorption and mechanism study. *Diam Relat Mater* [homepage on the Internet] 2023;135(March). Available from: <https://doi.org/10.1016/j.diamond.2023.109834>
61. Zein R, Wulandari S, Ramadhani P, Deswati D. Utilisation of Shrimp Shell As a Low-Cost Biosorbent for the Adsorption of Methylene Blue Dyes. *Ecol Chem Eng* [homepage on the Internet] 2024;31(1):63–73. Available from: <https://doi.org/10.2478/eces-2024-0005>
62. Gong XL, Lu HQ, Li K, Li W. Effective adsorption of crystal violet dye on sugarcane bagasse–bentonite/sodium alginate composite aerogel: Characterisation, experiments, and advanced modelling. *Sep Purif Technol* [homepage on the Internet]

- 2022;286(October 2021). Available from: <https://doi.org/10.1016/j.seppur.2022.120478>
63. Leite AJB, Carmalin SA, Thue PS, et al. Activated carbon from avocado seeds for the removal of phenolic compounds from aqueous solutions. Desalin Water Treat [homepage on the Internet] 2017;71:168–181. Available from: <http://dx.doi.org/10.5004/dwt.2017.20540>
64. Zein R, Wardana N, Refilda R, Aziz H. Kulit Salak Sebagai Biosorben Potensial Untuk Pengolahan Timbal(II) Dan Cadmium(II) Dalam Larutan. Chim Nat Acta [homepage on the Internet] 2018;6(2):56. Available from: <https://doi.org/10.24198/cna.v6.n2.17857>
65. Abbas S, Javeed T, Zafar S, Taj MB, Ashraf AR, Din MI. Adsorption of crystal violet dye by using a low-cost adsorbent – peanut husk. Desalin Water Treat 2021;233:387–398.
66. Lim LBL, Priyantha N, Zehra T, Then CW, Chan CM. Adsorption of crystal violet dye from aqueous solution onto chemically treated *Artocarpus odoratissimus* skin: equilibrium, thermodynamics, and kinetics studies. Desalin Water Treat [homepage on the Internet] 2016;57(22):10246–10260. Available from: <https://doi.org/10.1080/19443994.2015.1033474>
67. Salah Omer A, Naeem GA El, Abd-Elhamid AI, et al. Adsorption of crystal violet and methylene blue dyes using a cellulose-based adsorbent from sugarcane bagasse: characterization, kinetic and isotherm studies. J Mater Res Technol [homepage on the Internet] 2022;19:3241–3254. Available from: <https://doi.org/10.1016/j.jmrt.2022.06.045>
68. Putra A, Fauzia S, Deswati D, Arief S, Zein R. The potential of duck egg white as a modifier for activated rice straw to enhance Cr(VI) ions adsorption in an aqueous solution. South African J Chem Eng [homepage on the Internet] 2024;48:204–213. Available from: <https://doi.org/10.5004/dwt.2022.28562>
69. Aiyesanmi AF, Adebayo MA, Awojobe Y. Biosorption of Lead and Cadmium from Aqueous Solution in Single and Binary Systems Using Avocado Pear Exocarp: Effects of Competing Ions. Anal Lett [homepage on the Internet] 2020;53(18):2868–2885. Available from: <https://doi.org/10.1080/00032719.2020.1760294>
70. Zein R, Fathony H, Ramadhani P, Deswati D. Facile chemical activation process of kapok husk as a low-cost biosorbent for removal methylene blue dye in aqueous solution. J Serbian Chem Soc [homepage on the Internet] 2024;89(1):123–140. Available from: <https://doi.org/10.2298/JSC230303084Z>
71. Zein R, Mashelina R, Emriadi E. the Effect of Contact Time and Biosorbent Temperature on the Adsorption of Indigo Carmine Dyes in Kapok Husk Biosorbent Modified With Snail Meat and Kinetic Study. Alotrop (Jurnal Pendidik dan Ilmu Kim [homepage on the Internet] 2023;7(2):92–99. Available from: <http://doi.dx/10.33369/alo.v7i2.30804>
72. AL-Shehri HS, Almudaifer E, Alorabi AQ, Alanazi HS, Alkorbi AS, Alharthi FA. Effective adsorption of crystal violet from aqueous solutions with effective adsorbent: equilibrium, mechanism studies and modeling analysis. Environ Pollut Bioavailab [homepage on the Internet] 2021;33(1):214–226. Available from: <https://doi.org/10.1080/26395940.2021.1960199>
73. Mahmoud ME, El-Said GF, Elnashar AAS, Ibrahim GAA. Adsorptive capture of fluoride ion from water by Co/Fe-LDH@Avocado kernel seeds biochar@Caboxyethylcellulose nanobiosorbent: Optimization, error function and multivariate analysis. J Ind Eng Chem [homepage on the Internet] 2024;133(November 2023):561–576. Available from: <https://doi.org/10.1016/j.jiec.2023.12.034>
74. Mabalane K, Thabede PM, Shooto ND. Removal of ibuprofen and paracetamol from water using a blend activated carbon from paper waste and avocado seeds. Green Anal Chem [homepage on the Internet] 2024;10(August):100135. Available from: <https://doi.org/10.1016/j.greeac.2024.100135>
75. Bazzo A, Adebayo MA, Dias SLP, et al. Avocado seed powder: characterization and its application for crystal violet dye removal from aqueous solutions. Desalin Water Treat [homepage on the Internet] 2016;57(34):15873–15888. Available from: <http://dx.doi.org/10.1080/19443994.2015.1074621>
76. Wei C, Huang Y, Liao Q, Xia A, Zhu X, Zhu X. Adsorption thermodynamic characteristics of Chlorella vulgaris with organic polymer adsorbent cationic starch: Effect of temperature on adsorption capacity and rate. Bioresour Technol [homepage on the Internet] 2019;293(July). Available from: <https://doi.org/10.1016/j.biortech.2019.122056>

77. Mulla B, Ioannou K, Kotanidis G, et al. Removal of Crystal Violet Dye from Aqueous Solutions through Adsorption onto Activated Carbon Fabrics. C-Journal Carbon Res [homepage on the Internet] 2024;10(1). Available from: <https://doi.org/10.3390/%0Ac10010019>
78. Selhami B, Chham A iddin, Soubai B, et al. Novel adsorbent based on Argan Spinosa leaves modified with citric acid for effective removal of crystal violet dye from textile effluents. Results in Surfaces and Interfaces [homepage on the Internet] 2024;17(August). Available from: <https://doi.org/10.1016/j.rsurfi.2024.100354>
79. Dejene K, Siraj K, Kitte SA. Kinetic and Thermodynamic Study of Phenol Removal from Water Using Activated Carbon Synthesizes from Avocado Kernel Seed. Int Lett Nat Sci [homepage on the Internet] 2016;54:42–57. Available from: <https://doi.org/10.18052/www.scipress.com/ILNS.54.42>
80. Rani S, Chaudhary S. Adsorption of methylene blue and crystal violet dye from waste water using Citrus limetta peel as an adsorbent. Mater Today Proc [homepage on the Internet] 2022;60:336–344. Available from: <https://doi.org/10.1016/j.matpr.2022.01.237>
81. Sun P, Hui C, Khan RA, Du J, Zhang Q, Zhao YH. Efficient removal of crystal violet using Fe<sub>3</sub>O<sub>4</sub>-coated biochar: The role of the Fe<sub>3</sub>O<sub>4</sub> nanoparticles and modeling study their adsorption behavior. Sci Rep [homepage on the Internet] 2015;5(July):1–12. Available from: <https://doi.org/10.1038/srep12638>
82. El-Shafie AS, Karamshahi F, El-Azazy M. Turning waste avocado stones and montmorillonite into magnetite-supported nanocomposites for the depollution of methylene blue: adsorbent reusability and performance optimization. Environ Sci Pollut Res Int [homepage on the Internet] 2023;30(56):118764–118781. Available from: <https://doi.org/10.1007/s11356-023-30538-0>
83. Zein R, Marliani IT, Emriadi E, Ramadhani P, Fauzia S. Potensi Biosorben Kulit Batang Sagu (*Metroxylon sagu*) untuk Penyerapan Zat Warna Crystal Violet: Studi Isoterm, Kinetika, Termodinamika, dan Aplikasi. J Indones Soc Integr Chem [homepage on the Internet] 2023;15(2):83–98. Available from: <https://doi.org/10.22437/jisic.v15i2.29245>
84. Haki MA, Imgharn A, Aarab N, et al. Efficient removal of crystal violet dye from aqueous solutions using sodium hydroxide-modified avocado shells: Kinetics and isotherms modeling. Water Sci Technol [homepage on the Internet] 2022;85(1):433–448. Available from: <https://doi.org/10.2166/wst.2021.451>
85. Zein R, Putri CN, Deswati, Fauzi S. Pb(II) Removal from Aqueous Solutions Using Citric Acid Modified Kepok Banana Peel: Batch and Kinetic Studies. Anal Bioanal Chem Res 2024;11(2):227–238.
86. Bhaumik M, Choi HJ, Seopela MP, Mccrindle RI, Maity A. Highly Effective Removal of Toxic Cr(VI) from Wastewater Using Sulfuric Acid-Modified Avocado Seed. Ind Eng Chem Res [homepage on the Internet] 2014;53(Vi):1214–1224. Available from: <https://doi.org/10.1021/ie402627d>
87. Zamouche M, Habib A, Saaidia K, Bencheikh Lehocine M. Batch mode for adsorption of crystal violet by cedar cone forest waste. SN Appl Sci [homepage on the Internet] 2020;2(2). Available from: <https://doi.org/10.1007/s42452-020-1976-0>