

DAFTAR PUSTAKA

- Abdel, A., Abdel, H., Srivastava, A. K., Saber, H., & Alwaleed, E. A. (2017). *Sargassum muticum* and *Jania rubens* Regulate Amino Acid Metabolism to Improve Growth and Alleviate Salinity in Chickpea. *Scientific Reports*, 1–12. <https://doi.org/10.1038/s41598-017-07692-w>
- Aisyah, Noli Z. A., & Suwirmen. (2018). Pengaruh Ekstrak Beberapa Jenis Rumput Laut Sebagai Biostimulan terhadap Perkecambahan dan Pertumbuhan Tanaman Kedelai (*Glycine max* L.). Skripsi. Universitas Andalas. Padang.
- Ali, N.; Farrell, A.; Ramsubhag, A.; Jayaraman, J. (2016). The Effect of *Ascophyllum nodosum* Extract on the Growth, Yield and Fruit Quality of Tomato Grown under Tropical Conditions. *J. Appl. Phycol.*, 28, 1353–1362.
- Ali, O. Ramsubhag, A., & Jayaraman, J. (2019). Biostimulatory Activities of *Ascophyllum Nodosum* Extract in Tomato and Sweet Pepper Crops in a Tropical Environment. *PLoS ONE* 14(5): e0216710. <https://doi.org/10.1371/journal.pone.0216710>
- Ali, O., Ramsubhag, A., & Jayaraman, J. (2021). Biostimulant Properties of Seaweed Extracts in Plants: Implications Towards Sustainable Crop Production. *Plants*, 10(3), 531.
- Aliyyanti, P. (2021). Pengaruh Pemberian Konsentrasi dan Frekuensi Aplikasi Ekstrak Rumput Laut *Padina minor* Yamada terhadap Pertumbuhan dan Hasil Kedelai (*Glycine max* (L.) Merrill). Tesis. Universitas Andalas. Padang.
- Al-Juthery, H.W.A., Drebee, H.A., Al-Khafaji, B.M.K., & Hadi, R.F. (2020). Plant Biostimulants, Seaweeds Extract as a Model (Article Review). *IOP Conf. Series: Earth and Environmental Science*, 553, 1-10.
- Alshaal, T., & El-Ramady, H.R. (2017). Foliar Application: From Plant Nutrition to Biofortification. *The Environment, Biodiversity & Soil Security*, 1(6), 71-283. <https://doi.org/10.21608/jenvbs.2017.1089.1006>.
- Amanah, D. M., & Putra, S. M. (2018). Pengaruh Biostimulan terhadap Toleransi Kekeringan dan Pertumbuhan Tanaman Tebu Varietas Kidang Kencana di Rumah Kaca. *Menara Perkebunan*, 86(1), 46-55.
- Amri, C., & Mufid, M. M. (2022). Dampak Krisis Pangan terhadap Indonesia. Prosiding Seminar Nasional BSKJI “Post Pandemic Economy Recovery” Samarinda 12 Juli 2022, 30-37.
- Anas. (2007). Pengembangan Tanaman Sorgum sebagai Basis Diversifikasi Pangan. Seminar Nasional Apresiasi Pengembangan Sorgum. Kupang Nusa Tenggara Timur, 19-21 Juni 2007. Departemen Pertanian Direktorat Jenderal Tanaman Pangan, Direktorat Budidaya Serealia.
- Andriani, A. & Isnaini, M. (2013). Morfologi dan Fase Pertumbuhan Sorgum. Di dalam: Sumarno, D.S. Damardjati, M. Syam, dan Hermanto (editor).

Sorgum : Inovasi Teknologi dan Pengembangan. Jakarta: Badan Penelitian dan Pengembangan Pertanian. 57–68.

- Aremu, A. O., Plačková, L., Gruz, J., Bíba, O., Novák, O., Stirk, W. A., & Van Staden, J. (2016). Seaweed-Derived Biostimulant (Kelpak®) Influences Endogenous Cytokinins and Bioactive Compounds in Hydroponically Grown *Eucomis autumnalis*. *Journal of Plant Growth Regulation*, 35, 151-162.
- Aryani, N. F., Khusnul, K., Faiqatun, N, T., Aliyah, I, K., Nur, M., Nurfadillah, W, A. (2022). Budidaya Tanaman Sorgum (*Sorghum bicolor* (L.) Moench). Makassar.
- Aulya, N.R., Noli, Z.A., & Bakhtiar, A. (2018). Pengaruh Ekstrak Tumbuhan terhadap Pertumbuhan dan Hasil Jagung (*Zea mays* L.). *Jurnal Pertanian Ilmu Pertanian Tropis*, 41(3), 1193-1205.
- Badan Penelitian dan Pengembangan Pertanian (Balitbangtan). (2013). *Sorgum Inovasi Teknologi dan Pengembangan*. Jakarta: IAAD press.315 hal.
- Badan Pusat Statistik. (2023). *Impor Biji Gandum dan Meslin menurut Negara Asal Utama, 2017-2023 -Tabel Statistik*. Badan Pusat Statistik Indonesia.
- Badan Riset dan Inovasi Nasional. (2023). Hasil Riset BRIN Ungkap Alasan Produksi Sorgum Menurun. <https://www.brin.go.id/news/117057/hasil-riset-brin-ungkap-alasan-produksi-sorgum-menurun>. (Diakses 31 Mei 2025).
- Balai Pengkajian Teknologi Pertanian Lampung. (2019). Pengendalian Hama Ulat Tanah (*Agrotis* sp.) pada Tanaman Jagung. Diakses dari <https://dinastph.lampungprov.go.id/detail-post/pengendalian-hama-ulat-tanah-agrotis-sp-pada-tanaman-jagung> (Diakses 10 Maret 2025).
- Balai Penelitian Tanah (Balitanah). (2009). *Petunjuk Teknis Edisi 2 Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Balai Penelitian Tanah. Bogor.
- Balai Penelitian Tanaman Serealia. (2019). *Varietas Unggul Sorgum*. Pusat Perpustakaan dan Penyebaran Teknologi Pertanian. Kementerian Pertanian. Sulawesi Selatan.
- Balai Pengujian Standar Instrumen Tanah dan Pupuk (BPSITP). (2023). *Analisis Kimia Tanah, Tanaman, Air dan Pupuk*. Kementerian Pertanian Republik Indonesia. Bogor.
- Barsoom, M., El Sayed Abdul-Moneem, N., & Khella, E. (2024). Influence of Foliar Spray with Amino Acids and Seaweed Extract Combined with Microelements and Calcium on Growth, Flowering and Yield of *Hymenocallis Speciosa* l. *Scientific Journal of Flowers and Ornamental Plants*, 11(3), 175–190. <https://doi.org/10.21608/sjfor.2024.394489>
- Basmal, J. (2009). Prospek Pemanfaatan Rumput Laut sebagai Bahan Pupuk Organik. *Squalene Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 4(1), 1-8.

- Battacharyya, D., Babgohari, M. Z., Rathor, P., & Prithiviraj, B. (2015). Seaweed Extracts as Biostimulants in Horticulture. *Scientia Horticulturae*, 196, 39–48. <https://doi.org/10.1016/j.scienta.2015.09.012>
- Bazes, A., Silkina, A., Douzenel, P., Faÿ, F., Kervarec, N., Morin, D., Berge, J.P. & Bourgougnon, N., (2009). Investigation of the Antifouling Constituents from the Brown Alga *Sargassum muticum* (Yendo) Fensholt. *Journal of Applied Phycology*, 21(4), 395-403.
- Beckett, R.P., & Van Staden, J. (1989). The Effect of Seaweed Concentrate on the Growth and Yield of Potassium Stressed Wheat. *Plant and soil*, 116, 29-36.
- Bondy, S. C. (2023). The Hormesis Concept: Strengths and shortcomings. *Biomolecules*, 13(10), 1512.
- Brown, E.M., Allsopp, P.J., Magee, P. J., Gill, C.I.R., Nitecki, S., & Strain, C.R. (2014). Seaweed and Human Health. 72 (3), 205–216. <https://doi.org/10.1111/nure.12091>
- Cahyaningrum, K., Husni, A. and Budhiyanti, S.A. (2016). Aktivitas Antioksidan Ekstrak Rumput Laut Coklat (*Sargassum polycystum*). *Agritech*. 36(2),137-144.
- Calvo, P., Nelson, L., & Kloepper, J. W. (2014). Agricultural Uses of Plant Biostimulants. *Plant and Soil*. 383(1–2), 3–41. <https://doi.org/10.1007/s11104-014-2131-8>
- Capriyati, R. Tohari, & Dodo, K. (2014). Pengaruh Jarak Tanam dalam Tumpangsari Sorgum Manis (*Sorghum bicolor* L. Moench) dan Dua Habitus Wijen (*Sesamum indicum* L.) terhadap Pertumbuhan dan Hasil. Yogyakarta: Fakultas Pertanian Universitas Gadjah Mada.
- Cardoso, M.S., Pereira, O.R., Seca, A.M.L., Pinto, D.C.G.A., & Silva, A.M.S. (2015). Seaweeds as Preventive Agents for Cardiovascular Diseases: from Nutrients to Functional Foods. *Marine Drugs*, 13(11), 6838-6865.
- Carvalho, M. E. A., De Camargo E Castro, P. R., Gaziola, S. A., & Azevedo, R. A. (2018). Is Seaweed Extract an Elicitor Compound Changing Proline Content in Drought-Stressed Bean Plants. *Comunicata Scientiae*, 9(2), 292–297. <https://doi.org/10.14295/CS.v9i2.2134>.
- Chojnacka K, Saeid A, Witkowska Z, Tuhy L. (2012). Biologically Active Compounds in Seaweed Extracts – the Prospects For the Application. *The Open Conference Journal*, 3(1), 20-28.
- Cohen, J.D. & Strader, L.C. (2024). An auxin research odyssey: 1989–2023. The Plant Cell, 36: 1410–1428. <https://doi.org/10.1093/plcell/koae054>
- Craigie, J. S. (2011). Seaweed Extract Stimuli in Plant Science and Agriculture. *Journal of applied phycology*, 23, 371-393.
- Crouch, I.J. & Van Staden, J. (1993). Evidence for the Presence of Plant Growth Regulators in Commercial Seaweed Products. *Plant Growth Regulation*, 13, 21– 29.

- Darlita, R.D.R., Joy, B. and Sudirja, R. (2017). Analisis Beberapa Sifat Kimia Tanah terhadap Peningkatan Produksi Kelapa Sawit pada Tanah Pasir di Perkebunan Kelapa Sawit Selangkun. *Agrikultura*, 28(1).
- De Almeida, T.B.F., Flores, R.A., de Almeida, H.J., de Mello Prado, R., Maranhão, D.D.C. and Politi, L.S. (2017). Development and Nutrition of Soybeans with Macronutrients Deficiencies. *Communications in Soil Science and Plant Analysis*, 48(13), 1616-1625.
- De Saeger, J., Van Praet, S., Vereecke, D., Park, J., Jacques, S., Han, T., & Depuydt, S. (2019). Toward the Molecular Understanding of the Action Mechanism of *Ascophyllum nodosum* Extracts on Plant. *Journal of Applied Phycology*, 1-25
- Dewi, E.F. & Yusuf, M. (2017). Potensi Pengembangan Sorgum Sebagai Pangan Alternatif, Pakan Ternak dan Bioenergi di Aceh. *Jurnal Agroteknologi*, 7(2): 27 – 32.
- Dewi, T.M., Nurbaity, A., Suryatmana, P., Sofyan, E.T., & Lahan, S. (2017). Efek Sterilisasi dan Komposisi Media Produksi Inokulan Fungi Mikoriza Arbuskula terhadap Kolonisasi Akar, Panjang Akar dan Bobot Kering Akar Sorgum. *Jurnal Agro*, 4(1), 24-31.
- Dicko, M.H., H. Gruppen, A.S. Traore, A.G.J. Voragen, and W.J.H.V. Berkel. (2006). Phenolic Compounds and Related Enzymes as Determinants of Sorghum for Food use. *Biotechnology and Molecular Biology Review*, 1(1), 21-38.
- Dilla, A.I. (2024). Pengaruh Ekstrak Kasar Beberapa Jenis Daun Paku sebagai Biostimulan terhadap Pertumbuhan dan Hasil Tanaman Kedelai (*Glycine max* (L.) Merr.). Tesis. Universitas Andalas.
- Dinas Pertanian Kabupaten Buleleng. (2020). Cara Pengendalian Hama dan Penyakit Tanaman Sorgum. Diakses dari <https://distan.bulelengkab.go.id/informasi/detail/artikel/cara-pengendalian-hama-dan-penyakit-tanaman-sorgum-cara-pengendalian-hama-dan-penyakit-tanaman-sorgum-16> pada 10 Maret 2025.
- Dookie, M.; Ali, O.; Ramsubhag, A.; Jayaraman, J. (2020) Flowering Gene Regulation in Tomato Plants Treated with Brown Seaweed Extracts. *Sci. Hortic. (Amst.)*.
- Du Jardin, P. (2012). The Science of Plant Biostimulants—A bibliographic analysis, Ad hoc study report. Brussels: European Commission. Available online at: <http://hdl.handle.net/2268/169257>
- Du Jardin, P. (2015). Plant Biostimulants: Definition, Concept, Main Categories And Regulation. *Scientia horticulturae*, 196, 3-14.
- El Boukhari, M.E., Barakate, M., Bouhia, Y. and Lyamlouli, K. (2020). Trends in Seaweed Extract Based Biostimulants: Manufacturing Process and Beneficial Effect on Soil-Plant Systems. *Plants*, 9(3), 359.

- El Habbasha, S.F. & Faten, M.I. (2015). Calcium: Physiological Function, Deficiency and Absorption. *International Journal of ChemTech Research*, 8(12), 196-202.
- Erlambang, R., Yamikadan, W. S. D., & Suryanto, A. (2018). Uji Efektivitas Pupuk Hayati pada Pertumbuhan dan Produktivitas Tanaman Terung (*Solanum melongena* L.). *Jurnal Produksi Tanaman*, 6(9), 2338-2345.
- Ertani, A., Francioso, O., Tinti, A., Schiavon, M., Pizzeghello, D. & Nardi, S., (2018). Evaluation of Seaweed Extracts from *Laminaria* and *Ascomyllum nodosum* Spp. As Biostimulants in *Zea mays* L. Using A Combination of Chemical, Biochemical and Morphological Approaches. *Frontiers in plant science*, 9, 428.
- Ertani, A., Sambo, P., Nicoletto, C., Santagata, P., Schiavon, M., & Nardi, S. (2015). The Use of Organic Biostimulant in Hot Pepper Plants Help Low Input Sustainable Agriculture. Chemical and Biological Technologies in Agriculture. *Springeropen Journal*, 2 (1), 1-10.
- Faihrorrozy, Suliartini, N. W. S., Ngawit, I. K., & Pratama, M. H. A. (2025). Penampilan Karakter Agronomi Beberapa Genotipe Mutan Padi (*Oryza sativa* L.) Baas Seleksi Generasi Kedua (M2) Hasil Induksi Mutasi. *Journal of Microbiology, Biotechnology and Conservation*, 1(1), 12–25.
- FAO. (2023). Agricultural Production Statistics. <https://openknowledge.fao.org> (Diakses pada 10 Maret 2025).
- Fathi, A. (2022). Role of Nitrogen (N) in Plant Growth, Photosynthesis Pigments, and N use Efficiency: a review. *Agrisost*, 28(1), 1-8. <https://doi.org/10.5281/zenodo.7143588>
- Febriani, W.P. (2023). Pengaruh Penambahan Beberapa Asam Amino pada Ekstrak *Padina minor* Yamada. Sebagai Biostimulan pada Berbagai Kondisi Cekaman Kekeringan terhadap Pertumbuhan dan Hasil Tanaman Padi Gogo (*Oryza sativa* L.). Tesis. Universitas Andalas. Padang.
- Fernandes, A.L.T., Silva, R.O., Saldanha, L., Bettini, M.D.O., & Broetto, M. (2019). Effect of Seaweed Extract Formulation on Coffee Plants at Different Irrigation Levels. *AARJMD*, 6(5).
- Fidianto, M. (2020). Pengaruh Jarak Tanam dan Beberapa Pupuk Organik Granul terhadap Pertumbuhan dan Hasil Tanaman Sorgum. Skripsi. Fakultas Pertanian dan Peternakan. Universitas Islam Negeri Sultan Syarif Kasim Riau. Riau.
- García-Cano, C., Ferrández-Gómez, B., Jordá, J. D., Pablo, Ó., Cerdán, M., & Sánchez-Sánchez, A. (2024). Enhanced Growth of Cucumber (*Cucumis sativus* L.) Through Amino Acids and Seaweed Extracts for the Use in Organic Agriculture. *Journal of Plant Growth Regulation*. <https://doi.org/10.1007/s00344-024-11611-5>
- Gardner, F. P., Pearce, R. B., & Mitchell, R. L. (1991). Fisiologi Tanaman Budidaya. Penerjemah Herawati Susilo. Jakarta: UI Press. 428

- Godang, Asdin, Y., Nurmi, & Wawan P. (2019). Pertumbuhan dan Produksi Tanaman Sorgum (*Sorghum bicolor* L. Moench) pada Sistem Tumpangsari dengan Tanaman Kacang Hijau (*Vigna radiata* L.) melalui Pemupukan NPK Phonska. *JAAT*, 8(1), 8-17.
- Godlewska, K., Michalak, I., Tuhy, A., & Chojnacka, K. (2016). Plant Growth Biostimulants Based on Different Methods of Seaweed Extraction with Water. *Journal of BioMed Research International*. Article ID 5973760: 11 Hal. <https://dx.doi.org/10.1155/2016/5973760>
- Gofar, N., Sinurat, D., & Irawan, A. F. 2022. Kandungan Hara Serta Kemantapan Agregat Tanah Akibat Penambahan Limbah Pabrik Kelapa Sawit Decanter Solid pada Ultisol. *Agromix*, 13(1), 112–117. <https://doi.org/10.35891/agx.v13i1.2845>
- Goñi, O., Quille, P., & O'Connell, S. (2018). Ascophyllum Nodosum Extract Biostimulants and Their Role in Enhancing Tolerance to Drought Stress in Tomato Plants. *Plant Physiology and Biochemistry*, 126, 63–73. <https://doi.org/10.1016/j.plaphy.2018.02.024>
- Grabowska, A., E. Kunichi, A. Sekara, A. Kalisz. (2012). The Effect of Cultivar and Biostimulant Treatment on the Carrot Yield and its Quality. *Vegetable Crops Research Bulletin*, 77, 37-48.
- Hadi, F., Zakaria, I. J., & Syam, Z. (2016). Diversity of Macroalgae in Kasiak Gadang Island Nirwana Beach Padang West Sumatra Indonesia. *Journal of Tropical Life Science*, 6(2), 97-100. <https://doi.org/10.11594/jtls.06.02.06>
- Haidlir, M. N., & Armita, D. (2019). Pengaruh Pemberian Sumber Pupuk Kalium dan Dosis Pupuk Fosfor terhadap Pertumbuhan dan Hasil Tanaman Kacang Hijau (*Vigna radiata* L.). *Jurnal Produksi Tanaman*, 7(5), 874–880.
- Hardjowigeno, S. 1992. Ilmu Tanah. Mediatama Sarana Perkasa. Jakarta.
- Harmini. (2020). Pemanfaatan Tanaman Sorgum sebagai Pakan Ternak Ruminansia di Lahan Kering. *Livest. Anim. Res.*, 19(2): 159-170.
- Hellal, F.A. & Abdelhamid, M.T. (2013). Nutrient Management Practices for Enhancing Soybean (*Glycine max* L.) Production. *Acta Biológica Colombiana*, 18(2), 239-250.
- Hernández-Herrera, R.M., Santacruz-Ruvalcaba, F., Briceño-Domínguez, D.R., Di Filippo-Herrera, D.A. & Hernández-Carmona, G. (2018). Seaweed as Potential Plant Growth Stimulants for Agriculture in Mexico. *Hidrobiológica*, 28(1), 129-140.
- Hidayat, A. (1978). Method of Soil Chemical Analysis. *Japan International Cooperation Agency (JICA) in the Framework of Indonesia-Japan*. Bogor. Hal. 141
- Hidayati, F., & Roedy S. (2017). Pengaruh Tinggi Bedengan dan Dosis Pupuk Kandang Sapi pada Pertumbuhan dan Hasil Tanaman Buncis (*Phaseolus vulgaris* L.). *Plantropica Journal of Agriculture Science*, 2(2), 90-99.

- Hidayati, F. R. (2010). Pengaruh Pupuk Organik dan Anorganik terhadap Pertumbuhan dan Hasil Padi Sawah (*Oryza sativa* L.). in *Makalah Seminar Institut Pertanian Bogor*. Bogor. 7 Hal.
- Hoeman, S. (2012). Prospek dan Potensi Sorgum sebagai Bahan Baku Bioethanol. Pusat Aplikasi Teknologi Isotope dan Radiasi (PATIR) dan Badan Tenaga Nuklir Nasional (BATAN). Jakarta Selatan.
- Huang, W., Ratkowsky, D. A., Hui, C., Wang, P., Su, J., & Shi, P. (2019). Leaf Fresh Weight Versus Dry Weight: Which Is Better for Describing the Scaling Relationship Between Leaf Biomass and Leaf Area for Broad-Leaved Plants. *Forests*, 10(3), 1–19. <https://doi.org/10.3390/f10030256>.
- Isti, A. H. (2022). Respon Beberapa Genotipe Sorgum (*Sorghum bicolor* (L.) Moench) terhadap Berbagai Jarak Tanam (Skripsi, Universitas Andalas).
- Jayanegara, C.M. (2011). Pengaruh Pemberian Mikoriza Vesikular Arbuskular (MVA) dan Berbagai Takaran Pupuk Kompos terhadap Pertumbuhan dan Hasil Tanaman Sorgum (*Sorghum bicolor* (L.) Moench). Skripsi. Fakultas Pertanian. Universitas Pembangunan Nasional “Veteran”. Yogyakarta.
- Kalaivanan, C., Chandrasekaran, M. & Venkatesalu, V. (2012). Effect of Seaweed Liquid Extract of *Caulerpa scalpelliformis* on Growth and Biochemical Constituents of Black Gram (*Vigna mungo* (L.) Hepper). *Phykos*, 42 (2), 46–53.
- Kapanigowda, M.H., R. Perumal, M. Djanaguiraman, R.M Aiken, T. Tesso, P.V. Vara Prasad, & C.R. Little. (2013). Genotypic Variation in Sorghum (*Sorghum bicolor* (L.) Moench) Exotic Germplasm Collections for Drought and Disease Tolerance. *SpringerPlus*, 3 (650), 1-13.
- Kartika, T. (2018). Pengaruh Jarak Tanam terhadap Pertumbuhan dan Produksi Jagung (*Zea mays* L.) Non Hibrida di Lahan Balai Agro Teknologi Terpadu (ATP). *Jurnal Ilmiah Matematika dan Ilmu Pengetahuan Alam*, 15(2), 129–139. <https://doi.org/10.31851/sainmatika.v15i2.2378>.
- Kavipriya, R., Dhanalakshmi, P.K., Jayashree, S. & Thangaraju, N. (2011). Seaweed Extract as a Biostimulant for Legume Crop, Green Gram. *Journal of Ecobiotechnology*, 3(8), 16-19.
- Khan, W., Rayirath, U. P., Subramanian, S., Jithesh, M. N., Rayorath, P., Hodges, D. M., Critchley, A. T., Craigie, J. S., Norrie, J., & Prithiviraj, B. (2009). Seaweed Extracts as Biostimulants of Plant Growth and Development. *Journal of Plant Growth Regulation*, 28(4), 386–399. <https://doi.org/10.1007/s00344-009-9103>
- Kinasih, P., Pangaribuan, D., Hadi, M. S., & Ginting, Y. C. (2013). Pengaruh Frekuensi Penyemprotan dan Konsentrasi Pupuk Organik Cair pada Pertumbuhan dan Produksi Tanaman Tomat (*Lycopersicum esculentum* Mill.). *Jurnal Agrotek Tropika*, 1(3), 264-268. <https://doi.org/10.23960/JAT.V1I3.2039>
- Kocira, S., Kocira, A., Kornas, R., Koszel, M., Szmigielski, M., Krajewska, M., Szparaga, A. & Krzysiak, Z. (2018). Effects of Seaweed Extract on Yield and

- Protein Content of Two Common Bean (*Phaseolus vulgaris* L.) Cultivars. *Legume Research-An International Journal*, 41(4), 589-593.
- Kurepin, L.V., Zaman, M., & Pharis, R.P. (2014). Phytohormonal Basis for the Plant Growth Promoting Action of Naturally Occurring Biostimulators. *Journal of the Science of Food and Agriculture*, 94(9): 1715-1722. <https://doi.org/10.1002/jsfa.6545>
- Kurniasari, R., Suwanto, Sulistyono. E. (2023). Pertumbuhan dan Produksi Tanaman Sorgum (*Sorghum bicolor* (L.) Moench) Varietas Numbu dengan Pemupukan Organik yang Berbeda. *Bul. Agrohorti*, 11(1): 69-78.
- Kusumastuty, D.A. (2018). Analisis Perubahan Morfologi dan Kadar Klorofil pada Tanaman Kersen (*Muntingia calabura* L.) di Area Pertambangan Minyak Bumi Wonocolo Kabupaten Bojonegoro. Institutional Repository. UMM.
- Lahay, S.Y., Bahua, M.I., & Pembengo, W. (2017). Respon Pertumbuhan dan Hasil Tanaman Sorgum (*Sorghum bicolor* L. Moench) berdasarkan Pemberian Pupuk Organik Cair dan Jarak Tanam Berbeda. *JATT*, 6(2), 234-241.
- Layek, J., Das, A., Idapuganti, R.G., Sarkar, D., Ghosh, A., Zodape, S.T., Lal, R., Yadav, G.S., Panwar, A.S., Ngachan, S. & Meena, R.S. (2018). Seaweed Extract as Organic Bio-Stimulant Improves Productivity and Quality of Rice in Eastern Himalayas. *Journal of Applied Phycology*, 30(1), 547-558.
- Leghari, S. J., Wahocho, N. A., Laghari, G. M., & Hafeez Laghari, A. (2016). Role of Nitrogen for Plant Growth and Development: A review. *Advances in Environmental Biology*, 10 (9), 209–218.
- Lewar, Y., & Hasan, A. (2022). Total Luas Daun, Laju Asimilasi Bersih, dan Klorofil Daun Kacang Merah Varietas Inerie Akibat Aplikasi Pupuk Hayati. *Prosiding Seminar Nasional Hasil-Hasil Penelitian*, 5(1), 274-280.
- Lewu, L. D., Uru, R. R., Ambu, L., Hinda, I. D., Welik, N. N., Raga, N. A., & Mandaha, M. (2023). Pengaruh Konsentrasi Ekstrak Rumput Laut (*Sargassum polycystum*) terhadap Viabilitas Benih Sorgum. *Proceeding Sustainable Agricultural Technology Innovation (SATI)*, 2(1), 122-127.
- Liu, C., Liu, Y., Lu, Y., Liao, Y., Nie, J., Yuan, X., & Chen, F. (2019). Use of a Leaf Chlorophyll Content Index to Improve the Prediction of Above-Ground Biomass and Productivity. *PeerJ*, 6, 6240.
- Luckey, T. D. (1968). Insecticide Hormologosis. *Journal of Economic Entomology*, 61(1), 7-12.
- Mahmudi, Sasli, I., & Ramadhan, T. H. (2022). Tanggap Laju Pertumbuhan Relatif dan Laju Asimilasi Bersih Tanaman Padi pada Pengaturan Kadar Air Tanah yang Berbeda dengan Pemberian Mikoriza. *Jurnal Pertanian Agros*, 24(2), 988–996.
- Makmur, A. (1985). Pokok-Pokok Pengantar Pemuliaan Tanaman. PT. Bina Aksara, Jakarta.

- Mallarino, A.P., Kaiser, D.E., Ruiz-Diaz, D.A., Laboski, C.A., Camberato, J.J. & Vyn, T.J. (2017). Micronutrients for Soybean Production in the North Central Region. Diakses Desember 2024 dari https://lib.dr.iastate.edu/extension_pubs/567/.
- Manteu, S.H., Nurjanah, & Tati, N. (2018). Karakteristik Rumput Laut Coklat (*Sargassum polycystum* dan *Padina minor*) dari Perairan Pohuwato Provinsi Gorontalo. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(3), 396-405.
- Matysiak, S., Kaczmarek, S., Kierzek, R. & Kardasz, P. (2010). Ocena Działania Ekstraktów Z Alg Morskich Oraz Mieszaniny Kwasów Huminowych I Fulwowych Na Kiełkowanie I Początkowy Wzrost Rzepaku Ozimego (*Brassica napus* L.). *Journal of Research and Applications in Agricultural Engineering*, 55(4), 28-32.
- Maulidan, K., & Putra, B. K. (2024). Pentingnya Unsur Hara Fosfor untuk Pertumbuhan Tanaman Padi. *Journal of Biopesticide and Agriculture Technology*, 1(2), 47–54.
- Mckinney, G. (1941). Absorption of Light by Chlorophyll Solutions. *The Journal of Biological Chemistry*. 140(2), 315-322.
- Michalak, I., Dmytryk, A., Schroeder, G. & Chojnacka, K. (2017). The Application of Homogenate and Filtrate from Baltic Seaweeds in Seedling Growth Tests. *Applied Sciences*, 7(3), 230.
- Mishra, B.K., Rastogi, A. & Shukla, S. (2012). Regulatory Role of Mineral Elements in The Metabolism of Medicinal Plants. Mineral Nutrition of Medicinal and Aromatic Plants. *Medicinal and Aromatic Plant Science and Biotechnology*, 6, 1-23.
- Mudjisihono & Suprpto. (1987). Budidaya dan Pengolahan Sorgum. Penebar Swadaya. Jakarta.
- Nardi, S., Pizzeghello, D., Schiavon, M., & Ertani, A. (2016). Plant Biostimulants: Physiological Responses Induced by Protein Hydrolyzed-Based Product and Humic Substances in Plant Metabolism. *Scientia Agricola*, 73(1), 18-23.
- Noli, Z.A., Suwirmen, & Julita. (2023). Effect of *Padina minor* Powder Extract as Biostimulant and Black Soldier Fly Fertilizer on Growth and Yield of Soybean (*Glycine max* L. Merrill). *Jurnal Kultivasi*, 22(1), 1-7. <https://doi.org/10.24198/kultivasi.v22i1.37695>.
- Noli, Z. A., & Azwar, M. (2021). Effects of *Sargassum crassifolium* Extract Formula as Biostimulant on Growth and Yield of *Glycine max* L. Merill. *Jurnal Biologi Tropis*, 21(3), 691–697. <https://doi.org/10.29303/jbt.v21i3.2842>
- Noli, Z. A., Aliyyanti, P., & Mansyurdin. (2022). Study the Effect of *Padina minor* Seaweed Crude Extract as a Biostimulant on Soybean. *Pakistan Journal of Biological Sciences*, 25(1), 23–28. <https://doi.org/10.3923/PJBS.2022.23.28>

- Noli, Z. A., Suwirmen, Aisyah, & Aliyyanti, P. (2021). Effect of Liquid Seaweed Extracts as Biostimulant on Vegetative Growth of Soybean. *IOP Conference Series: Earth and Environmental Science*, 759(1), 1-7. <https://doi.org/10.1088/1755-1315/759/1/012029>
- Noli, Z. A., Suwirmen, Izmiarti, Oktavia, R., & Aliyyanti. (2021). Respon Padi Gogo (*Oryza sativa* L.) terhadap Pemberian Biostimulan dari Ekstrak Rumput Laut *Padina minor*. *Bioscientist : Jurnal Ilmiah Biologi*, 9(1), 63–71. <https://ejournal.undikma.ac.id/index.php/bioscientist>
- Norra, I., Aminah, A., & Suri, R. (2016). Effects of Drying Methods, Solvent Extraction and Particle Size of Malaysian Brown Seaweed, *Sargassum* Sp. On the Total Phenolic and Free Radical Scavenging Activity. *International Food Research Journal*, 23(4), 1558–1563.
- Noviyanti, E. (2022). Respon Kombinasi Dosis Biostimulan dan Pupuk Anorganik untuk Meningkatkan Pertumbuhan dan Produksi Bawang Merah Pada Tanah Masam. Skripsi. UIN Syarif Hidayatullah.
- Nurhaliza, A., Liman, A.K. Wijaya, & Muhtarudin. (2020). Pengaruh Jumlah Benih per Lubang dan Jarak Tanam Sorgum Manis (*Sorghum bicolor* (L.) Moench) terhadap Performa Vegetatif pada Ratun Ketiga. *Jurnal Riset dan Inovasi Peternakan*, 4 (2), 71-78.
- Nurkholis, Rahman, S.N. & Kiau, A.M. (2013). Pemanfaatan dan Optimalisasi Sorgum sebagai Sumber Bahan Energi Alternatif (Bioetanol) dalam A. Suwito, I. Salman, R.P. Hidayat (Eds). Prosiding Nasional: Hari Pangan Sedunia ke-34: Pertanian-Bioindustri Berbasis Pangan Lokal Potensial. Makassar 4 November 2014.
- Oktavia, R. (2019). Pertumbuhan Padi Gogo (*Oryza sativa* L.) dengan Pemberian Ekstrak *Padina minor* Yamada pada Beberapa Formulasi dan Frekuensi di Tanah Ultisol. Skripsi. Universitas Andalas.
- Parađiković, N., Teklić, T., Zeljković, S., Lisjak, M. & Špoljarević, M. (2019). Biostimulants Research in Some Horticultural Plant Species—A Review. *Food and Energy Security*, 8(2), 00162.
- Parrado, J., Bautista, J., Romero, E. J., García-Martínez, A. M., Friaza, V., & Tejada, M. (2008). Production of a Carob Enzymatic Extract: Potential Use As A Biofertilizer. *Bioresource Technology*, 99(7), 2312–2318. <https://doi.org/10.1016/j.biortech.2007.05.029>
- Plessis, J. (2008). *Sorghum Production*. Republic of South Africa Department of Agriculture. www.nda.agric.za/publications.
- Podungge, A., Damongilala, L.J. & Mewengkang, H.W. (2017). Kandungan Antioksidan pada Rumput Laut *Eucheuma spinosum* yang Diekstrak dengan Metanol dan Etanol. *Media Teknologi Hasil Perikanan*, 6(1), 1-5.
- Pramanick, B., Brahmachari, K., & Ghosh, A. (2013). Effect of Seaweed Saps on Growth and Yield Improvement of Green Gram. *African Journal of Agricultural Research*, 8(13), 1180-1186.

- Pramanick, B., Brahmachari, K., Mahapatra, B. S., Ghosh, A., Ghosh, D., & Kar, S. (2017). Growth, Yield and Quality Improvement of Potato Tubers Through the Application of Seaweed Sap Derived from the Marine Alga *Kappaphycus alvarezii*. *Journal of Applied Phycology*, 29(6), 3253–3260. <https://doi.org/10.1007/s10811-017-1189-0>
- Pramono, A., K. Muhammad, Susilo, & Timotiwu. P.B. (2019). Model Hubungan Karakter Agronomi berbagai Genotipe Sorgum (*Sorghum bicolor* L. Moench.) dengan Produktivitas Benihnya. Dalam : Seminar Nasional dan Kongres Perhimpunan Agronomi Indonesia; Bogor, 24 September 2019. Bogor. Perhimpunan Agronomi Indonesia. Hal 1-15.
- Putri, A. (2020). Pengaruh Jumlah Aplikasi Ekstrak Powder *Cladophora* Sp terhadap Pertumbuhan dan Produksi Tanaman Padi Gogo (*Oryza sativa* L.) pada Tanah Ultisol. Skripsi. Universitas Andalas. Padang.
- Putri, I. Y. (2021). Evaluasi Karakter Agronomi dan Laju Fotosintesis Empat Genotipe Sorgum (*Sorghum bicolor* L. Moench). *Inovasi Pembangunan: Jurnal Kelitbangan*, 9(01), 1-1.
- Pylak, M., Oszust, K. & Frac, M., (2019). Review Report on the Role of Bioproducts, Biopreparations, Biostimulants and Microbial Inoculants in Organic Production of Fruit. *Reviews in Environmental Science and Bio/Technology*, 18(3), 597-616.
- Rachman, S.D., Mukhtari, Z. & Soedjanaatmadja, R.U.M. (2017). Alga Merah (*Gracilaria coronopifolia*) sebagai Sumber Fitohormon Sitokinin yang Potensial. *Chimica et Natura Acta*, 5(3), 124-131
- Rahmawan, I. S., Arifin, A. Z., & Sulistyawati. (2019). Pengaruh Pemupukan Kalium (K) terhadap Pertumbuhan dan Hasil Kubis (*Brassica oleraceae* var. *capitata*, L.). *Jurnal Agroteknologi Merdeka Pasuruan*, 3(February 2013), 17–23.
- Rahmawati, A., M. Kamal, & Sunyoto. 2014. Respon Beberapa Genotipe Sorgum (*Sorghum bicolor* L. Moench) terhadap Sistem Tumpangsari dengan Ubi Kayu (*Manihot esculenta* Crantz.). *Jurnal Agrotek Tropika*, 2(1), 25-29.
- Rajagukguk, P., Siagian, B., & Lahay, R. R. (2014). Respon Pertumbuhan Bibit Kakao (*Theobroma cacao* L.) terhadap Pemberian Pupuk Guano dan KCl. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 3(1), 102404.
- Ramu, K. & Nallamuthu, T. (2012). Effect of Seaweed Liquid Fertilizer on The Biostimulant on Early Seed Germination and Growth Parameters of *Oryza sativa* L. Centre for Advanced Studies in Botany, University of Madras, Guindy Campus, Chennai-600 025 India. *Int J Curr Sci*, 2012(3), 15-20.
- Rismunandar. (2006). *Sorgum Tanaman Serba Guna*. Sinar Baru, Bandung. 71 Hal.
- Roemheld, V., & El-Fouly M.M. (1999). Foliar Nutrient Application: Challenges and Limits in Crop Production. The 2nd International Workshop on Foliar Fertilization, Thailand (TH): April 4-10, 1999.

- Rokhminarsi, E., & Utami, D. S. (2019). Application of Mycorrhiza and Azolla on Water Requirement and Yield of Shallot in Marjinal Land. *Agrin: Jurnal Penelitian Pertanian*, 23(1), 12-23.
- Rouphael, Y., De Micco, V., Arena, C., Raimondi, G., Colla, G., & De Pascale, S. (2017). Effect of *Ecklonia maxima* Seaweed Extract on Yield, Mineral Composition, Gas Exchange, and Leaf Anatomy of Zucchini Squash Grown Under Saline Conditions. *Journal of Applied Phycology*, 29(1), 459–470. <https://doi.org/10.1007/s10811-016-0937-x>.
- Rusmayadi, G., & Wahdah, R. (2022). Pengaruh Varietas dan Jarak Tanam terhadap Efisiensi Radiasi, Pertumbuhan dan Hasil Jagung Manis (*Zea mays saccharata* Sturt.) di Lahan Rawa Lebak. *Rawa Sains: Jurnal Sains STIPER Amuntai*, 12(1), 41-50.
- Sadak, M. S., Abdelhamid, M. T., & Schmidhalter, U. (2015). Effect of Foliar Application of Amino Acids on Plant Yield and Some Physiological Parameters in Bean Plants Irrigated with Seawater. *Acta Biologica Colombiana*, 20(1), 141–152. <https://doi.org/10.15446/abc.v20n1.42865>.
- Sadewo, A.A.A. (2021). Evaluasi Indeks Luas Daun Empat Genotipe Sorgum (*Sorghum bicolor* L. Moench). *Inovasi Pembangunan: Jurnal Kelitbangan*, 9(01), 15-15.
- Salisbury, F.B. dan C.W. Ross. 1995. Fisiologi Tumbuhan jilid III. Bandung. Institut Teknologi Bandung. 343 hal.
- Salma, L., Aymen, E.M., Maher, S., Hassen, A., Chérif, H., Halima, C. & Mimoun, E. (2014). Effect of Seaweed Extract of *Sargassum vulgare* on Germination Behavior Of Two Bean Cultivars (*Phaseolus vulgaris* L.) Under Salt Stress. *IOSR Journal of Agriculture and Veterinary Science*, 7, 116-120.
- Santari, P. T., & Hatta, M. (2023). Pemberian Mikoriza dan Biostimulan Ekstrak Rumput Laut terhadap Pertumbuhan dan Hasil Jagung di Rasau Jaya, Kalimantan Barat. *Agrikultura*, 34(1), 99-106.
- Santoso, D., Gunawan, A., Budiani, A., and Sari, D.A. (2018). Plant Biostimulant to Improve Crops Productivity and Planters Profit. *E&ES*, 183(1), 012017.
- Saraswati, R. (2007). Peran Pupuk Hayati dalam Meningkatkan Efisiensi Pemupukan Menunjang Keberlanjutan Produktivitas Tanah. *Jurnal Sumberdaya Lahan*, 1(3), 4.
- Sari, D.A., Kresnawaty, I., Budiani, A. & Santoso, D. (2019). Peningkatan Hasil Panen Kedelai (*Glycine max* L.) Varietas Wilis dengan Aplikasi Biostimulan Tanaman. *E-Journal Menara Perkebunan*, 87(1), 1-10.
- Sasikala, M., Indumathi E., Radhika, S., dan Sasireka., R. (2016). Effect of Seaweed Extract (*Sargassum tenerrimum*) on Seed Germination and growth of Tomato Plant (*Solanum lycopersicum*). *International Journal of ChemTechResearch*, 9(9), 285-293.
- Schmalenbach, I., Zhang, L., Reymond, M., & Jiménez-Gómez, J. M. (2014). The Relationship Between Flowering Time and Growth Responses to Drought in

- the Arabidopsis Landsberg Erecta X Antwerp-1 Population. *Frontiers in Plant Science*, 5(11), 1–9. <https://doi.org/10.3389/fpls.2014.00609>.
- Sedayu, B. B., Erawan, I. M. S., & Assadad, L. (2014). Pupuk Cair dari Rumput Laut *Eucheuma cottonii*, *Sargassum* sp. dan *Gracilaria* sp. menggunakan Proses Pengomposan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 9(1), 61-68.
- Sedayu, B.B., Basmal, J. & Utomo, B.S.B. (2013). Identifikasi Hormon Pemacu Tumbuh Ekstrak Cairan (Sap) *Eucheuma cottonii*. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(1), 1-8.
- Septiana, A.T. & Asnani, A. (2012). Kajian Sifat Fisikokimia Ekstrak Rumput Laut Coklat *Sargassum duplicatum* menggunakan Berbagai Pelarut dan Metode Ekstraksi. *Agrointek*, 6(1), 22-28.
- Shah, J. A., Asmuni, A., & Ismail, A. (2013). Roles of Extension Agents Towards Agricultural Practice in Malaysia. *International Journal on Advanced Science, Engineering and Information Technology*, 3(1), 59-63. <https://doi.org/10.18517/ijaseit.3.1.278>
- Sharifi, R.S., M. Sedghi, & A. Gholipouri. (2009). Effect of Population Density on Yield and Yield Attributes of Maize Hybrids. *Research Journal of Biological Sciences*, 4, 375-379.
- Sharma, H.S.S., Selby, C., Carmichael, E., McRoberts, C., Rao, J.R., Ambrosino, P., Chiurazzi, M., Pucci, M. & Martin, T. (2016). Physicochemical Analyses of Plant Biostimulant Formulations and Characterisation of Commercial Products by Instrumental Techniques. *Chemical and Biological Technologies in Agriculture*, 3(1), 1-17
- Shayen, M. P., Noli, Z. A., & Suwirman, S. (2022). Aplikasi Ekstrak *Portulaca oleracea* L. sebagai Biostimulan pada Pertumbuhan Kale (*Brassica oleracea* L. var acephala). *Bioscientist: Jurnal Ilmiah Biologi*, 10(2), 708-718.
- Shinda, C. A., Nthakanio, P. N., Gitari, J. N., Runo, S., Mukono, S., Maina, S. (2022). Nutrient content of sorghum hybrid lines between Gadam and hard coat tannin sorghum cultivars. *Food Science and Nutrition*, 10(7): 2202–2212. <https://doi.org/10.1002/fsn3.2830>.
- Siregar, Z.A. (2021). Kajian Sorgum: Kajian Potensi Sebagai Alternatif Pangan.
- Sosnowski, J., Jankowski, K., Malinowska, E. & Truba, M. (2017). The effect of *Ecklonia maxima* extract on *Medicago x varia* T. Martyn biomass. *Journal of soil science and plant nutrition*, 17(3), 770-780.
- Spinelli, F., Fiori, G., Noferini, M., Sprocatti, M., & Costa, G. (2010). A Novel Type of Seaweed Extract as a Natural Alternative to the use of Iron Chelates in Strawberry Production. *Scientia Horticulturae*, 125(3), 263–269. <https://doi.org/10.1016/j.scienta.2010.03.011>.
- Sriyuni, O., Mansyurdin, M. T., Izmiarti, N. Z., & Noli, Z. A. (2020). Application of Seaweed Extract *Sargassum cristaefolium* and Amino Acid to Growth and Yield of Upland Rice (*Oryza sativa* L.). *International. Jurnal. Sci. Technol. Res*, 9(3), 2014-2018.

- Stirk, W. A., Tarkowská, D., Turečová, V., Strnad, M., & van Staden, J. (2014). Absciscic Acid, Gibberellins and Brassinosteroids in Kelpak[®], a Commercial Seaweed Extract Made from *Ecklonia maxima*. *Journal of Applied Phycology*, 26(1), 561–567. <https://doi.org/10.1007/s10811-013-0062-z>
- Subha, K., Mukherjee, A., Kumari, M., Tiwari, K., & Meena, V. S. (2017). Agriculturally Important Microbes for Sustainable Agriculture. *Agriculturally Important Microbes for Sustainable Agriculture*, 1, 1–356. <https://doi.org/10.1007/978-981-10-5589-8>
- Sufardi. (2020). Bab 6 Diagnosa Hara. <http://researchgate.net>
- Sulistiani, R., Saragih, S. A., Munar, A., & Pohan, B. B. P. (2023). Peningkatan Produksi Daun dan Kadar Protein Kelor (*Moringa oleifera*) dengan Aplikasi Pupuk Organik pada Lahan Spesifik Lokasi. *Jurnal Ilmu Pertanian*, 8(1), 39–47.
- Sultan, N., Ikeda, T., & Kashem, M. A. (2001). Effect of Foliar Spray of Nutrient Solutions on Photosynthesis, Dry Matter Accumulation and Yield in Seawater-Stressed Rice. *Environmental and Experimental Botany*, 46(2), 129–140.
- Sumenda, L., Rampe, H. L., & Mantiri, F. R. (2011). Analisis Kandungan Klorofil Daun Mangga (*Mangifera indica* L.) pada Tingkat Perkembangan Daun yang Berbeda. *Bioslogos*, 1(1), 20–24.
- Sunarpi, H., Eka, S. P., & Aluh, N. 2019. MAKROALGA: Sumber Biostimulan dan Pupuk Organik. Trust Media Publishing.
- Supriyo, H. & Prehaten, D. (2014). Kandungan Unsur Hara dalam Daun Jati yang Baru Jatuh pada Tapak yang Berbeda. *Jurnal Ilmu Kehutanan*, 8(2), 108–116.
- Sutharsan, S., Nishanthi, S. & Srikrishnah, S. (2014). Effects of Foliar Application of Seaweed (*Sargassum crassifolium*) Liquid Extract on the Performance of *Lycopersicon esculentum* Mill. *American-Eurasian Journal of Agricultural & Environmental Sciences*, 14(12), 1386–1396.
- Suwirmen, Noli, Z.A., & Putri, F.J. (2022). Pengaruh Cara Aplikasi dan Konsentrasi Ekstrak Kelor (*Moringa oleifera* L.) terhadap Pertumbuhan Kubis Singgalang (*Brassica oleracea* var. *capitata* L.). *Agricultural Journal*, 5(1), 20–29.
- Suwirmen, S., Noli, Z. A., & Rukmini, T. (2022). Aplikasi Ekstrak *Padina minor* dan *Centella asiatica* sebagai Biostimulan terhadap Pertumbuhan Tanaman Kedelai (*Glycine max* (L.) Merr.). *Bioscientist: Jurnal Ilmiah Biologi*, 10(1), 166–172.
- Syad, A.N., Shunmugiah, K.P., and Kasi, P.D. (2013). Seaweed as Nutritional Supplements: Analysis of Nutritional Profile, Physicochemical Properties and Proximate Composition of *G. acerosa* and *S. wightii*. *Biomedicine and Preventive Nutrition*, 3(2), 139–144.
- Szparaga, A., Kocira, S., Kocira, A., Czerwińska, E., Świeca, M., Lorencowicz, E., & Oniszczuk, T. (2018). Modification of Growth, Yield, and the

- Nutraceutical and Antioxidative Potential of Soybean Through the use of Synthetic Biostimulants. *Frontiers in Plant Science*, 9, 1401.
- Taiz, L., & Zeiger, E. (2002). *Plant Physiology*. the Benjamin/Cummings Publ. Co. Inc. Redwood City. California.
- Tampubolon, A., Gerung, G. S., & Wagey, B. (2013). Biodiversitas Alga Makro di Lagun Pulau Pasige, Kecamatan Tagulandang, Kabupaten Sitaro. *Jurnal Pesisir Dan Laut Tropis*, 1(2), 35. <https://doi.org/10.35800/jplt.1.2.2013.2122>.
- Tanwar, R., Panghal, A., Chaudhary, G., Kumari, A., Chhikara, N. (2023). Nutritional, Phytochemical and Functional Potential of Sorghum: A review. *Food Chemistry Advances*, 3: 1–16. <https://doi.org/10.1016/j.focha.2023.100501>.
- Taufiq, A., & Sundari, T. (2014). Respons Tanaman Kedelai terhadap Lingkungan Tumbuh. *Buletin Palawija*, (23), 13-26.
- Thirumaran G., Arumugam M., Arumugam R., Anantharaman P. (2009). Effect of Seaweed Liquid Fertilizer on Growth and Pigment Concentration of *Cyamopsis tetragonoloba* L. Taub. *Am-Euras. J. Agron.* 2 (2): 50 -56.
- U.S. Department of Agriculture. (2025). Production - Sorghum. <https://www.fas.usda.gov/data/production/commodity/0459200>. (Diakses 31 Mei 2025)
- Vanderlip, R. L. (1993). *How a Sorghum Plant Develops*.
- Van de Vrie, M., Mc Murtry, J., & Huffaker, C. (1972). Ecology of Tetranychid Mites and Their Natural Enemies: a Review: III. Biology, Ecology, and Pest Status, and Host-Plant Relations of Tetranychids. *Hilgardia*, 41(13), 343-432.
- Van Oosten, M.J., Pepe, O., De Pascale, S., Silletti, S. & Maggio, A. (2017). The Role of Biostimulants And Bioeffectors As Alleviators of Abiotic Stress in Crop Plants. *Chemical and Biological Technologies in Agriculture*, 4(1), 5.
- Wadas, W., & Dziugiel, T. (2019). Growth and marketable potato (*Solanum tuberosum* L.) tuber yield in response to foliar application of seaweed extract and humic acids. *Applied Ecology and Environmental Research*, 17(6), 13219–13230. https://doi.org/10.15666/AEER/1706_1321913230
- Wang, N., Fu, F., Wang, H., Wang, P., He, S., Shao, H., Ni, Z., & Zhang, X. (2021). Effects of Irrigation and Nitrogen on Chlorophyll Content, Dry Matter and Nitrogen Accumulation in Sugar Beet (*Beta vulgaris* L.). *Scientific Reports*, 11(1), 1–9. <https://doi.org/10.1038/s41598-021-95792-z>.
- Widiastuti, E., & Latifah, E. (2016). Keragaan Pertumbuhan aan Biomassa Varietas Kedelai (*Glycine max* L) di Lahan Sawah dengan Aplikasi Pupuk Organik Cair. *Jurnal Ilmu Pertanian Indonesia*, 21(2), 90-97.
- Wouthuuyzen, S, Herandarudewi, S, & Kamatsu, T. (2016). Stock Assessment of Brown Seaweeds (*Phaeophyceae*) along the Bitung-Bentena Coast, North

Sulawesi Province, Indonesia for Alginate Product using Satellite Remote Sensing. *Procedia Environmental Science*, 33, 553-561.

- Wozniak, E., Blaszcak, A., Wiatrak, P., & Canady, M. (2020). Biostimulant Mode of Action: Impact of Biostimulant on Whole-Plant Level. In: Geelen D, Xu L. Editors. *The Chemical Biology of Plant Biostimulants*. Wiley. 205-27. <https://doi.org/10.1002/9781119357254.ch8>.
- Yao, Y., Wang, X., Chen, B., Zhang, M., & Ma, J. (2020). Seaweed Extract Improved Yields, Leaf Photosynthesis, Ripening Time, and Net Returns of Tomato (*Solanum lycopersicum* Mill.). *ACS omega*. 5(8): 4242-4249.
- Yina, A. U. R., Lewu, L. D., & Kapoe, S. K. K. L. (2023). Pengaruh Jarak Tanam terhadap Pertumbuhan dan Hasil Tanaman Sorgum Lokal Watar Hammu Miting Walla. *Journal of Agribusiness and Agrotechnology*, 01(2), 111–116.
- Zakiah, Z., Suliansyah, I., Bakhtiar, A. and Mansyurdin, M. (2017). Effect of Crude Extracts of Six Plants on Vegetative Growth of Soybean (*Glycine max* Merr.). *International Journal of Advances in Agricultural Science and Technology*, 4, 1-12.
- Zhang, H., Zhao, Q., Wang, Z., Wang, L., Li, X., Fan, Z., Zhang, Y., Li, J., Gao, X., Shi, J., & Chen, F. (2021). Effects of Nitrogen Fertilizer on Photosynthetic Characteristics, Biomass, and Yield of Wheat Under Different Shading Conditions. *Agronomy*, 11 (10), 1–20. <https://doi.org/10.3390/agronomy11101989>
- Zhang, H., & Ervin, E. H. (2008). Physiological and Biochemical Responses of Kentucky Bluegrass to Application of Seaweed Extract. *HortScience*, 43(3), 907-912.
- Zulkifli A. (2015). Pertumbuhan dan Produksi Tanaman Sorgum pada Sistem Tumpangsari Sorgum – Kedelai dengan Berbagai Dosis Pupuk Urea. Skripsi. Universitas Jember.

