

DAFTAR PUSTAKA

- Abulais, D. M., & Patiung, O. R. (2024). Penentuan Kadar Kafein dari Teh Seduhan *Cascara* Menggunakan Metode Spektrofotometri UV-Vis. *AVOGADRO Jurnal Kimia*, 1, 8–12.
- Afriliana, A. (2018). *Teknologi Pengolahan Kopi Terkini* (1st ed.). Deepublish.
- Agelet, L. E., & Hurburgh, C. R. (2010). A Tutorial on Near Infrared Spectroscopy and Its Calibration. *Critical Reviews in Analytical Chemistry*, 40(4), 246–260. <https://doi.org/10.1080/10408347.2010.515468>
- Almizan, A., Fadhil, R., & Zulfahrizal, Z. (2020). Pemilihan Teknik Akuisisi Spektrum NIRS untuk Membedakan Kopi Arabika dan Kopi Robusta Gayo dengan Metode PCA (*Principal Component Analysis*). *Jurnal Ilmiah Mahasiswa Pertanian*, 5(1), 371–380. <https://doi.org/10.17969/jimfp.v5i1.13635>
- Andasuryani, & Ifmalinda. (2024). Rapid Prediction of Moisture and Ash Content in Sungkai Leaves Herbal Tea (*Peronema canescens* Jack.) using NIR Spectroscopy. *Jurnal Keteknikaan Pertanian*, 12(3), 301–313. <https://doi.org/10.19028/jtep.012.3.301-313>
- Andasuryani, Munawar, A. A., Kusumiyati, Adrizal, & Yusmanizar. (2024). Non-Invasive NIR Spectroscopy for Precise Water Content Determination in Sumatran Coffee Beans. *International Journal of Design and Nature and Ecodynamics*, 19(5), 1785–1791. <https://doi.org/10.18280/ij dne.190533>
- Andasuryani, Purwanto, Y. A., Budiastara, I. W., & Syamsu, K. (2014). Prediksi Kandungan Katekin Gambir (*Uncaria gambir* Roxb.) dengan Spektroskopi NIR. *Jurnal Teknologi Industri Pertanian*, 24(1), 43–52.
- Ariva, A. N., Widyasanti, A., & Nurjanah, S. (2020). Pengaruh Suhu Pengeringan Terhadap Mutu Teh *Cascara* dari Kulit

- Kopi Arabika (*Coffea arabica*). *Jurnal Teknologi dan Industri Pertanian Indonesia*, 12(1), 21–28.
<https://doi.org/10.17969/jtipi.v12i1.15744>
- Arwangga, A. F., Asih, I. A. R. A., & Sudiarta, I. W. (2016). Analisis Kandungan Kafein pada Kopi di Desa Sesaot Narmada Menggunakan Spektrofotometri UV-Vis. *Jurnal Kimia*, 10(1), 110–114.
- Aswanto, A. A. (2023). *Potensi Limbah Kulit Kopi untuk Pakan Ternak Ruminansia di Kecamatan Kebun Tebu Kabupaten Lampung Barat*. Universitas Lampung.
- Aswanto, A. A., Muhtarudin, M., Farda, F. T., Liman, L., & Tantalo, S. (2023). Potensi Nutrien Limbah Kulit Kopi untuk Pakan Ternak Ruminansia di Kecamatan Kebun Tebu Kabupaten Lampung Barat. *Jurnal Riset Dan Inovasi Peternakan (Journal of Research and Innovation of Animals)*, 7(3), 306–311. <https://doi.org/10.23960/jrip.2023.7.3.306-311>
- Azzahra, R. F., & Meilianti. (2021). Produksi Bioetanol Berbahan Dasar Limbah Kulit Kopi sebagai Bahan Bakar Alternatif. *Jurnal Kinetika*, 12(02), 58–63.
<https://jurnal.polsri.ac.id/index.php/kimia/index58>
- Budiastra, I. W., Sutrisno, S., Widyotomo, S., & Ayu, P. C. (2018). Prediction of Caffeine Content in Java Preanger Coffee Beans by NIR Spectroscopy Using PLS and MLR Method. *IOP Conference Series: Earth and Environmental Science*, 147(1).
<https://doi.org/10.1088/1755-1315/147/1/012004>
- Budiyanto, E., Yuono, L. D., & Farindra, A. (2019). Upaya Peningkatan Kualitas dan Kapasitas Produksi Mesin Pengupas Kulit Kopi Kering. *Jurnal Program Studi Teknik Mesin UM Metro*, 8(1), 88–98.
- Cen, H., & He, Y. (2007). Theory and Application of Near Infrared Reflectance Spectroscopy In Determination of Food Quality. *Trends in Food Science and Technology*, 18(2), 72–83.
<https://doi.org/10.1016/j.tifs.2006.09.003>

- Cozmuta, L. M. (2025). The Application of Multiple Linear Regression Methods to FTIR Spectra of Fingernails for Predicting Gender and Age of Human Subjects. *Heliyon*, 11(4), 1–13. <https://doi.org/10.1016/j.heliyon.2025.e42815>
- Damelia, P. (2021). *Pendugaan Kandungan Gizi Dedak Padi Menggunakan NIRS (Near Infrared Reflectance Spectroscopy)*. Universitas Andalas.
- Ditcharoen, S., Sirisomboon, P., Saengprachatanarug, K., Phuphaphud, A., Rittiron, R., Terdwongworakul, A., Malai, C., Saenphon, C., Panduangnate, L., & Posom, J. (2023). Improving The Non-Destructive Maturity Classification Model for Durian Fruit Using Near-Infrared Spectroscopy. *Artificial Intelligence in Agriculture*, 7, 35–43. <https://doi.org/10.1016/j.aiia.2023.02.002>
- Eckhardt, S., Franke, H., Schwarz, S., & Lachenmeier, D. W. (2022). Risk Assessment of Coffee Cherry (Cascara) Fruit Products for Flour Replacement and Other Alternative Food Uses. *Molecules*, 27(23), 1–21. <https://doi.org/10.3390/molecules27238435>
- Fadhillah, D., Muzaifa, M., Hasni, D., & Nilda, C. (2023). Faktor-faktor yang Mempengaruhi Mutu Cascara (*Literature Review: The Influencing Factors of Cascara Quality*). *Jurnal Ilmiah Mahasiswa Pertanian*, 8(3), 377–383. www.jim.unsyiah.ac.id/JFP
- Feng, X. Y., Chen, Z. G., Yi, S. J., & Wang, P. H. (2025). A Three-Stage Wavelength Selection Algorithm for Near-Infrared Spectroscopy Calibration. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 324, 125029. <https://doi.org/10.1016/J.SAA.2024.125029>
- Firdaus, J., Ahmad, U., Budiastara, I. W., & Subrata, I. D. M. (2024). Estimating Macronutrient Content of Paddy Soil Based on Near-Infrared Spectroscopy Technology Using Multiple

- Linear Regression. *Advances in Technology Innovation*, 9(1), 50–64. <https://doi.org/10.46604/aiti.2023.12683>
- Hayati, R., Maulina, F. A., & Munawar, A. A. (2024). Non-Destructive Prediction of Moisture and Fat Content in Cocoa Beans Using Near-Infrared Spectroscopy and Multivariate Regression Models. *International Journal of Design and Nature and Ecodynamics*, 19(1), 281–290. <https://doi.org/10.18280/ijdne.190131>
- Heeger, A., Kosińska-Cagnazzo, A., Cantergiani, E., & Andlauer, W. (2017). Bioactives of Coffee Cherry Pulp and Its Utilisation for Production of Cascara Beverage. *Food Chemistry*, 221, 969–975. <https://doi.org/10.1016/j.foodchem.2016.11.067>
- Huang, Y., Du, G., Ma, Y., & Zhou, J. (2021). Predicting Heavy Metals in Dark Sun-cured Tobacco by Near-Infrared Spectroscopy Modeling Based on The Optimized Variable Selections. *Industrial Crops and Products*, 172. <https://doi.org/10.1016/j.indcrop.2021.114003>
- Hutasoit, G. Y., Susanti, S., & Dwiloka, B. (2019). Pengaruh Lama Pengeringan Terhadap Karakteristik Kimia dan Warna Minuman Fungsional Teh Kulit Kopi (*Cascara*) dalam Kemasan Kantung. *Jurnal Teknologi Pangan*, 5(2), 38–43. www.ejournal-s1.undip.ac.id/index.php/tekpangan.
- International Coffee Organization [ICO]. (2023). *Coffee Report and Outlook*. https://icocoffee.org/documents/cy2023-24/Coffee_Report_and_Outlook_December_2023_ICO.pdf
- Irawan, M., Yusmanizar, & Munawar, A. A. (2022). Kalibrasi dan Validasi Model Spektrum Inframerah Biji Kopi untuk Pengujian Kadar Air (*Moisture Content*) dan Asam Klorogenat (*Chlorogenic Acid*) Biji Kopi secara Non-Destruktif. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(4), 838–845. www.jim.unsyiah.ac.id/JFP

- Irawati, L., Thariq, B., Suherman, M., Alhas, I., & Teknik Kimia Politeknik Negeri Ujung Pandang, J. (2024). Pengembangan Metode NIR Spektroskopi untuk Deteksi Cepat Kadar Kafein dalam Kopi. *Prosiding 7th Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat*.
- Iriondo-Dehond, A., Iriondo-Dehond, M., & Del Castillo, M. D. (2020). Applications of Compounds from Coffee Processing By-Products. *Biomolecules*, 10(1219), 1–20. <https://doi.org/10.3390/biom10091219>
- Khalil, M. (2016). Pengaruh Pemberian Limbah Kulit Kopi (*Coffea* sp.) Amoniasi sebagai Pakan Alternatif Terhadap Pertambahan Bobot Ayam Broiler. *Jurnal Ilmiah Mahasiswa Pendidikan Biologi*, 1(1), 119–130.
- Kyaw, E. M., Budiastra, I. W., Sutrisno, S., Samsudin, S., & Mala, D. M. (2020). Prediction of Caffeine Content in Liberica Coffee Green Bean by NIR Spectroscopy Using Kubelka-Munk Model. *Jurnal Tanaman Industri Dan Penyegar*, 7(3), 119. <https://doi.org/10.21082/jtidp.v7n3.2020.p119-126>
- Lengkey, L. C. E. CH., Budiastra, I. W., Seminar, K. B., & Purwoko, B. S. (2013). Prediction Model of Moisture , Fat, and Free Fatty Acid Content of Physic Nut (*Jatropha curcas* L.) Seed Using Near Infrared (NIR) Spectroscopy and Partial Least Square (PLS) Method. *Jurnal Littri*, 19(4), 203–211.
- Liu, Y., Liu, Y., Chen, Y., Zhang, Y., Shi, T., Wang, J., Hong, Y., Fei, T., & Zhang, Y. (2019). The influence of spectral pretreatment on the selection of representative calibration samples for soil organic matter estimation using vis-NIR reflectance spectroscopy. *Remote Sensing*, 11(4). <https://doi.org/10.3390/rs11040450>
- Malvandi, A., Feng, H., & Kamruzzaman, M. (2022). Application of NIR Spectroscopy and Multivariate Analysis for Non-Destructive Evaluation of Apple Moisture Content during Ultrasonic Drying. *Spectrochimica Acta Part A: Molecular*

- and *Biomolecular Spectroscopy*, 269.
<https://doi.org/https://doi.org/10.1016/j.saa.2021.120733>
- Mardiantono, Fachruddin, & Zulfahrizal. (2019). Pendugaan Kadar Air Beras Ketan Putih dengan Teknologi NIRS Menggunakan Metode *Principal Component Regression (Pretreatment Detrending, Derivative-2, dan Standard Normal Variate)*. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(4), 502–511.
www.jim.unsyiah.ac.id/JFP
- Mardjan, S. S., & Surbakti, L. (2023). Determination of Water Content and Piperine Content of Black Pepper (*Piper Nigrum* L.) Using Near Infrared Spectroscopy (NIRS). *Jurnal Keteknikaan Pertanian*, 11(1), 102–115.
<https://doi.org/10.19028/jtep.011.1.102-115>
- Maulani, R. D., & Wahyuningsih, D. (2021). Analisis Ekspor Kopi Indonesia pada Pasar Internasional. *Jurnal Pamator*, 14(1), 27–33. <https://doi.org/10.21107/pamator.v14i1.8692>
- Mouazen, A. M., Saeys, W., Xing, J., De Baerdemaeker, J., & Ramon, H. (2005). Near infrared spectroscopy for Agricultural Materials: An Instrument Comparison. *Journal of Near Infrared Spectrosc*, 13(2), 87–97.
<https://doi.org/https://doi.org/10.1255/jnirs.461>
- Murtahar, Ratna, & Munawar, A. A. (2019). Prediksi Kadar Air dan Kafein *Green Bean* Kopi Menggunakan *Near Infrared Spectroscopy*. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(4), 462.
www.jim.unsyiah.ac.id/JFP
- Mustafa, R., Putri, N.L., Purwanti, Y.A. (2020). Pemanfaatan Spektroskopi NIR dalam Analisis Senyawa Fungsional Tanaman Obat. *Jurnal Teknik Pertanian Lampung*, 9(2), 107 - 114.
- Muzaifa, M., Hasni, D., Arpi, N., Sulaiman, M. I., & Limbong, M. S. (2019). Kajian Pengaruh Perlakuan *Pulp* dan Lama Penyeduhan Terhadap Mutu Kimia Teh *Cascara*. *Jurnal Teknologi Pertanian Andalas*, 23(2).

- Ningrum, O. S., Pramitasari, N., & Kartini, A. M. (2023). Pembuatan Kompos dari Limbah Kulit Kopi Menggunakan Kotoran Sapi dan EM4. *PROTEKSI: Jurnal Lingkungan Berkelanjutan*, 3(1), 1–10. <https://jurnal.unej.ac.id/index.php/PROTEKSI>
- Nurhasanah, Siregar, K., & Zulfahrizal. (2019). Prediksi Kadar Air Beras Menggunakan Nirs dengan Metode Pls dan Pretreatment Standard Normal Variate, Derivative I, Savitzky Golay Smoothing. *Jurnal Ilmiah Mahasiswa Pertanian*, 4(1), 628–637. www.jim.unsyiah.ac.id/JFP
- Panggabean, E. (2011). *Buku Pintar Kopi* (1st ed.). PT. Agro Media Pustaka.
- Prawira-Atmaja, M. I., Maulana, H., Shabri, Riski, G. P., Fauziah, A., & Harianto, S. (2021). Evaluasi Kesesuaian Mutu Produk Teh dengan Persyaratan Standar Nasional Indonesia. *Jurnal Standardisasi*, 23(1), 43–52.
- Purningsih, V., Budiastira, I. W., Sutrisno, S., & Widyotomo, S. (2018). Akurasi Metode NIRS dalam Prediksi Kandungan Kimia Bubuk Green Coffee Bondowoso dengan Model Kubelka-Munk. *Jurnal Keteknik Pertanian*, 6(3), 271–278. <https://doi.org/10.19028/jtep.06.3.271-278>
- Rabeta, M. S. & Vithyia, M. (2013). Effect of Different Drying Methods on The Antioxidant Properties of *Vitex negundo* Linn. Tea. *International Food Research Journal*, 20(6), 3171–3176.
- Rahardjo, P. (2017). *Berkebun Kopi* (a.Mu'min, Ed.; 1st ed.). Penebar Swadaya.
- Refnizuida, Zamriyetti, Siagian, L. Y., & Tambunan, R. S. (2022). Lama Perendaman Ekstrak Bawang Merah dan Perbandingan Beberapa Media Tanam Terhadap Pembibitan Kopi Arabika (*Coffea Arabica* L). *Seminar Nasional UNIBA Surakarta*, 265–274.

- Rehman, A. ur, & Belhaouari, S. B. (2021). Unsupervised Outlier Detection in Multidimensional Data. *Journal of Big Data*, 8(80). <https://doi.org/10.1186/s40537-021-00469-z>
- Rinnan, A., Berg, F. V.D., & Engelse, S. B. (2009). Review of The Most Commom Pre-Processing Techniques For Near-Infrared Spectra. *TrAC Trend in Analytical Chemistry*, 28(10), 1201-1222. <https://doi.org/10.1016/j.trac.2009.07.007>
- Rivaldi, S., Yunus, Y., & Munawar, A. A. (2019). Prediksi Kadar Total Padatan Terlarut (TPT) dan Vitamin C Buah Mangga Arumanis (*Mangifera indica* L) Menggunakan *Near Infrared Spectroscopy* (NIRS) dengan Metode *Partial Least Square* (PLS). *Jurnal Ilmiah Mahasiswa Pertanian*, 4(2), 349–358. www.jim.unsyiah.ac.id/JFP
- Rosita, R., Budiastra, I. W., & Sutrisno, S. (2016). Prediction of Caffeine Content of Arabica Coffee Bean by Near Infrared Spectroscopy. *Jurnal Keteknikaan Pertanian*, 04(2), 1–8. <https://doi.org/10.19028/jtep.04.2.179-186>
- Safmi, N. A. (2024). *Prediksi Kandungan Kimia Cascara Menggunakan NIR Spectroscopy*. Universitas Andalas.
- Sari, M., Nasution, I. S., & Zulfahrizal. (2019). Prediksi Kadar Air Gabah Menggunakan *Near Infrared Reflectance Spectroscopy* dengan Metode *Principal Component Regression* (*Pre-treatment Multiplicative Scatter Correction, Second Derivative* dan *De-trending*). *Jurnal Ilmiah Mahasiswa Pertanian*, 4(1), 568–577. <https://doi.org/10.17969/jimfp.v4i1.9830>
- Sastra, H., & Bawono, S. (2018). Pemanfaatan Limbah Kulit Kopi Sebagai Bahan Kompos dan *Cascara*. *Jurnal ABDIMAS Hasil Pengabdian Di Lapangan*, 1(1), 55–61.
- Scholichah, E., Apriani, R., Desnilasari, D., Karim, M. A., & Harvelly. (2019). Produk Samping Kulit Kopi Arabika dan Robusta sebagai Sumber Polifenol untuk Antioksidan dan Antibakteri. *Jurnal Industri Hasil Perkebunan*, 14, 57–66.

- Shen, S., Hua, J., Zhu, H., Yang, Y., Deng, Y., Li, J., Yuan, H., Wang, J., Zhu, J., & Jiang, Y. (2022). Rapid and Real-Time Detection of Moisture in Black Tea During Withering Using Micro-Near-Infrared Spectroscopy. *LWT - Food Science and Technology*, 155. <https://doi.org/10.1016/j.lwt.2021.112970>
- SNI. (2013). *Teh kering dalam kemasan* (Standar Nasional Indonesia, Ed.). Standar Nasional Indonesia-SNI. www.bsn.go.id
- Soares, J. M., Batista, T. B., da Silva, M. F., Rodrigues, N. S., Dias, D. C. F. D. S., & da Silva, L. J. (2024). Classification of The Physiological Potential of Soybean Seed Lots Using Infrared Spectroscopy and Chemometric Methods. *Journal of Seed Science*, 46(e202446009). <https://doi.org/10.1590/2317-1545v46278267>
- Suci, Y. T., Budiastara, I. W., Purwanto, Y. A., Widodo, S., & Novianty, I. (2024). Wavelengths Selection Method in Near Infrared Spectra Using Multivariate Analysis for Nondestructive Determination of Oil Content in Palm Oil Fruits. *IOP Conference Series: Earth and Environmental Science*, 1386(1). <https://doi.org/10.1088/1755-1315/1386/1/012009>
- Sugiyono. (2007). *Statistika untuk Penelitian* (A. Nuryanto, ed.). Alfabeta.
- Suratno, H., Usman, Y., & Samadi. (2019). Analisis Kandungan Nutrisi Kulit Kopi (*Coffea sp*) yang Difermentasi dengan Berbagai Bahan Inokulan. *JIM Pertanian-PET*, 4(4), 293–300. www.jim.unsyiah.ac.id/JFP
- Trihaditia, R., Yuliani,), & Priambodo, R. (2021). Komparasi Jenis *Cascara* dan Periode Fermentasi Terhadap Karakteristik Kombucha *Cascara*. *Jurnal Pro-Stek*, 3(2).
- Tsai, C.-F., & Jioe, I. P. J. (2021). The Analysis of Chlorogenic Acid and Caffeine Content and Its Correlation with Coffee Bean Color under Different Roasting Degree and Sources of Coffee

- (*Coffea arabica Typica*). *Processes*, 9(11), 1–15.
<https://doi.org/10.3390/pr9112040>
- Wang, N., Feng, J., Li, L., Liu, J., & Sun, Y. (2022). Rapid Determination of Cellulose and Hemicellulose Contents in Corn Stover Using Near-Infrared Spectroscopy Combined with Wavelength Selection. *Molecules*, 27(11), 1–13.
<https://doi.org/10.3390/molecules27113373>
- Wardhana, D. I., Ruriani, E., & Nafi, A. (2019). Karakteristik Kulit Kopi Robusta Hasil Sampling Pengolahan Metode Kering dari Perkebunan Kopi Rakyat di Jawa Timur. *Jurnal Agritrop*, 17(2), 220–229.
<http://jurnal.unmuhjember.ac.id/index.php/AGRITROPEISS>
[N](http://jurnal.unmuhjember.ac.id/index.php/AGRITROPEISS)
- Watanabe, L. S., Bovolenta, Y. R., Junior, V. R. A., Barbin, D. F., Madeira, T. B., & Nixdorf, S. L. (2018). Investigation of NIR spectra pre-processing methods combined with multivariate regression for determination of moisture in powdered industrial egg. *Acta Scientiarum - Technology*, 40.
<https://doi.org/10.4025/actascitechnol.v40i1.30133>
- Wei, M. C. F., Canal Filho, R., Tavares, T. R., Molin, J. P., & Vieira, A. M. C. (2022). Dimensionality Reduction Statistical Models for Soil Attribute Prediction Based on Raw Spectral Data. *AI (Switzerland)*, 3(4), 809–819.
<https://doi.org/10.3390/ai3040049>
- Widyaningrum, Purwanto, Y. A., Widodo, S., Supijatno, & Iriani, E. S. (2022). *Portable/Handheld* NIR sebagai Teknologi Evaluasi Mutu Bahan Pertanian secara Non-Destruktif. *Jurnal Keteknikan Pertanian*, 10(1), 59–68.
- Widyaningrum, W., Purwanto, Y. A., Widodo, S., Supijatno, S., & Iriani, E. S. (2025). Portable Near-Infrared Spectroscopy and Support Vector Regression for Fast Quality Evaluation of Vanilla (*Vanilla planifolia*). *Jurnal Teknik Pertanian Lampung*

- (*Journal of Agricultural Engineering*), 14(2), 515–526.
<https://doi.org/10.23960/jtep-l.v14i2.515-526>
- Wiradinata, R., Budiastara, I. W., & Widodo, S. (2021). Model Development of Non-Destructive Coffee Beans Moisture Content Determination Using Modified Near Infrared Spectroscopy Instrument. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*, 37(3), 229–238.
<https://doi.org/10.22302/iccricri.jur.pelitaperkebunan.v37i3.462>
- Yuwita, F., Ifmalinda, I., & Makky, M. (2023). Prediction of Caffeine and Protein of Arabica Coffee Beans Using Near Infrared Spectroscopy (NIRS). *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 12(4), 852–862. <https://doi.org/10.23960/jtep-l.v12i4.852-862>
- Zhu, M., Long, Y., Chen, Y., Huang, Y., Tang, L., Gan, B., Yu, Q., & Xie, J. (2021). Fast Determination of Lipid and Protein Content in Green Coffee Beans From Different Origins Using NIR Spectroscopy and Chemometrics. *Journal of Food Composition and Analysis*, 102.
<https://doi.org/10.1016/j.jfca.2021.104055>
- Zumalinda, E. R. (2022). *Studi Pemanfaatan Kulit Kopi Robusta dengan Penambahan Kulit Kayu Manis Menjadi Teh Cascara*. Universitas Jambi.

