

DAFTAR PUSTAKA

1. Pasaribu FI, Lubis SA, Alam SIP. Superkapasitor Sebagai Penyimpan Energi Menggunakan Bahan Graphene. *RELE (Rekayasa Elektr dan Energi) J Tek Elektro* 2020;2(2):65–72.
2. Boyea JM, Camacho RE, Turano S, Ready WJ. Carbon Nanotube-Based Supercapacitors: Technologies and Markets. *Technol Mark Nanotechnol Law & bus* 2007;4(1):585–593.
3. Julnaidi J, Saputra E, Taer E. Identifikasi Potensi Limbah Lidi Kelapa Sawit sebagai Sumber Karbon untuk Aplikasi Penyimpanan Energi Super-kapasitor. *Natl Multidiscip Sci* 2023;2(3):111–120.
4. Farma R, Asyana V, Apriyani I. Activation of nipah fruit coir-derived carbon material with KOH and NH₃ for supercapacitor cell applications. *J Aceh Phys Soc* 2022;11(4):115–120.
5. Fic K, Platek A, Piwek J, Frackowiak E. Sustainable materials for electrochemical capacitors. *Mater Today [homepage on the Internet]* 2018;21(4):437–454. Available from: <https://doi.org/10.1016/j.mattod.2018.03.005>
6. Dewi Marina WBK. Karakteristik Karbon Aktif Limbah Kulit Lada (*Piper Nigrum L*) sebagai Elektroda Superkapasitor. *J Ris Fis Indones* 2021;2:7–14.
7. Aziz H, Tetra ON, Alif A, Syukri, Ramadhan W. Electrical properties of supercapacitor electrode-based on activated carbon from waste palm kernel shells. *Der Pharma Chem* 2016;8(15):227–232.
8. Tetra ON, Aziz H, Emriadi, Wahyuni H, Alif A. Performance of TiO₂-carbon on ceramic template with sodium hydroxide activation as supercapacitor electrode materials. *Der Pharma Chem* 2016;8(17):26–30.
9. Teng Y, Liu E, Ding R, et al. Bean dregs-based activated carbon/copper ion supercapacitors. *Electrochim Acta* 2016;194:394–404.
10. Subramanian V, A. Stephan, K.S., Nahm, Thomas, Luo. C, Wei B. Supercapacitors From Activated Carbon Derived From Banana Fiber. *J Phys Chem C* 2007;111(20):7527–7534.
11. Honglong Shen, Xifeng Xia, Yu Ouyang, Xinyan Jiao, Sadaf Mutahir, Prof. Daniel Mandler PDQH. Preparation of Biomass-Based Porous Carbons with High Specific Capacitance for Applications in Supercapacitors. *ChemElektroChem* 2019;6(14):3599–3605.
12. Tetra ON, Syukri S, Santoni A, Deswati D, Fajarandi N, Emriadi E. Sintesis Karbon Aktif Dari Batang Jagung(*Zea mays L.*) dengan Metoda Dehidrasi Asam Untuk Aplikasi Elektroda Superkapasitor. *J Fis Unand* 2024;13(6):834–842.
13. Norita TO, Aziz H, Arifin B. Porous Activated Carbon From Orange Peels (*Citrus sinensis (L.) Osbeck*) By Dehydration Method For Electrochemical Capacitor. *J Zarah* 2024;12(1):25–32.
14. Tamunaidu P, Saka S. Chemical characterization of various parts of nipa palm (*Nypa fruticans*). *Ind Crops Prod [homepage on the Internet]* 2011;34(3):1423–1428. Available from: <http://dx.doi.org/10.1016/j.indcrop.2011.04.020>
15. Iqbal M, Fuady A, Utari I, Khoirul P, Shell NP. Sustainable Supercapacitor Electrode : The Role of Performance-Activated Carbon from *Nypa Fruticans* Shells. *Equilib J Chem Eng* 2025;8(2):24–32.
16. Awitdrus A, Suwandi DA, Agustino A, Taer E, Farma R. The production of supercapacitor carbon electrodes based on sugar palm fronds using chemical and physical activation combination. *J Aceh Phys Soc* 2021;10(3):66–69.
17. Luo L, Lan Y, Zhang Q, et al. A review on biomass-derived activated carbon as electrode

- materials for energy storage supercapacitors. *J Energy Storage* 2022;55(June).
18. Yola Azli Perdana, Rahma Joni, Emriadi HA. Effect of KOH Activator on the Performance of Activated Carbon from Oil Palm Kernel Shell as Supercapacitor Electrode Material. *J Aceh Phys Soc* 2020;9(1):13–19.
 19. Tetra ON. Superkapasitor Berbahan Dasar Karbon Aktif Dan Larutan Ionik Sebagai Elektrolit. *J Zarah* 2018;6(1):39–46.
 20. Riyanto A. Superkapasitor Sebagai Piranti Penyimpan Energi Listrik Masa Depan. *J Ilm Pendidik Fis Al-Biruni* 2014;3(2):56–63.
 21. Aji IB, Elektro FT, Telkom U, et al. Sintesis Grafit Tereksfoliasi Dengan Larutan Garam K₂SO₄ Menggunakan Metode Elektrokimia. 2023;10(1):155–161.
 22. Syarif N. Performance of biocarbon based electrodes for electrochemical capacitor. *Energy Procedia* [homepage on the Internet] 2014;52:18–25. Available from: <http://dx.doi.org/10.1016/j.egypro.2014.07.050>
 23. Wang B, Li L, Zhao C, Zhao C. Microporous active carbon with ultrahigh surface area from *Metaplexis japonica* for high-performance supercapacitor. *Diam Relat Mater* 2021;118.
 24. Zhang Y, Zhao Y-P, Qiu L-L, et al. Insights into the KOH activation parameters in the preparation of corncob-based microporous carbon for high-performance supercapacitors. *Diam Relat Mater* 2022;129.
 25. Suryanizak ER, Radam R, Yuniarti Y. Senyawa Kimia Aktif Buah Nipah (*Nypa Fruticans* Wurmb) Berdasarkan 3 Tingkat Kematangan Buah. *J Sylva Sci* 2023;6(1):52.
 26. Suryadi S, Ubaidillah U, Farizaldi F. Kecernaan Serat dan Fermentasi Kulit Buah dan Pelepah Nipah Menggunakan Mikro Organisme Lokal (MOL). *J Ilm Univ Batanghari Jambi* 2021;21(1):143.
 27. Mulyadi AF, Dewi IA, Deoranto P. Pemanfaatan kulit buah nipah untuk pembuatan briket bioarang sebagai sumber energi alternatif. *J Teknol Pertan* 2013;14(1):65–72.
 28. Ahmed S, Rafat M, Ahmed A. Nitrogen doped activated carbon derived from orange peel for supercapacitor application. *Adv Nat Sci Nanosci Nanotechnol* 2018;9(3).
 29. Oyedotun KO, Barzegar F, Mirghni AA, Khaleed AA, Masikhwa TM, Manyala N. Examination of High-Porosity Activated Carbon Obtained from Dehydration of White Sugar for Electrochemical Capacitor Applications. *ACS Sustain Chem Eng* 2019;7(1):537–546.
 30. Wulan Sari N, Fajri M. Analisis Fitokimia dan Gugus Fungsi dari Ekstrak Etanol Pisang Goroho Merah (*Musa Acuminata* (L)). *IJOB (Indonesian J Biotechnol Biodiversity)* 2018;2(1):30.
 31. Mopoung S, Dejang N. Activated carbon preparation from eucalyptus wood chips using continuous carbonization–steam activation process in a batch intermittent rotary kiln. *Sci Rep* [homepage on the Internet] 2021;11(1):1–9. Available from: <https://doi.org/10.1038/s41598-021-93249-x>
 32. Siti Zulichatun, Aris Wijayanti, Nur Hidayah, Apriza Marfina, Yoga Adi Pranata LN, Rahayuningsih ND. Analisis Luas Permukaan Zeolit Alam Termodifikasi Dengan Metode BET Menggunakan Surface Area Analyzer (SAA). 2015;
 33. Donohue MD, Aranovich GL. Classification of Gibbs adsorption isotherms. *Adv Colloid Interface Sci* 1998;76–77:137–152.
 34. ahma Joni, Syukri Syukri HA. Study of activated carbon characteristic from ketaping fruit shell (*Terminalia Catappa*) as supercapasitors electrode. *J Aceh Phys Soc* 2021;10(1).
 35. Conway BE. *Electrochemical Supercapacitors: Scientific Fundamentals and Technological Applications*. Boston: Springer US, 1999;
 36. Guoping W, Zhang L, Zhangb J. A review of electrode materials for electrochemical supercapacitors. *Chem Soc Rev* 2012;41(2):797–828.

37. Elif Burcu Bahadır MKS. A review on impedimetric biosensors. *Artif Cells Nanomed Biotechnol* 2016;44(1):248–62.
38. Sahdiah H, Kurniawan R. Optimasi Tegangan Akselerasi pada Scanning Electron Microscope – Energy Dispersive X-Ray Spectroscopy (SEM-EDX) untuk Pengamatan Morfologi Sampel Biologi. *J Sains dan Edukasi Sains* 2023;6(2):117–123.
39. Verma J, Dahiya R, Kumar V, Devi R, Kumari S. Synthesis and Characterization of Activated Carbon from Corn Cobs using KOH Activation. *Indian J Pure Appl Phys* [homepage on the Internet] 2023;61(11):919–922. Available from: <https://or.niscpr.res.in/index.php/IJPAP/article/view/3470>
40. Farma R, Apriyani I, Awitdrus, et al. Enhanced electrochemical performance of oxygen, nitrogen, and sulfur tri-doped *Nypa fruticans*-based carbon nanofiber for high performance supercapacitors. *J Energy Storage* 2023;67(February).
41. Gao X, Chen Y, Kang Z, Wang B, Du W. Enhanced degradation of aqueous tetracycline hydrochloride by integrating eggshell-derived CaCO_3/CuS nanocomposite with advanced oxidation process. *Mol Catal* 2021;501.
42. Marsh H, Reinoso FR. Activated Carbon. Elsevier Science, 2006;
43. Pundita Ukkakimapan, Vichuda Sattayarut TW. Preparation of activated carbon via acidic dehydration of durian husk for supercapacitor applications. *Diam Relat Mater* 2020;107(107906).
44. Sultan Ahmed, Ahsan Ahmed MR. Investigation on activated carbon derived from biomass *Butnea monosperma* and its application as a high performance supercapacitor electrode. *J Energy Storage* 2019;26(100988).
45. Anita S, Abu Hanifah T, Itnawita, Fia Kartika G. Preparation and characterization of activated carbon from the nipa fruit shell irradiated by microwave: Effect temperatures and time of carbonization. *Mater Today Proc* [homepage on the Internet] 2023;87:390–395. Available from: <https://doi.org/10.1016/j.matpr.2023.04.172>
46. Jedynak K, Charmas B. Adsorption properties of biochars obtained by KOH activation. *Adsorption* [homepage on the Internet] 2024;30(2):167–183. Available from: <https://doi.org/10.1007/s10450-023-00399-7>
47. Qiu C, Jiang L, Gao Y, Sheng L. Effects of oxygen-containing functional groups on carbon materials in supercapacitors: A review. *Mater Des* [homepage on the Internet] 2023;230:111952. Available from: <https://doi.org/10.1016/j.matdes.2023.111952>
48. Sriram G, Kurkuri M, Oh TH. Recent Trends in Highly Porous Structured Carbon Electrodes for Supercapacitor Applications: A Review. *Energies* 2023;16(12):1–36.
49. Rial A, Pimentel CH, Gómez-Díaz D, Freire MS, González-Álvarez J. Evaluation of Almond Shell Activated Carbon for Dye (Methylene Blue and Malachite Green) Removal by Experimental and Simulation Studies. *Materials (Basel)* 2024;17(24):0–18.
50. Rahimi V, Pimentel CH, Gómez-Díaz D, Freire MS, Lazzari M, González-Álvarez J. Development and Characterization of Biomass-Derived Carbons for the Removal of Cu^{2+} and Pb^{2+} from Aqueous Solutions. *C-Journal Carbon Res* 2025;11(1):1–23.
51. Sevilla M, Fuertes AB. The production of carbon materials by hydrothermal carbonization of cellulose. *Carbon N Y* 2009;47(9):2281–2289.
52. Boonraksa N, Swatsitang E, Wongsaprom K, Kaen K, Kaen K. Electrochemical Performance of Koh-Activated Lotus Seedpods Carbon. *Mater Sci Eng B* 2024;301(117151):1–47.
53. Yu-Chen Chou, Hung-Pin Huang, Shu-Wen You, Chia-Hung Hou, Can Wang, Ji-Guang Deng H-CH. Supercapacitor electrodes derived from ultra-high surface area activated carbon spheres synthesized by fluidized activation. *Mater Chem Phys* 2024;328:130002.
54. Astari L, Halim Daulay A, Yusuf Lubis R. Karbon Aktif Tempurung Buah Nipah (*Nypa*

- Fruticans) Menggunakan Aktivator NaCl. *J Online Phys* 2022;8(1):6–10.
55. Jiachang Zhao, Chunyan Lai, Yang Dai JX. Pore structure control of mesoporous carbon as supercapacitor material. *Mater Lett* 2007;61(23–24):4639–4642.
56. González-García P. Activated carbon from lignocellulosics precursors: A review of the synthesis methods, characterization techniques and applications. *Renew Sustain Energy Rev* [homepage on the Internet] 2018;82(August 2017):1393–1414. Available from: <https://doi.org/10.1016/j.rser.2017.04.117>
57. Gregg SJ. Adsorption, surface area and porosity. London: Academic press, 1982;
58. Horikawa T, Do DD, Nicholson D. Capillary condensation of adsorbates in porous materials. *Adv Colloid Interface Sci* 2011;169(1):40–58.
59. Imammuddin AM, Soeparman S, Suprpto W. Pengaruh Temperatur Karbonisasi Terhadap Mikrostruktur Dan Pembentukan Kristal Pada Biokarbon Eceng Gondok Sebagai Bahan Dasar Absorber Gelombang Elektromagnetik Radar. *Rekayasa Mesin* 2018;9(2):135–141.
60. Khomenko V, Frackowiak E, Béguin F. Determination of the specific capacitance of conducting polymer/nanotubes composite electrodes using different cell configurations. *Electrochim Acta* 2005;50(12):2499–2506.
61. M. Shanmuga Priya, P. Divya dan RR. A review status on characterization and electrochemical behaviour of biomass derived carbon materials for energy storage supercapacitors. *Sustain Chem Pharm* 2020;16:100243.
62. Fang, Y., Wang, X., Zhang, Q., Wang, W., & Chen Y. High-performance supercapacitor electrodes based on NiMoO_4 . *J Mater Res* 2019;34:165–174.
63. Wang H, Pilon L. Physical interpretation of cyclic voltammetry for measuring electric double layer capacitances. *Electrochim Acta* 2012;64:130–139.
64. Nurul Huda A. Pemanfaatan Karbon Aktif dari Sekam Padi Sebagai Elektroda Superkapasitor. *J Ilmu dan Inov Fis* 2022;6(2):102–113.
65. Farma R, Lestari ANI, Apriyani I. Supercapacitor cell electrodes derived from Nipah Fruticans fruit coir biomass for energy storage applications using acidic and basic electrolytes. *J Phys Conf Ser* 2021;2049(1).
66. Conway BE. *Electrochemical Supercapacitors*. New York: Kluwer Academic/Plenum, 1999;
67. Zhang Y, Li X, Li Z, Yang F. Evaluation of electrochemical performance of supercapacitors from equivalent circuits through cyclic voltammetry and galvanostatic charge/discharge. *J Energy Storage* 2024;86:111122.
68. Mei BA, Munteshari O, Lau J, Dunn B, Pilon L. Physical Interpretations of Nyquist Plots for EDLC Electrodes and Devices. *J Phys Chem C* 2018;122(1):194–206.
69. Prerna Sinha, Soma Banerjee KKK. Activated Carbon as Electrode Materials for Supercapacitors. *Handb Nanocomposite Supercapacitor Mater II* 2020;302:113–144.
70. Sunil V, Pal B, Misnon II, Jose R. Characterization of supercapacitive charge storage device using electrochemical impedance spectroscopy. *Mater Today Proc* 2021;4:1588–1594.