

DAFTAR PUSTAKA

1. Seber G, Escobar Lanzuela N, Valin H, Malina R. Uncertainty in life cycle greenhouse gas emissions of sustainable aviation fuels from vegetable oils. *Renew Sustain Energy Rev.* 2022;170:112945.
2. Nguyen KN, Vuong H. A case study on sustainable aviation fuel adaptation by South East Asian countries: Opportunities, reality, and the current gaps. *Case Stud Chem Environ Eng.* 2024;10:100988.
3. Ruan C, Yu L, Lu X. Towards drop-in sustainable aviation fuels in aero engine combustors: Fuel effects on combustion performance. *Prog Aerosp Sci.* Published online 2024:101054.
4. Ringsred A, van Dyk S, Saddler J (Jack). Life-cycle analysis of drop-in biojet fuel produced from British Columbia forest residues and wood pellets via fast-pyrolysis. *Appl Energy.* 2021;287(November 2020):116587. doi:10.1016/j.apenergy.2021.116587
5. FAO. Net zero 2050: sustainable aviation fuels. 2021. Accessed December 4, 2024. <https://www.iata.org/flynetzero>
6. Ooi XY, Gao W, Ong HC, et al. Overview on catalytic deoxygenation for biofuel synthesis using metal oxide supported catalysts. *Renew Sustain Energy Rev.* 2019;112:834–852.
7. Alkhoori S, Khaleel M, Vega LF, Polychronopoulou K. Deoxygenation of vegetable oils and fatty acids: How can we steer the reaction selectivity towards diesel range hydrocarbons? *J Ind Eng Chem.* 2023;127:36–61.
8. Derawi D, Morales-Hernández G, Escobar J, et al. Conversion of palm fatty acid distillate to bio-jet fuel-range hydrocarbons over bimetallic NiCo/SBA-15-NH₂ catalyst. *Fuel.* 2025;380:133192.
9. Zhou Y, Remón J, Jiang Z, Matharu AS, Hu C. Tuning the selectivity of natural oils and fatty acids/esters deoxygenation to biofuels and fatty alcohols: A review. *Green Energy Environ.* 2023;8(3):722–743.
10. Cheah KW, Taylor MJ, Osatiashtiani A, et al. Monometallic and bimetallic catalysts based on Pd, Cu and Ni for hydrogen transfer deoxygenation of a prototypical fatty acid to diesel range hydrocarbons. *Catal Today.* 2020;355:882–892.
11. Roy K, Artiglia L, Xiao Y, Varma A, van Bokhoven J. Role of Bismuth in the Stability of Pt–Bi Bimetallic Catalyst for Methane Mediated Deoxygenation of Guaiacol, an APXPS Study. *ACS Catal.* 2019;9(4):3694–3699.
12. Razak NAA, Taufiq-Yap YH, Derawi D. Catalytic deoxygenation of waste cooking oil for sustainable bio-jet fuel: A comparative study of Ni-Co/SBA-15 and Ni-Co/SBA-15-SH catalysts. *J Anal Appl Pyrolysis.* 2024;178(January):106369.
13. Hebish AA, Zulkifli NWM, Julkapli NM, Patah MFA. The impact of operating conditions on H₂-free catalytic deoxygenation of triglycerides for bio-jet fuel synthesis: A step towards sustainable aviation. *Appl Catal O Open.* 2024;190(January):206926. doi:10.1016/j.apcato.2024.206926
14. Piras S, Salathia S, Guzzini A, et al. Biomimetic Use of Food-Waste Sources of Calcium Carbonate and Phosphate for Sustainable Materials — A Review. Published online 2024.
15. Kementerian Kelautan dan Perikanan (KKP). Statistik-KKP Produksi Perikanan. 2023. Accessed October 11, 2024. https://statistik.kkp.go.id/home.php?m=prod_ikan_prov&i=2
16. Moon-lae C, Min-soo H, Jin-soo K. jurnal cho 2001 Food Component Characteristics of Cuttle Bone as a Mineral Source.pdf. 2001;34(5):478-482.
17. Chueaphetr R, Suwannaruang T, Khunphonoi R. Enhancing deoxygenation of waste cooking palm oil over CaO-MgO catalyst modified by K₂O for green bio-fuel. *Fuel.* 2023;354(August):129350. doi:10.1016/j.fuel.2023.129350
18. Brandão RD, de Freitas Júnior AM, Oliveira SC, Suarez PAZ, Prauchner MJ. The conversion of coconut oil into hydrocarbons within the chain length range of jet fuel. *Biomass Convers Biorefinery.* 2021;11(3):837–847.
19. Mawhood R, Gazis E, de Jong S, Hoefnagels R, Slade R. Production pathways for renewable jet fuel: a review of commercialization status and future prospects. *Biofuels, Bioprod Biorefining.* 2016;10(4):462–484.
20. Ashraful AM, Masjuki HH, Kalam MA, et al. Production and comparison of fuel properties,

- engine performance, and emission characteristics of biodiesel from various non-edible vegetable oils: A review. *Energy Convers Manag.* 2014;80:202–228.
21. Jeon H, Park JY, Ok M, Han GB, Lee JW, Kim J. Analysis of the Relationship between the Low-Temperature Properties and Distillation Profiles of HEFA-Processed Bio-Jet Fuel. *Sustainability.* 2023;15(1):799.
 22. Mäki-Arvela P, Martínez-Klimov M, Murzin DY. Hydroconversion of fatty acids and vegetable oils for production of jet fuels. *Fuel.* 2021;306:121673.
 23. Rahmawati Z, Santoso L, McCue A, et al. Selectivity of reaction pathways for green diesel production towards biojet fuel applications. *RSC Adv.* 2023;13(20):13698–13714.
 24. Thangadurai T, Tye CT. Acidity and basicity of metal oxide-based catalysts in catalytic cracking of vegetable oil. *Brazilian J Chem Eng.* 2021;38:1–20.
 25. Lee ZS, Seah CC, Habib SH, Hafriz RSRM, Razali NM. Production of green diesel from waste cooking oil via catalytic deoxygenation reaction using metal doped eggshell catalyst. *IOP Conf Ser Earth Environ Sci.* 2024;1372(1):012048.
 26. Hafriz RSRM, Shafizah IN, Salmiaton A, et al. Comparative study of transition metal-doped calcined Malaysian dolomite catalysts for WCO deoxygenation reaction. *Arab J Chem.* 2020;13(11):8146-8159. doi:10.1016/j.arabjc.2020.09.046
 27. Chen W, Wang Y, Li Y, Li C. Electrocatalytic CO₂ Reduction over Bimetallic Bi-Based Catalysts: A Review. *CCS Chem.* 2023;5(3):544–567.
 28. Duong VT, Nguyen TT, Nguyen QT, Do NT. Facile synthesis of Cu-Zn bimetallic metal-organic framework for effective catalyst toward electrochemical reduction of CO₂. *J Alloys Compd.* 2024;976:173053.
 29. Wang J, Chen Y, Liu C, et al. Highly stable Mo-based bimetallic catalysts for selective deoxygenation of oleic acid to fuel-like hydrocarbons. *J Environ Chem Eng.* 2023;11:109104.
 30. Why ESK, Ong HC, Lee HV, et al. Single-step catalytic deoxygenation of palm feedstocks for the production of sustainable bio-jet fuel. *Energy.* 2022;239(PB):122017.
 31. Hafriz RSRM, Nor Shafizah I, Salmiaton A, et al. Comparative study of transition metal-doped calcined Malaysian dolomite catalysts for WCO deoxygenation reaction. *Arab J Chem.* 2020;13(11):8146–8159.
 32. Tagar U, Volpe M, Messineo A, Volpe R. Highly ordered CaO from cuttlefish bone calcination for the efficient adsorption of methylene blue from water. 2023;(February):1-15. doi:10.3389/fchem.2023.1132464
 33. Science E. Utilization of Cuttlefish Bone as The Alternative Source of Heterogenic Alkali Catalyst Utilization of Cuttlefish Bone as The Alternative Source of Heterogenic Alkali Catalyst. doi:10.1088/1755-1315/995/1/012058
 34. Lau JIC, Wang YS, Ang T, et al. Emerging technologies, policies and challenges toward implementing sustainable aviation fuel (SAF). *Biomass and Bioenergy.* 2024;186:107277.
 35. Alif, M. F.; Aprillia, W.; Arief S. A Hydrothermal Synthesis of Natural Hydroxyapatite Obtained from Corbicula Moltkiana Freshwater Clams Shell Biowaste. *Mater Lett.* Published online 2018:40–43.
 36. Sisca, V.; Deska, A.; Syukri; Zilfa; Jamarun N. Synthesis and Characterization of CaO Limestone from Lintau Buo Supported by TiO₂ as a Heterogeneous Catalyst in the Production of Biodiesel. *Indones J Chem.* 2021;21(4):979– 989.
 37. Lalitpattarakit M, Prapainainar C, Hongloi N, et al. Effects of operating parameters on green diesel production via deoxygenation of triglycerides. *Chem Eng J.* 2025;508(February):161125. doi:10.1016/j.cej.2025.161125
 38. Erchamo, Y. S.; Mamo, T. T.; Workneh, G. A.; Mekonnen YS. Improved Biodiesel Production from Waste Cooking Oil with Mixed Methanol–Ethanol Using Enhanced Eggshell-Derived CaO Nano-Catalyst. *Sci Rep.* 2021;11(1).
 39. Bruno AM, Simões TDR, Souza MMVM, Manfro RL. Cu catalysts supported on CaO/MgO for glycerol conversion to lactic acid in alkaline medium employing a continuous flow reaction system. *RSC Adv.* 2020;10(52):31123–31138.
 40. Sulaiman NF, Ramly NI, Abd Mubin MH, Lee SL. Transition metal oxide (NiO, CuO, ZnO)-doped calcium oxide catalysts derived from eggshells for the transesterification of refined waste cooking oil. *RSC Adv.* 2021;11(35):21781–21795.

41. Afiqah-Idrus A, Abdulkareem-Alsultan G, Asikin-Mijan N, et al. Deoxygenation of waste sludge palm oil into hydrocarbon rich fuel over carbon-supported bimetallic tungsten-lanthanum catalyst. *Energy Convers Manag X*. 2024;23:100589.
42. Han R, Wang Y, Wei L, Peng M. Integrated CO₂ capture and conversion by Cu/CaO dual function materials: Effect of in-situ conversion on the sintering of CaO and its CO₂ capture performance. *Carbon Capture Sci Technol*. 2024;12(7):100220.
43. Yang W, Feng Y, Chu W. Promotion Effect of CaO Modification on Mesoporous Al₂O₃-Supported Ni Catalysts for CO₂ Methanation. *Int J Chem Eng*. Published online 2016:2041821.
44. Abdul Razak NA, Taufiq-Yap YH, Derawi D. Catalytic deoxygenation of waste cooking oil for sustainable bio-jet fuel: A comparative study of Ni-Co/SBA-15 and Ni-Co/SBA-15-SH catalysts. *J Anal Appl Pyrolysis*. 2024;178:106369.
45. Mondal S, Patra L, Ilanchezhian P, Neppolian B, Pandey R, Ganesh V. In Situ Growth of CuBi₂O₄/Bi₂O₃ Z-Scheme Heterostructures for Bifunctional Photocatalytic Applications. *Langmuir ACS J Surfaces Colloids*. 2024;40(25):12 954–12 966.
46. Malashchonak M, Streltsov E, Mazanik A. Effective p-type photocurrent sensitization of n-Bi₂O₃ with p-CuBi₂O₄ and p-CuO: Z-scheme photoelectrochemical system. *J Solid State Electrochem*. 2020;24(2):401–409.
47. Weng X, Cui Y, Shaikhutdinov S, Freund H. CO₂ Adsorption on CaO(001): Temperature-Programmed Desorption and Infrared Study. *J Phys Chem C*. 2019;123(3):1880–1887.
48. Wang J, Chen S, Ticali P, et al. Support effect on Ni-based mono- and bimetallic catalysts in CO₂ hydrogenation. *Nanoscale*. 2024;16(37):17378–17392.
49. Alsultan GA, Asikin-mijan N, Lee H V, Albazzaz AS. Deoxygenation of waste cooking to renewable diesel over walnut shell- derived nanorode activated carbon supported CaO-La₂O₃ catalyst. 2017;151(September):311-323.

