

DAFTAR PUSTAKA

1. Ikreedeegh RR, Hossen MA, Tahir M, Aziz AA. A comprehensive review on anodic TiO₂ nanotube arrays (TNTAs) and their composite photocatalysts for environmental and energy applications: Fundamentals, recent advances and applications. *Coord Chem Rev* [homepage on the Internet] 2024;499(October 2023):215495. Available from: <https://doi.org/10.1016/j.ccr.2023.215495>
2. Chen WT, Chan A, Sun-Waterhouse D, Llorca J, Idriss H, Waterhouse GIN. Performance comparison of Ni/TiO₂ and Au/TiO₂ photocatalysts for H₂ production in different alcohol-water mixtures. *J Catal* 2018;367:27–42.
3. Ge M, Cai J, Icozzia J, et al. A review of TiO₂ nanostructured catalysts for sustainable H₂ generation. *Int J Hydrogen Energy* [homepage on the Internet] 2017;42(12):8418–8449. Available from: <http://dx.doi.org/10.1016/j.ijhydene.2016.12.052>
4. Hasanah EU, Kustiningsih I, Slamet S, Baig MAA. Recent Development and Application of TiO₂ Nanotubes Photocatalytic Activity for Degradation Synthetic Dyes – A Review. *J Rekayasa Kim Lingkung* [homepage on the Internet] 2021;16(2):52–67. Available from: [http://files/440/Recent Development and Application of TiO₂ Nanotubes.pdf](http://files/440/Recent Development and Application of TiO2 Nanotubes.pdf)
5. Mohsin M, Bhatti IA, Zeshan M, Yousaf M, Iqbal M. Prospects, challenges, and opportunities of the metals-modified TiO₂ based photocatalysts for hydrogen generation under solar light irradiation: A review. *FlatChem* [homepage on the Internet] 2023;42(September):100547. Available from: <https://doi.org/10.1016/j.flatc.2023.100547>
6. Basavarajappa PS, Patil SB, Ganganagappa N, Reddy KR, Raghu A V., Reddy CV. Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis. *Int J Hydrogen Energy* 2020;45(13):7764–7778.
7. Lim C, An HR, Ha S, et al. Highly visible-light-responsive nanoporous nitrogen-doped TiO₂ (N-TiO₂) photocatalysts produced by underwater plasma technology for environmental and biomedical applications. *Appl Surf Sci* [homepage on the Internet] 2023;638(July):158123. Available from: <https://doi.org/10.1016/j.apsusc.2023.158123>
8. Liu H, Qian C, Wang T, Wang S. N-doping TiO₂ spheres with enriched oxygen vacancies for photocatalytic hydrogen evolution. *Inorg Chem Commun* [homepage on the Internet] 2023;156(July):111212. Available from: <https://doi.org/10.1016/j.inoche.2023.111212>
9. Serhan M, Sprowls M, Jackemeyer D, et al. Nitrogen-doped titanium dioxide (N-doped TiO₂) for visible light photocatalysis. *AIChE Annu Meet Conf Proc* 2019;2019-Novem.
10. Wellia DV, Syafawi A, Putri YE, Muldarisnur N. The effect of cetyltrimethylammonium bromide (CTAB) addition on green synthesis of porous N-doped TiO₂ for photoreduction of heavy metal ion Cr(VI). *RSC Adv* 2023;13(42):29645–29656.
11. Wellia DV, Habibillah MR, Syafawi A, Rahmadini R, Rahmayeni R, Pratiwi N. A New Combination Method of N-doped TiO₂ Nanoparticles Synthesis for Heavy Metal Ions Cr(VI) Photoreduction Applications. *J Kim Sains dan Apl* 2023;26(2):70–78.
12. Xu QC, Wellia D V., Amal R, Liao DW, Loo SCJ, Tan TTY. Superhydrophilicity-assisted preparation of transparent and visible light activated N-doped titania film. *Nanoscale* 2010;2(7):1057.
13. Xu QC, Wellia D V., Yan S, Liao DW, Lim TM, Tan TTY. Enhanced photocatalytic activity of C-N-codoped TiO₂ films prepared via an organic-free approach. *J Hazard Mater* [homepage on the Internet] 2011;188(1–3):172–180. Available from: <http://dx.doi.org/10.1016/j.jhazmat.2011.01.088>
14. Rahma RM. Sintesis N-Doped TiO₂ Nanowires Dan Uji Aktivitas Fotokatalitiknya Untuk Fotoreduksi Ion Logam Berat Cr(VI). 2022;
15. Ardiansyah F. Pengaruh Penambahan Urea Terhadap Morfologi TiO₂ Termodifikasi Pada Substrat Titanium Foil Untuk Aplikasi Fotoreduksi Ion Logam Berat Cr(VI). 2023;13(1).
16. Attalarío E. Optimalisasi N-Doped TiO₂ Nanowires Dengan Kitosan Sebagai Sumber Nitrogen Untuk Produksi Hidrogen (H₂) Secara Fotokatalitik. 2024;
17. Wang C, Hu Q, Huang J, et al. Efficient hydrogen production by photocatalytic water splitting using N-doped TiO₂ film. *Appl Surf Sci* [homepage on the Internet]

- 2013;283:188–192. Available from: <http://dx.doi.org/10.1016/j.apsusc.2013.06.080>
18. Sun S, Gao P, Yang Y, Yang P, Chen Y, Wang Y. N-Doped TiO₂ Nanobelts with Coexposed (001) and (101) Facets and Their Highly Efficient Visible-Light-Driven Photocatalytic Hydrogen Production. *ACS Appl Mater Interfaces* 2016;8(28):18126–18131.
19. Pikuda O, Garlisi C, Scandura G, Palmisano G. Micro-mesoporous N-doped brookite-rutile TiO₂ as efficient catalysts for water remediation under UV-free visible LED radiation. *J Catal* [homepage on the Internet] 2017;346:109–116. Available from: <http://dx.doi.org/10.1016/j.jcat.2016.12.010>
20. Setyani A, Wibowo EAP. Fabrikasi Nanotubes Titanium Dioksida (TiO₂) Menggunakan Metode Hidrotermal. *J Kim Val* 2017;3(1):20–26.
21. Geng L, Bin Z, Shuai F, et al. Synthesis of N-Doped TiO₂ with good photocatalytic property. *Phys B Condens Matter* 2020;588(December 2019):412184.
22. Rahmat ST, Tan WK, Kawamura G, Matsuda A, Lockman Z. Synthesis of rutile TiO₂ nanowires by thermal oxidation of titanium in the presence of KOH and their ability to photoreduce Cr(VI) ions. *J Alloys Compd* 2020;812:152094.
23. Ameta R, Ameta SC. Photocatalysis Principles and Applications. 2016;
24. Ameta R, Solanki MS, Benjamin S, Ameta SC. Photocatalysis [Homepage on the Internet]. In: *Advanced Oxidation Processes for Waste Water Treatment*. Elsevier, 2018; p. 135–175. Available from: <https://linkinghub.elsevier.com/retrieve/pii/B9780128104996000061>
25. Khataee A, Mansoori GA. Nanostructured Titanium Dioxide Materials. 2012;
26. Wang J, Wang Y, Li Y, et al. Effect of oxygen on produced hydrocarbons and hydrogen from CO₂ reduction photocatalytic process. *Arab J Chem* [homepage on the Internet] 2024;17(1):105470. Available from: <https://doi.org/10.1016/j.arabjc.2023.105470>
27. Gatou MA, Syrrakou A, Lagopati N, Pavlatou EA. Photocatalytic TiO₂-Based Nanostructures as a Promising Material for Diverse Environmental Applications: A Review. *Reactions* 2024;5(1):135–194.
28. Wu A, Ren W. TiO₂ Nanoparticles: Properties and applications in Nanobiotechnology and Nanomedicine. *Funct Mater Energy, Sustain Dev Biomed Sci* 2014;101–120.
29. Linsebigler AL, Lu G, Yates JT. Photocatalysis on TiO₂ Surfaces: Principles, Mechanisms, and Selected Results. *Chem Rev* 1995;95(3):735–758.
30. Rafique M, Tahir MB, Rafique MS, Safdar N, Tahir R. Nanostructure materials and their classification by dimensionality [Homepage on the Internet]. In: *Nanotechnology and Photocatalysis for Environmental Applications*. Elsevier, 2020; p. 27–44. Available from: <https://linkinghub.elsevier.com/retrieve/pii/B9780128211922000024>
31. Zhang A, Zheng G, Lieber CM. Emergence of Nanowires [Homepage on the Internet]. In: *Nanowires*. Cham: Springer International Publishing, 2016; p. 1–13. Available from: http://link.springer.com/10.1007/978-3-319-41981-7_1
32. Zhang YX, Li GH, Jin YX, Zhang Y, Zhang J, Zhang LD. Hydrothermal synthesis and photoluminescence of TiO₂ nanowires. *Chem Phys Lett* [homepage on the Internet] 2002;365(3–4):300–304. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0009261402014999>
33. Huang Y, Lieber CM. Integrated nanoscale electronics and optoelectronics: Exploring nanoscale science and technology through semiconductor nanowires. *Pure Appl Chem* [homepage on the Internet] 2004;76(12):2051–2068. Available from: <https://www.degruyter.com/document/doi/10.1351/pac200476122051/html>
34. Shehab MA, Sharma N, Valsesia A, et al. Preparation and Photocatalytic Performance of TiO₂ Nanowire-Based Self-Supported Hybrid Membranes. *Molecules* [homepage on the Internet] 2022;27(9):2951. Available from: <https://www.mdpi.com/1420-3049/27/9/2951>
35. Sudirman S, Atmaja LDP, Jamhari Pratama A, et al. Highly photocatalytic performance of TiO₂ nanowires in the conversion of benzaldehydes to benzoic acid. *Acta Chim Asiana* [homepage on the Internet] 2023;6(2):315–321. Available from: <http://aca.unram.ac.id/index.php/ACA/article/view/160>
36. Khlyustova A, Sirotkin N, Kusova T, Kraev A, Titov V, Agafonov A. Doped TiO₂: the effect of doping elements on photocatalytic activity. *Mater Adv* [homepage on the

- Internet] 2020;1(5):1193–1201. Available from: <https://xlink.rsc.org/?DOI=D0MA00171F>
37. Varma KS, Tayade RJ, Shah KJ, Joshi PA, Shukla AD, Gandhi VG. Photocatalytic degradation of pharmaceutical and pesticide compounds (PPCs) using doped TiO₂ nanomaterials: A review. *Water-Energy Nexus* [homepage on the Internet] 2020;3:46–61. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S2588912520300205>
 38. Bakre P V., Tilve SG, Shirsat RN. Influence of N sources on the photocatalytic activity of N-doped TiO₂. *Arab J Chem* [homepage on the Internet] 2020;13(11):7637–7651. Available from: <https://doi.org/10.1016/j.arabjc.2020.09.001>
 39. Mekprasart W, Khumtong T, Rattanak J, Techitdheera W, Pecharapa W. Effect of Nitrogen Doping on Optical and Photocatalytic Properties of TiO₂ Thin Film Prepared by Spin Coating Process. *Energy Procedia* [homepage on the Internet] 2013;34:746–750. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S1876610213010527>
 40. Xing M, Zhang J, Chen F. New approaches to prepare nitrogen-doped TiO₂ photocatalysts and study on their photocatalytic activities in visible light. *Appl Catal B Environ* [homepage on the Internet] 2009;89(3–4):563–569. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0926337309000277>
 41. Natarajan TS, Mozhiarasi V, Tayade RJ. Nitrogen Doped Titanium Dioxide (N-TiO₂): Synopsis of Synthesis Methodologies, Doping Mechanisms, Property Evaluation and Visible Light Photocatalytic Applications. *Photochem* [homepage on the Internet] 2021;1(3):371–410. Available from: <https://www.mdpi.com/2673-7256/1/3/24>
 42. Yang Z, Zhou A. Effects of nitrogen doping on microstructure and photocatalytic activity of nanocrystalline TiO₂ powders. *J Wuhan Univ Technol Sci Ed* [homepage on the Internet] 2007;22(3):457–461. Available from: <https://doi.org/10.1007/s11595-006-3457-8>
 43. Luttrell WE. Amonium nitrate. *J Chem Heal Saf* [homepage on the Internet] 2013;20(4):38–39. Available from: <https://pubs.acs.org/doi/10.1016/j.jchas.2013.06.005>
 44. Rao PS. Amonium Nitrate [Homepage on the Internet]. In: Wexler P, editor. *Encyclopedia of Toxicology (Second Edition)*. New York: Elsevier, 2005; p. 103–105. Available from: <https://www.sciencedirect.com/science/article/pii/B0123694000000648>
 45. Nor AM, Achoi MF, Mamat MH, Zabidi MM, Abdullah S, Mahmood MR. Synthesis of TiO₂ nanowires via hydrothermal method. *Jpn J Appl Phys* 2012;51(6 PART 2):4–8.
 46. Ahmad WRW, Mamat MH, Zoolfakar AS, Khusaimi Z, Rusop M. A review on hematite α-Fe₂O₃ focusing on nanostructures, synthesis methods and applications. *Proc - 14th IEEE Student Conf Res Dev Adv Technol Humanit SCORED 2016 2017*; (October 2017):1–7.
 47. Husein S, Wahyuni ET, Mudasir M. Synthesis of Tin(II) Oxide (SnO) Nanoparticle by Hydrothermal Method. *JKPK (Jurnal Kim dan Pendidik Kim)* 2019;4(3):145.
 48. Setiabudi A, Hardian R, Muzakir A. *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*. 2012;
 49. Wang HL, Liu XH. Synthesis of N-doped mesoporous titania with high visible-light photocatalytic activity. *Wuji Cailiao Xuebao/Journal Inorg Mater* 2014;29(9):997–1001.
 50. Abdullah M, Khairurrijal K. Review: Karakterisasi Nanomaterial. *J Nano Saintek* 2009;2(1):1–9.
 51. Puspitasari L, Arief S, Zulhadji Z. Ekstrak Daun Andalas sebagai Capping Agent dalam Green Hydrothermal Synthesis Nanopartikel Mangan Ferrit dan Aplikasinya sebagai Antibakteri. *Chim Nat Acta* 2019;7(1):20.
 52. Orlando A, Franceschini F, Muscas C, et al. A Comprehensive Review on Raman Spectroscopy Applications. *Chemosensors* 2021;9(9):1–28.
 53. Putri VDD, Nasution A. Analisis Penciri Spektral Gugus Fungsi Asam Lemak Pada Minyak Goreng Kemasan Dan Minyak Goreng Curah Serta Pengaruh Waktu Pemanasan Dengan Teknik FTIR Spectroscopy. *Tek Fis* 2016;1–6.
 54. Gerwert K, Ko'tting C. Fourier transform infrared spectroscopy. *PEM Fuel Cell Diagnostic Tools* 2011;369–379.
 55. Dolat D, Ohtani B, Mozia S, et al. Preparation, characterization and charge transfer studies of nickel - modified and nickel, nitrogen co-modified rutile titanium dioxide for

- photocatalytic application. *Chem Eng J* 2014;239:149–157.
56. Phipps JE, Marcu L. Lasers in cardiology [Homepage on the Internet]. Woodhead Publishing Limited, 2013; Available from: <http://dx.doi.org/10.1533/9780857097545.4.490>
57. Yuan X-Z, Song C, Wang H, Zhang J. Electrochemical Impedance Spectroscopy in PEM Fuel Cells [Homepage on the Internet]. New York: Springer London Dordrecht Heidelberg New York, 2010;
58. Bubbert H, Jenett H. Surface and Thin Film Analysis. 2002;
59. Stevie FA, Donley CL. Introduction to x-ray photoelectron spectroscopy. *J Vac Sci Technol A Vacuum, Surfaces, Film* 2020;38(6).
60. Reda B, Elzamar AA, AlFazzani S, Ezzat SM. Green hydrogen as a source of renewable energy: a step towards sustainability, an overview. *Environ Dev Sustain* [homepage on the Internet] 2024; Available from: <https://link.springer.com/10.1007/s10668-024-04892-z>
61. Pareek A, Dom R, Gupta J, Chandran J, Adepu V, Borse PH. Insights into renewable hydrogen energy: Recent advances and prospects. *Mater Sci Energy Technol* [homepage on the Internet] 2020;3:319–327. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S258929912030001X>
62. Rafique M, Hajra S, Irshad M, et al. Hydrogen Production Using TiO₂-Based Photocatalysts: A Comprehensive Review. *ACS Omega* [homepage on the Internet] 2023;8(29):25640–25648. Available from: <https://pubs.acs.org/doi/10.1021/acsomega.3c00963>
63. Sarifuddin WS, Mahadi AH, Hussin MR, et al. Cu doped ZnFe₂O₄ photocatalysts for enhanced hydrogen production and dye degradation in the visible region. *J Photochem Photobiol A Chem* [homepage on the Internet] 2024;453(January):115658. Available from: <https://doi.org/10.1016/j.jphotochem.2024.115658>
64. Liu B, Boercker JE, Aydil ES. Oriented single crystalline titanium dioxide nanowires. *Nanotechnology* [homepage on the Internet] 2008;19(50):505604. Available from: <https://iopscience.iop.org/article/10.1088/0957-4484/19/50/505604>
65. Boercker JE, Enache-Pommer E, Aydil ES. Growth mechanism of titanium dioxide nanowires for dye-sensitized solar cells. *Nanotechnology* [homepage on the Internet] 2008;19(9):95604. Available from: <https://iopscience.iop.org/article/10.1088/0957-4484/19/9/095604>
66. Li G, Zou B, Feng S, et al. Synthesis of N-Doped TiO₂ with good photocatalytic property. *Phys B Condens Matter* [homepage on the Internet] 2020;588:412184. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0921452620301964>
67. Wellia DV, Rahma RM, Arief S, Subagyo R, Kusumawati Y. Controlling the formation of 1D TiO₂ nanowires and their performance in photoreduction of chromium Cr(VI). *Case Stud Chem Environ Eng* [homepage on the Internet] 2024;9(March):100719. Available from: <https://doi.org/10.1016/j.cscee.2024.100719>
68. Ohsaka T, Izumi F, Fujiki Y. Raman spectrum of anatase, TiO₂. *J Raman Spectrosc* [homepage on the Internet] 1978;7(6):321–324. Available from: <https://analyticalsciencejournals.onlinelibrary.wiley.com/doi/10.1002/jrs.1250070606>
69. A DP, M DRJ. Sequential Processes to Produce N-TiO₂ Films Through Rf Plasmas. 2016;06075.
70. Chen Q, Ozkan A, Chattopadhyay B, et al. N-Doped TiO₂ Photocatalyst Coatings Synthesized by a Cold Atmospheric Plasma. *Langmuir* 2019;35(22):7161–7168.
71. Liu L, Liu J, Zong S, et al. Facile synthesis of nitrogen-doped TiO₂ microspheres containing oxygen vacancies with excellent photocatalytic H₂ evolution activity. *J Phys Chem Solids* [homepage on the Internet] 2022;170:110930. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0022369722003559>
72. Mragui A El, Aadnan I, Zegaoui O, Esteves Da Silva JCG. Physico-chemical characterization and photocatalytic activity assessment under UV-A and visible-light irradiation of iron-doped TiO₂ nanoparticles. *Arab J Chem* [homepage on the Internet] 2023;16(12):105331. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S1878535223007931>
73. RamezaniSani S, Rajabi M, Mohseni F. Influence of nitrogen doping on visible light

- photocatalytic activity of TiO₂ nanowires with anatase-rutile junction. *Chem Phys Lett* [homepage on the Internet] 2020;744(January):137217. Available from: <https://doi.org/10.1016/j.cplett.2020.137217>
74. Yen YC, Ou S, Lin KJ. One-Pot Synthesis of Nitrogen-doped TiO₂ Nanowires with Enhanced Photocurrent Generation. *J Chinese Chem Soc* 2017;64(12):1392–1398.
 75. RamezaniSani S, Rajabi M, Mohseni F. Influence of nitrogen doping on visible light photocatalytic activity of TiO₂ nanowires with anatase-rutile junction. *Chem Phys Lett* [homepage on the Internet] 2020;744:137217. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0009261420301329>
 76. Dong Y, Zhao Y, Chen Y, et al. Graphdiyne-hybridized N-doped TiO₂ nanosheets for enhanced visible light photocatalytic activity. *J Mater Sci* [homepage on the Internet] 2018;53(12):8921–8932. Available from: <https://doi.org/10.1007/s10853-018-2210-y>
 77. Wellia DV, Nofebriani D, Pratiwi N, Safni S. Synthesis of Porous N-doped TiO₂ by Using Peroxo Sol-Gel Method for Photocatalytic Reduction of Cd(II). *Bull Chem React Eng Catal* 2022;17(1):103–112.
 78. Ou NQ, Li HJ, Lyu BW, et al. Facet-dependent interfacial charge transfer in TiO₂/nitrogen-doped graphene quantum dots heterojunctions for visible-light driven photocatalysis. *Catalysts* 2019;9(4):1–15.
 79. Cheng X, Yu X, Xing Z, Yang L. Synthesis and characterization of N-doped TiO₂ and its enhanced visible-light photocatalytic activity. *Arab J Chem* [homepage on the Internet] 2016;9:S1706–S1711. Available from: <http://dx.doi.org/10.1016/j.arabjc.2012.04.052>
 80. Khan S, Lemes Ruwer T, Khan N, et al. Revealing the true impact of interstitial and substitutional nitrogen doping in TiO₂ on photoelectrochemical applications. *J Mater Chem A* 2021;9(20):12214–12224.
 81. Bharti B, Kumar S, Lee HN, Kumar R. Formation of oxygen vacancies and Ti³⁺ state in TiO₂ thin film and enhanced optical properties by air plasma treatment. *Sci Rep* [homepage on the Internet] 2016;6(August):1–12. Available from: <http://dx.doi.org/10.1038/srep32355>
 82. Fan C, Chen C, Wang J, et al. Black Hydroxylated Titanium Dioxide Prepared via Ultrasonication with Enhanced Photocatalytic Activity. *Sci Rep* [homepage on the Internet] 2015;5(1):1–10. Available from: <http://dx.doi.org/10.1038/srep11712>
 83. Khan TT, Rafiqul Bari GAKM, Kang HJ, et al. Synthesis of N-doped TiO₂ for efficient photocatalytic degradation of atmospheric NO_x. *Catalysts* 2021;11(1):1–13.
 84. Rahmat ST, Tan WK, Kawamura G, Matsuda A, Lockman Z. Facile fabrication of rGO/Rutile TiO₂ nanowires as photocatalyst for Cr(VI) Reduction. *Mater Today Proc* [homepage on the Internet] 2019;17:1143–1151. Available from: <https://doi.org/10.1016/j.matpr.2019.06.543>
 85. Li D, Song H, Meng X, et al. Effects of particle size on the structure and photocatalytic performance by alkali-treated TiO₂. *Nanomaterials* 2020;10(3):1–14.