

DAFTAR PUSTAKA

1. Hariyanti R, Yoesepa Pamela V, Kusumasari S. Review Jurnal: Aktivitas Antioksidan pada Beberapa Produk Berbahan Dasar Kulit Buah Naga Merah. *JITIPARI* 2021;6(1):41–48.
2. Yefrida Y, Suyani H, Aziz H, Efdi M. Validasi Metode MPM untuk Penentuan Kandungan Antioksidan dalam Sampel Herbal serta Perbandingannya dengan Metode PM, FRAP dan DPPH. *Jurnal Riset Kimia* 2020;11(1):24–34.
3. Yoga WK, Komalasari H. Potensi Alga Hijau (*Caulerpa racemosa*) Sebagai Sumber Antioksidan Alami : Review. *Jurnal Teknologi dan Mutu Pangan* 2022;1(1):16–20.
4. Gafar PA, Agustini S. Antioxidant Activity of Blended of Robusta Coffee (*Coffea canephora* L.) with the White Turmeric (*Curcuma zedoaria* (Berg.) Roscoe) and Wild Ginger (*Curcuma xanthorrhiza*, Roxb.). *IOP Conf Ser Mater Sci Eng* 2020;742(1).
5. Dyah Utami Cahyaning Rahayu, Dwi Ayu Setyani, Hanhan Dianhar, Purwantiningsih Sugita. Phenolic Compounds From Indonesian White Turmeric (*Curcuma zedoaria*) Rhizomes. *Asian Journal of Pharmaceutical and Clinical Research* 2020;13(7):194–198.
6. Pujiastuti E, Islamiyati R. Aktivitas Antioksidan Fraksi Etil Asetat Dan Air Ranting Buah Parijoto (*Medinilla speciosa* Blume) Dengan Perendaman Radikal Bebas DPPH. *Cendekia Journal of Pharmacy* 2021;5(2):135–144.
7. Budiansyah A, Haroen U, Syafwan S, Kurniawan K. Antioxidant and antibacterial activities of the rhizome extract of *Curcuma zedoaria* extracted using some organic solvents. *J Adv Vet Anim Res* 2023;10(3):347–360.
8. Sumanthi S, Iswariya GT, Sivaprabha B, Dharani B, Radha P, Padma PR. Comparative study of radical scavenging activity and phytochemical analysis of fresh and dry rhizomes of *Curcuma zedoaria*. *Int J Pharm Sci Res* 2013;4(1).
9. Sindu Sakti A, Anggie Eka Rahmawati V, Yulita Fazadini S. Pengaruh Pemilihan Metode Ekstraksi Infusa Vs Dekokta Terhadap Kadar Total Senyawa Fenolik Ekstrak Tanaman Krokot (*Portulaca oleracea* Linn.). *Jurnal Ilmiah Farmasi Farmasyifa* 2024;7(2):228–249.
10. Zam W, Ali A, Saleem D, Alali S. Optimization of phenolics and antioxidants extraction from *Centaurium erythraea* using response surface methodology. *Res J Pharm Technol* 2021;14(12):6455–6462.
11. Shamsuddin NM, Yusup S, Ibrahim WA, Bokhari A, Chuah LF. Oil extraction from *Calophyllum inophyllum* L. via Soxhlet extraction: Optimization using response surface methodology (RSM). In: 2015 10th Asian Control Conference: Emerging Control Techniques for a Sustainable World, ASCC 2015. Institute of Electrical and Electronics Engineers Inc., 2015;
12. Zulkipli NA, Hazim Abdul Aziz A, Putra NR, et al. Optimization of Ultrasound Assisted Extraction Conditions on Fingerroots (*Boesenbergia rotunda*) Rhizome and its Antioxidant Activity. *International Journal of Food* 2024;1(1):46–55.
13. Indriani L, Gunawan ER, Suhendra D. Optimasi Sintesis Asam Lemak Etanolamida Berbasis Minyak Ketapang Menggunakan Response Surface Methodology. *Jurnal Pijar Mipa* 2021;16(2):247–257.
14. Heryanto R, Syahid SF. Preliminary study on genetic diversity and relationship of 12 White Turmeric (*Curcuma zedoaria* (Christm.) Roscoe) accessions based on morphological traits. In: *IOP Conference Series: Earth and Environmental Science*. IOP Publishing Ltd, 2021;
15. Setyani DA, Rahayu DUC, Handayani S, Sugita P. Phytochemical and antiacne investigation of Indonesian White Turmeric (*Curcuma zedoaria*) Rhizomes. In: *IOP Conference Series: Materials Science and Engineering*. IOP Publishing Ltd, 2020;
16. Moh. Fauzan Azima, Sofiyatur Rahmah, Firman Ali Rahman. Analisis Karakteristik Morfologi Famili Zingiberaceae di Desa Segara Katon, Kecamatan Gangga Kabupaten Lombok Utara. *Bioindikator: Jurnal Biologi dan Pendidikan*. 2024;1(1):12–19.
17. Leong-Skornickova J, Šída O, Sabu M, Marhold K. Taxonomic and nomenclatural puzzles in Indian *Curcuma*: the identity and nomenclatural history of *C. zedoaria* (Christm.) Roscoe and *C. zerumbet* Roxb. (*Zingiberaceae*). *Taxon* 2008;57(3):949–962.

18. Nyoman Ayu Puspita Sari N, Made Agus Sunadi Putra I, Putu Tangkas Suwantara I, Malida Vernandes Sasadara M, Putu Lilis Adnyani N, Nyoman Wahyu Udayani N. Literature study: Activity of white turmeric (*Curcuma zedoaria*) as an anti-inflammatory. 2023;
19. Noviarini I, Fitria R, Fitria D, Dwimalinda Putri R, Gusfi Marni L. Review Artikel: Potensi Ekstrak Daun Sungkai (*Peronema canescens* Jack.) sebagai Antioksidan. Sains dan Sains Terapan Journal 2023;1.
20. Ayu I, Widiastuti P, Nyoman N, et al. Artikel Review: Peran Antioksidan Flavonoid dalam Menghambat Radikal Bebas. Journal Syifa Sciences and Clinical Research (JSSCR) 2024;6(2).
21. Wayan Sindhu Wahyu Prasetya I. Potensi Kandungan Fitokimia Bawang Dayak (*Eleutherine palmifolia* (L.) Merr) sebagai Sumber Antioksidan. 2023;
22. Cao H, Cheng WX, Li C, Pan XL, Xie XG, Li TH. DFT study on the antioxidant activity of rosmarinic acid. Journal of Molecular Structure: THEOCHEM 2005;719(1–3):177–183.
23. Pramiastuti O, Ika D, Solikhati K, et al. Aktivitas Antioksidan Fraksi Umbi Bawang Dayak (*Eleutherine bulbosa* (Mill.) Urb) Dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil). Jurnal Wiyata 2021;8(1).
24. Ahmad I, Sulistiarini R, Rijai L. Antioxidant Activity of Some Selected East Borneo Plants. International Journal of Public Health Science (IJPHS) 2015;4(1):58.
25. Bahri S. Jurnal Teknologi Kimia Unimal Jurnal Teknologi Kimia Unimal Ekstraksi Kulit Batang Nangka menggunakan Air untuk Pewarna Alami Tekstil. Jurnal Teknologi Kimia Unimal. 2019;8(2):73–88.
26. Hujjatusnaini N, Bunga Indah, Emeilia Afriti, Ratih Widyastuti, Ardiansyah. Buku Referensi Ekstraksi. Palangkaraya: Insitut Agama Islam Negeri Palangkaraya, 2021;
27. Octavia, Amin A, Waris R, Yuliana D. Identifikasi Organoleptik, dan Kelarutan Ekstrak Etanol Daun Pecut Kuda (*Stachytarpetta jamaicensis* (L.) Vahl) Pada Pelarut dengan Kepolaran Berbeda. Makassar Natural Product Journal 2023;1(4):203–211.
28. Rahim NFA, Muhammad N, Abdullah N. Optimum Extraction Condition of *Anacardium occidentale* on Antiulcerogenic Activities (in-vitro). Sains Malays 2022;51(4):1099–1109.
29. Singh V, Haque S, Niwas R, Srivastava A, Pasupuleti M, Tripathi CKM. Strategies for fermentation medium optimization: An in-depth review. Front Microbiol. 2017;7(JAN).
30. Imam B, Muttaqin A. Telaah Kajian dan Literature Review Design of Experiment (DOE). Journal of Advances in Information and Industrial Technology (JAIIIT) 2019;1(1).
31. Ngizudin R. Optimasi Produksi Dan Analisis Ekonomi Pada Produksi Nutrisi Kambing Menggunakan Response Surface Methodology (RSM) Di Desa Pedawang. Jurnal Teknik Industri 2022;8(2).
32. Breig SJM, Luti KJK. Response surface methodology: A review on its applications and challenges in microbial cultures. In: Materials Today: Proceedings. Elsevier Ltd, 2021; p. 2277–2284.
33. Faulina R, Andari S, Anggraeni D. Response Surface Methodology (RSM) dan Aplikasinya. Surabaya: Institut Teknologi Sepuluh Nopember, 2011;
34. Bhattacharya S. Central Composite Design for Response Surface Methodology and Its Application in Pharmacy. In: Response Surface Methodology in Engineering Science. IntechOpen, 2021;
35. Ferreira SLC, Bruns RE, Ferreira HS, et al. Box-Behnken design: An alternative for the optimization of analytical methods. Anal Chim Acta. 2007;597(2):179–186.
36. Yusniawati W, Hasan T, Iqbal M. Uji Kadar Fenolik Total dan Aktivitas Antioksidan Ekstrak Etanol Kunyit Hitam (*Curcuma caesia* Roxb.) Asal Kabupaten Bone dengan Metode DPPH. Jurnal Novem Medika Farmasi 2024;3.
37. Hasan H, Ain Thomas N, Hiola F, Nuzul Ramadhani F, Ibrahim AS. Skrining Fitokimia dan Uji Aktivitas Antioksidan Kulit Batang Matoa (*Pometia pinnata*) Dengan Metode 1,1-Diphenyl-2 picrylhydrazyl (DPPH). Indonesian Journal of Pharmaceutical Education 2022;2(1):67–73.
38. Rozi F, Nuzul Azhim Ash Siddiq M, Masyhuri Majiding C. Analisis Kapasitas Antioksidan Minuman Sumber Vitamin C. Jurnal Kesehatan Tambusai 2023;4(4):6105–6111.
39. Yefrida, Isra H, Refilda. Penentuan kandungan antioksidan dan fenolik total dari 5

- spesies tumbuhan Famili Myrtaceae. Jurnal Kimia Unand 2023;12(1):26–31.
40. Maharsi DA, Ta'dung JC, Jannoke L, Budi IS. Sensitivity Analysis Using One-Factor-at-a-Time and Response Surface Method in Liquid-Dominated Geothermal Reservoir. PETRO:Jurnal Ilmiah Teknik Perminyakan 2022;11(3):138–148.
 41. Hou W, Zhang W, Chen G, Luo Y. Optimization of extraction conditions for maximal phenolic, flavonoid and antioxidant activity from melaleuca bracteata leaves using the response surface methodology. PLoS One 2016;11(9).
 42. Alara OR, Nour AH, Abdul Mudalip SK. Screening of microwave-assisted-batch extraction parameters for recovering total phenolic and flavonoid contents from chromolaena odorata leaves through two-level factorial design. Indonesian Journal of Chemistry 2019;19(2):511–521.
 43. Che Sulaiman IS, Basri M, Fard Masoumi HR, Chee WJ, Ashari SE, Ismail M. Effects of temperature, time, and solvent ratio on the extraction of phenolic compounds and the anti-radical activity of Clinacanthus nutans Lindau leaves by response surface methodology. Chem Cent J 2017;11(1):1–11.
 44. Lakshmipathy K, Thirunavookarasu N, Author C, Dv C, Ck S. Optimization of temperatures for trapping of aqueous bioactive compounds from ginger in innovative drying system and development of ginger based functional drink. ~ 189 ~ The Pharma Innovation Journal. 2022;11(8):189–194.
 45. Nurcholis W, Safithri M, Marliani N, Iqbal M. Response surface modeling to optimize sonication extraction with the maceration method for the phenolic content and antioxidant activity of Justicia gendarussa Burm f. J Appl Pharm Sci 2023;13(10):181–187.
 46. Maisuthisakul P, Suttajit M, Pongsawatmanit R. Assessment of phenolic content and free radical-scavenging capacity of some Thai indigenous plants. Food Chem 2007;100(4):1409–1418.
 47. Shahidi SA. Effect of solvent type on ultrasound-assisted extraction of antioxidant compounds from Ficaria kochii: Optimization by response surface methodology. Food and Chemical Toxicology 2022;163:1–11.
 48. Prakash Maran J, Manikandan S, Vigna Nivetha C, Dinesh R. Ultrasound assisted extraction of bioactive compounds from Nephelium lappaceum L. fruit peel using central composite face centered response surface design. Arabian Journal of Chemistry 2017;10:S1145–S1157.
 49. Lismeri L, Nursafitri E, Br Ginting S, Darni Y. Ekstraksi Likopen Dari Buah Tomat (Solanum Lycopersicum) Menggunakan Solvent N-Heksan. Jurnal Teknologi dan Inovasi Industri 2023;8(2):96–103.
 50. Mahmud I, E. S. Mirghani M, Yusof F, Al-khatib M. Effects of Time, Temperature, and Solvent Ratio on the Extraction of Non-Extractable Polyphenols with Anticancer Activity of Barhi Date Palm Kernels Extracts Using Response Surface Methodology. 2019;
 51. Nurcholis W, Safithri M, Marliani N, Iqbal M. Response surface modeling to optimize sonication extraction with the maceration method for the phenolic content and antioxidant activity of Justicia gendarussa Burm f. J Appl Pharm Sci 2023;13(10):181–187.
 52. Jagadeesan N, Selvaraj A, Nagaraja S, et al. Response Surface Methodology Based Optimization of Test Parameter in Glass Fiber Reinforced Polyamide 66 for Dry Sliding, Tribological Performance. Materials 2022;15(19):1–16.
 53. Hossain MA, Akhter S, Sohrab MH, Afroz F, Begum N, Rony SR. Applying an Optimization Technique for The Extraction of Antioxidant Components from Justicia Adhatoda Leaves. Engineered Science 2023;24.