

DAFTAR PUSTAKA

- Adamafo NA, Ayombil F, Tano-Debrah K. 2011. Microbial detheobromination of cocoa (*Theobroma cacao*) pod husk. *Asian J Biochem.* 6:200-207.
- Adamafo NA. 2013. Theobromine toxicity and remediation of cocoa by-product: an overview. *J Biol Sci.* 13:570- 576.
- Akhtar, M. R.A. Blanchette and T.K. Kirk. 1997. Fungal Delignification and Biomechanical Pulping of wood. *Advances in Biochemical Engineering Biotechnology Vol.57:159-195*
- Alarcon, J., Aguila, S., Arancibia-Avila, P., Fuentes, O., Zamorano-Ponce, E., & Hernandez, M. 2003. Production and purification of statins from *Pleurotus ostreatus* (Basidiomycetes) strains. *Verlag der Zeitschrift für Naturforschung*, 58, 62-64.
- Alemawor, F., V. P. Dzogbefia, E.O.K. Oddoye, and J.H. Oldham. 2009. Effect of *Pleurotus ostreatus* fermentation on cocoa pod husk composition: influence of fermentation period and Mn⁺⁺ supplementation on the fermentation process. *African Journal of Biotechnology.* 8 (9) : 1950-1958.
- Alexander, Martin., 1994. "Biodegradation and Bioremediation", United States of America : Academic Press, Inc.
- Anggorodi, H. R. 1995. *Nutrisi Aneka Ternak Unggas*. PT. Gramedia. Pusat Utama, Jakarta.
- AOAC .1990. *Official Method of Analysis*. Association of Official Analytical Chemists. Maryland.
- Arora, D.S., M. Chander, and P. Gill, "Involvement of lignin peroxidase, manganese peroxidase and laccase in degradation and selective ligninolysis of wheat straw," *International Biodeterioration & Biodegradation*. Vol. 50 (2002) 115 – 120.
- Ardon, O. Z, Karem and Y. Hadar,. 1998. Enhancement of lignin degradation and laccase activity in *Pleurotus ostreatus* by cotton stalk extract. *Can. J. Microbiol.* 44: 676–680
- Astawan M. 2010. *Potensi Dedak dan Bekatul Beras Sebagai Ingredient Pangan dan Produk Pangan Fungsional*. Gramedia Pustaka Utama, Jakarta.
- Atalla MM, ER Hamed, AR El-Shami .2008. Optimization of a culture medium for increased mevinolin production by *Aspergillus terreus* strain. *Mal. J. Microbiol.* 4 (2), 6-10.

- Auwah RT, Frimpong M. 2003. Cocoa-based media for culturing *Phytophthora palmivora* (Butl.) Butl., causal agent of black pod disease of cocoa. *Mycopathologia*. 155:143-147.
- Badan Pusat Statistik, 2018. Statistik Indonesia 2018. BPS Statistik Indonesia
- Badarina, I., D. Evvyernie., T. Toharmat., E. N. Herliana and L.K. Darusman. 2013. Nutritive calue of coffee husk fermented with *Pleurotus ostreatus* as ruminant feed. *Media Peternakan*, April 2013, Vol. 36 No 1, pp: 58-63.
- Baranova NA , Kreiner VG , Egorov NS. The growth of *Rhodotorula rubra* yeasts and their synthesis of ergosterol on media with lovastatin. *Antibiot. Khimioter* 1996; 41: 3-6.
- Bernardi, E., E. Minotto and J.S. Nascimento (2008). Aproveitamento de residuo de curtume como suplemento no cultivo de *Pleurotus ostreatus*. *Arq. Inst. Biol.*, 72: 243-246.
- Blanchette R.A. 1995. Degradation of lignocellulose complex in wood. *Can. J. Bot.* 73 (Suppl. 1):S999-S1010.
- Bonnen AM, Anton LH, Orth AB. 1994. Lignin-degrading enzymes of the commercial button mushroom, *Agaricus bisporus*. *Appl. Environ. Microbiol* 60:960-965.
- Bourbonnais R. and M.G. Paice. 1990. Oxidation of nonphenolic substrates : an expanded role for laccase in lignin biodegradation. *FEBS Letters*. 267:99-102.
- Broda P., P.R.J. Birch, P.R. Brooks and P.F.G.Sims. 1996. Lignocellulose degradation by *Phanerochaete chrysosporium*: gene families and gene expression for a complex process. *Molecul. Microbiol.*19(5):923-932.
- Buckle, K. A., R. A. Edwards, G. H. Fleet, & M. Wooton. 1987. Ilmu Pangan. Terjemahan Adiono dan Purnomo UI Press, Jakarta.
- Buswell JK, Cai YJ & Chang ST (1995). Effect of nutrient nitrogen on manganese peroxidase and laccase production by *Lentinula (Lentinus) edodes*. *FEMS Microbiol Lett* 128, 81-88.
- Chang ST, and Miles PG. 1989. *Edible Mushrooms and their cultivation*. Florida:CRC press, Inc.
- Chen, F., & Hu, X. 2005. Study on red fermented rice with high concentration of monacolin K and low concentration of citrinin. *International Journal of Food Microbiology*, 103, 331-337.

- Claus H. 2003. Laccases and their occurrence in prokaryotes. Arch. Microbiol. 179:145- 150.
- Collins, P. J. & A. D. Dobson. 1997. Regulation of laccase gene transcription in *Trametes versicolor*. Appl. Environ. Microbiol., 63, 3444-3450.
- Corzo, A., C.A. Fritts., M.T. Kidd, and B.J. Kerr. 2005. Response of broiler chicks to essential and non-essential amino acid supplementation of low crude protein diet. Animal Feed Science Technology 118: 319-327.
- Darlina, I., 2013. Pengaruh penambahan bekatul dan limbah cair tahu untuk media pertumbuhan dan produksi jamur tiram putih (*Pleurotus ostreatus*). Skripsi Sarjana Agroteknologi. Universitas Bandung Raya. Bandung.
- Daud Z, Sari A, Kassim M, Aripin AM, Awang H, Hatta ZM. 2013. Chemical composition and morphological of cocoa pod husks and cassava peels for pulp and paper production. Aust J Basic Appl Sci. 7:406-411.
- Desmayati, Z., T. Haryati, Supriyati dan Hernomoadi. 1995. Kecernaan dan fermentasi limbah kakao (kulit biji kakao) serta pemanfaatannya pada ternak ayam. Lap. Hasil Penelitian APBN TA 1994/1995. Ternak Unggas dan Aneka Ternak. Balitnak. Pp 331-342.
- Dhouib, A. M, Hamza. H, Zouari. T, Mechichi. M, Labat., M.J, Martínez. S, Sayadi. 2005. Autochthonous fungal strains with high ligninolytic activities from Tunisian biotopes. African Journal of Biotechnology 4(5):431-436
- Djariah, N. M dan Djariah, A. S. 2001. Budidaya Jamur Tiram. Kanisius. Yogyakarta.
- Doharne, Pane. 2015. Peningkatan kualitas kulit buah coklat melalui fermentasi dengan *Phanerochate chrysosporium* dan *Neurospora crassa* dan aplikasinya dalam ransum broiler. Thesis. Fakultas Peternakan Universitas Andalas. Padang.
- Dorado, J., Field, J. A., Almendros, G., and Sierra-Alvarez, R. 2001. Nitrogen-removal with protease as a method to improve the selective delignification of hemp stemwood by the white-rot fungus *Bjerkandera* sp. strain BOS55. Applied Microbiology and Biotechnology 57, 205-211.
- Eggert C., U. Temp, J.F. Dean and K.E.L. Eriksson. 1996. A fungal metabolite mediates degradation of nonphenolic lignin structures and synthetic lignin by laccase. FEBS Lett. 391:144-148.
- Elisashvili V, Chichua D, Kachlishvili E, Tsiklauri N & Khardziani T. 2003. Lignocellulolytic enzyme activity during growth and fruiting of the edible and medicinal mushroom *Pleurotus ostreatus* (Jacq.: Fr.)

- Kumm.(Agaricomycetidae). International Journal of Medicinal Mushrooms 5(2).25-31.
- Ermawar RA, Yanto DHY, Fitria, Hermiati E. 2006. Biodegradation of Lignin in Rice Straw Pretreated by White-rot Fungi. Jurnal Widya Riset 9 (3) : 197-202
- Evan C.S. and J.S. Hedger. 2001. Degradation of plant cell wall polymers. Di dalam: Gadd G.M. (ed). Fungi in Bioremediation. Cambridge: Cambridge University Press. pp. 1-26.
- Fan, L.T., Y.H. Lee, dan M.M.Gharpuray. 1982. The Nature of Lignocellulosics and Their Pretreatment for Enzymatic Hydrolysis. Adv. Biochem. Eng. 23: 158 – 187.
- Fardiaz, S. 1988. Fisiologi Fermentasi. Bogor: Pusat Antar Universitas Lembaga Sumberdaya Informasi. Institut Pertanian Bogor.
- Fazaeli, H., H.Mahmodzadeh, A.Azizi, Z.A. Jelani, J.B. Liang, Y. Rouzbehan, and A.Osman. 2004. Nutritive value of wheat straw treated with Pleurotus fungi. Asian-Aust. J. Anim. Sci. 17 (12) :1681-1688.
- Fikrinda. 2000. Isolasi dan Karakterisasi Bakteri Penghasil Selulase Ekstermofilik dari Ekosistem Air Hitam. *Tesis*. Institut Pertanian Bogor.
- Fu, S. Y., Yu, H.-S., and Buswell, J. A. 1997. Effect of nutrient nitrogen and manganese on manganese peroxidase and laccase production by Pleurotus sajor- caju. FEMS Microbiology Letters 147, 133-137.
- Galhaup, C., H. Wagner, B. Hinterstoisser & D. Haltrich. 2003. Increased production of laccase by the wood degrading basidiomycete Trametes pubescens. Enzyme Microb. Technol., 30, 529-536.
- Gianfreda, I., F. Xu & J. M Bollag .1999. Laccase a useful group of oxidoreductive enzymes. Biorem. J., 3, 1-25.
- Gold M.H. and M. Alic. 1993. Molecular biology of the lignin-degrading basidiomycete Phanerochaete chrysosporium. Microbiol. Rev. 57:605-622.
- Grisham, Charles M.; and Reginald H. Garrett. 1999. Biochemistry. Saunders College Pub. Philadelphia. Pp. 426–7.
- Gunam, I.B.W., Aryanta, W. R., dan I.B.S.N, Darma. 2011. Produksi selulase kasar dari kapang Trichoderma viride dengan perlakuan konsentrasi substrat ampas tebu dan lama fermentasi. Jurnal Biologi XV (2) : 29 – 33.
- Higley, T.L and Dashek, W.V. 1998. Biotechnology in The Study of Brown and White Rot Decay. Di dalam Bruce A, Palfreyman JW, Editor. Forrester Products Biotechnology. London: Taylor and Francis Ltd

- Hakala TK, Maijala P, Konn J, Hatakka A .2004. Evaluation of novel wood-rotting polypores and corticioid fungi for the decay and biopulping of Norway spruce (*Picea abies*) wood. *Enzyme Microb Technol* 34:255–263
- Halaburgi, V.M., S. Sharma, M. Sinha, T.P. Singh and T.B. Karegoudar (2011). Purification and characterization of a thermostable laccase from the ascomycetes *Cladosporium cladosporioides* and its applications. *Proc. Biochem.*, 46: 1146–1152.
- Hammel K.E. 1996. Extracellular free radical biochemistry of ligninolytic fungi. *New J Chem* 20:195-198.
- Hammel K.E. 1997. Fungal Degradation of Lignin. Di Dalam: Cadisch G, Giller KE, Editor. *Driven By Nature: Plant Litter Quality And Decomposition*. London: CAB International. hlm. 33-45.
- Hardana NE, Suparwi, Suhartati FM. 2013. Fermentasi kulit buah kakao (*Theobroma cacao* L.) menggunakan *Aspergillus niger* pengaruhnya terhadap pencernaan bahan kering (KBK) dan pencernaan bahan organik (KBO) secara *in vitro*. *J Ilmu Peternakan*. 1:781-788.
- Harsini, T., Susilowati, 2010. Pemanfaatan kulit buah kakao dari limbah perkebunan kakao sebagai bahan baku pulp dengan proses organosolv. *Jurnal Ilmiah Teknik Lingkungan* Vol. 2 No. 2:80-89
- Hartati I. 2012. Prediksi kelarutan theobromine pada berbagai pelarut menggunakan parameter kelarutan *hildebrand*. *Momentum*.8:11-16.
- Hatakka, A. I. 1983. Pretreatment of wheat straw by white-rot fungi for enzymatic saccharification of cellulose. *Eur. J. Appl. Microbiol. Biotechnol.* 18, 350-357.
- Hatakka, A.I. 1994. Lignin-modifying enzymes from selected white rot fungi: production and role in lignin degradation. *FEMS Microbiol. Rev.* 13: 125–135.
- Hatakka A. 2001. Biodegradation of lignin. In: Steinbüchel A. [ed] *Biopolymers*. Vol 1: Lignin, Humic Substances and Coal. Germany: Wiley VCH. pp. 129-180.
- Hatakka, A. and Hammel, K. E. 2010. "Fungal biodegradation of lignocelluloses," In: *The Mycota, A Comprehensive Treatise on Fungi as Experimental Systems for Basic and Applied Research*, Esser, K. (series ed), Industrial Applications, 2nd Edition.
- Have R.T and M.C.R. Franssen. 2001. on a revised mechanism of side product in the lignin peroxidase catalyzed of veratryl alcohol. *FEBS Letters*. 487:313-317.

- Higuchi, T. 2004. Microbial degradation of lignin: Role of lignin peroxidase, manganese peroxidase, and laccase. *Proc. Jpn. Acad., Ser.B* 80, 204-211.
- Hofrichter M. 2002. Review: Lignin conversion by manganese peroxidase (MnP). *Enzyme Microbiol. Technol.* 30:454-466.
- Howard R.L., P. Masoko and E. Abotsi. 2003a. Enzyme activity of *Phanerochaete chrysosporium* cellobiohydrolase (CBHI.1) expressed as a heterologous protein from *Escherichia coli*. *African J. Biotechnol.* 2(9):296-300
- Indariyanti, N. Rakhmawati. 2013. Peningkatan Kualitas Nutrisi Limbah Kulit Buah Kakao dan Daun Lamtoro Melalui Fermentasi Sebagai Basis Protein Pakan Ikan Nila. *Jurnal Penelitian Pertanian Terapan* Vol. 13 (2): 108-115.
- Iyayi E.A. 2004. Changes in the cellulose, sugar and crude protein contents of agro-industrial byproducts fermented with *Aspergillus niger*, *Aspergillus flavus* and *Penicillium* sp. *Afr. J. Biotechnol.* 3:186-188.
- Janusz G, Kucharzyk kH, Pawlik A, Staszczak M, Paszczynski AJ.2013. Fungal laccase, manganese peroxidase and lignin peroxidase: Gene expression and regulation. *Enz Microbiol Technol* 52: 1-12.
- Johjima T., N. Itoh, M. Kabuto, F. Tokimura, T. Nakagawa. H. Wariishi and H. Tnaka. 1999. Direct interaction of lignin and lignin peroxidase from *Phanerochaete chrysosporium*. *Proc. Natl. Acad. Sci.* 96:1989-1994.
- Kaal, E. E. J., Field, J. A., and Joyce, T. W. 1995. "Increasing ligninolytic enzyme activities in several white-rot Basidiomycetes by nitrogen-sufficient media," *Bioresource Technology* 53, 133-139.
- Karahanian, E., G. Corsini, S. Lobos & R. Vicufia .1998. Structure and expression of a laccase gene from the ligninolytic basidiomycete *Ceriporiopsis subvermi-ispora*. *Biochim. Biophys. Acta*, 1443, 65-74.
- Kannaiyan, R., N. Mahinpeya, T. Mania, J. Robert and M.V. Kostenko (2012). Enhancement of *Dichomitus squalens* tolerance to copper and copper-associated laccase activity by carbon and nitrogen sources. *Biochem. Engin. J.*, 67: 140–147.
- Kasim E, Astuti S, Nurhidayat N. 2005. Karakterisasi pigmen dan kadar lovastatin beberapa isolat *Monascus purpureus*. *Journal of Biological Diversity.* 6(4): 245-247.
- Keller, F., Hamilton, J., and Nguyen, Q. 2003. Microbial pretreatment of biomass. *Applied Biochemistry and Biotechnology* 105-108, 27-41.

- Kersten P.J., B. Kalyanaraman, K.E. Hammel, B. Reinhammar and T.K. Kirk. 1990. Comparison of lignin peroxidase, horseradish peroxidase and laccase in the oxidation of methoxybenzenes. *Biochem. J.* 268:475-480.
- Kirk, T. K., and Chang, H.-M. 1981. "Potential applications of bio-ligninolytic systems," *Enzyme and Microbial Technology* 3, 189-196.
- Kirk T.K. and R.L. Farrell. 1987. Enzymatic "combustion": the microbial degradation of lignin. *Ann. Rev. Microbiol.* 41,465-505.
- Krishna, S.B.N and K. L. Devi. 2005. Optimization of thermostable alkaline protease production from species of *Bacillus* using Groundnutcake. *African J. Biotechnol.* 4 (7), 724726.
- Kuo, M. 2005. *Pleurotus ostreatus* : The oyster mushroom. http://www.mushroomexpert.com/pleurotus_ostreatus.html (dilihat pada 28 Mei 2019).
- Linko, M. 1997. Biological treatment of straw at commercial farm levels, pp.39-50. *Proc. Of New Feed Resources*, In: FAO (Ed). *New Feed Resources. Proc. of a Tech. Consultation, Rome 22-24 November. 1998.* FAO, Rome.
- Lynd L.R., P.J. Weimer, W.H. van Zyl WH and I.S. Pretorius. 2002. Microbial Cellulose Utilization: Fundamentals and Biotechnology. *Microbiol. Mol. Biol. Rev.* 66(3):506-577.
- Muhfudz, L. D. 2006. Ampas Tahu Fermentasi sebagai Bahan Pakan Ayam Pedaging. *Caraka Tani, Jurnal Ilmu-Ilmu Pertanian Vol 21 (1): 39-45.*
- Majeau J A, Brar S K & Tyagi R D .2010. Laccases for removal of recalcitrant and emerging pollutants. *Bioresource technology*, 101(7), 2331-2350.
- Mayer AM and R.C. Staples. 2002. Laccase: new functions for an old enzyme. *Phytochemistry* 60:131- 565.
- Maynard, L.A. Loosil, J.K. Hintz, H.F and Warner, R.G. , 2005. *Animal Nutrition. (7th Edition) McGraw-Hill Book Company. New York, USA.*
- McDonald, P., R. A. Edward., J. F. D. Greenhalgh and C. A. Morgan. 2002. *Animal Nutrition. 6th Ed. An Imprint of Pearson Education Prentice Hall. Harlow, England.*
- McDonald, P., R.A. Edwards, J.F.D. Greenhalgh, C.A. Morgan, L.A. Sinclair., and R.G. Wilkinson. 2010. *Animal Nutrition. 7th Ed. Prentice Hall, Pearson, Harlow, England, London, New York, Boston, San Fransisco, Toronto, Sydney, Tokyo, Singapore, Hong Kong, Seoul, Taipei, New Delhi, Cape Town, Madrid, Mexico City, Amsterdam, Munich, Paris, Milan.*

- Mensah CA, Adamafio NA, Amaning-Kwarteng K, Rodrigues FK. 2012. Reduced tannin content of Laccase-treated cocoa (*Theobromine cacao*) pod husk. Int J Biol Chem.6:31-36.
- Mirzah. 1997. Pengaruh Pengolahan Tepung Limbah Udang dengan Tekanan Uap Panas Terhadap Kualitas dan Pemanfaatannya dalam Ransum Ayam Broiler. Disertasi. Pascasarjana Universitas Padjajaran. Bandung.
- Mufarrihah, Lailatul. 2009. Pengaruh penambahan bekatul dan ampas tahu pada media terhadap pertumbuhann dan produksi jamur tiram putih (*Pleurotus ostreatus*). Skripsi. Universitas Islam Negri Malang.
- Muis, H.,L.Martaguridan Mirnawati.2009.Teknologi bioprosesampaskedelai (soybean waste) untuk meningkatkan daya gunanya sebagai pakan unggas. Laporan Penelitian Fundamental Dirjen Pendidikan Tinggi Fakultas Peternakan, Universitas Andalas Padang.
- Murashima, K., A. Kosugi and RH. Doy. 2002. Synergistic effects on crystalline cellulose degradation between cellulosomalcellulases from *Clostridium cellulovorans*. *J. Bacteriol*184: 5088 – 5095.
- Musnandar, E. 2004. Pertumbuhan jamur *Marasmius* sp. pada substrat kelapa sawit untuk bahan pakan ternak. *Majalah Ilmiah Angsana* Vol. 08. No.3, Desember ; 25 - 30.
- Mustachfidoh., 2010, Pengaruh CaCO₃ terhadap Pertumbuhan Jamur Tiram Putih (*Pleurotusostreatus*). *Jurnal Ilmiah Progressif* 7(9): 53-61
- Nadeem A, Baig S & Sheikh N .2014. Mycotechnological production of laccase by *Pleurotus ostreatus* P1 and its inhibition study. *J Anim Plant Sci* 24(2), 492-502.
- National Research Council (NRC), 1994. Nutrient Requirements of Poultry: National Academy of Science. Washington DC, New York Revised. Paper 176.
- Nelson. 2011. Degradasi Bahan Kering dan Produksi Asam Lemak Terbang In Vitro pada Kulit Buah Kakao Terfermentasi. *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, Vol. XIV, No.1.
- Nelson, N., 1944. A photometric adaptation of the Somogyi method for the determination of glucose. *Journal Biol. Chem*, 153(2), 375-379.
- Noferdiman dan A.Yani. 2013. Kandungan Nutrisi Lumpur Sawit Hasil Fermentasi dengan Jamur *P. Chrysosporium*. *Jurnal Agripet* : Vol (13) No. 2 : 47-52.

- Nuraini. 2006. Potensi kapang karotenogenik untuk memproduksi pakan sumber β -karoten dan pengaruhnya terhadap ransum ayam pedaging dan petelur. Disertai. Program Pasca Sarjana Universitas Andalas, Padang.
- Nuraini, M.E. Mahata, dan Nirwansyah. 2012. Potensi ligninolitik dan selulolitik *Phanerochaete chrysosporium* dan karatenoid monakolin dari *Monascus purpureus* dalam meningkatkan kualitas kulit buah kakao sebagai pakan ternak. Laporan Strategis Nasional. Universitas Andalas.
- Nuraini., M. E. Mahata and Nirwansyah. 2013. Response of broiler fed cacao pod fermented by *Phanerochaete chrysosporium* dan *Monascus purpureus* in the diet. Pakistan Journal of Nutrition 12(9):889-896
- Nuraini, A.Djulardi dan M. E. Mahata. 2017. Pakan Non Konvensional Fermentasi Untuk Unggas. LPTIK Universitas Andalas.Padang.
- Nurhaita, W. Rita, N. Definati dan R. Zurina. 2012. Fermentasi bagase tebu dengan *Neurospora sitophila* dan pengaruhnya terhadap nilai gizi dan pencernaan secara in vitro. Jur. Embrio 5 (1):1-7.
- Nurilla, N., Setyobudi, L., dan Nihayati,E., 2013, studi pertumbuhan dan produksi jamur kuping(*Auricularia auricula*)pada substrat serbuk gergaji kayu dan serbuk sabut kelapa. Jurnal Budidaya Pertanian Universitas Brawijaya.
- Okano, K., S. Fukui, R. Kitao, and T. Usagawa. 2007. Effect of cultural length of *Pleurotus eryngii* grown on sugarcane bagasse on in vitro digestibility and chemical composition. Anim. Feed. Sci. Technol . 136: 240-247.
- Olubajo FO, Asonibare MM, Awolumate EO. 1987. Cocoa- pod silage and cocoa-pod grass silage in goat and sheep nutrition. Int Livest Res Inst [Internet]./www.ilri.org/InfoServ/Webpub/Fulldocs/X5490e/x5 490e0t.hm
- Oshima, M. 1965. Wood Chemistry Process Engineering Aspect. Noyes Develop. Corp. New York.
- Palmieri, G., P. Giardina, C. Bianco., B. Fontanella & G. Sannia. 2000. Copper induction of laccase isoenzymes in the lignolytic fungus *Pleurotus ostreatus*. Appl. Environ. Microbiol., 66, 920-924.
- Pandey, A., C. R. Soccol and D. Mitchell. 2000. New developments in solid state fermentation: I-bioprocesses and products. Process Biochemistry. Vol. 35, pp : 1153-1169.
- Parakkasi, A. 1995. Ilmu Nutrisi dan Makanan Ternak Ruminansia. Universitas Indonesia. Jakarta.
- Pasaribu, T. 2007. Poduk fermentasi limbah pertanian sebagai bahan pakan unggas di Indonesia.Wartazoa 17(3): 109 -116.

- Patel, H., Gupte, A., and Gupte, S. (2009b). "Effect of different culture conditions and inducers on production of Laccase by a Basidiomycetes fungal isolate *Pleurotus ostreatus* HP-1 under solid state fermentation," *BioResources* 4(1), 268-284.
- Pelezar MJ, Chan ECS. 1988. *Dasar-dasar Mikrobiologi*. Penerjemah: Hadioetomo RS, ImasT, Tjitrosomo SS, Angka SL. Jakarta: UI Press. Terjemahan dari: *Elements of Microbiology*.
- Perez, L. M., Besoain, X., Reyes, M., Lempinasse, M., and Montealegre, J. 2001. The expression of enzymes involved in biological control of tomato phytopathogens by *Trichoderma* depends on the phytopathogen to be controlled and on the biocontrol isolate. *IOBCWPRS Bulletin* 24: 353 – 356.
- Perez J., J. Munoz-Dorado, T. de la Rubia and J. Martinez. 2002. Biodegradation and biological treatments of cellulose, hemicellulose and lignin: an overview. *Int. Microbiol.* 5:53-63.
- Periasamy, K. and K. Natarajan. 2004. Role of lignocellulosic enzymes during basidiomata production by *Pleurotus djamar* var *roseas*. *Indian Journal of Biotechnology* 3 : 577-583.
- Prawitasari, R. H., V. D. Y. B. Ismdi dan I. Estiningdriati. 2012. Kecernaan protein kasar dan serat kasar serta laju digesta pada ayam arab yang diberi ransum dengan berbagai level *Azolla microphylla*. *Animal Agriculture Journal*. 1 (1) : 471- 478.
- Puastuti W, Yulistiani D, Supriyati. 2009. Ransum berbasis kulit buah kakao diperkaya mineral: tinjauan pada pencernaan dan fermentasi rumen *in vitro*. Dalam: Sani Y, Natalia L, Brahmantiyo B, Puastuti W, Sartika T, Nurhayati, Anggraeni A, Matondang R, Martindah E, Estuningsih SE, penyunting. *Teknologi peternakan dan veteriner mendukung industrialisasi sistem pertanian untuk meningkatkan ketahanan pangan dan kesejahteraan peternak*. Pros Semnas Teknologi Peternakan dan Veteriner. Bogor 13-14 Agustus 2009. Bogor (Indonesia): Puslitbangnak. p.442-447.
- Puls, J & K. Poutanen. 1981. Mechanism of Enzyme Hidrolisid of Hemiselulosa (xylan) and Procedure for Determination of the Enzyme Activities Involved. BFH Institut of Wood Chestry Leuchnecster, Hamburg.
- Rai RD and Saxena S. 1990. Extracellular enzymes and non-structural component during growth of *Pleurotus Sajor*- caju on rice straw. *Mushroom Journal for the Tropic*; 10: 69-73.
- Rashad, M.M., H.M. Abdou, W.G.H Shousha, M.M. Ali and N.N. El-Sayed, 2009. Utilization of some food processing wastes for production of *pleurotus ostreatus* pectinases. *Adv. Food Sci.*, 31: 151-157.

- Rasyaf, M. 2004. *Beternak Ayam Pedaging*. Penebar Swadaya, Jakarta.
- Rinduwati, Ismartoyo. 2002. Karakteristik degradasi beberapa jenis pakan (*in sacco*) dalam rumen ternak kambing. *Buletin Nutrisi dan Makanan Ternak*. 31:1- 14.
- Roze LV, Linz JE. Lovastatin triggers an apoptosis-like cell death process in fungus *Mucor racemosus*. *Fungal Genet. Biol* 1998; 25: 119–133.
- Saili T, Marsetyo, Poppi DP, Isherwood P, Nafiu L, Quigley SP. 2010. Effect of treatment of cocoa pod with *Aspergillus niger* on liveweight gain and cocoa pod intake of Bali (*Bos sondaicus*) cattle in South-East Sulawesi. *Anim Prod Sci*. 50:693-698.
- Sanchez, C. 2009. *Lignocellulosic Residues : Biodegradation and Bioconversion by Fungi*. *Biotechnology Advances* 27.
- Sangadji, I. 2009. Mengoptimalkan pemanfaatan ampas sagu sebagai pakan ruminansia melalui biofermentasi dengan jamur tiram (*Pleurotus ostreatus*) dan amoniasi. Disertasi. Sekolah Pascasarjana, Institut Pertanian Bogor, Bogor.
- Santos, T.C., Gomes, D.P.P., Bonomo, R.C.F., Franco, M. 2012. Optimisation of Solid State Fermentation of Potato Peel for The Production of Cellulolytic Enzyme. *Food Chemistry*. 133: 1299-1304.
- Santoso, U. 1999. *LimbahBahanRansumUnggas yang Rasional*. PT. BhataraKaryaAksara. Jakarta.
- Saputra. 2015. *PemanfaatanDedakPadiSebagaiPakanTernak*. Diaksespadatanggal 02 Oktober 2016.
- Sarkanen, K.V. and C.H.Ludwig, 1971. *Lignin: Occurrence, Formation, Structure andReactions*. ed. Sarkanen, K.V. and Ludwig, C.H. WileyInterscience: New York. 916 pp.
- Scott, M.L, Nesheim M.C., and Young R. J., 1982. *Nutrition of the Chickens*. Second Ed. M.L. Scott and Associates Ithaca ,New York.
- Sefrinaldi. 2013. Pengaruh dosis inokulum dan lama fermentasi dengan *Phanerochaete chrysosporium* terhadap kandungan bahan kering, protein kasar dan retensi nitrogen campuran umbi ubi kayu dan ampas tahu fermentasi. Skripsi. Fakultas Peternakan Universitas Andalas, Padang.
- Setyawan, H. 2007. Peningkatan kualitas nutrisi duckweed melalui fermentasi menggunakan *trichoderma harzianium*. *Jurnal ilmu ternak* Vol. 7 no.2:113-116.

- Sibbald, I. R. 1975. The effect of level intaken on metabolizable energy value measured with adult rooster. *Poultry Sciences*, (54) : 1990-1998.
- Sibbald, I. R. 1980. Metabolic plus endogenous energy and nitrogen losses of adult cockerels: the correction used in bioassay for true metabolizable energy. *Jurnal. Poultry Sci.* 60: 805 - 811.
- Singh, H., *Mycoremediation*, John Wiley & Sons, Inc. America (2006) 358-375.
- Šnajdr, J., and Baldrian, P. 2007. Temperature affects the production, activity and stability of ligninolytic enzymes in *Pleurotus ostreatus* and *Trametes versicolor*. *Folia Microbiologica* 52, 498-502.
- Srebotnik E., K.A. Jensen and K.E. Hammel. 1994. Fungal degradation of recalcitrant nonphenolic lignin structure without lignin peroxidase. *Proc Natl Acad Sci* 91:12794-12797.
- Srinivas C, Abdul Bari Mohd, Sanayaima Huidrom, Padmananbha Rao, Prakash V Diwan. Development and validation of simvastatin in microemulsion formulation using RP-HPLC. *Int J Pharm Pharm Sci* 2012; 4: 398-403.
- Steel. R.G.D, dan Torrie, J.H. 1995. *Prinsip dan Prosedur Statistik. Suatu Pendekatan Biometric* P.T Gramedia Pustaka Utama Jakarta.
- Sudiana IM dan Rahmansyah M, 2002. Aktivitas amilase dan selulase jamur tiram putih yang ditumbuhkan pada media ampas aren dan serbuk gergaji kayu. *Jurnal Mikrobiologi Indonesia* 7: 7-10.
- Suhartono. 1989. *Enzim dan Bioteknologi*. Institut Pertanian Bogor. Bogor.
- Sukumaran, R.K., Singhani, R.R., Pandhey, A.S. 2005. Microbial Cellulases, Production, Applications and Challenges. *J of Science and Industrial Research*. 4: 832-844.
- Sulaiman. 1988. Studi proses pembuatan protein mikroba dengan ragi amilolitik dan ragi simba pada media padat dengan bahan bakunubi kayu (*Manihot utilisima pohl*). Thesis Fakultas Teknik Pertanian, IPB. Bogor
- Sumarni. 2006. Botani dan Tinjauan Gizi Jamur Tiram Putih. *Jurnal Inovasi Pertanian*.
- Sun, Y. and Cheng, J. 2002. Hydrolysis of Lignocellulosic Materials for Ethanol Production: A Review. *Bioresource Technology*, Vol. 83, pp. 1-11.
- Sunawan dan A. Sugianto. 2001. Pengembangan pertanian lahan sempit di daerah kurang subur dengan budidaya jamur sistem semi modern yang memanfaatkan berbagai limbah pertanian. Laporan Penelitian Dosen Muda

Berbagai Bidang Ilmu. Dirjen Dikti. Departemen Pendidikan Nasional. Jakarta.

Suparjo. 2010. Analisis Bahan Pakan Secara Kimiawi: Analisis Proksimat dan Analisis Serat. Laboratorium Makanan Ternak. Fakultas Peternakan. Universitas Jambi.

Suparjo, Wiryawan KG, Laconi EB, Mangunwidjaja D. 2011. Performans kambing yang diberi kulit buah kakao terfermentasi. Media Peternakan. 34:35-41.

Suprpti, S. dan Djarwanto. 1997. Pembudidayaan Jamur Pada Limbah Industri Kehutanan. Universitas Indonesia. Depok.

Syahrir H, Kusmartono, Damry. 2013. Effects of cocoa pod husk bioconversion with *Phanerochaete chrysosporium* and or *Pleurotus ostreatus* on its nutrient content and in-vitro digestibility in ruminants. Livest Res Rural Dev [Internet].25.

Taherzadeh, Muhammad J. and Karimi, Keikhosro. 2008. Pretreatment of Lignocellulosic Waste to Improve Bioethanol and Biogas Production. Int. J. Mol. Sci 9, pp. 1621-1651.

Tarka, S.M.Jr., Arnaud.M.J., Dvorchik.B.H and Vesell.ES, 1998. Theobromine kinetics and metabolic disposition clinical pharmacology and therapy 34: 546-555.

Tarmidi, A.R., dan Ghunu, S. Efek kadar air substrat dan dosis inokulum terhadap perubahan komposisi kimiawi rumput kume (*sorghum plumosum* var. Timorensis) hasil biokonversi jamur tiram putih (*pleurotus ostreatus*). Jurnal ilmu ternak, juni 2006, vol. 6 no. 1, 37 – 41.

Tequia A., H. N. L. Endeley, & A. C. Beynen. 2004. Broiler performance upon dietary substitution of cocoa husks for maize. Int. J. Poult. Sci. 3: 779-782.

The. F, J. S. Mandey, Y. H. S. Kowel , M. N. Regar. 2017. Nilairtensi nitrogen danenergimetabolis broiler yang diberiransumtepunglimbahsawiputih (*Brassica rapa*L. Subsp. *Pekinensis*). JurnalZootek (“Zootek” Journal) Vol. 37 No. 1 : 41- 49.

Thurston C.F. 1994. The structure and function of fungal laccases. Microbiology, 140: 19-26.

Tillman, A. D. H. Hartadi, S. Reksohadiprodjo, S. Prawirokusuma dan S. Lebdoesoekojo. 1991. Ilmu Makanan Ternak Dasar. Gajah Mada University Press. Yogyakarta.

- Tillman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdosoekojo. 1998. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press. Yogyakarta. Hal 422.
- Trisna Ade. 2018. Peningkatan Kualitas Lumpur Sawit Fermentasi dengan *Pleurotus ostreatus* dan Aplikasinya Terhadap Ternak Itik Petelur. Disertasi. Fakultas Peternakan Universitas Andalas. Padang. Unpublished.
- Van de Donk NW, Kamphuis MM, Lokhorst HM, Bloem AC. The cholesterol lowering drug lovastatin induces cell death in myeloma plasma cells. *Leukemia* 2002; 16: 1362–1371.
- Van Soest. P. J., 1982. Nutritional Ecology of the Ruminant. Commstock Publishing Associates. A division of Cornell University Press. Ithaca and London
- Wahju, J. 1997. Ilmu Nutrisi Unggas. Gadjah Mada University Press. Yogyakarta.
- Wahju, J. 2004. Ilmu Nutrisi Unggas. Cetakan ke-5. Gadjah Mada University Press, Yogyakarta.
- Warmada, I.W., dan Titisari, A. D., 2004, Agromineralogi (Mineralogi untuk Ilmu Pertanian). Jurusan Teknik Geologi Fakultas Teknik UGM. Yogyakarta.
- Wawo, B. 2007. Memanfaatkan limbah kulit kakao sebagai bahan pakan ternak. <http://www.disnak.sulsel.go.id> (dilihat pada tanggal 17 September 2018).
- Winarni, I., dan Rahayu, U., 2002, pengaruh formulasi media tanam dengan bahan dasar serbuk gergaji terhadap produksi jamur tiram putih (*Pleurotus ostreatus*). *Jurnal Matematika, Sains dan Teknologi* 3(2): 20-27.
- Winarno, F.G., 2004, Kimia Pangan dan Gizi. PT. Gramedia Pustaka Utama. Jakarta
- Wong, D. 2009. Structure and action mechanism of ligninolytic enzymes. *Applied Biochemistry and Biotechnology* 157, 174-209.
- Wulan, P.P., M Gozan, B Arby, B Achmad. 2006. Penentuan rasio optimum c:n:p sebagai nutrisi pada proses biodegradasi benzena-toluena dan scale up kolom bioregenerator. *Jurnal Repository UI* 205, 1-8.
- Xu, F., Chen, H. and Li, Z. (2001). "Solid-state production of lignin peroxidase (LiP) and manganese peroxidase (MnP) by *Phanerochaete chrysosporium* using steam- exploded straw as substrate," *Bioresource Technology* 80, 149-
- Yulistiyani, D., W. Puastuti., E. Wina dan Supriati. 2012. Pengaruh berbagai pengolahan terhadap nilai nutrisi tongkol jagung : komposisi kimia dan

kecernaan in vitro. Balai Penelitian Ternak, Bogor. JITV Vol. 17 No. 1 Th. 2011 : 59-66.

Zain M. 2009. Substitusi rumput lapangan dengan kulit buah coklat amoniiasi dalam ransum domba lokal. Media Peternakan. 31:47-52.

Zainuddin, D., Sutikno., T. Haryadi dan Henomoadi. 1995 . Kecernaan dan fermentasi limbah kakao serta pemanfaatannya pada ternak ayam. Kumpulan Hasil-hasil Penelitian APBN TA 94/95. Balai Penelitian Ternak Ciawi, Bogor.

Zeng X, Cai Y, Liao X, Zeng X, Li W & Zhang D (2011). Decolorization of synthetic dyes by crude laccase from a newly isolated *Trametes trogii* strain cultivated on solid agro-industrial residue. *Journal of Hazardous Materials* 187(1-3), 517-525.

Zhao, J., de Koker, T. H., and Janse, B. J. H. (1996). "Comparative studies of lignin peroxidases and manganese-dependent peroxidases produced by selected white rot fungi in solid media," *FEMS Microbiology Letters* 145, 393-399.

