

DAFTAR PUSTAKA

- Airouyuwa, J. O., Mostafa, H., Riaz, A., & Maqsood, S. (2022). Utilization of natural deep eutectic solvents and ultrasound-assisted extraction as green extraction technique for the recovery of bioactive compounds from date palm (*Phoenix dactylifera* L.) seeds: An investigation into optimization of process parameters. *Ultrasonics Sonochemistry*, 91, 106233. <https://doi.org/10.1016/j.ultsonch.2022.106233>
- Alvarez-Zapata, R., Sánchez-Medina, A., Chan-Bacab, M., García-Sosa, K., Escalante-Erosa, F., García-Rodríguez, R. V., & Peña-Rodríguez, L. M. (2015). Chemometrics-enhanced high performance liquid chromatography-ultraviolet detection of bioactive metabolites from phytochemically unknown plants. *Journal of Chromatography A*, 1422, 213–221. <https://doi.org/10.1016/j.chroma.2015.10.026>
- Amalina, Q. A., Nur Faridah, D., Dewi Yuliana, N., Pascasarjana Program Studi Ilmu Pangan, M., Teknologi Pertanian, F., Pertanian Bogor, I., Divisi Kimia Pangan, D., Ilmu dan Teknologi Pangan, D., Studi Ilmu Pangan, P., Divisi Farmakologi dan Toksikologi, D., Anatomi, D., dan Farmakologi, F., & Kedokteran Hewan, F. (2021). Pengujian Toksisitas Akut LD 50 Infusa Benalu Teh (*Scurrula* sp.) dengan Menggunakan Mencit (*Mus musculus*) The Acute Toxicity Test of LD 50 of Benalu Teh (*Scurrula* sp.) Infusion by Using Mice (*Mus musculus*). *Acta Veterinaria Indonesiana*, 9(1), 53–63. <https://doi.org/10.29244/avi.9.1.53-63>
- Angganawati, R. T., Sammulia, S. F., Utami, Y. P., Ramadhani, F. N., Rasdianah, N., Akuba, J., Dewi, S. S., Muzayyidah, M., Tahar, N., Mahmiyah, E., Rachmayanti, A. S., Haryani, R., & Yusuf, M. (2023). *Farmakologi dan Toksikologi* (J. Malau & A. Jabbar, Eds.). Eureka Media Aksara.

- Aydoğan, C., Beltekin Çakan, B., Alharthi, S., Ali, A., Göktürk, I., Yılmaz, F., Denizli, A., & Rassi, Z. El. (2024). Recent advances and applications in drug analysis by nano-scale separation techniques. *Green Analytical Chemistry*, 10, 100131.
<https://doi.org/10.1016/j.greeac.2024.100131>
- Azevedo, R. S. de A., Santos Neto, J. H., dos Santos, L. O., Gomes, A. de A., Santana, D. de A., & dos Santos, A. M. P. (2022). Homogeneity and stability assessment of a candidate to pumpkin seed flour reference material by means of computer vision based chemometrics assisted approach. *Food Chemistry*, 368, 130842.
<https://doi.org/10.1016/j.foodchem.2021.130842>
- Barbieri, J. B., Goltz, C., Batistão Cavaleiro, F., Theodoro Toci, A., Igarashi-Mafra, L., & Mafra, M. R. (2020). Deep eutectic solvents applied in the extraction and stabilization of rosemary (*Rosmarinus officinalis* L.) phenolic compounds. *Industrial Crops and Products*, 144, 112049.
<https://doi.org/10.1016/j.indcrop.2019.112049>
- Benvenuti, L., Zielinski, A. A. F., & Ferreira, S. R. S. (2022). Subcritical water extraction (SWE) modified by deep eutectic solvent (DES) for pectin recovery from a Brazilian berry by-product. *The Journal of Supercritical Fluids*, 189, 105729.
<https://doi.org/10.1016/j.supflu.2022.105729>
- Bi, Y., Chi, X., Zhang, R., Lu, Y., Wang, Z., Dong, Q., Ding, C., Yang, R., & Jiang, L. (2020). Highly efficient extraction of mulberry anthocyanins in deep eutectic solvents: Insights of degradation kinetics and stability evaluation. *Innovative Food Science & Emerging Technologies*, 66, 102512.
<https://doi.org/10.1016/j.ifset.2020.102512>
- Botes, J., Ma, X., Chang, J., de Peer, Y., & Berger, D. K. (2025). Flavonoids and anthocyanins in seagrasses: implications for

- climate change adaptation and resilience. *Frontiers in Plant Science, Volume 15-2024*.
<https://doi.org/10.3389/fpls.2024.1520474>
- BPOM. (2022). *Tools Penyusunan Protokol Uji Pra Klinik*. Direktorat Registrasi Obat Tradisional, Suplemen Kesehatan dan Kosmetik Badan Pengawas Obat dan Makanan.
- Bubalo, C. M., Ćurko, N., Tomašević, M., Kovačević Ganić, K., & Radojčić Redovniković, I. (2016). Green extraction of grape skin phenolics by using deep eutectic solvents. *Food Chemistry, 200*, 159–166.
<https://doi.org/10.1016/j.foodchem.2016.01.040>
- Cai, D., Li, X., Chen, J., Jiang, X., Ma, X., Sun, J., Tian, L., Vidyarthi, S. K., Xu, J., Pan, Z., & Bai, W. (2022). A comprehensive review on innovative and advanced stabilization approaches of anthocyanin by modifying structure and controlling environmental factors. *Food Chemistry, 366*, 130611.
<https://doi.org/10.1016/j.foodchem.2021.130611>
- Cherniienko, A., Lesyk, R., Zaprutko, L., & Pawelczyk, A. (2024). IR-EcoSpectra: Exploring sustainable ex situ and in situ FTIR applications for green chemical and pharmaceutical analysis. *Journal of Pharmaceutical Analysis, 14*(9), 100951.
<https://doi.org/10.1016/j.jpha.2024.02.005>
- Choi, Y. H., van Spronsen, J., Dai, Y., Verberne, M., Hollmann, F., Arends, I. W. C. E., Witkamp, G.-J., & Verpoorte, R. (2011). Are natural deep eutectic solvents the missing link in understanding cellular metabolism and physiology? *Plant Physiology, 156*(4), 1701–1705.
- Council, N. R. (2014). *A Framework to Guide Selection of Chemical Alternatives*. The National Academies Press.
<https://doi.org/10.17226/18872>
- Cui, W., Wang, X., Han, S., Guo, W., Meng, N., Li, J., Sun, B., & Zhang, X. (2024). Research progress of tartaric acid

stabilization on wine characteristics. *Food Chemistry: X*, 23, 101728.

<https://doi.org/10.1016/j.fochx.2024.101728>

da Silva, B. S. F., Ferreira, N. R., Alamar, P. D., de Melo e Silva, T., Pinheiro, W. B. de S., dos Santos, L. N., & Alves, C. N. (2023). FT-MIR-ATR Associated with Chemometrics Methods: A Preliminary Analysis of Deterioration State of Brazil Nut Oil. *Molecules*, 28(19).

<https://doi.org/10.3390/molecules28196878>

Dai, Y., Rozema, E., Verpoorte, R., & Choi, Y. H. (2016). Application of natural deep eutectic solvents to the extraction of anthocyanins from *Catharanthus roseus* with high extractability and stability replacing conventional organic solvents. *Journal of Chromatography A*, 1434, 50–56.

<https://doi.org/10.1016/j.chroma.2016.01.037>

Delrue, C., Speeckaert, R., Oyaert, M., Kerre, T., Rottey, S., Coopman, R., Huvenne, W., De Bruyne, S., & Speeckaert, M. M. (2023). Infrared Spectroscopy: A New Frontier in Hematological Disease Diagnosis. *International Journal of Molecular Sciences*, 24(23).

<https://doi.org/10.3390/ijms242317007>

dos Santos, N. G., Maciel, E. V. S., Vargas Medina, D. A., & Lanças, F. M. (2023). NanoLC-EI-MS: Perspectives in Biochemical Analysis. *International Journal of Molecular Sciences*, 24(14).

<https://doi.org/10.3390/ijms241411746>

Dzhanfezova, T., Barba-Espín, G., Müller, R., Joernsgaard, B., Hegelund, J. N., Madsen, B., Larsen, D. H., Martínez Vega, M., & Toldam-Andersen, T. B. (2020). Anthocyanin profile, antioxidant activity and total phenolic content of a strawberry (*Fragaria × ananassa* Duch) genetic resource collection. *Food Bioscience*, 36, 100620.

- <https://doi.org/10.1016/j.fbio.2020.100620>
- Eissa, T., Voronina, L., Huber, M., Fleischmann, F., & Žigman, M. (2024). The Perils of Molecular Interpretations from Vibrational Spectra of Complex Samples. *Angewandte Chemie International Edition*, 63(50), e202411596.
<https://doi.org/10.1002/anie.202411596>
- Eker, M. E., Aaby, K., Budic-Leto, I., Rimac Brnčić, S., El, S. N., Karakaya, S., Simsek, S., Manach, C., Wiczowski, W., & de Pascual-Teresa, S. (2020). A Review of Factors Affecting Anthocyanin Bioavailability: Possible Implications for the Inter-Individual Variability. *Foods*, 9(1).
<https://doi.org/10.3390/foods9010002>
- Erinawati, D. A., Setyaningsih, W., & Palma, M. (2025). Spectroscopy and chemometric-based method for sugar profiling in high-fructose syrup. *Applied Food Research*, 5(1), 100872.
<https://doi.org/https://doi.org/10.1016/j.afres.2025.100872>
- Fang, J. (2015). Classification of fruits based on anthocyanin types and relevance to their health effects. *Nutrition*, 31(11), 1301–1306.
<https://doi.org/10.1016/j.nut.2015.04.015>
- Fourmentin, S., Gomes, M. C., & Lichtfouse, E. (2021). Deep Eutectic Solvents for Medicine, Gas Solubilization and Extraction of Natural Substances. *Deep Eutectic Solvents for Medicine, Gas Solubilization and Extraction of Natural Substances*.
<https://api.semanticscholar.org/CorpusID:224314112>
- Gaba, R., Kaur, N., Urvika, Pal, A., & Sharma, D. (2023). Study of intermolecular interactions present in ternary mixtures containing sugar alcohol and choline chloride at different temperatures. *Journal of Molecular Liquids*, 380, 121766.
<https://doi.org/10.1016/j.molliq.2023.121766>

- Gadaleta, D., Vuković, K., Toma, C., Lavado, G. J., Karmaus, A. L., Mansouri, K., Kleinstreuer, N. C., Benfenati, E., & Roncaglioni, A. (2019). SAR and QSAR modeling of a large collection of LD50 rat acute oral toxicity data. *Journal of Cheminformatics*, 11(1), 58.
<https://doi.org/10.1186/s13321-019-0383-2>
- Gaioto, R. C., Dias, M. C. G. C., Ndiaye, P. M., Igarashi-Mafra, L., & Mafra, M. R. (2023). Choline chloride aqueous solution: A thermophysical study. *Fluid Phase Equilibria*, 574, 113903.
<https://doi.org/10.1016/j.fluid.2023.113903>
- García, G., Aparicio, S., Ullah, R., & Atilhan, M. (2015). Deep Eutectic Solvents: Physicochemical Properties and Gas Separation Applications. *Energy & Fuels*, 29(4), 2616–2644.
<https://doi.org/10.1021/ef5028873>
- Giampieri, F., Tulipani, S., Alvarez-Suarez, J. M., Quiles, J. L., Mezzetti, B., & Battino, M. (2012). The strawberry: Composition, nutritional quality, and impact on human health. *Nutrition*, 28(1), 9–19.
<https://doi.org/10.1016/j.nut.2011.08.009>
- Gil-Martín, E., Forbes-Hernández, T., Romero, A., Cianciosi, D., Giampieri, F., & Battino, M. (2022). Influence of the extraction method on the recovery of bioactive phenolic compounds from food industry by-products. *Food Chemistry*, 378, 131918.
<https://doi.org/10.1016/j.foodchem.2021.131918>
- González-Domínguez, R., Sayago, A., & Fernández-Recamales, Á. (2022). An Overview on the Application of Chemometrics Tools in Food Authenticity and Traceability. *Foods*, 11(23).
<https://doi.org/10.3390/foods11233940>
- Granato, D., Santos, J. S., Escher, G. B., Ferreira, B. L., & Maggio, R. M. (2018). Use of principal component analysis (PCA)

- and hierarchical cluster analysis (HCA) for multivariate association between bioactive compounds and functional properties in foods: A critical perspective. *Trends in Food Science & Technology*, 72, 83–90.
<https://doi.org/10.1016/j.tifs.2017.12.006>
- Gulcin, İ. (2025). Antioxidants: a comprehensive review. *Archives of Toxicology*, 99(5), 1893–1997.
<https://doi.org/10.1007/s00204-025-03997-2>
- Haryanto, H., Yusuf, M., Rahayu, M., Rahimah, S., Muzayyidah, M., Salampe, M., Awaluddin, A., Angka, R. N., Ismail, I., Sudirman, R., Iqbah, I. P., & Ardiansyah, R. T. (2023). *Toksikologi Dasar* (J. Jafriati & P. Parawansah, Eds.). Eureka Media Aksara.
- Hayyan, M., Mbous, Y. P., Looi, C. Y., Wong, W. F., Hayyan, A., Salleh, Z., & Mohd-Ali, O. (2016). Natural deep eutectic solvents: cytotoxic profile. *SpringerPlus*, 5(1), 913.
<https://doi.org/10.1186/s40064-016-2575-9>
- Hikmawanti, N. P. E., Ramadon, D., Jantan, I., & Mun'im, A. (2021). Natural Deep Eutectic Solvents (NADES): Phytochemical Extraction Performance Enhancer for Pharmaceutical and Nutraceutical Product Development. *Plants*, 10, 2091.
<https://doi.org/10.3390/plants10102091>
- Hird, S. J., Lau, B. P.-Y., Schuhmacher, R., & Krska, R. (2014). Liquid chromatography-mass spectrometry for the determination of chemical contaminants in food. *TrAC Trends in Analytical Chemistry*, 59, 59–72.
<https://doi.org/10.1016/j.trac.2014.04.005>
- Hodgson, E. (2010). *A Textbook of Modern Toxicology, 4th Edition* (4th ed.). Wiley.
- Hong, T., Yin, J.-Y., Nie, S.-P., & Xie, M.-Y. (2021). Applications of infrared spectroscopy in polysaccharide structural

analysis: Progress, challenge and perspective. *Food Chemistry: X*, 12, 100168.

<https://doi.org/10.1016/j.fochx.2021.100168>

Hosseini, S. A., & Alvarez-Galvan, M. C. (2016). Study of physical–chemical properties and catalytic activities of ZnCr₂O₄ spinel nano oxides obtained from different methods—Modeling the synthesis process by response surface methodology and optimization by genetic algorithm. *Journal of the Taiwan Institute of Chemical Engineers*, 61, 261–269.

<https://doi.org/10.1016/j.jtice.2015.12.024>

Huang, H., Guo, S., Xu, Y., Ettoumi, F., Fang, J., Yan, X., Xie, Z., Luo, Z., & Cheng, K. (2024). Valorization and protection of anthocyanins from strawberries (*Fragaria×ananassa* Duch.) by acidified natural deep eutectic solvent based on intermolecular interaction. *Food Chemistry*, 447, 138971.

<https://doi.org/10.1016/j.foodchem.2024.138971>

Huang, M., Han, Y., Li, L., Rakariyatham, K., Wu, X., Gao, Z., & Xiao, H. (2022). Protective effects of non-extractable phenolics from strawberry against inflammation and colon cancer in vitro. *Food Chemistry*, 374, 131759.

<https://doi.org/10.1016/j.foodchem.2021.131759>

Huang, Y., & Zhou, W. (2019). Microencapsulation of anthocyanins through two-step emulsification and release characteristics during in vitro digestion. *Food Chemistry*, 278, 357–363.

<https://doi.org/10.1016/j.foodchem.2018.11.073>

Hussain, S., Sharma, M., Jarg, T., Aav, R., & Bhat, R. (2023). Natural pigments (anthocyanins and chlorophyll) and antioxidants profiling of European red and green gooseberry (*Ribes uva-crispa* L.) extracted using green techniques (UAE-citric acid-mediated extraction). *Current Research in Food Science*, 7, 100629.

<https://doi.org/10.1016/j.crfs.2023.100629>

Hussain, S. Z., Naseer, B., Qadri, T., Fatima, T., & Bhat, T. A. (2021). Strawberry (*F.ananassa*)—Morphology, Taxonomy, Composition and Health Benefits. In *Fruits Grown in Highland Regions of the Himalayas: Nutritional and Health Benefits* (pp. 219–228). Springer International Publishing.

https://doi.org/10.1007/978-3-030-75502-7_17

Ishak, N. A., Tahir, N. I., Mohd Sa'id, S. N., Gopal, K., Othman, A., & Ramli, U. S. (2021). Comparative analysis of statistical tools for oil palm phytochemical research. *Heliyon*, 7(2), e06048.

<https://doi.org/10.1016/j.heliyon.2021.e06048>

Jafari, S. M., Faridi Esfanjani, A., Katouzian, I., & Assadpour, E. (2017). Chapter 10 - Release, Characterization, and Safety of Nanoencapsulated Food Ingredients. In S. M. Jafari (Ed.), *Nanoencapsulation of Food Bioactive Ingredients* (pp. 401–453). Academic Press.

<https://doi.org/10.1016/B978-0-12-809740-3.00010-6>

Jeliński, T., Przybyłek, M., & Cysewski, P. (2019). Natural Deep Eutectic Solvents as Agents for Improving Solubility, Stability and Delivery of Curcumin. *Pharmaceutical Research*, 36(8), 116.

<https://doi.org/10.1007/s11095-019-2643-2>

Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065), 20150202.

<https://doi.org/10.1098/rsta.2015.0202>

Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: a review and recent developments. *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences*, 374(2065).

<https://doi.org/10.1098/rsta.2015.0202>

- José Aliaño González, M., Carrera, C., Barbero, G. F., & Palma, M. (2022). A comparison study between ultrasound–assisted and enzyme–assisted extraction of anthocyanins from blackcurrant (*Ribes nigrum* L.). *Food Chemistry: X*, 13, 100192.
<https://doi.org/10.1016/j.fochx.2021.100192>
- Jovanović, M. S., Krgović, N., Živković, J., Stević, T., Zdunić, G., Bigović, D., & Šavikin, K. (2022). Ultrasound-Assisted Natural Deep Eutectic Solvents Extraction of Bilberry Anthocyanins: Optimization, Bioactivities, and Storage Stability. *Plants*, 11(20), 2680.
<https://doi.org/10.3390/plants11202680>
- Kapitan, O., Kusumawardhani, D., Nitti, F., & Kedjo, G. (2024). Profil Senyawa Polar dan Semi Polar Daun Tembelekan (*Lantana camara*) Asal Pulau Timor. *Indigenous Biologi: Jurnal Pendidikan Dan Sains Biologi*, 7(3).
<https://doi.org/10.33323/indigenous.v7i3.567>
- Karimah, A. U. (2024). *Identifikasi Senyawa Antosianin dan Aktivitas Antioksidan Ekstrak Buah Stroberi menggunakan Natural Deep Eutectic Solvents (NADES dengan Metode Ultrasound Assisted Extraction (UAE) [Skripsi]*. Universitas Andalas.
- Kassem, A., Abbas, L., Coutinho, O., Opara, S., Najaf, H., Kasperek, D., Pokhrel, K., Li, X., & Tiquia-Arashiro, S. (2023). Applications of Fourier Transform-Infrared spectroscopy in microbial cell biology and environmental microbiology: advances, challenges, and future perspectives. *Frontiers in Microbiology, Volume 14-2023*.
<https://doi.org/10.3389/fmicb.2023.1304081>
- Khalikova, M., Jireš, J., Horáček, O., Douša, M., Kučera, R., & Nováková, L. (2024). What is the role of current mass spectrometry in pharmaceutical analysis? *Mass Spectrometry Reviews*, 43(3), 560–609.

- <https://doi.org/https://doi.org/10.1002/mas.21858>
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017a). Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(1), 1361779. <https://doi.org/10.1080/16546628.2017.1361779>
- Khoo, H. E., Azlan, A., Tang, S. T., & Lim, S. M. (2017b). Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & Nutrition Research*, 61(0). <https://foodandnutritionresearch.net/index.php/fnr/article/view/1257>
- Kos, J., Pavelek, D., Kaykhail, M., Olsen, M., Jampilek, J., & Halko, R. (2025). Unveiling the transformative power of near-infrared spectroscopy in biomedical and pharmaceutical analysis: Trends, advancements, and applications. *European Journal of Pharmaceutical Sciences*, 212, 107175. <https://doi.org/10.1016/j.ejps.2025.107175>
- Koutsoukos, S., Tsiaka, T., Tzani, A., Zoumpoulakis, P., & Detsi, A. (2019). Choline chloride and tartaric acid, a Natural Deep Eutectic Solvent for the efficient extraction of phenolic and carotenoid compounds. *Journal of Cleaner Production*, 241, 118384. <https://doi.org/10.1016/j.jclepro.2019.118384>
- Kraithong, S., Liu, Y., Suwanangul, S., Sangsawad, P., Theppawong, A., & Bunyameen, N. (2025). A comprehensive review of the impact of anthocyanins from purple/black Rice on starch and protein digestibility, gut microbiota modulation, and their applications in food products. *Food Chemistry*, 473, 143007. <https://doi.org/10.1016/j.foodchem.2025.143007>

- Krewski, D., Andersen, M. E., Tyshenko, M. G., Krishnan, K., Hartung, T., Boekelheide, K., Wambaugh, J. F., Jones, D., Whelan, M., Thomas, R., Yauk, C., Barton-Maclaren, T., & Cote, I. (2020). Toxicity testing in the 21st century: progress in the past decade and future perspectives. *Archives of Toxicology*, 94(1), 1–58.
<https://doi.org/10.1007/s00204-019-02613-4>
- Krysa, M., Szymańska-Chargot, M., & Zdunek, A. (2022). FT-IR and FT-Raman fingerprints of flavonoids – A review. *Food Chemistry*, 393, 133430.
<https://doi.org/10.1016/j.foodchem.2022.133430>
- Książek, E. (2024). Citric Acid: Properties, Microbial Production, and Applications in Industries. *Molecules*, 29(1).
<https://doi.org/10.3390/molecules29010022>
- Lee, H.-R., Kochhar, S., & Shim, S.-M. (2015). Comparison of Electrospray Ionization and Atmospheric Chemical Ionization Coupled with the Liquid Chromatography-Tandem Mass Spectrometry for the Analysis of Cholesteryl Esters. *International Journal of Analytical Chemistry*, 2015(1), 650927.
<https://doi.org/10.1155/2015/650927>
- Li, Y., Via, B. K., Han, F., Li, Y., & Pei, Z. (2023). Comparison of various chemometric methods on visible and near-infrared spectral analysis for wood density prediction among different tree species and geographical origins. *Frontiers in Plant Science*, Volume 14-2023.
<https://doi.org/10.3389/fpls.2023.1121287>
- Lubis, E. R. (2020). *Budi Daya Stroberi*. Bhuana Ilmu Populer.
- Luen, H. N., Darius, A. F., Yong, P. H., & Ng, Z. X. (2025). Chemometric analysis on the stability of bioactive compounds and antioxidant profile of plant-based foods subjected to digestion and different drying treatment. *Food Bioscience*, 69, 106893.

<https://doi.org/10.1016/j.fbio.2025.106893>

Ma, C., Nie, Y., Zhang, D., Ran, L., Xu, S., Ran, X., Huang, J., & Meng, L. (2025). Cyanidin-3-O-Glucoside Mitigates Amyloid-Beta (1–42)-Induced Apoptosis in SH-SY5Y Cells by Regulating Ca²⁺ Homeostasis and Inhibiting Mitochondrial Dysfunction. *Antioxidants*, 14(4).

<https://doi.org/10.3390/antiox14040490>

Mačianskienė, R., Zigmantaitė, V., Andriulė, I., Pangonytė, D., Sadauskienė, I., Arandarčikaitė, O., Stankevičius, A., Grigas, J., Pautienius, A., Treinys, R., Navalinskas, A., Grigalevičiūtė, R., Kučinskas, A., Pudžiuvytė, L., Bernatienė, J., & Jurevičius, J. (2023). Acute and Sub-Chronic Intraperitoneal Toxicity Studies of the *Elsholtzia ciliata* Herbal Extract in Balb/c Mice. *Pharmaceutics*, 15(10).

<https://doi.org/10.3390/pharmaceutics15102417>

Mangiacapre, E., Castiglione, F., D'Aristotile, M., Di Lisio, V., Triolo, A., & Russina, O. (2023). Choline chloride-water mixtures as new generation of green solvents: A comprehensive physico-chemical study. *Journal of Molecular Liquids*, 383, 122120.

<https://doi.org/10.1016/j.molliq.2023.122120>

Matwiczuk, A., Oniszcuk, T., Matwiczuk, A., Chruściel, E., Kocira, A., Niemczynowicz, A., Wójtowicz, A., Combrzyński, M., & Wiącek, D. (2019). Use of FTIR Spectroscopy and Chemometrics with Respect to Storage Conditions of Moldavian Dragonhead Oil. *Sustainability*, 11(22).

<https://doi.org/10.3390/su11226414>

Mayonu, M., Babaee, S., Jiang, L., Wilson, D., & Wang, B. (2025). Evaluation of a New Approach for Principal Component Analysis Application in Metabolomics Studies. *Analytical Letters*, 1–14.

<https://doi.org/10.1080/00032719.2025.2513548>

- Mbous, Y. P., Hayyan, M., Wong, W. F., Looi, C. Y., & Hashim, M. A. (2017). Unraveling the cytotoxicity and metabolic pathways of binary natural deep eutectic solvent systems. *Scientific Reports*, 7(1), 41257.
<https://doi.org/10.1038/srep41257>
- Mehariya, S., Fratini, F., Lavecchia, R., & Zuurro, A. (2021). Green extraction of value-added compounds from microalgae: A short review on natural deep eutectic solvents (NADES) and related pre-treatments. *Journal of Environmental Chemical Engineering*, 9(5), 105989.
<https://doi.org/10.1016/j.jece.2021.105989>
- Mendes, V. M., Coelho, M., Tomé, A. R., Cunha, R. A., & Manadas, B. (2019). Validation of an LC-MS/MS Method for the Quantification of Caffeine and Theobromine Using Non-Matched Matrix Calibration Curve. *Molecules*, 24(16).
<https://doi.org/10.3390/molecules24162863>
- Mogale, R., Abraha, Y. W., Schutte-Smith, M., Visser, Hendrik. G., & Erasmus, E. (2025). Natural deep eutectic solvents (NADES) derived from choline chloride and indole-3-butyric acid for optimized CO₂ utilization through cycloaddition with epichlorohydrin. *Journal of Ionic Liquids*, 5(1), 100142.
<https://doi.org/10.1016/j.jil.2025.100142>
- Mustafa, A. M., Angeloni, S., Abouelenein, D., Acquaticci, L., Xiao, J., Sagratini, G., Maggi, F., Vittori, S., & Caprioli, G. (2022). A new HPLC-MS/MS method for the simultaneous determination of 36 polyphenols in blueberry, strawberry and their commercial products and determination of antioxidant activity. *Food Chemistry*, 367, 130743.
<https://doi.org/10.1016/j.foodchem.2021.130743>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118

<https://doi.org/10.17509/ijost.v4i1.15806>

National Center for Biotechnology Information. (2025a). *Choline Chloride*.

<https://Pubchem.Ncbi.Nlm.Nih.Gov/Compound/Choline-Chloride>.

National Center for Biotechnology Information. (2025b). *Citric Acid*.

<https://Pubchem.Ncbi.Nlm.Nih.Gov/Compound/Citric-Acid>.

National Center for Biotechnology Information. (2025c). *Malic Acid*.

<https://Pubchem.Ncbi.Nlm.Nih.Gov/Compound/Malic-Acid>.

National Center for Biotechnology Information. (2025d). *Oxalic Acid*.

<https://Pubchem.Ncbi.Nlm.Nih.Gov/Compound/Oxalic-Acid>.

National Center for Biotechnology Information. (2025e). *Tartaric Acid*.

<https://Pubchem.Ncbi.Nlm.Nih.Gov/Compound/L-Tartaric-Acid>.

Neo, E. R. K., Yeo, Z., Low, J. S. C., Goodship, V., & Debattista, K. (2022). A review on chemometric techniques with infrared, Raman and laser-induced breakdown spectroscopy for sorting plastic waste in the recycling industry. *Resources, Conservation and Recycling*, 180, 106217.

<https://doi.org/https://doi.org/10.1016/j.resconrec.2022.106217>

Nhon, H. T. N., Diem My, N. T., Tuong Vi, V. N., Kim Lien, P. T., Thao Minh, N. T., Doan Duy, L. N., Hong Anh, L. T., & Anh Dao, D. T. (2022). Enhancement of extraction effectiveness and stability of anthocyanin from *Hibiscus sabdariffa* L.

- Journal of Agriculture and Food Research*, 10, 100408.
<https://doi.org/10.1016/j.jafr.2022.100408>
- Nuzzo, G., Landi, S., Esercizio, N., Manzo, E., Fontana, A., & d'Ippolito, G. (2019). Capnophilic Lactic Fermentation from Thermotoga neapolitana: A Resourceful Pathway to Obtain Almost Enantiopure L-lactic Acid. *Fermentation*, 5(2).
<https://doi.org/10.3390/fermentation5020034>
- OECD 423. (2001). *OECD Guideline for Testing of Chemicals*.
- Otero-Guzman, N., & Andrade-Pizarro, R. (2025). Bioactive compounds from tropical fruit by-products: Extraction, characterization and therapeutic potential. *Journal of Agriculture and Food Research*, 21, 101983.
<https://doi.org/10.1016/j.jafr.2025.101983>
- Padmanabhan, P., Mizran, A., Sullivan, J. A., & Paliyath, G. (2016). Strawberries. In B. Caballero, P. M. Finglas, & F. Toldrá (Eds.), *Encyclopedia of Food and Health* (pp. 193–198). Academic Press.
<https://doi.org/10.1016/B978-0-12-384947-2.00667-X>
- Paiva, A., Craveiro, R., Aroso, I., Martins, M., Reis, R. L., & Duarte, A. R. C. (2014). Natural Deep Eutectic Solvents – Solvents for the 21st Century. *ACS Sustainable Chemistry & Engineering*, 2(5), 1063–1071.
<https://doi.org/10.1021/sc500096j>
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3).
<https://doi.org/10.3390/molecules30030684>
- Petersen, C., Wankhade, U. D., Bharat, D., Wong, K., Mueller, J. E., Chintapalli, S. V, Piccolo, B. D., Jalili, T., Jia, Z., Symons, J. D., Shankar, K., & Anandh Babu, P. V. (2019). Dietary supplementation with strawberry induces marked changes in the composition and functional potential of the gut

- microbiome in diabetic mice. *The Journal of Nutritional Biochemistry*, 66, 63–69.
<https://doi.org/10.1016/j.jnutbio.2019.01.004>
- Picó, Y. (2015). Chapter 1 - Mass Spectrometry in Food Quality and Safety: An Overview of the Current Status. In Y. Picó (Ed.), *Comprehensive Analytical Chemistry* (Vol. 68, pp. 3–76). Elsevier.
<https://doi.org/10.1016/B978-0-444-63340-8.00001-7>
- Posta, D. S., Gallo, V., Ascrizzi, A. M., Gentili, A., De Gara, L., Dugo, L., & Fanali, C. (2023). Development of a green ultrasound-assisted procedure for the extraction of phenolic compounds from avocado peel with deep eutectic solvents. *Green Analytical Chemistry*, 7, 100083.
<https://doi.org/10.1016/j.greeac.2023.100083>
- Qin, R., Chen, H., Wen, R., Li, G., & Meng, Z. (2023). Effect of Boric Acid on the Ionization Equilibrium of α -Hydroxy Carboxylic Acids and the Study of Its Applications. *Molecules*, 28(12).
<https://doi.org/10.3390/molecules28124723>
- Radošević, K., Ćurko, N., Gaurina Srček, V., Cvjetko Bubalo, M., Tomašević, M., Kovačević Ganić, K., & Radojčić Redovniković, I. (2016). Natural deep eutectic solvents as beneficial extractants for enhancement of plant extracts bioactivity. *LWT*, 73, 45–51.
<https://doi.org/10.1016/j.lwt.2016.05.037>
- Raj, T., & Singh, V. (2024). Natural deep eutectic solvents (NADES) assisted deconstruction of oilcane bagasse for high lipid and sugar recovery. *Industrial Crops and Products*, 210, 118127.
<https://doi.org/10.1016/j.indcrop.2024.118127>
- Riana, E. N., Ischak, N. I., Futri, C. L. H., Ayudia, E. I., Khairani, I. A., Lubis, N. A., Prabandari, A. S., Miftahurrahmah, Sari, M. S., Mulyana, J. S., & Isdaryanti. (2023). *Netty-Ino-*

Ischak-Book-Chapeter-Toxikologi-Dasar (1). Yayasan Kita Menulis.

- Ribeiro, J. S., Ferreira, M. M. C., & Salva, T. J. G. (2011). Chemometric models for the quantitative descriptive sensory analysis of Arabica coffee beverages using near infrared spectroscopy. *Talanta*, 83(5), 1352–1358.
<https://doi.org/10.1016/j.talanta.2010.11.001>
- Rohman, A., Ghazali, M. A. B., Windarsih, A., Irnawati, Riyanto, S., Yusof, F. M., & Mustafa, S. (2020). Comprehensive Review on Application of FTIR Spectroscopy Coupled with Chemometrics for Authentication Analysis of Fats and Oils in the Food Products. *Molecules*, 25(22).
<https://doi.org/10.3390/molecules25225485>
- Rubino, F. M. (2020). Center-of-Mass iso-Energetic Collision-Induced Decomposition in Tandem Triple Quadrupole Mass Spectrometry. *Molecules*, 25(9).
<https://doi.org/10.3390/molecules25092250>
- Sadowska-Bartos, I., & Bartosz, G. (2024). Antioxidant Activity of Anthocyanins and Anthocyanidins: A Critical Review. *International Journal of Molecular Sciences*, 25(22).
<https://doi.org/10.3390/ijms252212001>
- Sainakham, M., Jantrawut, P., Kiattisin, K., Chittasupho, C., & Singh, S. (2023). Potential of green extraction using edible deep eutectic solvents on the bioactivities from Curcuma aromatica rhizome extracts for food application. *Journal of Agriculture and Food Research*, 14, 100868.
<https://doi.org/10.1016/j.jafr.2023.100868>
- Santos-Martín, M., Cubero-Cardoso, J., González-Domínguez, R., Cortés-Triviño, E., Sayago, A., Urbano, J., & Fernández-Recamales, Á. (2023). Ultrasound-assisted extraction of phenolic compounds from blueberry leaves using natural deep eutectic solvents (NADES) for the valorization of agrifood wastes. *Biomass and Bioenergy*, 175, 106882.

- <https://doi.org/10.1016/j.biombioe.2023.106882>
- Setiani, A. (2022). *Menanam Stroberi*. Mutiara Aksara.
- Sillanpää, M., Matilainen, A., & Lahtinen, T. (2015). Chapter 2 - Characterization of NOM. In M. Sillanpää (Ed.), *Natural Organic Matter in Water* (pp. 17–53). Butterworth-Heinemann.
- <https://doi.org/10.1016/B978-0-12-801503-2.00002-1>
- Silva, D. T. da, Pauletto, R., Cavaleiro, S. da S., Bochi, V. C., Rodrigues, E., Weber, J., Silva, C. de B. da, Morisso, F. D. P., Barcia, M. T., & Emanuelli, T. (2020). Natural deep eutectic solvents as a biocompatible tool for the extraction of blueberry anthocyanins. *Journal of Food Composition and Analysis*, 89, 103470.
- <https://doi.org/10.1016/j.jfca.2020.103470>
- Song, S., Yu, Y., Song, S., Zhang, X., & Zhang, W. (2025). Effect of co-pigments on anthocyanins of wild cranberry and investigation of interaction mechanisms. *Food Chemistry*, 466, 142212.
- <https://doi.org/10.1016/j.foodchem.2024.142212>
- Stuart, B. H. (2004). Organic Molecules. In J. Wiley & L. Sons (Eds.), *Infrared Spectroscopy: Fundamentals and Applications* (p. 231). Wiley.
- <https://doi.org/10.1002/0470011149.ch4>
- Suna, G., & Mayr, M. (2018). Proteomics. In R. S. Vasan & D. B. Sawyer (Eds.), *Encyclopedia of Cardiovascular Research and Medicine* (pp. 166–180). Elsevier.
- <https://doi.org/10.1016/B978-0-12-809657-4.99573-5>
- Takla, S. S., Shawky, E., Hammada, H. M., & Darwish, F. A. (2018). Green techniques in comparison to conventional ones in the extraction of Amaryllidaceae alkaloids: Best solvents selection and parameters optimization. *Journal of Chromatography A*, 1567, 99–110.
- <https://doi.org/10.1016/j.chroma.2018.07.009>

- Tarapoulouzi, M., Mironescu, M., Drouza, C., Mironescu, I. D., & Agriopoulou, S. (2023). Insight into the Recent Application of Chemometrics in Quality Analysis and Characterization of Bee Honey during Processing and Storage. *Foods*, 12(3).
<https://doi.org/10.3390/foods12030473>
- Tarigan, I., Sinurat, J., Ramadhan, I., Wijaya, D. E., Puspitasari, R. D., & Sowe, M. S. (2025). Green Extraction of Bioactive Compounds from *Peronema canescens* Jack. Using Sodium Acetate/Glycerol-Based Natural Deep Eutectic Solvents as a Source of Natural Antioxidants. *Jurnal Kartika Kimia*, 8(1).
<https://doi.org/10.26874/jkk.v8i1.864>
- Thakur, R., Gupta, V., Ghosh, T., & Das, A. B. (2022). Effect of anthocyanin-natural deep eutectic solvent (lactic acid/fructose) on mechanical, thermal, barrier, and pH-sensitive properties of polyvinyl alcohol based edible films. *Food Packaging and Shelf Life*, 33, 100914.
<https://doi.org/10.1016/j.fpsl.2022.100914>
- Tim Mitra Agro Sejati. (2019). *Budi Daya Stroberi*. Pustaka Bengawan.
- Tsuda, T. (2012). Dietary anthocyanin-rich plants: Biochemical basis and recent progress in health benefits studies. *Molecular Nutrition & Food Research*, 56(1), 159–170.
<https://doi.org/10.1002/mnfr.201100526>
- Viñas-Ospino, A., Panić, M., Radojčić- Redovniković, I., Blesa, J., & Esteve, M. J. (2023). Using novel hydrophobic deep eutectic solvents to improve a sustainable carotenoid extraction from orange peels. *Food Bioscience*, 53, 102570.
<https://doi.org/10.1016/j.fbio.2023.102570>
- Vivas, M. P. M., Martinez, S. T., de Andrade, J. B., & da Rocha, G. O. (2022). Method development using chemometric tools for determination of endocrine-disrupting chemicals in bottled mineral waters. *Food Chemistry*, 370, 131062.

- <https://doi.org/10.1016/j.foodchem.2021.131062>
- Wahab, N. (2019). Pembentukan Asam Oksalat dari Peleburan Kertas Koran Bekas dengan Larutan NaOH. *Jurnal Sains Dan Teknologi UTS*, 2(1), 7–16.
- Widiatmoko, H. (2016). Sehat Tanpa Obat dengan Si Merah Stroberi. In *Yogyakarta: Andi*. Rapha Publishing.
- Xi, Y., Fan, F., & Zhang, X. (2023). Microbial L-malic acid production: History, current progress, and perspectives. *Green Carbon*, 1(2), 118–132.
<https://doi.org/10.1016/j.greenca.2023.10.005>
- Xiao, H.-M., Temerdashev, A., An, N., Zhu, Q.-F., & Feng, Y.-Q. (2025). Advancing clinical liquid chromatography-mass spectrometry analysis: Rational design and optimization of derivatization techniques for enhanced sensitivity and throughput. *Journal of Chromatography Open*, 7, 100215.
<https://doi.org/10.1016/j.jcoa.2025.100215>
- Xu, R., & Zhu, J. (2025). Unveiling the dark matter of the metabolome: A narrative review of bioinformatics tools for LC-HRMS-based compound annotation. *Talanta*, 295, 128327.
<https://doi.org/10.1016/j.talanta.2025.128327>
- Yang, W., Liu, S., Marsol-Vall, A., Tähti, R., Laaksonen, O., Karhu, S., Yang, B., & Ma, X. (2021). Chemical composition, sensory profile and antioxidant capacity of low-alcohol strawberry beverages fermented with *Saccharomyces cerevisiae* and *Torulaspora delbrueckii*. *LWT*, 149, 111910.
<https://doi.org/10.1016/j.lwt.2021.111910>
- Zannou, O., & Koca, I. (2022). Greener extraction of anthocyanins and antioxidant activity from blackberry (*Rubus spp*) using natural deep eutectic solvents. *LWT*, 158, 113184.
<https://doi.org/10.1016/j.lwt.2022.113184>

Zannou, O., Pashazadeh, H., Ibrahim, S. A., Koca, I., & Galanakis, C. M. (2022). Green and highly extraction of phenolic compounds and antioxidant capacity from kinkeliba (*Combretum micranthum* G. Don) by natural deep eutectic solvents (NADESs) using maceration, ultrasound-assisted extraction and homogenate-assisted extraction. *Arabian Journal of Chemistry*, 15(5), 103752.

<https://doi.org/10.1016/j.arabjc.2022.103752>

Zhang, S., Lin, S., Zhang, J., & Liu, W. (2024). Ultrasound-assisted natural deep eutectic solvent extraction of anthocyanin from *Vitis davidii* Foex. pomace: Optimization, identification, antioxidant activity and stability. *Heliyon*, 10(12), e33066.

<https://doi.org/10.1016/j.heliyon.2024.e33066>

