

DAFTAR PUSTAKA

- ACOG. (2020). *Practice Bulletin No. 192: Management of placenta previa*. American College of Obstetricians and Gynecologists.
- Andriyani, L. T., Zuhana, N., & Chabibah, N. (2022). Case studies in pregnant women with placenta previa. *Proceeding of The 16th University Research Colloquium 2022: Mahasiswa (Student Paper Presentation)*, 519–523.
- Bäckström, C., Hertfelt Wahn, E., & Ekström, A. (2017). Two sides of breastfeeding support: Experiences of women and midwives. *International Breastfeeding Journal*, 12, 20. <https://doi.org/10.1186/s13006-017-0114-6>
- Bagheri, P., et al. (2021). The effect of sleep hygiene education on sleep quality in postpartum women: A randomized controlled trial. *BMC Pregnancy and Childbirth*, 21, 570. <https://doi.org/10.1186/s12884-021-04012-6>
- Bei, B., Coo, S., & Trinder, J. (2021). Sleep and postpartum depression: A systematic review. *Sleep Medicine Reviews*, 56, 101409. <https://doi.org/10.1016/j.smrv.2020.101409>
- Bigelow, A., Power, M., MacLellan-Peters, J., Alex, M., & McDonald, C. (2012). Effect of mother/infant skin-to-skin contact on postpartum depressive symptoms and maternal physiological stress. *Journal of Obstetric*,

Gynecologic & Neonatal Nursing, 41(3), 369–382.

<https://doi.org/10.1111/j.1552-6909.2012.01350.x>

Bowlby, J. (1988). *A Secure Base: Parent-Child Attachment and Healthy Human Development*. Basic Books..

Chan, M. F., Wong, O. C., & Thayala, J. (2012). Effectiveness of music listening in reducing fatigue among women after cesarean delivery: A randomized controlled trial. *Journal of Clinical Nursing*, 21(5–6), 662–669.
<https://doi.org/10.1111/j.1365-2702.2011.03846.x>

Chien, L. W., Cheng, S. L., & Liu, C. F. (2012). The effect of lavender aromatherapy on autonomic nervous system in midlife women with insomnia. *Evidence-Based Complementary and Alternative Medicine*, 2012, Article ID 740813.
<https://doi.org/10.1155/2012/740813>

Cho, M. Y., Min, E. S., Hur, M. H., & Lee, M. S. (2013). Effects of aromatherapy on sleep quality: A systematic review and meta-analysis. *Journal of Alternative and Complementary Medicine*, 19(4), 341–350.
<https://doi.org/10.1089/acm.2011.0164>

Cunningham, F. G., Leveno, K. J., Bloom, S. L., et al. (2018). *Williams obstetrics* (25th ed.). McGraw-Hill.

Cunningham, F. G., Leveno, K. J., Bloom, S. L., et al. (2022). *Williams obstetrics* (26th ed.). McGraw-Hill Education.

Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., & Dashe, J. S. (2022). *Williams Obstetrics* (26th ed.). McGraw Hill.

Dorheim, S. K., Bondevik, G. T., Eberhard-Gran, M., & Bjorvatn, B. (2009). Sleep and depression in postpartum women: A population-based study. *Sleep*, 32(7), 847–855. <https://doi.org/10.1093/sleep/32.7.847>

Faiz, A. S., & Ananth, C. V. (2003). Etiology and risk factors for placenta previa: An overview and meta-analysis of observational studies. *Journal of Maternal-Fetal and Neonatal Medicine*, 13(3), 175–190. <https://doi.org/10.1080/jmf.13.3.175.190>

Fritze, L., et al. (2024). Obstetric blood transfusion in placenta previa patients with prenatal anemia. *Springer*. <https://doi.org/10.1007/s00404-023-06972-5>

Goyal, D., Gay, C. L., & Lee, K. A. (2021). Fragmented maternal sleep is more strongly correlated with depressive symptoms than infant temperament at three months postpartum. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 50(4), 410–420. <https://doi.org/10.1016/j.jogn.2021.04.005>

Hasanpour, M., Valizadeh, F., & Ghofazadeh, M. (2021). Effect of lavender aromatherapy on sleep quality in post-cesarean section women. *Complementary Therapies in Clinical Practice*, 43, 101334. <https://doi.org/10.1016/j.ctcp.2021.101334>

Hisano, M., Koyasu, S., & Uchida, S. (2020). Sleep quality among postpartum mothers: Associations with maternal bonding and affect. *Sleep Medicine*, 65, 62–67. <https://doi.org/10.1016/j.sleep.2019.07.021>

Hwang, E., & Shin, S. (2015). Effect of music therapy on postpartum anxiety and fatigue: A randomized controlled trial. *Asian Nursing Research*, 9(4), 331–336. <https://doi.org/10.1016/j.anr.2015.10.004>

Insana, S. P., Williams, K. B., & Montgomery-Downs, H. E. (2020). Sleep disturbance and neurobehavioral performance among postpartum women. *Sleep*, 43(1), zsz183. <https://doi.org/10.1093/sleep/zsz183>

Jauniaux, E., Alfirevic, Z., Bhide, A., Belfort, M., Burton, G. J., Collins, S., ... & Silver, R. (2019). Placenta accreta spectrum: Pathophysiology and evidence-based anatomy for prenatal ultrasound imaging. *American Journal of Obstetrics and Gynecology*, 221(5), 403–417. <https://doi.org/10.1016/j.ajog.2019.05.056>

- Kalmbach, D. A., Cheng, P., Ong, J. C., & Roth, T. (2021). Insomnia, sleep disturbance, and depression in postpartum women. *Sleep Medicine Reviews*, 59, 101514. <https://doi.org/10.1016/j.smrv.2021.101514>
- Karadag, E., Samancioglu, S., Ozden, D., & Bakir, E. (2017). Effects of aromatherapy on sleep quality and anxiety of patients. *Nursing in Critical Care*, 22(2), 105–112. <https://doi.org/10.1111/nicc.12198>
- Khan, N., Islam, F., & Jafrin, W. (2020). Clinical outcome of pregnancies complicated by placenta previa: A study in a tertiary care hospital. *Journal of Medical Science and Clinical Research*, 8(3), 330–336. <https://doi.org/10.18535/jmscr/v8i3.58>
- Khoury, J. E., Leung, C. Y. Y., & Gonzalez, A. (2016). Parental depressive symptoms and child sleep problems: A meta-analysis. *Pediatrics*, 137(3), e20153063. <https://doi.org/10.1542/peds.2015-3063>
- Kong, C. W., & To, W. W. K. (2024). Quantitative blood loss during cesarean deliveries by indication. *PubMed*. <https://doi.org/10.1016/j.ajog.2024.01.056>
- Koulivand, P. H., Khaleghi Ghadiri, M., & Gorji, A. (2013). Lavender and the nervous system. *Evidence-Based Complementary and Alternative Medicine*, 2013, Article ID 681304. <https://doi.org/10.1155/2013/681304>

Lee, M. S., Choi, J., Posadzki, P., & Ernst, E. (2019). Aromatherapy for health care:

An overview of systematic reviews. *Maturitas*, 119, 45–49.

<https://doi.org/10.1016/j.maturitas.2018.11.009>

Lee, S. Y., Kim, D. J., & Cho, Y. (2021). Music and breathing relaxation intervention for postpartum mothers: Effects on fatigue, stress, and sleep quality.

International Journal of Environmental Research and Public Health, 18(3),

1072. <https://doi.org/10.3390/ijerph18031072>

Mindell, J. A., Cook, R. A., & Nikolovski, J. (2017). Sleep patterns and sleep disturbances across pregnancy. *Sleep Medicine*, 33, 75–81.

<https://doi.org/10.1016/j.sleep.2016.06.006>

Mindell, J. A., Du Mond, C. E., Sadeh, A., Telofski, L. S., Kulkarni, N., & Gunn, E.

(2020). Efficacy of an internet-based intervention for infant and maternal sleep: A randomized controlled trial. *Sleep*, 43(2), zsz192.

<https://doi.org/10.1093/sleep/zsz192>

Okun, M. L., Mancuso, R. A., Hobel, C. J., Schetter, C. D., & Coussons-Read, M.

(2011). Poor sleep quality increases symptoms of depression and anxiety in postpartum women. *Journal of Behavioral Medicine*, 34(6), 515–523.

<https://doi.org/10.1007/s10865-011-9358-2>

Okun, M. L., Schetter, C. D., & Glynn, L. M. (2020). Poor sleep quality is associated with preterm birth. *Sleep*, 43(4), zsz281. <https://doi.org/10.1093/sleep/zsz281>

Oyelese, Y., & Smulian, J. C. (2006). Placenta previa, placenta accreta, and vasa previa. *Obstetrics and Gynecology*, 107(4), 927–941. <https://doi.org/10.1097/01.AOG.0000207559.15715.98>

Petty, J. (2020). Neonatal nursing and the parent-infant relationship in the NICU: A review of the literature. *Journal of Neonatal Nursing*, 26(4), 167–173. <https://doi.org/10.1016/j.jnn.2020.03.001>

Pinar, G., Oksuz, E., & Dogan, N. (2020). The effect of music therapy and deep breathing exercises on postpartum fatigue and depression. *Journal of Nursing Research*, 28(4), e97. <https://doi.org/10.1097/jnr.0000000000000383>

Potter, P. A., & Perry, A. G. (2012). *Buku ajar fundamental keperawatan: Konsep, proses, dan praktik* (Vol. 1). EGC.

Potter, P. A., & Perry, A. G. (2017). *Fundamentals of Nursing* (9th ed.). Elsevier.

Prawirohardjo, S. (2016). *Ilmu kebidanan*. Yayasan Bina Pustaka Sarwono Prawirohardjo.

Qiao, Y., Wang, J., Li, J., Wang, H., & Zhang, Y. (2019). Prenatal anxiety and its influence on delivery outcomes in women with placenta previa. *Journal of*

Obstetrics and Gynaecology Research, 45(4), 872–878.

<https://doi.org/10.1111/jog.13899>

RCOG. (2018). *Placenta praevia, placenta accreta and vasa praevia: Diagnosis and management* (Green-top Guideline No. 27). Royal College of Obstetricians and Gynaecologists.

Shakeri, F., Faramarzi, M., & Ghorbani, F. (2021). The relationship between postpartum fatigue and hemoglobin levels in women after cesarean section. *BMC Pregnancy and Childbirth*, 21, 123. <https://doi.org/10.1186/s12884-021-03589-4>

Silver, R. M., Branch, D. W., & Schmidt, A. P. (2015). Placenta previa and placenta accreta spectrum. *Clinical Obstetrics and Gynecology*, 58(2), 250–259. <https://doi.org/10.1097/GRF.0000000000000097>

Sivertsen, B., Vedaa, Ø., Harvey, A. G., Garthus-Niegel, S., & Hysing, M. (2022). Sleep and postpartum mental health: A longitudinal study across the perinatal period. *Journal of Affective Disorders*, 296, 282–290. <https://doi.org/10.1016/j.jad.2021.09.009>

Tang, S., Zhang, Y., & Huang, W. (2022). Sleep quality among Chinese postpartum women: Prevalence and associated factors. *BMC Pregnancy and Childbirth*, 22(1), 322. <https://doi.org/10.1186/s12884-022-04602-4>

- Tikkanen, M., Gissler, M., Metsäranta, M., & Luukkaala, T. (2015). Maternal characteristics and pregnancy outcomes in placenta previa. *Acta Obstetrica et Gynecologica Scandinavica*, 94(4), 444–449.
<https://doi.org/10.1111/aogs.12606>
- Varvogli, L., & Darviri, C. (2011). Stress management techniques: Evidence-based procedures that reduce stress and promote health. *Health Science Journal*, 5(2), 74–89.
- WHO. (2014). *Postnatal care of the mother and newborn: WHO guidelines*. World Health Organization.
- WHO. (2020). *Anaemia in pregnancy*. World Health Organization
- Wulandari, S. (2020). *Asuhan Kebidanan Nifas*. Jakarta: Nuha Medika.
- Yıldırım, A., & Kılıç, A. K. (2022). The effect of lavender aromatherapy on sleep quality in postpartum women: A randomized controlled trial. *Complementary Therapies in Clinical Practice*, 48, 101573.
<https://doi.org/10.1016/j.ctcp.2022.101573>
- Yuliana, S., & Hakim, A. (2020). *Asuhan Kebidanan Masa Nifas*. Jakarta: Trans Info Media.