

DAFTAR PUSTAKA

1. Tanna AP, Boland M V, Giaconi JA, Krishnan C, Lin SC, Medeiros FA, et al. 2022-2023 Basic and Clinical Science Course, Section 10: Glaucoma. 2022.
2. Allison K, Patel D, Alabi O. Epidemiology of Glaucoma: The Past, Present, and Predictions for the Future. *Cureus*. 2020 Nov 25;
3. Gedde SJ, Vinod K, Wright MM, Muir KW, Lind JT, Chen PP, et al. Primary Open-Angle Glaucoma Preferred Practice Pattern®. Vol. 128, *Ophthalmology*. Elsevier Inc.; 2021. 71–150 p.
4. Chan EWE, Li X, Tham YC, Liao J, Wong TY, Aung T, et al. Glaucoma in Asia: Regional prevalence variations and future projections. *British Journal of Ophthalmology*. 2016 Jan 1;100(1):78–85.
5. Rif'Ati L, Halim A, Lestari YD, Moeloek NF, Limburg H. Blindness and Visual Impairment Situation in Indonesia Based on Rapid Assessment of Avoidable Blindness Surveys in 15 Provinces. *Ophthalmic Epidemiol*. 2021;28(5):408–19.
6. Hulandari R. Profil Pasien Glaukoma di Poliklinik Mata RSUP Dr. M. Djamil Padang Tahun 2016. 2018.
7. Kementerian Kesehatan RI. Situasi dan Analisis Glaukoma di Indonesia. 2015.
8. Scuderi G, Fragiotta S, Scuderi L, Iodice CM, Perdicchi A. Ganglion cell complex analysis in glaucoma patients: What can it tell us? *Eye Brain*. 2020;12:33–44.
9. Cantor LB, Rapuano CJ, McCannel CA, Girkin CA, Bhorade AM, Crowston JG, et al. 2019-2020 Basic and Clinical Science Course, Section 10: Glaucoma. 2019th–2020th ed. Vol. Section 10. 2019.
10. Susanna R, Vessani RM. Staging Glaucoma Patient: Why and How? Vol. 3, *The Open Ophthalmology Journal*. 2009.
11. Kim KE, Park KH. Macular imaging by optical coherence tomography in the diagnosis and management of glaucoma. Vol. 102, *British Journal of Ophthalmology*. BMJ Publishing Group; 2018. p. 718–24.
12. Kels BD, Grzybowski A, Grant-Kels JM. Human ocular anatomy. *Clin Dermatol*. 2015 Mar 1;33(2):140–6.
13. Paul Riordan-Eva, John P. Whitcher. Vaughan & Asbury Oftalmologi Umum. 17th ed. 2007.
14. Bloom FH, Director OD. The Red Eye and Selected Ocular Emergencies [Internet]. 2009. Available from: www.wordpress.com
15. Michael Schünke, Lawrence M. Ross, Erik Schulte, Edward D. Lamperti, Udo Schumacher. Thieme Atlas of Anatomy: Head and Neuroanatomy. Thieme. 2007.

16. Prada D, Harris A, Guidoboni G, Siesky B, Huang AM, Arciero J. Autoregulation and neurovascular coupling in the optic nerve head. *Surv Ophthalmol*. 2016 Mar 1;61(2):164–86.
17. Quigley, H.A. *The Optic Nerve In Glaucoma: Structure and Function*. 1996. 7(2), 29-37.
18. Kang JM, Tanna AP. Glaucoma. *Medical Clinics of North America*. 2021 May 1;105(3):493–510.
19. Belamkar A, Harris A, Oddone F, Verticchio Vercellin A, Fabczak-kubicka A, Siesky B. Asian Race and Primary Open-Angle Glaucoma: Where Do We Stand? *J Clin Med*. 2022 May 1;11(9).
20. Badan Penelitian dan Pengembangan Kesehatan. *Riset Kesehatan Dasar Laporan Nasional 2007*. 2007.
21. Sihota R, Angmo D, Ramaswamy D, Dada T. Simplifying “target” intraocular pressure for different stages of primary open-angle glaucoma and primary angle-closure glaucoma. *Indian J Ophthalmol*. 2018 Apr 1;66(4):495–505.
22. Ramakrishnan R, Nirmalan PK, Krishnadas R, Thulasiraj RD, Tielsch JM, Katz J, et al. Glaucoma in a rural population of Southern India: The Aravind Comprehensive Eye Survey. *Ophthalmology*. 2003 Aug 1;110(8):1484–90.
23. Nangia V, Jonas JB, Matin A, Bhojwani K, Sinha A, Kulkarni M, et al. Prevalence and Associated Factors of Glaucoma in Rural Central India. The Central India Eye and Medical Study. *PLoS One*. 2013 Sep 30;8(9).
24. Vijaya L, George R, Baskaran M, Arvind H, Raju P, Ramesh SV, et al. Prevalence of Primary Open-angle Glaucoma in an Urban South Indian Population and Comparison with a Rural Population. The Chennai Glaucoma Study. *Ophthalmology*. 2008;115(4).
25. Vijaya L, Rashima A, Panday M, Choudhari NS, Ramesh SV, Lokapavani V, et al. Predictors for incidence of primary open-angle glaucoma in a south Indian population: The Chennai eye disease incidence study. *Ophthalmology*. 2014;121(7):1370–6.
26. Fukuoka S, Aihara M, Iwase A, Araie M. Intraocular pressure in an ophthalmologically normal Japanese population. *Acta Ophthalmol*. 2008 Jun;86(4):434–9.
27. Tomoyose E, Higa A, Sakai H, Sawaguchi S, Iwase A, Tomidokoro A, et al. Intraocular pressure and related systemic and ocular biometric factors in a population-based study in Japan: The kumejima study. *Am J Ophthalmol*. 2010 Aug;150(2):279–86.
28. Höhn R, Kottler U, Peto T, Blettner M, Münzel T, Blankenberg S, et al. The ophthalmic branch of the Gutenberg health study: Study design, cohort profile and self-reported diseases. *PLoS One*. 2015 Mar 16;10(3).
29. Klein BEK, Klein R, Linron KLP. Intraocular Pressure in an American Community. The Beaver Dam Eye Study. Vol. 33, *Investigative Ophthalmology & Visual Science*. 1992.

30. Hammel N, Belghith A, Weinreb RN, Medeiros FA, Mendoza N, Zangwill LM. Comparing the Rates of Retinal Nerve Fiber Layer and Ganglion Cell–Inner Plexiform Layer Loss in Healthy Eyes and in Glaucoma Eyes. *Am J Ophthalmol*. 2017 Jun 1;178:38–50.
31. Lee HJ, Kim MS, Jo YJ, Kim JY. Ganglion Cell-Inner Plexiform Layer Thickness in Retinal Diseases: Repeatability Study of Spectral-Domain Optical Coherence Tomography. *Am J Ophthalmol*. 2015 Aug 1;160(2):283–289.e1.
32. Ki Ho Park, Tae-Woo Kim. OCT Imaging in Glaucoma. *OCT Imaging in Glaucoma*. Springer Singapore; 2021.
33. Canadian Ophthalmological Society Glaucoma Clinical Practice Guideline Expert Committee. Canadian Ophthalmological Society evidence-based clinical practice guidelines for the management of glaucoma in the adult eye. [Internet]. 2009. Available from: <http://pubs.nrc-cnrc.gc.ca>.
34. Gama L. Perubahan Ketebalan Retinal Ganglion Cell dan Retinal Nerve Fibre Layer Pada Anak Dengan Diabetes Melitus Tipe 1. 2024. p. 38-39.
35. Nam JW, Kang YS, Sung MS, Park SW. Clinical Evaluation of Unilateral Open-Angle Glaucoma: A Two-Year Follow-Up Study. *Chonnam Med J*. 2021;57(2):144.
36. Weinreb RN, Aung T, Medeiros FA. The pathophysiology and treatment of glaucoma: A review. Vol. 311, *JAMA*. American Medical Association; 2014. p. 1901–11.
37. Caprioli J, Coleman AL. Intraocular Pressure Fluctuation. A Risk Factor for Visual Field Progression at Low Intraocular Pressures in the Advanced Glaucoma Intervention Study. *Ophthalmology*. 2008;115(7).
38. Allingham RR, Shields MB, Barkhouser Professor of Ophthalmology K. Shields Textbook of Glaucoma, 6th Edition. 2011.
39. Kwon YH, Fingert JH, Kuehn MH, Alward WL. Primary Open-Angle Glaucoma. *N Engl J Med*. 2009;360(11):1113–24.
40. Spaeth GL. European Glaucoma Society Terminology and Guidelines for Glaucoma, 5th Edition. Vol. 105, *British Journal of Ophthalmology*. BMJ Publishing Group; 2021. p. 1–169.
41. Tham YC, Li X, Wong TY, Quigley HA, Aung T, Cheng CY. Global prevalence of glaucoma and projections of glaucoma burden through 2040: A systematic review and meta-analysis. *Ophthalmology*. 2014 Nov 1;121(11):2081–90.
42. Yohannan J, Wang J, Brown J, Chauhan BC, Boland M V., Friedman DS, et al. Evidence-based Criteria for Assessment of Visual Field Reliability. In: *Ophthalmology*. Elsevier Inc.; 2017. p. 1612–20.
43. Artes PH, Chauhan BC. Longitudinal changes in the visual field and optic disc in glaucoma. Vol. 24, *Progress in Retinal and Eye Research*. Elsevier Ltd; 2005. p. 333–54.

44. Ibnu H. Hubungan Visual Field Index dengan stadium POAG. 2021. p. 31-32
45. Sousa MCC, Biteli LG, Dorairaj S, Maslin JS, Leite MT, Prata TS. Suitability of the visual field index according to glaucoma severity. *J Curr Glaucoma Pract.* 2015 Sep 1;9(3):65–8.
46. Mwanza JC, Oakley JD, Budenz DL, Anderson DR. Ability of cirrus HD-OCT optic nerve head parameters to discriminate normal from glaucomatous eyes. *Ophthalmology.* 2011;118(2):241-248.e1.
47. Medeiros FA, Zangwill LM, Alencar LM, Bowd C, Sample PA, Susanna R, et al. Detection of glaucoma progression with stratus OCT retinal nerve fiber layer, optic nerve head, and macular thickness measurements. *Invest Ophthalmol Vis Sci.* 2009 Dec;50(12):5741–8.
48. Bowd C, Weinreb RN, Williams JM, Zangwill LM. The Retinal Nerve Fiber Layer Thickness in Ocular Hypertensive, Normal, and Glaucomatous Eyes With Optical Coherence Tomography. Vol. 118, *Arch Ophthalmol.* 2000.

