

DAFTAR PUSTAKA

1. Koochi-Fayegh S, Rosen MA. A review of energy storage types, applications and recent developments. *J Energy Storage*. 2020; 101047(27). <https://doi.org/10.1016/j.est.2019.101047>
2. Yang Z, Du H, Jin L, Poelman D. High-performance lead-free bulk ceramics for electrical energy storage applications: design strategies and challenges. *J Mater Chem A Mater*. 2021; 9(34) :18026–18085. <https://doi.org/10.1039/D1TA04504K>
3. Dawa T, Sajjadi B. Exploring the potential of perovskite structures for chemical looping technology: A state-of-the-art review. *Fuel Processing Technology*. 2024; 108022 (253). <https://doi.org/10.1016/j.fuproc.2023.108022>
4. Kasap S, Capper P, editors. *Springer Handbook of Electronic and Photonic Materials*. 2nd ed. Cham: Springer; 2017.
5. Jain A, Wang YG, Wang N, Wang FL. Critical role of CuO doping on energy storage performance and electromechanical properties of $\text{Ba}_{0.8}\text{Sr}_{0.1}\text{Ca}_{0.1}\text{Ti}_{0.9}\text{Zr}_{0.1}\text{O}_3$ ceramics. *Ceram Int*. 2020; 46(11). <https://doi.org/10.1016/j.ceramint.2020.04.198>
6. Qiao X, Wu D, Zhang F, Chen Bi, Ren X, Liang P, Du H, Chao X, Yang Z. $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ -based relaxor ferroelectric ceramic with large energy density and high efficiency under a moderate electric field. *J Mater Chem C*. 2019; 7(34): 10514–10520. <https://doi.org/10.1039/C9TC03597D>
7. Shi LN, Ren ZH, Jain A, Jin RH, Jiang SS, Zhou HZ, Chen FG, Wang YG. Enhanced energy storage performance achieved in $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ – $\text{Sr}_{0.7}\text{Bi}_{0.2}\text{TiO}_3$ ceramics via domain structure and bandgap width tuning. *Ceram Int*. 2023; 49(8). 12822–12831. <https://doi.org/10.1016/j.ceramint.2022.12.149>
8. Yang C, Qian J, Lv P, Wu H, Lin X, Wang K, Ouyang J, Huang S, Cheng X, Cheng Z. Flexible lead-free BFO-based dielectric capacitor with large energy density, superior thermal stability, and reliable bending endurance. *Journal of Materiomics*. 2020; 6(1). 200–208. <https://doi.org/10.1016/j.jmat.2020.01.010>
9. Deka B, Cho KH. BiFeO_3 -based relaxor ferroelectrics for energy storage: Progress and prospects. *Materials*. 2021;14(23). <https://doi.org/10.3390/ma14237188>
10. Kang R, Wang Z, Lou X, Lou X, Liu W, Shi P, Zhu X, Li S, Sun H, Zhang L, Sun Q. Energy storage performance of $\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3$ -based relaxor ferroelectric ceramics with superior temperature stability under low electric fields. *Chemical Engineering Journal* 2021; 410. <https://doi.org/10.1016/j.cej.2020.128376>
11. Wibowo GR, Emriadi, Zulhadjri Z. Sintesis senyawa aurivillius lapis empat $\text{PbBi}_4\text{Ti}_4\text{O}_{15}$ dan $\text{PbBi}_3\text{NdTi}_4\text{O}_{15}$ dengan metode lelehan campuran garam NaCl - KCl dan karakterisasi struktur. *Jurnal Riset Kimia*. 2019; 10(2): 85–92. <https://doi.org/10.25077/jrk.v10i2.307>
12. Wendari TP, Tazkiya RR, Akbar MA, Rizki A, Putri YE, Zulhadjri, Imelda, Liandi AR. Comparative analysis of Ba^{2+} doping effects on structural, dielectric, and energy storage characteristics of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ and $\text{Na}_{0.25}\text{Bi}_{0.25}\text{Ba}_{0.5}\text{TiO}_3$ perovskites synthesized via the molten-salt method. *Journal of Materials Science: Materials in Electronics*. 2025; 36(11). <https://doi.org/10.1007/s10854-025-14726-x>
13. Pattipaka S, Lim Y, Son YH, Bae YM, Peddigari M, Hwang GT. Ceramic-Based Dielectric Materials for Energy Storage Capacitor Applications. *Materials*. 2024; 17(10). <https://doi.org/10.3390/ma17102277>
14. Sun J, Luo B, Li H. A Review on the Conventional Capacitors, Supercapacitors, and Emerging Hybrid Ion Capacitors: Past, Present, and Future. *Advanced Energy and Sustainability Research*. 2022; 3(6). <https://doi.org/10.1002/aesr.202100191>
15. Zhang T, Li W, Zhao Y, Yu Y, Fei W. High Energy Storage Performance of Opposite Double-Heterojunction Ferroelectricity–Insulators. *Adv Funct Mater*. 2018; 28(10). <https://doi.org/10.1002/adfm.201706211>
16. Zhao L, Liu Q, Gao J, Zhang S, Li JF. Lead-Free Antiferroelectric Silver Niobate Tantalate with High Energy Storage Performance. *Advanced Materials*. 2017; 29(31). <https://doi.org/10.1002/adma.201701824>
17. Shkuratov SI, Lynch CS. A review of ferroelectric materials for high power devices. *Journal of Materiomics*. 2022; 8(4). 739–752. <https://doi.org/10.1016/j.jmat.2022.04.002>

18. Said SM, Sabri MFM, Salleh F. *Ferroelectrics and their applications*. In: Reference Module in Materials Science and Materials Engineering. Amsterdam: Elsevier; 2017.
19. Singh A, Monga S, Sharma N, Sreenivas K, Katiyar RS. Ferroelectric, Piezoelectric Mechanism and Applications. *Journal of Asian Ceramic Societies*. 2022;10(2):275–291. <https://doi.org/10.1080/21870764.2022.2075618>
20. Li D, Zeng X, Li Z, Shen ZY, Hao H, Luo W, Wang X, Song F, Wang Z, Li Y. Progress and perspectives in dielectric energy storage ceramics. *Journal of Advanced Ceramics*. 2021; 10(4). 675–703. <https://doi.org/10.1007/s40145-021-0500-3>
21. Su R, Tseng JK, Lu MS, Lin M, Fu Q, Zhu L. Ferroelectric behavior in the high temperature paraelectric phase in a poly(vinylidene fluoride-co-trifluoroethylene) random copolymer. *Polymer*. 2012; 53(3). 728–739. <https://doi.org/10.1016/j.polymer.2012.01.001>
22. Yang Z, Du H, Jin L, Hu Q, Wang H, Li Y, Wang J, Gao F, Qu S. Realizing high comprehensive energy storage performance in lead-free bulk ceramics: Via designing an unmatched temperature range. *J Mater Chem A*. 2019; 7(48). 27256–27266. <https://doi.org/10.1039/c9ta11314b>
23. Hu Q, Tian Y, Zhu Q, Bian J, Du H, Alikin DO, Shur VY, Feng Y, Xu Z, Wei X. Achieve ultrahigh energy storage performance in BaTiO₃–Bi(Mg_{1/2}Ti_{1/2})O₃ relaxor ferroelectric ceramics via nano-scale polarization mismatch and reconstruction. *Nano Energy*. 2020; 67. <https://doi.org/10.1016/j.nanoen.2019.104264>
24. Narayanan H. Perovskite Materials-an Introduction. Cochin : Indian Institute Of Technology Madras. 2023.
25. Assirey EAR. Perovskite synthesis, properties and their related biochemical and industrial application. *Saudi Pharmaceutical Journal*. 2019; <https://doi.org/10.1016/j.jsps.2019.05.003>
26. Wells AF. *Structural inorganic chemistry*. 5th ed. Oxford : Oxford university press; 2012
27. Travis W, Glover ENK, Bronstein H, Scanlon DO, Palgrave RG. On the application of the tolerance factor to inorganic and hybrid halide perovskites: A revised system. *Chem Sci*. 2016; 7(7). 4548–4556. <https://doi.org/10.1039/c5sc04845a>
28. Li S, Wu H, Yan C. Perovskite materials for highly efficient Photo(electro)catalytic water splitting: A mini-review. *Nano Materials Science*. 2024; <https://doi.org/10.1016/j.nanoms.2024.05.010>
29. Yan F, Huang K, Jiang T, Zhou X, Shi Y, Ge G, Shen B, Zhai J. Significantly enhanced energy storage density and efficiency of BNT-based perovskite ceramics via A-site defect engineering. *Energy Storage Mater*. 2020; 30. 392–400. <https://doi.org/10.1016/j.ensm.2020.05.026>
30. Ma X, Xue L, Wan L, Yin S, Zhou Q, Yan Y. Synthesis, sintering, and characterization of BNT perovskite powders prepared by the solution combustion method. *Ceram Int*. 2013; 39(7). 8147–8152. <https://doi.org/10.1016/j.ceramint.2013.03.088>
31. Yang J, Li R, Li X, Long Y, Zhou J, Zhang Y. Molten salt synthesis of SrFeO₃ nanocrystals. *Journal of the Ceramic Society of Japan*. 2011; 119(10). 736–739. <https://doi.org/10.2109/jcersj2.119.736>
32. Kumar D, Sagar YR, Monika, Singh AK, Rai, SB. Synthesis Techniques and Applications of Perovskite Materials. In: *Perovskite Materials, Devices and Integration*. London: IntechOpen. 2020; 1–19. <https://doi.org/10.5772/intechopen.86794>
33. Cho SJ, Uddin MJ, Alaboina P. Chapter three - Review of Nanotechnology for Cathode Materials in Batteries. In : *Emergingnanotechnologies in rechargeable energy storage systems*. Amsterdam: Elsevier. 2017; 83-129. <https://doi.org/10.1016/B978-0-323-42977-1/00003-0>
34. Putri YE. SrTiO₃ Nanokubus: Sintesis, Kontrol Morfologi dan Sifat Termoelektrik (Tinjauan). *Akta Kimia Indonesia*. 2021; 6(1): 83-126. <https://dx.doi.org/10.12962/j25493736.v6i1.9167>
35. Yang L, SrTiO₃ Nanokubus: Sintesis, Kontrol Morfologi dan Sifat Termoelektrik (Tinjauan). *Akta Kimia Indonesia*. 2021; 6(1): 83-126. <https://dx.doi.org/10.12962/j25493736.v6i1.9167>
36. Niemi J. *Effects of Temperature Gradient on Ash Deposit Aging and Heat Exchanger Corrosion*. Turku, Finlandia: Åbo Akademi University; 2019

37. Xue P, Wu H, Lu Y, Zhu X. Recent progress in molten salt synthesis of low-dimensional perovskite oxide nanostructures, structural characterization, properties, and functional applications: A review. *J Mater Sci Technol.* 2018; 34(6): 914–930. <https://doi.org/10.1016/j.jmst.2017.10.005>
38. Dwandaru WSB, Wijaya RIW, Parwati LD. *Nanomaterial Graphene Oxide: Sintesis dan Karakterisasinya*. Yogyakarta: UNY Press; 2019.
39. Ghasempour-Mouziraji M, Lagarinhos J, Afonso D, Alves de Sousa R. A review study on metal powder materials and processing parameters in Laser Metaleposition. *Opt Laser Technol.* 2024; 170. <https://doi.org/10.1016/j.optlastec.2023.110226>
40. Meirawaty M, Nugraheni RD, Riyandhani CP. *Mineralogi*. Cetakan 1. Jakarta: Zahira Media Publisher; 2021.
41. Ezzeldien M, Beagan AM, Alvi PA, Mahmoud AE. Effect of ZrO_2 addition on the BO_6 vibration modes of $[(Bi_{0.5}Na_{0.5})TiO_3-SrTiO_3-BaTiO_3]$ perovskite structure for enhancement energy storage properties. *Results Phys.* 2024; 58:107445 <https://doi.org/10.1016/j.rinp.2024.107445>
42. Asmatulu R, Khan WS. Characterization of electrospun nanofibers. In: *Synthesis and Applications of Electrospun Nanofibers*. Elsevier, 2019; p. 257–281.
43. Ghasempour R, Narej H. CNT Basics and Characteristics. In: *Carbon Nanotube-Reinforced Polymers: From Nanoscale to Macroscale*. Elsevier, 2017; p. 1–24.
44. Kulka S, Lendl B. Vibrational spectroscopic detection in capillary electrophoresis (CE). *Comprehensive Analytical Chemistry*. 2005; 45: 557–582. [https://doi.org/10.1016/S0166-526X\(05\)45011-4](https://doi.org/10.1016/S0166-526X(05)45011-4)
45. Thomson WT. *Theory of Vibration with Applications*. 4th ed. Englewood Cliffs (NJ): Springer US; 1993.
46. Qiao X, Wu D, Zhang F, Niu M, Chen B, Zhao X, Liang P, Wei L, Chao X, Yang Z. Enhanced energy density and thermal stability in relaxor ferroelectric $Bi_{0.5}Na_{0.5}TiO_3-Sr_{0.7}Bi_{0.2}TiO_3$ ceramics. *J Eur Ceram Soc.* 2019; 39(15): 4778–4784. <https://doi.org/10.1016/j.jeurceramsoc.2019.07.003>
47. Papia EM, Kondi A, Constantoudis V. Machine learning applications in SEM-based pore analysis: a review. *Microporous and Mesoporous Materials.* 2025; 394. <https://doi.org/10.1016/j.micromeso.2025.113675>
48. Latahir AZ, Wai CK, Yaacob SFFS, Rahim RA. Exploring the elemental detection on portable XRF vs SEM-EDX in household alloy materials analysis. *Microchemical Journal.* 2025; 213. <https://doi.org/10.1016/j.microc.2025.113667>
49. Sahdiah H, Kurniawan R. Optimasi Tegangan Akselerasi pada Scanning Electron Microscope – Energy Dispersive X-Ray Spectroscopy (SEM-EDX) untuk Pengamatan Morfologi Sampel Biologi. *Jurnal Sains dan Edukasi Sains.* 2023;6(2):117–123. <https://doi.org/10.24246/juses.v6i2p117-123>
50. Luo WQ, Shen ZY, Yu YY, Song FS, Wang ZM, Li YM. Structure and dielectric properties of NBT-x BT-ST lead-free ceramics for energy storage. *J Adv Dielectr.* 2018; 8(6). <https://doi.org/10.1142/S2010135X18200047>
51. Kausor MA, Chakraborty D. Carbon nitride photocatalysts for water treatment and purification. In: Chowdhury S, Naushad M, editors. *Nanostructured Carbon Nitrides for Sustainable Energy and Environmental Applications*. San Diego: Elsevier; 2022. p. 137–174.
52. Jumardin, Maddu A, Santoso K, Isnaeni. Karakteristik Sifat Optik Nanopartikel Karbon (Carbon Dots) Dengan Metode Uv-Vis DRS (Ultra Violet-Visible Diffuse Reflectance Spectroscopy). *Jurnal Fisika dan Terapannya.* 2022; 9(1): 1–15. <https://doi.org/10.24252/jft.v9i2.28815>
53. Chen L, Gao Z, Li Q, Yan C, Zhang H, Li Y, Liu C. A review: Comprehensive investigation on bandgap engineering under high pressure utilizing microscopic UV-Vis absorption spectroscopy. *APL Mater.* 2024;12(3). <https://doi.org/10.1063/5.0196152>
54. Zhou W, Deng H, Yu L, Yang P, Chu J. Optical band-gap narrowing in perovskite ferroelectric ABO_3 ceramics ($A=Pb, Ba$; $B=Ti$) by ion substitution technique. *Ceram Int.* 2015;41(10):13389–13392. <https://doi.org/10.1016/j.ceramint.2015.07.127>

55. Lunca Popa P, Sønderby S, Kerdsonpanya S, Lu J, Arwin H, Eklund P. Structural, morphological, and optical properties of Bi₂O₃ thin films grown by reactive sputtering. *Thin Solid Films*. 2017; 624: 41–48. <https://doi.org/10.1016/j.tsf.2017.01.013>
56. Zulhadjri Z, Hermansyah T, Septiani U. Efek Pendoping Nd³⁺ Pada Senyawa BaBi_{2-x}Nd_xNb₂O₉ Terhadap Struktur, Sifat Dielektrik Dan Optik. *Jurnal Riset Kimia* 2024; 15(2): 37–46. <https://doi.org/10.25077/jrk.v15i2.690>
57. Aguiar EC, Ramirez MA, Moura F, Varela JA, Longo E, Simões AZ. Low-temperature synthesis of nanosized bismuth ferrite by the soft chemical method. *Ceram Int*. 2013; 39(1): 13–20. <http://dx.doi.org/10.1016/j.ceramint.2012.06.014>
58. Köferstein R. Synthesis, phase evolution and properties of phase-pure nanocrystalline BiFeO₃ prepared by a starch-based combustion method. *J Alloys Compd*. 2014; 590: 324–330. <http://dx.doi.org/10.1016/j.jallcom.2013.12.120>
59. Özen M, Mertens M, Snijkers F, D'Hondt H, Cool P. Molten-salt synthesis of tetragonal micron-sized barium titanate from a peroxo-hydroxide precursor. *Advanced Powder Technology*. 2017; 28(1): 146–154. <http://dx.doi.org/10.1016/j.appt.2016.09.007>
60. Yang H, Qi H, Zuo R. Enhanced breakdown strength and energy storage density in a new BiFeO₃-based ternary lead-free relaxor ferroelectric ceramic. *J Eur Ceram Soc*. 2019; 39(8): 2673–2679. <https://doi.org/10.1016/j.jeurceramsoc.2019.03.001>
61. Supriya S. Research progress, doping strategies and dielectric-ferroelectric anomalies of rare earth-based Bi_{0.5}Na_{0.5}TiO₃ perovskites. *Journal of Rare Earths*. 2024; <https://doi.org/10.1016/j.jre.2023.10.009>
62. Hachmi A El, Sadoune Z. Synthesis and structural characterization of new perovskite phases, Ba₂Bi_{0.572}TeO_{6±δ} and SrLa₂NiFeNbO₉. *Powder Diffr*. 2024; 39(4): 235–244. <https://doi.org/10.1017/S0885715624000289>
63. Wendari TP, Akbar MA, Rizki A, Zulhadjri, Putri YE, Insani A, Mufti N. Tuning the dielectric, ferroelectric, and energy storage properties of Ca-substituted Na_{0.5}Bi_{0.5}TiO₃ perovskites synthesized via the molten salt method. *J Solid State Chem*. 2025; 346. <https://doi.org/10.1016/j.jssc.2025.125253>
64. Chen X, Chen J, Ma D, Fang L, Zhou H. High relative permittivity, low dielectric loss and good thermal stability of BaTiO₃-bi(Mg_{0.5}Zr_{0.5})O₃ solid solution. *Ceram Int*. 2015; 41(2): 2081–2088. <http://dx.doi.org/10.1016/j.ceramint.2014.10.003>
65. Bilal MK, Bashir R, Asif SU, Wang J, Hu W. Enhanced energy storage properties of 0.7Bi_{0.5}Na_{0.5}TiO₃-0.3SrTiO₃ ceramic through the addition of NaNbO₃. *Ceram Int*. 2021; 47(21): 30922–30928. <https://doi.org/10.1016/j.ceramint.2021.07.275>
66. Almutairi TS. Phase transitions and spectral shifts: a quantum mechanical exploration of vibrational frequency in magnesium ferrite. *RSC Adv*. 2024; 14(4): 2727–2740. <https://doi.org/10.1039/d3ra07339d>
67. Haroonabadi L, Sharifnia S. Efficient photocatalytic water splitting of BiFeO₃-BaTiO₃ as a perovskite based n-n heterojunction toward H₂ evolution without using sacrificial agent. *Int J Hydrogen Energy*. 2024; 82: 1263–1274. <https://doi.org/10.1016/j.ijhydene.2024.08.069>
68. Bae J, Kim JC, Kim MH, Lee S. Crystal structure and microstructure variation of nonstoichiometric Bi_{1±x}FeO_{3±δ} and Ti-doped BiFeO₃ ceramics under various sintering conditions. *Korean Journal of Materials Research*. 2020; 30(2): 61–67. <https://doi.org/10.3740/MRSK.2020.30.2.61>
69. Moutaouaffiq A, Belhajji M, Seddik AD, Tahiri A, Ali E, Hajji L, Rjeb A, Paramasivam P, Ghoneim SSM, Sharaf ABA. Lanthanum-doped BaTiO₃ ceramics: Structural, dielectric, and ferroelectric properties. *Results in Engineering*. 2025; 25. <https://doi.org/10.1016/j.rineng.2025.104466>
70. Shiga M, Hagiwara M, Fujihara S. (Bi_{1/2}K_{1/2})TiO₃-SrTiO₃ solid-solution ceramics for high-temperature capacitor applications. *Ceram Int*. 2020; 46(8): 10242–10249. <https://doi.org/10.1016/j.ceramint.2020.01.016>
71. Sarkar K, Harsh H, Rahman Z, Kumar V. Enhancing the structural, optical, magnetic and ferroelectric properties of perovskite BiFeO₃ through metal substitution. *Chemical Physics Impact*. 2024; 8. <https://doi.org/10.1016/j.chphi.2024.100478>

72. Palneedi H, Peddigari M, Hwang GT, Jeong DY, Ryu J. High-Performance Dielectric Ceramic Films for Energy Storage Capacitors: Progress and Outlook. *Adv Funct Mater.* 2018; 28(42). <https://doi.org/10.1002/adfm.201803665>
73. Zhu W, Shen ZY, Deng W, et al. A review: (Bi,Na)TiO₃ (BNT)-based energy storage ceramics. *Journal of Materiomics.* 2024;10(1): 86–123. <https://doi.org/10.1016/j.jmat.2023.05.002>
74. Wendari TP, Rizki A, Zulhadjri, Putri YE, Emriadi, Labbani A, Insani A, Liandi AR. Structure, ferroelectric, magnetic, and energy storage performances of lead-free Bi₄Ti_{2.75}(FeNb)_{0.125}O₁₂ Aurivillius ceramic by doping Fe³⁺ ions extracted from Padang beach sand. *Case Studies in Chemical and Environmental Engineering.* 2024; 9. <https://doi.org/10.1016/j.csee.2024.100679>

