

DAFTAR PUSTAKA

- Abassi, M. R., Safavi, A., Haghverdi, M., & Saedi, B. (2016). Sleep disorders in ESRD patients undergoing hemodialysis. *Acta Medica Iranica*, 54(3), 176–184.
- Ahmadidarrehshima, S., Mohammadpourhodki, R., Ebrahimi, H., Keramati, M., & Dianatinasab, M. (2018). Effect of foot reflexology and slow stroke back massage on the severity of fatigue in patients undergoing hemodialysis: A semi-experimental study. *Journal of Complementary and Integrative Medicine*, 15(4). <https://doi.org/10.1515/jcim-2017-0183>
- Amalia, A., & Apriliani, N. M. (2021). View of analisis efektivitas single use dan reuse dialyzer pada pasien gagal ginjal kronik di RSUD Mardi Waluyo Kota Blitar. *Jurnal Sains Dan Kesehatan*, 3.
- Amudi, T., & Palar, S. (2021). Gagal ginjal kronik hemodialisis dengan kadar eritropoietin dan hemoglobin normal: Laporan kasus. *Medical Scope Journal*, 2(2). <https://doi.org/10.35790/msj.2.2.2021.32547>
- Angkasa, Moh. P., Isrofah, & Hidayah, R. (2022). *Pengaruh back massage terhadap tingkat kelelahan dan kualitas tidur pada pasien yang menjalani tindakan hemodialisa di RSUD Bendan Kota Pekalongan*. <https://ejournal.poltekkes-smg.ac.id/ojs/index.php/LIK>
- Ariany, S., & Ari Wibowo, T. (2021). *Pengaruh slow stroke back massage terhadap depresi : Literature Review* (Vol. 3, Issue 1).

Asmadi. (2008). *Teknik prosedural konsep & aplikasi kebutuhan dasar klien*.

Salemba Medika.

Benetou, S., Alikari, V., Vasilopoulos, G., Polikandrioti, M., Kalogianni, A.,

Panoutsopoulos, G. I., Toulia, G., Leftheriotis, D., & Gerogianni, G.

(2022). Factors associated with insomnia in patients undergoing hemodialysis. *Cureus*. <https://doi.org/10.7759/cureus.22197>

Braun, M. B., Simonson, & Stephanie J. (2008). *Introduction to massage*

therapy. Lippincott Williams & Wilkins.

Brunner, & Suddarth. (2016). *Keperawatan medikal bedah* (Edisi 8). EGC.

Butcher, H. K., Bulechek, G. M., Dochterman, J. M., & Wagner, C. M. (2018).

Nursing intervention classification (NIC) (Sevent edition).

Cahyani, A. A. A. E., Prasetya, D., Abadi, M. F., & Prihatiningsih, D. (2022).

Gambaran diagnosis pasien pra-hemodialisa di RSUD Wangaya tahun 2020-2021. *Jurnal Ilmiah Hospitality* 661, 11.

Çeçen, S., & Lafcı, D. (2021). The effect of hand and foot massage on fatigue

in hemodialysis patients: A randomized controlled trial. *Complementary*

Therapies in Clinical Practice, 43, 101344.

<https://doi.org/10.1016/j.ctcp.2021.101344>

Chu, G., Szymanski, K., Tomlins, M., Yates, N., & McDonald, V. M. (2018).

Nursing care considerations for dialysis patients with a sleep disorder.

Renal Society of Australasia Journal, 52–58.

Esmayanti, R., Waluyo, A., & Sukmarini, L. (2022). Terapi komplementer pada pasien CKD dengan sleep disorder. *Jurnal Keperawatan Silampari*, 5(2), 1028–1035. <https://doi.org/10.31539/jks.v5i2.3563>

Fajrin, P. A., Pinilih, S. S., & Amin, M. K. (2024). Slow stroke back massage to reduce insomnia in elderly. *The International Conference of Advancements in Nursing Care*, 1.

Filip, I., Tidman, M., Saheba, N., Bennett, H., Wick, B., Rouse, N., Patriche, D., & Radfar, A. (2017). Public health burden of sleep disorders: underreported problem. In *Journal of Public Health (Germany)* (Vol. 25, Issue 3, pp. 243–248). Springer Verlag. <https://doi.org/10.1007/s10389-016-0781-0>

Friedman, Jones, V. R, Bowden, & M. M. (2010). *Buku ajar keperawatan keluarga: Riset, teori, dan praktek*. EGC.

Harris, M., & Richards, K. C. (2017). The physiological and psychological effects of slow-stroke back massage and hand massage on relaxation in older people. *Journal of Clinical Nursing*, 19(7–8), 917–926. <https://doi.org/10.1111/j.1365-2702.2009.03165.x>

Harris, M., Richards, K. C., & Grando, V. T. (2018). The effects of slow-stroke back massage on minutes of nighttime sleep in persons with dementia and sleep disturbances in the nursing home. *Journal of Holistic Nursing*, 30(4), 255–263. <https://doi.org/10.1177/0898010112455948>

Haryono, Rudy. (2013). *Keperawatan medikal bedah: Sistim perkemihan*. Rapha Publishing.

Hidayat, & Aziz Alimul. (2021). *Proses Keperawatan; Pendekatan Nanda, Nic, Noc Dan Sdki*. Health Books Publishing.

Hutagaol, E. V. (2018). *Peningkatan kualitas hidup pada penderita gagal ginjal kronik yang menjalani terapi hemodialisa melalui psychological intervention di unit hemodialisa RS Royal Prima Medan tahun 2016* (Vol. 2, Issue 1).

Irene, I., Yemina, L., & Pangaribuan, S. M. (2022). Kualitas hidup pasien dengan penyakit ginjal kronis dengan terapi hemodialisa di RS PGI Cikini. *JURNAL KEPERAWATAN CIKINI*, 3(1).
<https://doi.org/10.55644/jkc.v3i1.72>

Jahdi, F., Mehrabadi, M., Mortazavi, F., & Haghani, H. (2016). The effect of slow-stroke back message on the anxiety levels of Iranian women on the first postpartum day. *Iranian Red Crescent Medical Journal*, 18(8).
<https://doi.org/10.5812/ircmj.34270>

Joyce M. Black, Jane Hokanson Hawks, & Joyce Black. (2023). *Medical-surgical nursing clinical management for positive outcomes 7th ed*. Elsevier Saunders.

Kamil, A. R., & Setiyono, E. (2022). Symptoms burden dan kualitas tidur pada pasien hemodialysis. *Indonesian Journal of Nursing Sciences and Practice* |.

Kementerian Kesehatan RI. (2023). *Prevalensi CKD di Indonesia*.

Kinman, G. (2025). The Pittsburgh Sleep Quality Index: a brief review. In *Occupational Medicine* (Vol. 75, Issue 1, pp. 14–15). Oxford University Press. <https://doi.org/10.1093/occmed/kqae121>

Knutson, K. L., Lash, J., Ricardo, A. C., Herdegen, J., Thornton, J. D., Rahman, M., Turek, N., Cohan, J., Appel, L. J., Bazzano, L. A., Tamura, M. K., Steigerwalt, S. P., Weir, M. R., Van Cauter, E., & Cric Study Investigators. (2018). Habitual sleep and kidney function in chronic kidney disease: the Chronic Renal Insufficiency Cohort study. *Journal of Sleep Research*, 27(2), 281–289. <https://doi.org/10.1111/jsr.12573>

LeMone, P. (2016). *Buku ajar keperawatan medikal bedah*. EGC.

Mohammadpourhodki, R., Sargolzaei, M. S., & Basirinezhad, M. H. (2019). Evaluating the effect of massage based on slow stroke back massage on the anxiety of candidates for cataract surgery. *Romanian Journal of Ophthalmology*, 63(2), 146–152. <https://doi.org/10.22336/rjo.2019.22>

Mok, E., & Pang Woo, C. (2004). The effects of slow-stroke back massage on anxiety and shoulder pain in elderly stroke patients. *Complementary Therapies in Nursing and Midwifery*, 10(4), 209–216. <https://doi.org/10.1016/j.ctnm.2004.05.006>

Mutaqqin, A., & Sari, K. (2011). *Asuhan keperawatan gangguan sistem perkemihan*. Salemba Medika.

- Ngara, Y. W., Rosdiana, Y., & Rahayu, W. (2022). Harga diri dengan kualitas hidup pasien gagal ginjal kronik (GGK) yang menjalani hemodialisa pada masa pandemi Covid-19. *Care : Jurnal Ilmiah Ilmu Kesehatan*, 10(2), 304–314. <https://doi.org/10.33366/jc.v10i2.3627>
- Nigam, G., Camacho, M., Chang, edward T., & Riaz, M. (2018). Exploring sleep disorders in patients with chronic kidney disease. In *Nature and Science of Sleep* (Vol. 10, pp. 35–43). Dove Medical Press Ltd. <https://doi.org/10.2147/NSS.S125839>
- Ningsih, R. W., & Setyowati, S. (2020). Hubungan tingkat kesepian dengan kualitas hidup pada lansia di posyandu lansia Dusun Karet Yogyakarta. *Jurnal Keperawatan*, 12, 80–87.
- Nuari, N. A., & Widayati, D. (2017). *Gangguan pada sistem perkemihan & penatalaksanaan keperawatan*. Deepublish digital.
- Nurhayati, I., Hamzah, A., Erlina, L., & Rumahorbo, H. (2022a). Gambaran kualitas tidur pada pasien gagal ginjal kronik yang menjalani terapi hemodialisa : literature review. *Jurnal Keperawatan Indonesia Florence Nightingale*, 1(1), 38–51. <https://doi.org/10.34011/jkifn.v1i1.114>
- Nurhayati, I., Hamzah, A., Erlina, L., & Rumahorbo, H. (2022b). Gambaran kualitas tidur pada pasien gagal ginjal kronik yang menjalani terapi hemodialisa : Literature review. *Jurnal Keperawatan Indonesia Florence Nightingale*, 1(1), 38–51. <https://doi.org/10.34011/jkifn.v1i1.114>

Paul, R., C, R., & Anafi. (2017). *Insomnia in patients with comorbid medical problems*. Clinical Handbook of Insomnia.

Potter & Perry, P. A. , A. G. , S. P. A. , H. A. M. (2017). *Fundamental of nursing* (St. Louis & Missouri, Eds.; 9 th ed). Elsevier Mosby.

Potter, P. A., & Perry, A. G. (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik* (4th ed., Vol. 2). EGC.

PPNI, & Tim Pokja Sdki Dpp. (2019). *Standar Diagnosis Keperawatan Indonesia: definisi dan indikator diagnostik*.

Prabowo, E., & Pranata, A. E. (2020). *Asuhan keperawatan sistem perkemihan*. Nuha Medika.

Rahayu, F., Ramlis, R., & Fernando, T. (2018). Hubungan frekuensi hemodialisis dengan tingkat stres pada pasien gagal ginjal kronik yang menjalani hemodialisis. *Jurnal Keperawatan Silampari (JKS)*, 1(2).

Ramar, K., Malhotra, R. K., Carden, K. A., Martin, J. L., Abbasi-Feinberg, F., Aurora, R. N., Kapur, V. K., Olson, E. J., Rosen, C. L., Rowley, J. A., Shelgikar, A. V., & Trotti, L. M. (2021). Sleep is essential to health: an American Academy of sleep medicine position statement. *Journal of Clinical Sleep Medicine*, 17(10), 2115–2119. <https://doi.org/10.5664/jcsm.9476>

Ricardo, A. C., Goh, V., Chen, J., Cedillo-Couvert, E., Kapella, M., Prasad, B., Parvathaneni, S., Knutson, K., & Lash, J. P. (2017). Association of sleep

duration, symptoms, and disorders with mortality in adults with chronic kidney disease. *Kidney International Reports*, 2(5), 866–873. <https://doi.org/10.1016/j.ekir.2017.05.002>

Riset Kesehatan Dasar. (2023). *Prevalensi penderita Chronic Kidney Disease (CKD) di Indonesia*.

Riskesdas. (2023). *Prevalensi penderita CKD di Indonesia*.

Saminathan, T. A., Hooi, L. S., Mohd Yusoff, M. F., Ong, L. M., Bavanandan, S., Rodzlan Hasani, W. S., Tan, E. Z. Z., Wong, I., Rifin, H. M., Robert, T. G., Ismail, H., Wong, N. I., Ahmad, G., Ambak, R., Othman, F., Abd Hamid, H. A., & Aris, T. (2020). Prevalence of chronic kidney disease and its associated factors in Malaysia; findings from a nationwide population-based cross-sectional study. *BMC Nephrology*, 21(1), 344. <https://doi.org/10.1186/s12882-020-01966-8>

Scherer, J. S., Combs, S. A., & Brennan, F. (2020). Sleep disorders, restless legs syndrome, and uremic pruritus: diagnosis and treatment of common symptoms in dialysis patients. *American Journal of Kidney Diseases*, 69(1), 117–128. <https://doi.org/10.1053/j.ajkd.2016.07.031>

Sudijanto, D. A., & Arofiati, F. (2022). Terapi slow stroke back massage terhadap peningkatan kualitas tidur pasien chronic kidney disease (CKD) yang menjalani hemodialisis. *Jurnal Keperawatan Silampari*, 5(2), 1219–1229. <https://doi.org/10.31539/jks.v5i2.3451>

Surya, D. O., & Yusri, V. (2022). Efektifitas terapi slow stroke back massage terhadap nyeri kepala pasien hipertensi. In *Jurnal Keperawatan Muhammadiyah* (Vol. 7, Issue 4).

Susan C Smeltzer, & Bare. (2016). *Keperawatan medikal-bedal Brunner & Suddarth edisi 12*. EGC.

Teuku, Y., Firly, F., & Wahyu, W. (2020). Prevalensi dan outcome pasien CRRT di Intensive Care Unit RSUD dr. Zainal Abidin Banda Aceh. *Journal of Medical Science*, 1(2), 100–108. <https://doi.org/10.55572/jms.v1i2.23>

Wahyuni, T., & Ananda, F. T. (2024). Slow stroke back massage and lavender aromatherapy to improve sleep quality CKD undergoing hemodialysis. *Indonesian Journal of Global Health Research*, 6.

Weerapong, P., Hume, P. A., & Kolt, G. S. (2005). The mechanisms of massage and effects on performance, muscle recovery and injury prevention. In *Sports Med* (Vol. 35, Issue 3).