

DAFTAR PUSTAKA

- Anjani, K.G., Nurrachman, A.S., Rahman, F.U.A. *et al.* (2020) ‘Bentuk dan posisi kondilus sebagai marker pada Temporomandibular Disorder (TMD) melalui radiografi panoramik’, (*JRDI*), 4(3), p. 91.
- Buvinic, S. *et al.* (2021) ‘Muscle-Bone Crosstalk in the Masticatory System: From Biomechanical to Molecular Interactions’, *Frontiers in Endocrinology*. Frontiers Media S.A.
- Danastri, N. and Desiningrum, D.R. (2016) ‘Eksplorasi Pengalaman Stress Pada Individu Yang Berperilaku Bruksisme’, *Jurnal Empati*, Volume 5(4), pp. 604–609.
- Deviana, K. *et al.* (2015) ‘Pengamatan radiografi panoramik erosi kondilus sendi temporomandibula pada wanita post-menopause dengan osteopenia (Observation of panoramic radiography of temporomandibular joint condyle erosion on post menopause with osteopenia)’, *Dentomaxillofacial Radiology Dental Journal*. Volume 6(1), pp. 27 – 33
- Dos Anjos Pontual, M.L., Freire, J. S.L., Barbosa, J. M.N. *et al.* (2012) ‘Evaluation of bone changes in the temporomandibular joint using cone beam CT’, *Dentomaxillofacial Radiology*, 41(1), pp. 24–29.
- Barrientos, E. *et al.* (2020) ‘Effects of loading direction in prolonged clenching on stress distribution in the temporomandibular joint’, *JMBBM*, 112.
- Beddis, H., Pemberton, M. and Davies, S. (2018) ‘Sleep bruxism: An overview for clinicians’, *BDJ*, 225(6), pp. 497–501.
- Chaudhary, S.; Srivastava, D.; Jaetli, V. & Tirth, A. Evaluation of condylar morphology using panoramic radiography in normal adult population. *Int. J. Sci. Stud.*, 164-8, 2015.
- Choi, J.-W. (2011) ‘Assessment of panoramic radiography as a national oral examination tool: review of the literature’, *ISD*, 41(1), p. 1.
- Chung, M.K., Wang, S., Alshanqiti, I. *et al.* (2023) ‘The degeneration-pain relationship in the temporomandibular joint: Current understandings and rodent models’, *fpain*. Frontiers Media S.A.
- Cioffi I. The Influence of Functional Loading on Bone Remodeling In The Human Mandible. Thesis. Naples: University of Naples “Federico II”; Tanpa tahun. p.1-43

- Cömert Kılıç, S., Kılıç, N. and Sümbüllü, M.A. (2015) ‘Temporomandibular joint osteoarthritis: Cone beam computed tomography findings, clinical features, and correlations’, *IJOMS*, 44(10), pp. 1268–1274.
- Dathar, S. et al. (2015) ‘Reveal the concealed – Morphological variations of coronoid process, condyle and sigmoid notch in personal identification’, *Egyptian Journal of Forensic Sciences*, 6.
- Demjaha, G., Kapusevska, B. and Pejkovska-Shahpaska, B. (2019) ‘*Bruxism unconscious oral habit in everyday life*’, *OAMJMS*, 7(5), pp. 876–881.
- Fauziah, H., Sumarsongko, T. and Azhari, A. (2020) ‘Perbedaan ketinggian tulang kortikal mandibula antara penderita *bruxism* dan bukan penderita *bruxism* berdasarkan indeks panoramik mandibular Differences in the mandibular cortical bone height between *bruxism* and non-*bruxism* patients based on the panoramic mandibular index’, *J.K.G Unpad*, 32(2), p. 113.
- Glick, M., Greenberg, M.S., Lockhart, P.B. et al. (2021) *Burket’s Oral Medicine - 13th Edition (2021)* 1136 pp., ISBN: 978-1-119-59781-0.
- Goldstein, R.E. and Auclair Clark, W. (2017) ‘The clinical management of awake bruxism’, *ADAJ*, 148(6), pp. 387–391
- Hatcher DC. Progressive Condylar Resorption: Pathologic Processes and Imaging Considerations. *Semin Orthod* 2013;19(2):97-105
- Hegde, S. and Praveen BN (2013) ‘Morphological and Radiological Variations of Mandibular Condyles in Health and Diseases: A Systematic Review’, *Dentistry*, 03(01).
- Hegde, V. (2005) *A review of the disorders of the temperomandibular joint*, *JIPS*.
- He G, Xinghua Z. (2006) The numerical simulation of osteophyte formation on the edge of the vertebral body using quantitative bone remodeling theory. *Joint Bone Spine*. 73(1):95-101.
- Kanathila, H., Pangil, A., Poojary, B. et al. (2018) ‘Diagnosis and treatment of bruxism: Concepts from past to present’, 290, *IJADS*, 4(1), pp. 290–295.
- Kirk, W.S. and Kirk, B.S. (2006) ‘A Biomechanical Basis for Primary Arthroplasty of the Temporomandibular Joint’, *OMSCNM*, pp. 345–368.
- Krisjane Z, Urtane I, Krumina G, et al. (2012) The prevalence of TMJ osteoarthritis in asymptomatic patients with dentofacial deformities: a cone-beam CT study. *Int J Oral Maxillofac Surg*, 41(6):690-5

- Kumar, D. and Aniyan, D. (2021) *Assessment Of Condylar Osseous Changes in Patients with Bruxism Using Cone-Beam Computed Tomography-A Cross Sectional Observational Study*, *Journal of Positive School Psychology*. 1189-1203.
- Kweon, H.H.-I, Lee, J.-H, Youk, T.-M. et al. (2018) 'Panoramic radiography can be an effective diagnostic tool adjunctive to oral examinations in the national health checkup program.', *JPIS*, 48(5), pp. 317–325.
- Labaron, I., Himawan, L.S., Dewi, R.S. et al. (2017) *Validation of Sleep Bruxism Questionnaire Based on the Diagnostic Criteria of the American Academy of Sleep Medicine*, *JIDM*
- Lan KW, Chen JM, Jiang LL, et al. (2022) Treatment of condylar osteophyte in temporomandibular joint osteoarthritis with muscle balance occlusal splint and long-term follow-up: A case report. *World J Clin Cases*. 6;10(13):4264-4272.
- Lavigne, G.J., Huynh, N., Kato, T. et al. (2007) 'Genesis of sleep bruxism: Motor and autonomic-cardiac interactions', *Archives of Oral Biology*, 52(4), pp. 381–384.
- Lavigne, G.J., Khoury, S., Abe, S. et al. (2008) 'Bruxism physiology and pathology: An overview for clinicians', in *JOOR*, pp. 476–494.
- Lee, P.P., Stanton, A.R. and Hollender, L.G. (2017) 'Greater mandibular horizontal condylar angle is associated with temporomandibular joint osteoarthritis', *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, 123(4), pp. 502–507.
- Li, P., Raitcheva, D., Hawes, M. et al. (2012) 'Hylan G-F 20 maintains cartilage integrity and decreases osteophyte formation in osteoarthritis through both anabolic and anti-catabolic mechanisms', *Osteoarthritis and Cartilage*, 20(11), pp. 1336–1346.
- Lin YY, Tanaka N, Ohkuma S, et al. (2010). Applying an excessive mechanical stress alters the effect of subchondral osteoblasts on chondrocytes in a co-culture system. *Eur J Oral Sci*.118(2):151-8.
- Lobbezoo, F., Ahlberg, J., Glaros, A. G. et al. (2013) 'Bruxism defined and graded: An international consensus', *JOOR*, 40(1), pp. 2–4.
- Lobbezoo, F., Ahlberg, J., Raphael, K. G. et al. (2018) 'International consensus on the assessment of bruxism: Report of a work in progress', *JOOR*. Blackwell Publishing Ltd, pp. 837–844.

- Macaluso, G.M., Guerra, P., Di Giovanni, G. *et al.* (1998) 'Sleep bruxism is a disorder related to periodic arousals during sleep', *DRJ*, 77(4), pp. 565–573.
- Manfredini, D., Landi, N., Romagnoli, M. *et al.* (2004) 'Psychic and occlusal factors in bruxers', *ADJ*, 49(2), pp. 84–89.
- Manfredini, D., Winocur, E., Guarda-Nardini, L. *et al.* (2013) 'Epidemiology of Bruxism in Adults: A Systematic Review of the Literature', *JOP*, 27(2), pp. 99–110.
- Manfredini, D., Serra-Negra, J., Carboncini, F. *et al.* (2017) 'Current Concepts of Bruxism', *IJP*, 30(5), pp. 437–438.
- Manfredini, D., Colonna, A., Bracci, A. *et al.* (2020) 'Bruxism: a summary of current knowledge on aetiology, assessment and management', *Oral Surgery*. Blackwell Publishing Ltd, pp. 358–370.
- Margareta FN. Analisis Bentuk Kondilus Mandibula Pada Awake, Sleep, dan Combined Bruxism Menggunakan Radiografi Panoramik Digital. Thesis [Bandung]: Universitas Padjadjaran; 2017.
- Mathew, A.L., Sholapurkar, A.A. and Pai, K.M. (2011) 'Condylar changes and its association with age, TMD, and dentition status: A cross-sectional study', *IJD* [Preprint].
- Melo, G., Duarte, J., Pauletto, P. *et al.* (2019) 'Bruxism: An umbrella review of systematic reviews.', *Journal of oral rehabilitation*, 46(7), pp. 666–690.
- Mizoguchi, I., Toriya, N. and Nakao, Y. (2013) 'Growth of the mandible and biological characteristics of the mandibular condylar cartilage', *Japanese Dental Science Review*, pp. 139–150.
- Miloro, M., Ghali, G., Larsen, P., Waite, P., 2004. Peterson's Principles of Oral and Maxillofacial Surgery. PMPH, USA.
- Mortazavi, N., Tabatabaei, A.H., Mohammadi, M. *et al.* (2023) 'Is bruxism associated with temporomandibular joint disorders? A systematic review and meta-analysis', *Evidence-Based Dentistry*, 24(3), pp. 144–144.
- Murali, R. V., Rangarajan, P. and Mounissamy, A. (2015) 'Bruxism: Conceptual discussion and review', *Journal of Pharmacy and Bioallied Sciences*. Wolters Kluwer Medknow Publications, pp. S265–S270.
- Murphy, M.K., MacBarb, R.F., Wong, M.E. *et al.* (2013) 'Temporomandibular Disorders: A Review of Etiology, Clinical Management, and Tissue Engineering Strategies', *The International Journal of Oral & Maxillofacial Implants*, 28(6), pp. e393–e414.

- Nagahara K., Murata S., Nakamura S. *et al.* (1999) ‘Displacement and stress distribution in the temporomandibular joint during clenching’, *The Angle Orthodontist*, 69(No.4), pp. 372–379.
- Notoatmodjo. 2010. Metodologi Penelitian Kesehatan. Jakarta: PT. Rineka Cipta.
- Okeson, J.P. 2019. Management of Tempromandibular Disorder and Occlusion 8th Edition. St. Louis: Mosby- Year book, Inc
- Oliveira-Santos, C., Bernardo, R.T. and Capelozza, A.L.A. (2009) ‘Mandibular condyle morphology on panoramic radiographs of asymptomatic temporomandibular joints’, *International Journal of Dentistry*, 8.
- Ooi, K. *et al.* (2020) ‘Relations between anterior disc displacement and maxillomandibular morphology in skeletal anterior open bite with changes to the mandibular condyle’, *Br J Oral Maxillofac Surg*, 58(9), pp. 1084–1090.
- Padmaja Satheeswarakumar, L., Elenjickal, T., Ram, S.K.M. *et al.* (2018) ‘Assessment of Mandibular Surface Area Changes in Bruxers Versus Controls on Panoramic Radiographic Images: A Case Control Study’, *ODJ*, 12(1), pp. 753–761.
- Pandarakalam, C. and Khalaf, M.W. (2014) ‘Temporomandibular Disorders’, in *Reference Module in Biomedical Sciences*. Elsevier.
- Praveen BN, S.H. (2013) ‘Morphological and Radiological Variations of Mandibular Condyles in Health and Diseases: A Systematic Review’, *Dentistry*, 03(01).
- P.B. Hilgenberg-Sydney, Zanlorenzi FF, Cunha CO. Comparative analysis of temporomandibular joint morphology in degenerative joint disease: A cone-beam CT study in patients with and without arthralgia. *The Saudi Dental Journal* 36 (2024) 756–760.
- Rahmi, E., Rikmasari, R., Soemarsongko, T. (2017). *The Bone Remodeling of Mandible in Bruxer: World Academy of Science, Engineering and Technology International Journal of Medical and Health Sciences*, 11(10).
- Ramdhani, R.C. and Iwanaga, J. (2019) ‘Anatomy and Variations of the Temporomandibular Joint’, in *Anatomical Variations in Clinical Dentistry*. Cham: Springer International Publishing, pp. 187–202.
- Restrepo-Jaramillo, X., Tallents, R. and Zuñiga, E. (2012) *Mandibular condyle morphology: Comparison of MRI and Panoramic Imaging*.
- Ruf S, Pancherz H. *Is orthopantomography reliable for TMJ diagnosis? An experimental study on dry skull*. J Orofacial Pain 1995;9:363-74

- Robinson, J.L. *et al.* (2019) ‘Estrogen signaling impacts temporomandibular joint and periodontal disease pathology’, *Odontology*, 108(2), pp. 153–165.
- Sastroasmoro, Sudigdo & Ismael, Sofyan.2014. Dasar – Dasar Metodologi Penelitian Klinis Edisi ke-5. Jakarta: Sagung Seto.
- Shetty, S., Pitti, V., Babu, C.L.-S. *et al.* (2010) ‘Bruxism: A literature review’, *JIPS*, pp. 141–148.
- Sims, N.A. and Vrahmas, C. (2014) “Regulation of cortical and trabecular bone mass by communication between osteoblasts, osteocytes and osteoclasts,” *Archives of Biochemistry and Biophysics*. Academic Press Inc., pp. 22–28.
- Singh, B., Kumar, N.R., Balan, A. *et al.* (2020) ‘Evaluation of normal morphology of mandibular condyle: A radiographic survey’, *JCIS*, 10(1), pp. 1–16.
- Sonal, V., Sandeep, P., Kapil, G. *et al.* (2016) ‘Evaluation of condylar morphology using panoramic radiography’, *Journal of Advanced Clinical & Research Insights*, 3, pp. 5–8.
- Svensson, P., Arima, T., Lavigne, G. *et al.* (2017) ‘Sleep Bruxism’, in *Principles and Practice of Sleep Medicine*. Elsevier, pp. 1423-1426.e4.
- Tecco, S. *et al.* (2010) ‘Condylar volume and surface in Caucasian young adult subjects.’, *BMC medical imaging*, 10, p. 28.
- The Glossary of Prosthodontic Terms: Ninth Edition (2017) *J.ProsDent*, 117(5), pp. e1–e105.
- Tian, Y. *et al.* (2022) ‘Similarities and differences of estrogen in the regulation of temporomandibular joint osteoarthritis and knee osteoarthritis’, *Histol Histopathol*, 37(5), pp. 415–422.
- Wijaya, Y., *et al.* (2013). Occlusal grinding pattern during sleep bruxism and temporomandibular. *Journal of Dentistry Indonesia*, 20(2), 25-31.
- Willem, N.M.B.K. *et al.* (2014) ‘The microstructural and biomechanical development of the condylar bone: a review.’, *European journal of orthodontics*, 36(4), pp. 479–85.
- Winocur, E., Uziel, N., Lisha, T. *et al.* (2011) ‘Self-reported Bruxism associations with perceived stress, motivation for control, dental anxiety and gagging’, *JOOR*, 38(1), pp. 3–11.

Wu, Y. *et al.* (2019) ‘Combination of estrogen deficiency and excessive mechanical stress aggravates temporomandibular joint osteoarthritis in vivo’, *Archives of Oral Biology*, 102, pp. 39–46.

Yamada, K., Hanada, K., Fukui, T. *et al.* (2001) ‘Condylar bony change and self-reported parafunctional habits in prospective orthognathic surgery patients with temporomandibular disorders’, *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics*, 92(3), pp. 265–271.

