

DAFTAR PUSTAKA

1. Barthelmann S, Butsch F, Lang BM, Stege H, Großmann B, Schepler H, et al. Seborrheic keratosis. *JDDG - J Ger Soc Dermatology*. 2023;21(3):265–77.
2. Jackson JM, Alexis A, Berman B, Berson DS, Taylor S, Weiss JS. Current understanding of seborrheic keratosis: prevalence, etiology, clinical presentation, diagnosis, and management. *J Drugs Dermatology*. 2015;14(10):1119–25.
3. Braun RP, Ludwig S, Marghoob AA. Differential diagnosis of seborrheic keratosis: Clinical and dermoscopic features. *J Drugs Dermatology*. 2017;16(9):835–42.
4. Yeatman JM, Kilkenny M, Marks R. The prevalence of seborrhoeic keratoses in an Australian population: Does exposure to sunlight play a part in their frequency? *Br J Dermatol*. 1997;137(3):411–4.
5. Gill D, Dorevitch A, Marks R. The prevalence of seborrheic keratoses in people aged 15 to 30 years: Is the term senile keratosis redundant? *Arch Dermatol*. 2000;136(6):759–62.
6. Bianchi MaG, Santos A, Cordioli E. Benefits of teledermatology for geriatric patients: Population-based cross-sectional study. *J Med Internet Res*. 2020;22(4).
7. Huang J, Zhang L, Shi L, Wu M, Lv T, Zhang Y, et al. An epidemiological study on skin tumors of the elderly in a community in Shanghai, China. *Sci Rep* [Internet]. 2023;13(1):1–9. Available from: <https://doi.org/10.1038/s41598-023-29012-1>
8. Kennedy C, Bajdik CD, Willemze R, De Gruijl FR, Bouwes Bavinck JN. The influence of painful sunburns and lifetime sun exposure on the risk of actinic keratoses, seborrheic warts, melanocytic nevi, atypical nevi, and skin cancer. *J Invest Dermatol*. 2003;120(6):1087–93.
9. Widiatmoko A, SHW T, Ardian Y. Korelasi Antara Kadar Superoksida Dismutase Dengan Malondialdehid Pada Jaringan Keratosis Seboroik. *Media Derm Venereol Indones*. 2019;46(3).
10. Purbasari L, Larasati A, Paramitha Wibawa L. Epidemiologic Profile of Seborrheic Keratosis and Acrochordon at the National Referral Hospital in Indonesia. *Berk Ilmu Kesehat Kulit dan Kelamin*. 2023;35(3):182–6.
11. Hirobe S, Otsuka R, Iioka H, Quan YS, Kamiyama F, Asada H, et al. Clinical study of a retinoic acid-loaded microneedle patch for seborrheic keratosis or senile lentigo. *Life Sci*. 2017;168:24–7.

12. Uwakwe LN, De Souza B, Subash J, McMichael AJ. Dermatoses Papulosa Nigra: A Quality of Life Survey Study. *J Clin Aesthet Dermatol*. 2020;13(2):17–9.
13. JAMES Q. DEL ROSSO, DO, FAOCD F. A Closer Look at Seborrheic Keratoses : *J Clin aesthetic dermatology* March. 2017;10(3).
14. Asri H, Soualhi M. The sign of Leser-Trélat: Think in the adenocarcinoma of the lung. *Pan Afr Med J*. 2018;30.
15. Heidenreich B, Denisova E, Rachakonda S, Sanmartin O, Dereani T, Hosen I, et al. Genetic alterations in seborrheic keratoses. *Oncotarget*. 2017;8(22):36639–49.
16. Hafner C, Vogt T, Landthaler M, Müsebeck J. Somatic FGFR3 and PIK3CA mutations are present in familial seborrheic keratoses. *Br J Dermatol*. 2008;159(1):214–7.
17. Fawzy M, Abdel Aal M, Mohamed El-Shahed AR. Epidemiological Study of Seborrheic Keratosis among Egyptians in Great Cairo. *Egypt J Hosp Med*. 2018;72(4):4378–81.
18. Kwon OS, Hwang EJ, Bae JH, Park HE, Lee JC, Youn JI, et al. Seborrheic keratosis in the Korean males: Causative role of sunlight. *Photodermatol Photoimmunol Photomed*. 2003;19(2):73–80.
19. Gushi A, Kanekura T, Kanzaki T, Eizuru Y. Detection and sequences of human papillomavirus DNA in nongenital seborrheic keratosis of immunopotent individuals. *J Dermatol Sci*. 2003;31(2):143–9.
20. Elston DM FT. Benign tumors and cyst of the epidermis. *Dermatopathology*. 2014;2:37–47.
21. Wollina U. Seborrheic Keratoses – The most common benign skin tumor of humans. Clinical presentation and an update on pathogenesis and treatment options. *Open Access Maced J Med Sci*. 2018;6(11):2270–5.
22. Bickers DR, Lim HW, Margolis D, Weinstock MA, Goodman C, Faulkner E, et al. The burden of skin diseases: 2004. A joint project of the American Academy of Dermatology Association and the Society for Investigative Dermatology. *J Am Acad Dermatol*. 2006;55(3):490–500.
23. Velásquez JCI, Mahecha AMC, Silva JPD. Seborrheic keratosis of the external auditory canal. *Otol Neurotol*. 2012;33(7):543–4.
24. Alapatt GF, Sukumar D, Bhat MR. A clinicopathological and dermoscopic correlation of seborrheic keratosis. *Indian J Dermatol*. 2016;61(6):622–7.

25. Sutedja EK. Seborrheic Keratosis Profile at Dr. Hasan Sadikin Central General Hospital Bandung 2015-2019. *J Gen - Proced Dermatology Venereol Indones*. 2022;6(2).
26. Muttaqien MI, Suharto A. Pengaruh Paparan Cahaya Matahari Terhadap Timbulnya Keratosis Seboroik Di Rs Pku Muhammadiyah Gamping. *COMSERVA J Penelit dan Pengabd Masy*. 2023;3(4):1214–21.
27. Hafner C, Toll A, Fernández-Casado A, Earl J, Marqués M, Acquadro F, et al. Multiple oncogenic mutations and clonal relationship in spatially distinct benign human epidermal tumors. *Proc Natl Acad Sci U S A*. 2010;107(48):20780–5.
28. Bowers JM, Hamilton JG, Lobel M, Kanetsky PA, Hay JL. Sun Exposure, Tanning Behaviors, and Sunburn: Examining Activities Associated With Harmful Ultraviolet Radiation Exposures in College Students. *J Prim Prev*. 2021;42(5):425–40.
29. Sun MD, Halpern AC. Advances in the Etiology, Detection, and Clinical Management of Seborrheic Keratoses. *Dermatology*. 2022;238(2):205–17.
30. Logié A, Dunois-Lardé C, Rosty C, Levrel O, Blanche M, Ribeiro A, et al. Activating mutations of the tyrosine kinase receptor FGFR3 are associated with benign skin tumors in mice and humans. *Hum Mol Genet*. 2005;14(9):1153–60.
31. Hafner C, Hartmann A, Real FX, Hofstaedter F, Landthaler M, Vogt T. Spectrum of FGFR3 mutations in multiple intraindividual seborrheic keratoses. *J Invest Dermatol* [Internet]. 2007;127(8):1883–5. Available from: <http://dx.doi.org/10.1038/sj.jid.5700804>
32. Neel VA, Todorova K, Wang J, Kwon E, Kang M, Liu Q, et al. Sustained Akt Activity Is Required to Maintain Cell Viability in Seborrheic Keratosis, a Benign Epithelial Tumor. *J Invest Dermatol* [Internet]. 2016;136(3):696–705. Available from: <http://dx.doi.org/10.1016/j.jid.2015.12.023>
33. Manning BD, Cantley LC. AKT/PKB Signaling: Navigating Downstream. *Cell*. 2007;129(7):1261–74.
34. Li Y, Wang Y, Zhang W, Jiang L, Zhou W, Liu Z, et al. Overexpression of amyloid precursor protein promotes the onset of seborrhoeic keratosis and is related to skin ageing. *Acta Derm Venereol*. 2018;98(6):594–600.
35. Cheong KA, Lee AY. Guanine deaminase stimulates ultraviolet-induced keratinocyte senescence in seborrhoeic keratosis via guanine metabolites. *Acta Derm Venereol*. 2020;100(8):1–10.

36. Requena L, Requena C, Cockerell C. Benign epidermal tumors and proliferations. *Dermatology* [Internet]. 2012;1795–815. Available from: <http://dx.doi.org/10.1016/B978-0-7234-3571-6.00109-3>
37. Moscarella E, Brancaccio G, Briatico G, Ronchi A, Piana S, Argenziano G. Differential diagnosis and management on seborrheic keratosis in elderly patients. *Clin Cosmet Investig Dermatol*. 2021;14:395–406.
38. Wolff, K., Goldsmith, L., Katz, S., Gilchrest, B., Paller, AS., & Leffell D. *Fitzpatrick's Dermatology in General Medicine*, 8th Edition. 2011. 1320–1323 p.
39. Del Rosso JQ. A closer look at seborrheic keratoses: Patient perspectives, clinical relevance, medical necessity, and implications for management. *J Clin Aesthet Dermatol*. 2017;10(3):16–25.
40. Weber P, Tschandl P, Sinz C, Kittler H. Dermatoscopy of Neoplastic Skin Lesions: Recent Advances, Updates, and Revisions. *Curr Treat Options Oncol*. 2018;19(11).
41. Kaliyadan F. The scope of the dermoscope. *Indian Dermatol Online J*. 2016;7(5):359.
42. Sgouros D, Apalla Z, Ioannides D, Katoulis A, Rigopoulos D, Sotiriou E, et al. Dermoscopy of Common Inflammatory Disorders. *Dermatol Clin*. 2018;36(4):359–68.
43. Minagawa A. Dermoscopy–pathology relationship in seborrheic keratosis. *J Dermatol*. 2017;44(5):518–24.
44. Kittler H, Marghoob AA, Argenziano G, Curiel-lewandrowski C, Hofmann-wellenhof R, Menzies S, et al. Standardization of terminology in dermoscopy/dermatoscopy: Results of the third consensus conference of the International Society of Dermoscopy. *J Am Acad Dermatol*. 2017;74(6):1093–106.
45. Yagerman S, Marghoob AA. The ink test: Identifying 3-dimensional features of seborrheic keratoses under dermoscopy. *JAMA Dermatology*. 2013;149(4):497–8.
46. Stricklin SM, Stoecker W V., Oliviero MC, Rabinovitz HS, Mahajan SK. Cloudy and starry milia-like cysts: How well do they distinguish seborrheic keratoses from malignant melanomas? *J Eur Acad Dermatology Venereol*. 2011;25(10):1222–4.
47. Zalaudek I, Kreusch J, Giacomel J, Ferrara G, Catrical C, Argenziano G. How to diagnose nonpigmented skin tumors: A review of vascular structures seen with dermoscopy: Part I. Melanocytic skin tumors. *J Am Acad*

Dermatol. 2010;63(3):361–74.

48. Şenel E. Dermatoscopy of non-melanocytic skin tumors. *Indian J Dermatol Venereol Leprol.* 2011;77(1):16–22.
49. Sadeli MS, Wardhana M, Windari M, Rahmawati A. Gambaran Klinis Dan Fitur Dermoskopi Keratosis Seboroik Di Rumah Sakit Sanglah, Denpasar. *E-Jurnal Med Udayana.* 2021;10(10):8.
50. Phulari RGS, Buddhdev K, Rathore R, Patel S. Seborrheic keratosis. *J Oral Maxillofac Pathol.* 2014;18(2):327–30.
51. Roh NK, Hahn HJ, Lee YW, Choe YB, Ahn KJ. Clinical and histopathological investigation of seborrheic keratosis. *Ann Dermatol.* 2016;28(2):152–8.
52. Carrera C, Segura S, Aguilera P, Scalvenzi M, Longo C, Barreiro A, et al. Dermoscopic clues for diagnosing melanomas that resemble seborrheic keratosis. *JAMA Dermatology.* 2017;153(6):544–51.
53. Ishida M, Kushima R, Okabe H. Immunohistochemical demonstration of D2-40 in basal cell carcinomas of the skin. *J Cutan Pathol.* 2008;35(10):926–30.
54. Combalia A, Carrera C. Squamous Cell Carcinoma: An Update on Diagnosis and Treatment. *Dermatol Pract Concept.* 2020;10(3):e2020066.
55. Rosendahl C, Cameron A, Argenziano G, Zalaudek I, Tschandl P, Kittler H. Dermoscopy of squamous cell carcinoma and keratoacanthoma. *Arch Dermatol.* 2012;148(12):1386–92.
56. Scarcella G, Dethlefsen MW, Nielsen MCE. Treatment of solar lentigines using a combination of picosecond laser and biophotonic treatment. *Clin Case Reports.* 2018;6(9):1868–70.
57. Scott R, Oakley A. Benign Keratosis: A Useful Term? *Dermatology Pract Concept.* 2023;13(2):1–7.
58. Minerva P. Penggunaan Tabir Surya Bagi Kesehatan Kulit. *J Pendidik Dan Kel.* 2019;11(1):87.
59. Ranasinghe GC, Friedman AJ. Managing seborrheic keratoses: Evolving strategies for optimizing patient outcomes. *J Drugs Dermatology.* 2017;16(11):1064–8.
60. Brodsky J. Management of benign skin lesions commonly affecting the face: Actinic keratosis, seborrheic keratosis, and rosacea. *Curr Opin Otolaryngol Head Neck Surg.* 2009;17(4):315–20.

61. Gurel MS, Aral BB. Effectiveness of erbium:YAG laser and cryosurgery in seborrheic keratoses: Randomized, prospective intraindividual comparison study. *J Dermatolog Treat*. 2015;26(5):477–80.
62. Lee JP, Kim YJ. A case of irritated seborrheic keratosis associated with a previous incision site. *Korean J Ophthalmol*. 2010;24(3):173–4.
63. Wollina U. Erbium-YAG laser therapy – analysis of more than 1,200 treatments. *Glob Dermatology*. 2016;3(2):268–72.
64. Herron MD, Bowen AR, Krueger GG. Seborrheic keratoses: A study comparing the standard cryosurgery with topical calcipotriene, topical tazarotene, and topical imiquimod. *Int J Dermatol*. 2004;43(4):300–2.
65. DuBois JC, Jarratt M, Beger BB, Bradshaw M, Powala C V., Shanler SD. A-101, a Proprietary Topical Formulation of High-Concentration Hydrogen Peroxide Solution: A Randomized, Double-Blind, Vehicle-Controlled, Parallel Group Study of the Dose-Response Profile in Subjects With Seborrheic Keratosis of the Face. *Dermatologic Surg*. 2018;44(3):330–40.
66. Alverina L, Winaya KK. Karakteristik keratosis seboroik di RSUP Prof . Dr . I . G . N . G . Ngoerah periode. 2024;15(3):1052–5.
67. Rajesh G, Thappa DM, Jaisankar TJ, Chandrashekar L. Spectrum of seborrheic keratoses in south Indians: A clinical and dermoscopic study. *Indian J Dermatol Venereol Leprol*. 2011;77(4):483–8.
68. Arrahman A. Gambaran Faktor Risiko Pasien Keratosis Seboroik Di RSUP DR. M. DJAMIL PADANG Pada Periode Desember 2016 – November 2019. *Sch Unand*. 2020;1.
69. Panjaitan AP, Agung LR, Yulisna. Modalitas Terapi Keratosis Seboroik Menggunakan Elektrodesikasi – Sebuah Laporan Kasus. *ASSYIFA J Ilmu Kesehat*. 2024;2(2):228–33.
70. Tanojo H, Yenny SW, Lestari S, Smf B, Kesehatan I, Kedokteran F, et al. Perbandingan Terapi Keratosis Seboroik Wajah dengan Teknik Split-face antara Laser Karbon Dioksida dengan Elektrodesikasi. Perbandingan Ter Keratosis Seboroik Wajah dengan Tek Split antara Laser Karbon Dioksida dengan Elektrodesikasi. 2013;40(2):112–5.
71. Ali BMM, El-tatawy RA, Ismael MA, Gawdat AM. Electrocautery versus ablative CO 2 laser in the treatment of seborrheic keratoses : a clinical and histopathological study. 2014;136–41.
72. Wood LD, Stucki JK, Hollenbeak CS, Miller JJ. Effectiveness of cryosurgery vs curettage in the treatment of seborrheic keratoses. *JAMA*

Dermatology. 2013;149(1):108–9.

73. Zaresharifi S, Robati RM, Dadkhahfar S, Forouzanfar MM, Zaresharifi N. Efficacy and safety of cryotherapy, electrodesiccation, CO2 laser, and Er:YAG laser in the treatment of seborrheic keratosis. *Dermatol Ther.* 2021;34(5).

