

DAFTAR KEPUSTAKAAN

- Aghabarari, M., Abdali, S. and Yousefi Jourdehi, A. (2021) 'The effect of Biofloc system on water quality, growth and hematological indices of Juvenile great sturgeon (*Huso huso*)', *Iranian Journal of Fisheries Sciences*, 20(5), pp. 1467–1482. doi: 10.22092/ijfs.2021.125140.
- Ahmad, I. *et al.* (2017) 'Biofloc technology: an emerging avenue in aquatic animal healthcare and nutrition', *Aquaculture International*, 25(3), pp. 1215–1226. doi: 10.1007/s10499-016-0108-8.
- Allen, D. *et al.* (2022) 'Microplastics and nanoplastics in the marine-atmosphere environment', *Nature Reviews Earth and Environment*, 3(6), pp. 393–405. doi: 10.1038/s43017-022-00292-x.
- Arias-Andres, M. and Rojas-Jimenez, K. (2022) 'Ecological and Public Health Effects of Microplastics Pollution', pp. 429–444. doi: 10.1007/978-3-030-89220-3_19.
- Badan Standardisasi Nasional (2005) 'Air dan Air Limbah – Bagian 31 : Cara Uji Kadar Fosfat dengan Spektrofotometer Secara Asam Askorbat', *Sni (Standar Nasional Indonesia)*, 06-6989.31, pp. 1–27.
- Binalshikh-Abubkr, T. and Mohd Hanafiah, M. (2022) 'Effect of Supplementation of Dried Bioflocs Produced by Freeze-Drying and Oven-Drying Methods on Water Quality, Growth Performance and Proximate Composition of Red Hybrid Tilapia', *Journal of Marine Science and Engineering*, 10(1). doi: 10.3390/jmse10010061.
- Browdy, C. L., Ray, A. J. and Leffler, J. W. (2010) 'Biofloc-based Aquaculture Systems'.
- BSNI. Pengujian Kadar Amonium Dalam Air. SNI 06-2479-1991. *SNI* **1991**, 2479.
- BSNI (2004) 'Cara uji nitrit (NO₂ _N) secara spektrofotometri. SNI 06-6989.9-2004', *Sni*, (2), p. 13.
- BSNI. Air Dan Air Limbah – Bagian 20 : Cara Uji Sulfat, SO₄²⁻ Secara Turbidimetri. SNI 06-6989.20-2004 Air. *SNI* **2004**, No. SNI 06-6989.20-

2004, 1–5.

- Cole, M. *et al.* (2011) 'Microplastics as contaminants in the marine environment: A review', *Marine Pollution Bulletin*, 62(12), pp. 2588–2597. doi: 10.1016/j.marpolbul.2011.09.025.
- Deswati (2021) 'Floconics): Towards Good Water Quality and Macro-Micro Nutrient', 14(5), pp. 3127–3144.
- Deswati *et al.* (2022) 'Development of biofloc technology to improve water quality in *Clarias batrachus* cultivation', *AACL Bioflux*, 15(6), pp. 2957–2968.
- Deswati, D. *et al.* (2021) 'Samhong mustard cultivation by utilizing tilapia waste in nutrient film technique (Nft) aquaponics system based on bioflocs, and its impact on water quality', *Rasayan Journal of Chemistry*, 14(4), pp. 2559–2566. doi: 10.31788/RJC.2021.1446576.
- Deswati, D. *et al.* (2023) 'Modified biofloc technology and its effects on water quality and growth of catfish', *Separation Science and Technology (Philadelphia)*, 58(5), pp. 944–960. doi: 10.1080/01496395.2023.2166843.
- Effendi, I. *et al.* (2020) 'Effect of different biofloc starters on ammonia, nitrate, and nitrite concentrations in the cultured tilapia *Oreochromis niloticus* system', *F1000Research*, 9, pp. 1–13. doi: 10.12688/f1000research.22977.3.
- Ekasari, J. *et al.* (2014) 'The size of biofloc determines the nutritional composition and the nitrogen recovery by aquaculture animals', *Aquaculture*, 426–427, pp. 105–111. doi: 10.1016/j.aquaculture.2014.01.023.
- Eriksen, M. *et al.* (2014) 'Plastic Pollution in the World's Oceans: More than 5 Trillion Plastic Pieces Weighing over 250,000 Tons Afloat at Sea', *PLoS ONE*, 9(12), pp. 1–15. doi: 10.1371/journal.pone.0111913.
- Fleckenstein, L. J., Tierney, T. W. and Ray, A. J. (2018) 'Comparing biofloc, clear-water, and hybrid recirculating nursery systems (Part II): Tilapia (*Oreochromis niloticus*) production and water quality dynamics', *Aquacultural Engineering*, 82(July), pp. 80–85. doi:

10.1016/j.aquaeng.2018.06.006.

Granberg, L. (2016) 'Biofloc technology - a new concept to produce feed to Swedish aquaculture Lovisa Granberg'.

Gustavo, M. *et al.* (2017) 'Biofloc Biofloc Technology Technology (BFT): (BFT): A A Tool Tool for for Water Water Quality Quality Management in Aquaculture Management in Aquaculture Mauricio', *Aquaculture*, (5), pp. 91–103.

Hargreaves, J.A. (2013) 'Biofloc production systems for aquaculture (Vol. 4503, pp. 1-11)', *Stoneville, MS: Southern Regional Aquaculture Center*, (4503), pp. 1–12.

Hossain, S. *et al.* (2023) 'Microplastics biodegradation by biofloc-producing bacteria: An inventive biofloc technology approach', *Microbiological Research*, 266(August 2022), p. 127239. doi: 10.1016/j.micres.2022.127239.

Hu, X. *et al.* (2023) 'Impacts of Nile Tilapia (*Oreochromis niloticus*) exposed to microplastics in bioflocs system', *Science of the Total Environment*, 901(July). doi: 10.1016/j.scitotenv.2023.165921.

Kasan, N. A. *et al.* (2022) 'A NOVEL STUDY ON THE EFFECT OF RAPID BIOFLOC AS PELLET FEED ON THE SURVIVAL RATE AND WATER QUALITY OF MUD CRAB, *Scylla olivacea* CULTURE', *Journal of Sustainability Science and Management*, 17(2), pp. 46–54. doi: 10.46754/jssm.2022.02.005.

Kasan, N. A., Dagang, A. N. and Abdullah, M. I. (2018) 'Application of biofloc technology (BFT) in shrimp aquaculture industry', *IOP Conference Series: Earth and Environmental Science*, 196(1). doi: 10.1088/1755-1315/196/1/012043.

Khanjani, M. H., Alizadeh, M. and Sharifinia, M. (2021) 'Effects of different carbon sources on water quality, biofloc quality, and growth performance of Nile tilapia (*Oreochromis niloticus*) fingerlings in a heterotrophic culture system', *Aquaculture International*, 29(1), pp. 307–321. doi: 10.1007/s10499-020-00627-9.

- Kurniawan, S. B. *et al.* (2022) 'Treatment of real aquaculture effluent using bacteria-based bioflocculant produced by *Serratia marcescens*', *Journal of Water Process Engineering*, 47(February), p. 102708. doi: 10.1016/j.jwpe.2022.102708.
- Kutralam-Muniasamy, G. *et al.* (2023) 'Consumption of commercially sold dried fish snack "Charales" contaminated with microplastics in Mexico', *Environmental Pollution*, 332(June). doi: 10.1016/j.envpol.2023.121961.
- Le, T. M. T. *et al.* (2023) 'Evaluation of microplastic removal efficiency of wastewater-treatment plants in a developing country, Vietnam', *Environmental Technology and Innovation*, 29, p. 102994. doi: 10.1016/j.eti.2022.102994.
- Martins, G. B. *et al.* (2017) 'The utilization of sodium bicarbonate, calcium carbonate or hydroxide in biofloc system: water quality, growth performance and oxidative stress of Nile tilapia (*Oreochromis niloticus*)', *Aquaculture*, 468, pp. 10–17. doi: 10.1016/j.aquaculture.2016.09.046.
- Meng, L. J. *et al.* (2023) 'Microplastics inhibit biofloc formation and alter microbial community composition and nitrogen transformation function in aquaculture', *Science of the Total Environment*, 866(January), p. 161362. doi: 10.1016/j.scitotenv.2022.161362.
- Moloantoa, K. M. *et al.* (2022) 'Nitrate Water Contamination from Industrial Activities and Complete Denitrification as a Remediation Option', *Water (Switzerland)*. doi: 10.3390/w14050799.
- Muhib, M. I. *et al.* (2023) 'Occurrence of microplastics in tap and bottled water, and food packaging: A narrative review on current knowledge', *Science of the Total Environment*, 865. doi: 10.1016/j.scitotenv.2022.161274.
- Mukhopadhyay, P. and Valsalan, S. A. (2022) 'Presence of Microplastics in Freshwater Ecosystems: An Unheeded Emerging Concern - A Global Review', *Pollution*, 8(1), pp. 69–104. doi: 10.22059/POLL.2021.325305.1113.
- Nugawela, N. P. P. S. *et al.* (2023) 'A meta-analytic review of microplastic pollution in the Indian Ocean: Ecological health and seafood safety risk implications', *Marine Pollution Bulletin*, 193(June), p. 115213. doi:

10.1016/j.marpolbul.2023.115213.

Oliveira, L. K., Wasielesky, W. and Tesser, M. B. (2022) 'Fish culture in biofloc technology (BFT): Insights on stocking density carbon sources, C/N ratio, fish nutrition and health', *Aquaculture and Fisheries*, (March). doi: 10.1016/j.aaf.2022.08.010.

Pemerintah Republik Indonesia. Lampiran VI Tentang Baku Mutu Air Nasional - PP Nomor 22 Tahun 2021 Tentang Penyelenggaraan Perlindungan Dan Pengelolaan Lingkungan Hidup. *Sekr. Negara Republik Indones.* **2021**, 1 (078487A).

Pérez-Fuentes, J. A. *et al.* (2016) 'C:N ratios affect nitrogen removal and production of Nile tilapia *Oreochromis niloticus* raised in a biofloc system under high density cultivation', *Aquaculture*, 452, pp. 247–251. doi: 10.1016/j.aquaculture.2015.11.010.

Pinho, S. M. *et al.* (2023) 'Modelling FLOCponics systems: Towards improved water and nitrogen use efficiency in biofloc-based fish culture', *Biosystems Engineering*, 229, pp. 96–115. doi: 10.1016/j.biosystemseng.2023.03.022.

Porcino, N., Bottari, T. and Mancuso, M. (2023) 'Is Wild Marine Biota Affected by Microplastics?', *Animals*, 13(1), pp. 1–17. doi: 10.3390/ani13010147.

Ramakrishnan, D. and Sathiyamoorthy, M. (2024) 'Seasonal distribution, source apportionment and risk exposure of microplastic contaminants along the Muttukadu backwater estuary, Tamil Nadu, India', *Results in Engineering*, 23(August), p. 102776. doi: 10.1016/j.rineng.2024.102776.

Ranjani, M. *et al.* (2021) 'Assessment of potential ecological risk of microplastics in the coastal sediments of India: A meta-analysis', *Marine Pollution Bulletin*, 163(January), p. 111969. doi: 10.1016/j.marpolbul.2021.111969.

Rashid, A. *et al.* (2022) 'Larval rearing of tilapia (*Oreochromis niloticus*) at different levels of feeding in biofloc culture system in Bangladesh: Evaluation of water quality parameters, growth performances, hematological parameters and nutritional quality of biofloc', *International Journal of Fisheries and Aquatic Research*, 7(2), pp. 76–84.

Ridlo, A. *et al.* (2020) 'Mikroplastik pada Kedalaman Sedimen yang Berbeda di

- Pantai Ayah Kebumen Jawa Tengah', *Jurnal Kelautan Tropis*, 23(3), pp. 325–332. doi: 10.14710/jkt.v23i3.7424.
- Rozman, U. and Kalčíková, G. (2022) 'Seeking for a perfect (non-spherical) microplastic particle – The most comprehensive review on microplastic laboratory research', *Journal of Hazardous Materials*, 424(October 2021). doi: 10.1016/j.jhazmat.2021.127529.
- De Schryver, P. *et al.* (2008) 'The basics of bio-flocs technology: The added value for aquaculture', *Aquaculture*, 277(3–4), pp. 125–137. doi: 10.1016/j.aquaculture.2008.02.019.
- Singh, R., Kumar, R. and Sharma, P. (2021) 'Microplastic in the subsurface system: Extraction and characterization from sediments of River Ganga near Patna, Bihar', *Advances in Remediation Techniques for Polluted Soils and Groundwater*, (January), pp. 191–217. doi: 10.1016/B978-0-12-823830-1.00013-4.
- SNI. *Cara Uji Air Minum Dalam Kemasan.SNI 01- 3554-2006*; 2006.
- Spelta, A. C. F. *et al.* (2021) 'Dynamics of the water quality parameters in the super-intensive culture of *Litopenaeus vannamei* in BFT system on artificial brackish water', *Aquaculture International*, 29(5), pp. 2049–2063. doi: 10.1007/s10499-021-00734-1.
- Teuten, E. L. *et al.* (2009) 'Transport and release of chemicals from plastics to the environment and to wildlife', *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1526), pp. 2027–2045. doi: 10.1098/rstb.2008.0284.
- Triebkorn, R. *et al.* (2019) 'Relevance of nano- and microplastics for freshwater ecosystems: A critical review', *TrAC - Trends in Analytical Chemistry*, 110, pp. 375–392. doi: 10.1016/j.trac.2018.11.023.
- Uddin, S. *et al.* (2022) 'Micro-Nano Plastic in the Aquatic Environment: Methodological Problems and Challenges', *Animals*, 12(3), pp. 1–18. doi: 10.3390/ani12030297.
- Wang, Z. *et al.* (2023) 'Distribution and potential ecological risks of microplastics in Zhushan Bay, China', *Chemosphere*, 335(May), p. 139024. doi:

10.1016/j.chemosphere.2023.139024.

Yeradkar, R. and Jaywant, S. (2020) 'Impact of Indian Stock Market Due to Crisis in March 2020 International Journal of Multidisciplinary Educational Research', *International Journal of Multidisciplinary Educational Research*, 7(July), pp. 89–103.

Yu, Y.-B. *et al.* (2023) 'The use, application and efficacy of biofloc technology (BFT) in shrimp aquaculture industry: A review', *Environmental Technology & Innovation*, (xxxx), p. 103345. doi: 10.1016/j.eti.2023.103345.

Yu, Y. Bin, Choi, J. H., *et al.* (2023) 'Biofloc Technology in Fish Aquaculture: A Review', *Antioxidants*, 12(2), pp. 1–35. doi: 10.3390/antiox12020398.

Yu, Y. Bin, Lee, K. M., *et al.* (2023) 'Comparative analysis of morphological characteristics, hematological parameters, body composition and sensory evaluation in olive flounder, *Paralichthys olivaceus* raised in biofloc and seawater to evaluate marketability', *Aquaculture Reports*, 30(February), p. 101616. doi: 10.1016/j.aqrep.2023.101616.

Yu, Y. Bin, Lee, J. H., *et al.* (2023) 'The application and future of biofloc technology (BFT) in aquaculture industry: A review', *Journal of Environmental Management*, 342(May), p. 118237. doi: 10.1016/j.jenvman.2023.118237.

Yuan, J. *et al.* (2020) 'Microbial degradation and other environmental aspects of microplastics/plastics', *Science of the Total Environment*, 715, p. 136968. doi: 10.1016/j.scitotenv.2020.136968.