

DAFTAR PUSTAKA

1. Indonesia R. Peraturan Menteri Kesehatan Republik Indonesia Nomor 58 Tahun 2014 tentang Standar Pelayanan Kefarmasian di Rumah Sakit. *Jakarta, Menteri Kesehat Republik Indones*. Published online 2014.
2. Permenkes RI No. 416/Menkes/Per/IX/1990. 2. Kualitas air program Pamsimas ditinjau dari kualitas kimia yaitu pH, baik titik A, B dan C memenuhi syarat air bersih yaitu 6, 5–9, 0. 3. Kualitas air program Pamsimas ditinjau dari kualitas biologi yaitu E. col.
3. Tuslinah L, Hikmawan I, Aprilia AY. Pengembangan metode analisis kadar timbal (Pb^{2+}) dalam darah menggunakan metode Atomic Absorption Spectrophotometry. *J Kesehat Bakti Tunas Husada J Ilmu-ilmu Keperawatan, Anal Kesehat dan Farm*. 2016;15(1):42. doi:10.36465/jkbth.v15i1.149
4. Mentele MM, Cunningham J, Koehler K, Volckens J, Henry CS. Microfluidic paper-based analytical device for particulate metals. *Anal Chem*. 2012;84(10):4474-4480.
5. Buring S, Saetear P, Tiyaongpattana W, et al. Microfluidic paper-based analytical device for quantification of lead using reaction band-length for identification of bullet hole and its potential for estimating firing distance. *Anal Sci*. 2018;34(1):83-89. doi:10.2116/analsci.34.83
6. Pandey G, Madhuri S. Heavy Metals Causing Toxicity in Animals and Fishes. *Res J Anim Vet Fish Sci*. 2014;2(2):17-23.
7. Nugraha Putra MD, Widada S, Atmodjo W. Studi kandungan logam berat timbal (Pb^{2+}) pada sedimen dasar di perairan banjir kanal timur Semarang. *Indones J Oceanogr*. 2022;4(3):13-21. doi:10.14710/ijoce.v4i3.13398
8. Ardillah Y. Risk Factors of Blood Lead Level. *J Ilmu Kesehat Masy*. 2016;7(3):150-155. doi:10.26553/jikm.2016.7.3.150-155
9. Budiastuti P, Rahadjo M, Dewanti N. Analisis Pencemaran Logam Berat Timbal Di Badan Sungai Babon Kecamatan Genuk Semarang. *J Kesehat Masy*. 2016;4(5):119-118.
10. Pemerintah P, OTONOM K. Peraturan Pemerintah Republik Indonesia Nomor 82 Tahun 2001. *Peratur Pemerintah Republik Indones*. 2001;1:1-5.
11. Afifah Z, Kurniyawan K, Huda T. Verifikasi Metode Penentuan Kadar Timbal (Pb^{2+}) pada Sampel Udara Ambien Menggunakan Inductively Coupled Plasma-Optical Emission Spectroscopy (ICP-OES). *IJCA (Indonesian J Chem Anal*. 2019;2(2):74-79. doi:10.20885/ijca.vol2.iss2.art5
12. Supriyanto* A, Alimuddin, Bohari. Analisis logam fe, cu, ion Pb^{2+} , dan zn dalam minyak pelumas baru dan bekas menggunakan x-ray fluorescence. *J At*. 2018;03(1):13-17.
13. Aldinomera, Destiani R, Ardiningsih L, Puji. Penentuan Kadar Timbal (II) Pada Air Sungai Kapuas Secara Spektrofotometri Ultra Violet-Visible. *J Kedokt dan Kesehat*. 2014;3(1):1-6.
14. Katelakha K, Nopponpunth V, Boonlue W, Laiwattanapaisal W. A simple distance paper-based analytical device for the screening of lead in food matrices. *Biosensors*. 2021;11(3):1-17. doi:10.3390/bios11030090
15. Wang H, Yang L, Chu S, et al. Semiquantitative visual detection of lead ions with a smartphone via a colorimetric paper-based analytical device. *Anal Chem*. 2019;91(14):9292-9299.

16. Wisang YF, Sulistyarti H, Andayani U, Sabarudin A. Microfluidic paper-based analytical devices (pads) for analysis lead using naked eye and colorimetric detections. *IOP Conf Ser Mater Sci Eng*. 2019;546(3). doi:10.1088/1757-899X/546/3/032033
17. Strong EB, Schultz SA, Martinez AW, Martinez NW. Fabrication of Miniaturized Paper-Based Microfluidic Devices (MicroPADs). *Sci Rep*. 2019;9(1):1-9. doi:10.1038/s41598-018-37029-0
18. Yamada K, Henares TG, Suzuki K, Citterio D. Paper-Based Inkjet-Printed Microfluidic Analytical Devices. *Angew Chemie Int Ed*. 2015;54(18):5294–5310.
19. Guan Y, Sun B. Detection and extraction of heavy metal ions using paper-based analytical devices fabricated via atom stamp printing. *Microsystems Nanoeng*. 2020;6(1). doi:10.1038/s41378-019-0123-9
20. Nishat S, Jafry AT, Martinez AW, Awan FR. Paper-based microfluidics: Simplified fabrication and assay methods. *Sensors Actuators, B Chem*. 2021;336:129681. doi:10.1016/j.snb.2021.129681
21. Younas M, Maryam A, Khan M, et al. Parametric analysis of wax printing technique for fabricating microfluidic paper-based analytic devices (μ PAD) for milk adulteration analysis. *Microfluid Nanofluidics*. 2019;23(3). doi:10.1007/s10404-019-2208-z
22. Suryatini KY, Rai IGA. Logam Berat Timbal (Ion Pb^{2+}) dan Efeknya pada Sistem Reproduksi. *Emasains J Edukasi Mat dan Sains*. 2018;7(1):1-6.
23. Hasanah N. Heavy Metal Contamination of Lead (Ion Pb^{2+}) In Local Food Bilvaves. *Media Gizi Kesmas*. 2022;11(2):589-594. doi:10.20473/mgk.v11i2.2022.589-594
24. Meza López F de L, Hernández CJ, Vega-Chacón J, et al. Smartphone-Based Rapid Quantitative Detection Platform with Imprinted Polymer for Ion Pb^{2+} (II) Detection in Real Samples. *Polymers (Basel)*. 2024;16(11). doi:10.3390/polym16111523
25. Satarpai T, Shiowatana J, Siripinyanond A. based analytical device for sampling, on-site preconcentration and detection of pion Pb^{2+} lead in water. *Talanta*. 2016;154:504-510.
26. Gerold CT, Bakker E, Henry CS. Selective Distance-Based K^+ Quantification on Paper-Based Microfluidics. *Anal Chem*. 2018;90(7):4894-4900. doi:10.1021/acs.analchem.8b00559
27. Alsaeed B, Mansour FR. Distance-based paper microfluidics; principle, technical aspects and applications. *Microchem J*. 2020;155(January):104664. doi:10.1016/j.microc.2020.104664
28. Juang YJ, Li WS, Chen PS. Fabrication of microfluidic paper-based analytical devices by filtration-assisted screen printing. *J Taiwan Inst Chem Eng*. 2017;80:71-75. doi:10.1016/j.jtice.2017.08.007
29. Ratnawati NA, Prasetya A, Rahayu EF. Indonesian Journal of Chemical Science Validasi Metode Pengujian Logam Berat Timbal (Ion Pb^{2+}) dengan Destruksi Basah Menggunakan FAAS dalam Sedimen Sungai Banjir Kanal Barat Semarang. *J Chem Sci*. 2019;8(1):60-69. <http://journal.unnes.ac.id/sju/index.php/ijcs>