

DAFTAR PUSTAKA

- Adgate, J. L., Goldstein, B. D., & McKenzie, L. M. (2014). Potential public health hazards, exposures and health effects from unconventional natural gas development. In *Environmental Science and Technology* (Vol. 48, Issue 15, pp. 8307–8320). American Chemical Society. <https://doi.org/10.1021/es404621d>.
- Akbari, S., Abdurahman, N. H., Yunus, R. M., Fayaz, F., & Alara, O. R. (2018). Biosurfactants—a new frontier for social and environmental safety: a mini review. *Biotechnology Research and Innovation*, 2(1), 81–90. <https://doi.org/10.1016/j.biori.2018.09.001>.
- Al-Tae, A. M. R., Alkanany, F. N., Gmais, S. A., & Alshawi, H. A. N. (2017). Biodegradation of Aliphatic Hydrocarbons by Bacteria Isolated from Khor Al-Zubair Channel, Southern Iraq. *International Journal of Marine Science*. <https://doi.org/10.5376/ijms.2017.07.0018>.
- Al-Wasify, R. S., & Hamed, R. S. (2014). Retracted: Bacterial Biodegradation of Crude Oil Using Local Isolates. *International Journal of Bacteriology*, 2016, 1–1. <https://doi.org/10.1155/2016/6013871>.
- Ambaye, T. G., & Hagos, K. (2020). Photocatalytic and biological oxidation treatment of real textile wastewater. *Nanotechnology for Environmental Engineering*, 5(3). <https://doi.org/10.1007/s41204-020-00094-w>.
- Ambust, S., Das, A. J., & Kumar, R. (2021). Bioremediation of petroleum contaminated soil through biosurfactant and *Pseudomonas* sp. SA3 amended design treatments. *Current Research in Microbial Sciences*, 2. <https://doi.org/10.1016/j.crmicr.2021.100031>.
- Atlas, R. M., & Panda, A. (1999). *Handbook of media for environmental microbiology* (2nd ed.). CRC Press.
- Berg, J. M., Tymoczko, J. L. and Stryer, L. (2002). *Biochemistry 5th Edition*. W.H. Freeman Publishing. New York.
- Beveridge, T. J. (2001). Use of the Gram stain in microbiology. *Biotech & Histochem*, 76, 111–118.
- Brown, A.E. (2005). *Microbiological Application*. Mc Graww-Hill Companies: New York.
- Buchanan, R. E. and Gibbons, N. E. (2003). *Bergey's Manual of Determinative Bacteriology Sevent Edition*. The William and Willkins Company Baltimore. USA.
- Cappuccino, J. G., dan Sherman, N. (2014). *Manual Laboratorium Mikrobiologi Edisi 8*. EGC: Jakarta.

- Coico, R. (2005). Gram Staining basic protocol Commonly Used Techniques. In *Current Protocols in Microbiology*. <https://doi.org/https://doi.org/10.1002/9780471729259.mca03cs00>.
- Das, P., Mukherjee, S., & Sen, R. (2008). Antimicrobial potential of a lipopeptide biosurfactant derived from a marine *Bacillus circulans*. *Journal of Applied Microbiology*, 104(6), 1675–1684. <https://doi.org/10.1111/j.1365-2672.2007.03701.x>.
- Elazzazy, A. M., Abdelmoneim, T. S., & Almaghrabi, O. A. (2015). Isolation and characterization of biosurfactant production under extreme environmental conditions by alkali-halo-thermophilic bacteria from Saudi Arabia. *Saudi Journal of Biological Sciences*, 22(4), 466–475. <https://doi.org/10.1016/j.sjbs.2014.11.018>.
- El-Sheshtawy, H. S., & Doheim, M. M. (2014). Selection of *Pseudomonas aeruginosa* for biosurfactant production and studies of its antimicrobial activity. *Egyptian Journal of Petroleum*, 23(1), 1–6. <https://doi.org/10.1016/j.ejpe.2014.02.001>.
- Eras-Muñoz, E., Farré, A., Sánchez, A., Font, X., & Gea, T. (2022). Microbial biosurfactants: a review of recent environmental applications. In *Bioengineered* (Vol. 13, Issue 5, pp. 12365–12391). Taylor and Francis Ltd. <https://doi.org/10.1080/21655979.2022.2074621>.
- Febria, F. A., & Ramadhani, N. (2024). Isolasi dan uji daya hambat bakteri simbiosis terhadap *Vibrio parahaemolyticus*. *Jurnal Kesehatan Medika Saintika*, 15(1), 104. <https://doi.org/10.30633/jkms.v15i1.2592>.
- Febria, F. A., Zakaria, I. J., Syukriani, L., Rahayu, S. P., & Fajri, M. A. (2016). The highest mercury resistant bacteria as a mercury remediator from gold mining soil in West Sumatera, Indonesia. *Journal of Chemical and Pharmaceutical Research*, 8(1), 394–397.
- Febria, F. A., Zulkhairia, F., Walpajri, F., Putra, A., & Syukriani, L. (2023). Biofilm-Forming Heavy Metal Resistance Bacteria from Bungus Ocean Fisheries Port (PPS) West Sumatra as a Waters Bioremediation Agent. *Pakistan Journal of Biological Sciences*, 26(4), 168–176. <https://doi.org/10.3923/pjbs.2023.168.176>.
- Folayan, A. J., Dosunmu, A., & Oriji, B. (2022). Microbial activity evaluation and aerobic transformation of deep water offshore synthetic drilling fluids in soil: A case study of ternary mixture of synthetic ethyl esters of plants oil (Seep mixture) synthetic drilling fluid in agbami (*Niger delta*) deep water field. *Results in Engineering*, 15. <https://doi.org/10.1016/j.rineng.2022.100537>.
- Francy, D. S., Thomas, J. M., Raymond, R. L., & Ward, C. H. (1991). Emulsification of hydrocarbons by subsurface bacteria. *J. Ind Microbiol*, 8, 237–246. <https://academic.oup.com/jimb/article/8/4/237/5987590>.
- Franzetti, A., Caredda, P., Ruggeri, C., Colla, P. La, Tamburini, E., Papacchini, M., & Bestetti, G. (2009). Potential applications of surface-active compounds by

- Gordonia* sp. strain BS29 in soil remediation technologies. *Chemosphere*, 75(6), 801–807. <https://doi.org/10.1016/J.CHEMOSPHERE.2008.12.052>.
- García-Reyes, S., Yáñez-Ocampo, G., Wong-Villarreal, A., Rajaretinam, R. K., Thavasimuthu, C., Patiño, R., & Ortiz-Hernández, M. L. (2018). Partial characterization of a biosurfactant extracted from *Pseudomonas* sp. B0406 that enhances the solubility of pesticides. *Environmental Technology (United Kingdom)*, 39(20), 2622–2631. <https://doi.org/10.1080/21622515.2017.1363295>.
- Geetha, S. J., Joshi, S. J., & Kathrotiya, S. (2013). Isolation and Characterization of Hydrocarbon Degrading Bacterial Isolate from Oil Contaminated Sites. *APCBEE Procedia*, 5, 237–241. <https://doi.org/10.1016/j.apcbee.2013.05.041>.
- Ghosal, D., Ghosh, S., Dutta, T. K., & Ahn, Y. (2016). Current state of knowledge in microbial degradation of polycyclic aromatic hydrocarbons (PAHs): A review. In *Frontiers in Microbiology* (Vol. 7, Issue AUG). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2016.01369>.
- Govarthanan, M., Fuzisawa, S., Hosogai, T., & Chang, Y. C. (2017). Biodegradation of aliphatic and aromatic hydrocarbons using the filamentous fungus *Penicillium* sp. CHY-2 and characterization of its manganese peroxidase activity. *RSC Advances*, 7(34), 20716–20723. <https://doi.org/10.1039/c6ra28687a>.
- Harianti, D., Febria, F. A., Biologi, J., Matematika, F., Ilmu, D., & Alam, P. (2017). Pola pertumbuhan bakteri lumpur aktif dalam proses biodegradasi minyak solar. In *SEMNAS BIOETI KE-4 & KONGRES PTTI KE-12*.
- Head, I. M., Jones, D. M., & Røling, W. F. M. (2006). Marine microorganisms make a meal of oil. In *Nature reviews. Microbiology* (Vol. 4, Issue 3, pp. 173–182). <https://doi.org/10.1038/nrmicro1348>
- Husain, S. (2008). Literature overview: Microbial metabolism of high molecular weight polycyclic aromatic hydrocarbons. *Remediation*, 18(2), 131–161. <https://doi.org/10.1002/rem.20165>.
- Ibrahim, M. L., Ijah, U. J. J., Manga, S. B., Bilbis, L. S., & Umar, S. (2013). Production and partial characterization of biosurfactant produced by crude oil degrading bacteria. *International Biodeterioration & Biodegradation*, 81, 28–34. <https://doi.org/10.1016/J.IBIOD.2012.11.012>.
- Ikuesan, F. (2017). Evaluation of Crude Oil Biodegradation Potentials of Some Indigenous Soil Microorganisms. *Journal of Scientific Research and Reports*, 13(5), 1–9. <https://doi.org/10.9734/jsrr/2017/29151>.
- Jain, P. K., Gupta, V. K., Gaur, R. K., Lowry, M., Jaroli, D. P., & Chauhan, U. K. (2011). Bioremediation of petroleum oil contaminated soil and water. *Research Journal of Environmental Toxicology*, 5(1), 1–26. <https://doi.org/10.3923/rjet.2011.1.26>.
- Joy, S., Rahman, P. K. S. M., & Sharma, S. (2017). Biosurfactant production and concomitant hydrocarbon degradation potentials of bacteria isolated from

- extreme and hydrocarbon contaminated environments. *Chemical Engineering Journal*, 317, 232–241. <https://doi.org/10.1016/J.CEJ.2017.02.054>.
- Juckpech, K., Pinyakong, O., & Rerngsamran, P. (2012). Degradation of polycyclic aromatic hydrocarbons by newly isolated *Curvularia* sp. F18, *Lentinus* sp. S5, and *Phanerochaete* sp. T20. *ScienceAsia*, 38(2), 147–156. <https://doi.org/10.2306/scienceasia1513-1874.2012.38.147>.
- Kumar A, Bisht B S, & Joshi V D. (2011). Review on Bioremediation of Polluted Environment: A Management Tool. In *International Journal of Environmental Sciences* (Vol. 30, Issue 25). www.IndianJournals.com.
- Mahjoubi, M., Cappello, S., Souissi, Y., Jaouani, A., & Cherif, A. (2018). Microbial Bioremediation of Petroleum Hydrocarbon Contaminated Marine Environments. In *Recent Insights in Petroleum Science and Engineering*. InTech. <https://doi.org/10.5772/intechopen.72207>.
- Margesin, R., Labbé, D., Schinner, F., Greer, C. W., & Whyte, L. G. (2003). Characterization of hydrocarbon-degrading microbial populations in contaminated and pristine Alpine soils. *Applied and Environmental Microbiology*, 69(6), 3085–3092. <https://doi.org/10.1128/AEM.69.6.3085-3092.2003>.
- Margesin, R., Plaza, G. A., & Kasenbacher, S. (2011). Characterization of bacterial communities at heavy metal contaminated sites. *Chemosphere*, 82(11), 1583–1588. <https://doi.org/10.1016/J.chemosphere.2010.11.056>.
- Morikawa, M., Hirata, Y., & Imanaka, T. (2000). A study on the structure–function relationship of lipopeptide biosurfactants. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*, 1488(3), 211–218. [https://doi.org/10.1016/S1388-1981\(00\)00124-4](https://doi.org/10.1016/S1388-1981(00)00124-4).
- Nagtode, V. S., Cardoza, C., Yasin, H. K. A., Mali, S. N., Tambe, S. M., Roy, P., Singh, K., Goel, A., Amin, P. D., Thorat, B. R., Cruz, J. N., & Pratap, A. P. (2023). Green Surfactants (Biosurfactants): A Petroleum-Free Substitute for Sustainability—Comparison, Applications, Market, and Future Prospects. In *ACS Omega* (Vol. 8, Issue 13, pp. 11674–11699). American Chemical Society. <https://doi.org/10.1021/acsomega.3c00591>.
- Ndlovu, T., Rautenbach, M., Vosloo, J. A., Khan, S., & Khan, W. (2017). Characterisation and antimicrobial activity of biosurfactant extracts produced by *Bacillus amyloliquefaciens* and *Pseudomonas aeruginosa* isolated from a wastewater treatment plant. *AMB Express*, 7(1). <https://doi.org/10.1186/s13568-017-0363-8>.
- Nwakanma, C., Obih, E. C., & Onyia, O. (2016). Molecular Identification of Bacteria Involved in Degradation of Crude Oil. *Nigerian Journal of Biotechnology*, 31(1), 1. <https://doi.org/10.4314/njb.v31i1.1>.

- Omokhagbor Adams, G., Tawari Fufeyin, P., Eruke Okoro, S., & Ehinomen, I. (2020). Bioremediation, Biostimulation and Bioaugmentation: A Review. *International Journal of Environmental Bioremediation & Biodegradation*, 3(1), 28–39. <https://doi.org/10.12691/ijebb-3-1-5>.
- Patowary, K., Patowary, R., Kalita, M. C., & Deka, S. (2017). Characterization of biosurfactant produced during degradation of hydrocarbons using crude oil as sole source of carbon. *Frontiers in Microbiology*, 8(FEB). <https://doi.org/10.3389/fmicb.2017.00279>.
- Pereira, J. F. B., Gudiña, E. J., Costa, R., Vitorino, R., Teixeira, J. A., Coutinho, J. A. P., & Rodrigues, L. R. (2013). Optimization and characterization of biosurfactant production by *Bacillus subtilis* isolates towards microbial enhanced oil recovery applications. *Fuel*, 111, 259–268. <https://doi.org/10.1016/j.fuel.2013.04.040>.
- Płaza, G. A., Zjawiony, I., & Banat, I. M. (2006). Use of different methods for detection of thermophilic biosurfactant-producing bacteria from hydrocarbon-contaminated and bioremediated soils. *Journal of Petroleum Science and Engineering*, 50(1), 71–77. <https://doi.org/10.1016/j.petrol.2005.10.005>.
- Putri, G. E., & Febria, F. A. (2023). Isolasi dan pengujian isolat bakteri dari limbah pome (*palm oil mill effluent*) sebagai agen dekolonisasi dalam upaya penyehatan lingkungan. *Jurnal Kesehatan Medika Saintika*, 14(2), 414. <https://doi.org/10.30633/jkms.v14i2.2159>.
- Qubra, T., Febria, F. A., & Djamaan, A. (2023). Isolation and Characterization of Polystyrene-Starch Polymer Degrading Bacteria Coating of Slow-Release Urea Fertilizer. *IOSR Journal of Biotechnology and Biochemistry (IOSR-JBB)*, 9(2), 1–6. <https://doi.org/10.9790/264X-09020106>.
- Rahman, P. K. S. M., & Gakpe, E. (2008). Production, characterisation and applications of biosurfactants - Review. *Biotechnology*, 7(2), 360–370. <https://doi.org/10.3923/biotech.2008.360.370>.
- Saber, A. N., Djellabi, R., Fellah, I., Abderrahim, N., & Bianchi, C. L. (2021). Synergistic sorption/photo-Fenton removal of typical substituted and parent polycyclic aromatic hydrocarbons from coking wastewater over CuO-Montmorillonite. *Journal of Water Process Engineering*, 44, 102377. <https://doi.org/10.1016/J.JWPE.2021.102377>.
- Saiful, Hasima, S., Kamila, N., & Rahmi. (2022). Cellulose acetate from palm oil bunch waste for forward osmosis membrane in desalination of brackish water. *Results in Engineering*, 15. <https://doi.org/10.1016/j.rineng.2022.100611>.
- Santos, D. K. F., Rufino, R. D., Luna, J. M., Santos, V. A., & Sarubbo, L. A. (2016). Biosurfactants: Multifunctional biomolecules of the 21st century. In *International Journal of Molecular Sciences* (Vol. 17, Issue 3). MDPI AG. <https://doi.org/10.3390/ijms17030401>.

- Sarafin, Y., Donio, M. B. S., Velmurugan, S., Michaelbabu, M., & Citarasu, T. (2014). *Kocuria marina* BS-15 a biosurfactant producing halophilic bacteria isolated from solar salt works in India. *Saudi Journal of Biological Sciences*, 21(6), 511–519. <https://doi.org/10.1016/J.SJBS.2014.01.001>.
- Satpute, S. K., Banpurkar, A. G., Dhakephalkar, P. K., Banat, I. M., & Chopade, B. A. (2010). Methods for investigating biosurfactants and bioemulsifiers: A review. In *Critical Reviews in Biotechnology* (Vol. 30, Issue 2, pp. 127–144). <https://doi.org/10.3109/07388550903427280>.
- Sharma, S., & Pandey, L. M. (2020). Production of biosurfactant by *Bacillus subtilis* RSL-2 isolated from sludge and biosurfactant mediated degradation of oil. *Bioresource Technology*, 307, 123261. <https://doi.org/10.1016/J.BIORTECH.2020.123261>.
- Sharma, S., Verma, R., & Pandey, L. M. (2019). Crude oil degradation and biosurfactant production abilities of isolated *Agrobacterium fabrum* SLAJ731. *Biocatalysis and Agricultural Biotechnology*, 21. <https://doi.org/10.1016/j.bcab.2019.101322>.
- Sivagamasundari, T., & Jeyakumar, N. (2018). Isolation and screening of diesel oil degrading bacteria using redox indicator. *International Journal of Scientific Development and Research*, 3. www.ijedr.org8.
- Temitope, K. K., Ayanfemi, A. A., & Rebecca, O. K. (2021). Biosurfactant producing abilities of some bacteria isolated from bitumen contaminated soils. *Journal Environ Biol*, 6(1). <https://doi.org/10.13140/RG.2.2.14108.00642>.
- Tetteh, R. N. (2015). Chemical soil degradation as a result of contamination: A review. *Journal of Soil Science and Environmental Management*, 6(11), 301–308. <https://doi.org/10.5897/JSSEM15>.
- Tropini, C., Rabbani, N., & Huang, K. C. (2012). Physical constraints on the establishment of intracellular spatial gradients in bacteria. In *BMC Biophysics* (Vol. 5). <http://www.biomedcentral.com/2046-1682/5/17>.
- Uzoigwe, C., Burgess, J. G., Ennis, C. J., & Rahman, P. K. S. M. (2015). Bioemulsifiers are not biosurfactants and require different screening approaches. In *Frontiers in Microbiology* (Vol. 6, Issue APR). Frontiers Research Foundation. <https://doi.org/10.3389/fmicb.2015.00245>.
- Vanishree, M., Thatheyus, A. J., & Ramya, D. (2014). Biodegradation of Petrol Using the Fungus *Penicillium* sp. *Science International*, 2(1), 26–31. <https://doi.org/10.17311/sciintl.2014.26.31>.
- Varjani, S. J. (2017). Microbial degradation of petroleum hydrocarbons. In *Bioresource Technology* (Vol. 223, pp. 277–286). Elsevier Ltd. <https://doi.org/10.1016/j.biortech.2016.10.037>.
- Varjani, S. J., & Upasani, V. N. (2017). Critical review on biosurfactant analysis, purification and characterization using rhamnolipid as a model biosurfactant. In

Bioresource Technology Vol. 232, pp. 389–397. Elsevier Ltd.
<https://doi.org/10.1016/j.biortech.2017.02.047>.

Walter, V., Syltatk, C., & Hausmann, R. (2010). Screening Concepts for the Isolation of Biosurfactant Producing Microorganisms. *Advances in experimental medicine and biology*, 672, 1–13. https://doi.org/10.1007/978-1-4419-5979-9_1.

Young, K. D. (2006). The Selective Value of Bacterial Shape. *Microbiology and Molecular Biology Reviews*, 70(3), 660–703.
<https://doi.org/10.1128/mmb.00001-06>.

Youssef, N. H., Duncan, K. E., Nagle, D. P., Savage, K. N., Knapp, R. M., & McInerney, M. J. (2004). Comparison of methods to detect biosurfactant production by diverse microorganisms. *Journal of Microbiological Methods*, 56(3), 339–347. <https://doi.org/10.1016/j.mimet.2003.11.001>.

Zhao, F., Zhu, H., Cui, Q., Wang, B., Su, H., & Zhang, Y. (2021). Anaerobic production of surfactin by a new *Bacillus subtilis* isolate and the in-situ emulsification and viscosity reduction effect towards enhanced oil recovery applications. *Journal of Petroleum Science and Engineering*, 201. <https://doi.org/10.1016/j.petrol.2021.108508>.

