

DAFTAR PUSTAKA

- Adams, C.I.M., Knapp, M., Gemmell, N.J., Jeunen, G.J., Bunce, M., Lamare, M.D. & Taylor, H.R. 2019. Beyond biodiversity: Can environmental DNA (eDNA) cut it as a population genetics tool? *Genes* 10(3): 192.
- Agisimanto, D. & Supriyanto, A. 2007. Keragaman genetik pamelon (*Citrus maxima*) Indonesia berdasarkan primer Random Amplified Polymorphic DNA. *Jurnal Hortikultura* 17(1): 1–7.
- Agisimanto, D., Martasari, C. & Supriyanto, A. 2007. Perbedaan primer RAPD dan ISSR dalam identifikasi hubungan kekerabatan genetik jeruk siam (*Citrus suhuniensis* L. Tan) Indonesia. *Jurnal Hortikultura* 17(2).
- Alberts, B., Johnson, A., Lewis, J., Morgan, D., Raff, M., Roberts, K. & Walter, P. 2015. *Molecular Biology of the Cell*. Edisi ke-6. Garland Science, New York.
- Alkan, C., Coe, B.P. & Eichler, E.E. 2011. Genome structural variation discovery and genotyping. *Nature Reviews Genetics* 12: 363–376.
- Almerekova, S., Mukhitdinov, N. & Abugalieva, S. 2017. Phylogenetic study of the endemic species *Oxytropis almaatensis* (Fabaceae) based on nuclear ribosomal DNA ITS sequences. *BMC Plant Biology* 17(1): 173.
- Alonge, M., Wang, X., Benoit, M., Soyk, S., Pereira, L., Zhang, L., Suresh, H., Ramakrishnan, S., Maumus, F., Ciren, D., Levy, Y., Harel, T.H., Shalev-Schlosser, G., Amsellem, Z., Razifard, H., Caicedo, A.L., Tieman, D.M., Klee, H., Kirsche, M., Aganezov, S., Ranallo-Benavidez, T.R., Lemmon, Z.H., Kim, J., Robitaille, G., Kramer, M., Goodwin, S., McCombie, W.R., Hutton, S., van Eck, J., Gillis, J., Eshed, Y., Sedlazeck, F.J., Knaap, E., Schatz, M.C. & Lippman, Z.B. 2020. Major impacts of widespread structural variation on gene expression and crop improvement in tomato. *Cell* 182: 145–161.
- Alvarez, I. & Wendel, J.F. 2003. Ribosomal ITS sequences and plant phylogenetic inference. *Molecular Phylogenetics and Evolution* 29(3): 417–434. [https://doi.org/10.1016/S1055-7903\(03\)00208-2](https://doi.org/10.1016/S1055-7903(03)00208-2)
- Amar, M.H., Hassan, A.H., Biswas, M.K., Dulloo, E., Xie, Z.Z. & Guo, W.W. 2014. Maximum parsimony based resolution of inter-species phylogenetic relationships in *Citrus* L. (Rutaceae) using ITS of rDNA. *Biotechnology & Biotechnological Equipment* 28(1): 61–67.

- Amos, W. & Harwood, J. 1998. Factors affecting levels of genetic diversity in natural populations. *Philosophical Transactions of the Royal Society of London B* 353: 117–186.
- Aneklaphakij, C., Bunsupa, S., Sirichamorn, Y., Bongcheewin, B. & Satitpatipan, V. 2020. Taxonomic notes on the ‘Mahat’ (*Artocarpus lacucha* and *A. thailandicus*, Moraceae) species complex in Thailand. *Plants* 9(3): 391.
- Azani, N., Bruneau, A., Wojciechowski, M.F. & Zarre, S. 2017. Molecular phylogenetics of annual *Astragalus* (Fabaceae) and its systematic implications. *Botanical Journal of the Linnean Society* 184(3): 347–365.
- Azuma, H., Thien, L.B. & Kawano, S. 1999. Molecular phylogeny of *Magnolia* (Magnoliaceae) inferred from cpDNA sequences and evolutionary divergence of the floral scents. *Journal of Plant Research* 112: 291–306.
- Badan Informasi Geospasial. 2024. *Peta dasar Indonesia* [Shapefile]. Indonesia Geospasial. <https://tanahair.indonesia.go.id>
- Badan Pusat Statistik Sumatra Barat. 2022. Produksi tanaman buah-buahan sayuran tahunan (ton), 2022. <https://sumbar.bps.go.id/indicator/55/41/1/produksi-tanaman-buah-buahan-dan-sayuran-tahunan.html> [diakses 11 Desember 2023].
- Badotti, F., de Oliveira, F.S., Garcia, C.F., Vaz, A.B.M., Fonseca, P.L.C., Nahum, L.A., Oliveira, G. & Goes-Neto, A. 2017. Effectiveness of ITS and sub-regions as DNA barcode markers for identifying Basidiomycota (Fungi). *BMC Microbiology* 17(42): 1–12.
- Baldwin, B.G., Sanderson, M.J., Porter, J.M., Wojciechowski, M.F., Campbell, C.S. & Donoghue, M.J. 1995. The ITS region of nuclear ribosomal DNA: A valuable source of evidence on angiosperm phylogeny. *Annals of the Missouri Botanical Garden* 82(2): 247–277.
- Bandelt, H.J., Forster, P. & Röhl, A. 1999. Median-joining networks for inferring intraspecific phylogenies. *Molecular Biology and Evolution* 16(1): 37–48.
- Baum, D.A. & Smith, S.D. 2012. *Tree Thinking: An Introduction to Phylogenetic Biology*. Roberts & Company Publishers, Greenwood Village, CO.
- Bayer, R.J., Mabberley, D.J., Morton, C., Miller, C.H., Sharma, I.K., Pfeil, B.E., Soost, R.K. & Sykes, S. 2009. A molecular phylogeny of the orange subfamily (Rutaceae: Aurantioideae) using nine cpDNA sequences. *American Journal of Botany* 96(3): 668–685. <https://doi.org/10.3732/ajb.0800341>

- Beeck, M., Lievens, B., Busschaert, P., Declerck, S., Vangronsveld, J. & Colpaert, J.V. 2014. Comparison and validation of some ITS primer pairs useful for fungal metabarcoding studies. *PLOS ONE* 9(6): e97629.
- Bellarosa, R., Simeone, M.C., Papini, A. dan Schirone, B. 2005. Utility of ITS sequence data for phylogenetic reconstruction of Italian *Quercus* spp. *Molecular Phylogenetics and Evolution* 34(2): pp355–370.
- Bellemain, E., Carlsen, T., Brochmann, C., Coissac, E., Taberlet, P. dan Kauserud, H. 2010. ITS as an environmental DNA barcode for fungi: an in-silico approach reveals potential PCR biases. *BMC Microbiology* 10: 189.
- Bidang Pengembangan Produksi Hortikultura. 2014. *Standar Operasional Prosedur (SOP) Budidaya Jeruk Siam Banjar*. Dinas Pertanian dan Peternakan Provinsi Kalimantan Tengah, Kalimantan Tengah.
- Brown, T.A. 2016. *Genomes*. Edisi ke-4. New York: Garland Science.
- Burland, T.G. 2000. DNASTAR's Lasergene sequence analysis software. Dalam Misener, S. dan Krawetz, S.A. (eds). *Methods in Molecular Biology*. Vol. 132: pp71–91. Totowa, NJ: Humana Press. <http://doi.org/10.1385/1-59259-192-2:71>
- Cahyono, B. 2005. *Budidaya Jeruk Mandarin (Keprok, Siam dan Jepang)*. Jakarta: Yayasan Pustaka Nusantara.
- CBOL Plant Working Group. 2009. A DNA barcode for land plants. *Proceedings of the National Academy of Sciences of the United States of America* 106: pp12794–12797.
- Chase, M.W. dan Fay, M.F. 2009. Barcoding of plants and fungi. *Science* 325: pp682–683.
- Choi, J.H., Jeong, D.G., Oh, J.N., Kim, S., Lee, Y.H., UngChoi, Y., Myoung, J.G. dan Kim, C.G. 2020. DNA barcoding of coral reef fishes from Chuuk State, Micronesia. *Mitochondrial DNA Part B: Resources* 5(3): pp201–217.
- Choudhuri, S. 2014. Phylogenetic analysis. Dalam *Bioinformatics for Beginners*. pp209–218. London: Elsevier. <https://doi.org/10.1016/B978-0-12-410471-6.00009-8>
- Chuang, L.Y., Cheng, Y.H. dan Yang, C.H. 2013. Specific primer design for the Polymerase Chain Reaction. *Biotechnology Letters* 35(10): pp1541–1549. <https://doi.org/10.1007/s10529-013-1249-8>
- Church, G.M. 2006. Genomes for all. *Scientific American* 294: pp46–53.

- Clegg, M.T. dan Durbin, M.L. 1990. Molecular approaches to the study of plant biosystematics. *Australian Systematic Botany* 3(1): pp1–8.
- Daniell, H., Lee, S.B., Grevich, J., Saski, C., Quesada-Vargas, T., Guda, C., Tomkins, J. dan Jansen, R.K. 2006. Complete chloroplast genome sequences of *Solanum bulbocastanum*, *Solanum lycopersicum* and comparative analyses with other Solanaceae genomes. *Theoretical and Applied Genetics* 112: pp1503–1518.
- Deng, Y., Liu, T., Xie, Y., Wei, Y., Xie, Z., Shi, Y. & Deng, X. 2020. High genetic diversity and low differentiation in *Michelia shiluensis*, an endangered magnolia species in South China. *Forests*, 11: 1–15. <https://doi.org/10.3390/f11040469>
- Devy, N.F. & Hardiyanto. 2017. Keragaman Jeruk Gunung Omeh (*Citrus nobilis* Lour.) di Sumatra Barat Berdasarkan Marka. *Jurnal Hortikultura*, 27(2): 155–164.
- Didriksen, A. 2010. *Molecular Biology and Physiology of Isolated Chloroplast from the Algae Vaucheria*. Skripsi. University of Tromso, Norwegia.
- Dieffenbach, C.W. & Dveksler, G.S. 1995. *PCR Primer: A Laboratory Manual*. New York: Cold Spring Harbor Laboratory Press.
- Dimiyati, A. 2005. Prospek dan arah pengembangan agribisnis jeruk. Jakarta: Badan Penelitian dan Pengembangan Pertanian, Kementerian Pertanian Republik Indonesia.
- Direktorat Jenderal Hortikultura. 2022. *Statistik Hortikultura Tahun 2022*. Jakarta: Departemen Pertanian Republik Indonesia.
- Doh, E.J., Paek, S.H., Lee, G., Lee, M.Y. & Oh, S.E. 2016. Application of partial internal transcribed spacer sequences for the discrimination of *Artemisia capillaris* from other *Artemisia* species. *Evidence-Based Complementary and Alternative Medicine*, 2016: 7043436.
- Doyle, J.J. & Doyle, J.L. 1987. A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin*, 19: 11–15.
- El-Esawi, M.A., Elashtokhy, M.M., Shamseldin, S.A., El-Ballat, E.M., Zayed, E.M. & Heikal, Y.M. 2022. Analysis of genetic diversity and phylogenetic relationships of wheat (*Triticum aestivum* L.) genotypes using phenological, molecular and DNA barcoding markers. *Genes*, 14(1): 34.
- Ellegren, H. & Galtier, N. 2016. Determinants of genetic diversity. *Nature Reviews Genetics*, 17(7): 422–433.

- Ellestad, P., Farrera, M.A.P., Forest, F. & Buerki, S. 2022. Uncovering haplotype diversity in cultivated Mexican vanilla species. *American Journal of Botany*, 109(7): 1120–1138. <https://doi.org/10.1002/ajb2.16024>
- El-Metwally, S., Ouda, O.M. & Helmy, M. 2014. New horizons in next-generation sequencing. In: *Next-generation sequencing technologies and challenges in sequence assembly*, pp. 51–59.
- Enguito, R.Z.C. & Novero, A.U. 2018. Genetic variation of sago palm (*Metroxylon sagu* Rottb.) samples from Mindanao, Philippines using internal transcribed spacer analysis. *Malaysian Applied Biology*, 47(3): 39–48.
- Eren, K., Taktakoglu, N. & Pirim, I. 2022. DNA sequencing methods: from past to present. *The Eurasian Journal of Medicine*, 54: 47–56.
- Excoffier, L. & Lischer, H.E.L. 2010. Arlequin suite ver 3.5: a new series of programs to perform population genetics analyses under Linux and Windows. *Molecular Ecology Resources*, 10: 564–567.
- Fajarningsih, N.D. 2016. Internal transcribed spacer (ITS) as DNA barcoding to identify fungal species: a review. *Squalen Bulletin of Marine and Fisheries Postharvest and Biotechnology*, 11(2): 37–44.
- Falush, D., Stephens, M. & Pritchard, J.K. 2003. Inference of population structure using multilocus genotype data: linked loci and correlated allele frequencies. *Genetics*, 154: 1567–1587.
- Fama, P., Olsen, J.J., Stam, W.T. & Procaccini, G. 2000. High levels of intra- and inter-individual polymorphism in the rDNA ITS1 of *Caulerpa racemosa* (Chlorophyta). *European Journal of Phycology*, 35: 349–356.
- Fan, X., Liu, J., Sha, L.N., Sun, G.L., Hu, Z.Q., Zeng, J., Kang, H.Y., Zhang, H.Q., Wang, Y., Wang, X., Zhang, L., Ding, C.B., Yang, R.W., Zheng, Y.L. & Zhou, Y.H. 2014. Evolutionary pattern of rDNA following polyploidy in *Leymus* (Triticeae: Poaceae). *Molecular Phylogenetics and Evolution*, 77: 296–306.
- FAO. 2021. *Citrus Fruit Statistical Compendium 2020*. Rome: FAO.
- Farchiyah, E.L., Arumingtyas, S., Widyarti & Rahayu, S. 2016. *Biologi Molekuler: Prinsip Dasar Analisis*. Jakarta: Penerbit Erlangga.
- Frankham, R., Ballou, J.D. & Briscoe, D.A. 2002. *Introduction to Conservation Genetics*. Cambridge: Cambridge University Press.
- Frankham, R., Ballou, J.D. & Briscoe, D.A. 2010. *Introduction to Conservation Genetics*, 2nd ed. New York: Cambridge University Press, pp. 96–122.

- Freitas, A.D.S., Silva, M.L.R.B., Mergulhao, A.C.E.S. & Lyra, M.C.C.P. 2013. The genetic variability using sequencing of the ribosomal internal transcribed spacer (ITS) region in cultivars of the cowpea (*Vigna unguiculata* L. (Walp).). *African Journal of Agricultural Research*, 8(32): 4365–4373.
- Freitas, P.D., Calgaro, M.R. & Galetti Jr, P.M. 2007. Genetic diversity within and between broodstocks of the white shrimp *Litopenaeus vannamei* and its implication for the gene pool conservation. *Brazilian Journal of Biology*, 67: 939–943.
- Galtier, N., Nabholz, B., Glémin, S. & Hurst, G.D.D. 2009. Mitochondrial DNA as a marker of molecular diversity: a reappraisal. *Molecular Ecology*, 18(22): 4541–4550. <https://doi.org/10.1111/j.1365-294X.2009.04380.x>
- Gao, T., Yao, H., Song, J., Liu, C., Zhu, Y., Ma, X., Pang, X., Xu, H. & Chen, S. 2010. Identification of medicinal plants in the family Fabaceae using a potential DNA barcode ITS2. *Journal of Ethnopharmacology*, 130: 116–121.
- Garcia-Robledo, C., Erickson, D.L., Staines, C.L., Erwin, T.L. & Kress, W.J. 2013. Tropical plant-herbivore networks: reconstructing species interactions using DNA barcodes. *PLOS ONE*, 8: e52967.
- Ghada, B., Ahmed, B.A., Messaoud, M. & Amel, S.H. 2013. Genetic diversity and molecular evolution of the internal transcribed spacer (ITSs) of nuclear ribosomal DNA in the Tunisian fig cultivars (*Ficus carica* L.; Moraceae). *Biochemical Systematics and Ecology*, 48: 20–33.
- Giacomazzi, S., Lerol, F. & Joffraud, J.J. 2005. Comparison of three methods of DNA extraction from cold-smoked salmon and impact of physical treatments. *Journal of Applied Microbiology*, 98: 1230–1238.
- Goodall-Copestake, W.P., Tarling, G.A. & Murphy, E. 2012. On the comparison of population-level estimates of haplotype and nucleotide diversity: a case study using the gene *cox1* in animals. *Heredity*, 109(1): 50–56. <https://doi.org/10.1038/hdy.2012.12>
- Gudbjartsson, D.F., Helgason, H., Gudjonsson, S.A., Zink, F., Oddson, A., Gylfason, A., Besenbacher, S., Magnusson, G., Halldorsson, B.V., Hjartarson, E., Sigurdsson, G.T., Stacey, S.N., Frigge, M.L., Holm, H., Saemundsdottir, J., Helgadóttir, H.T., Johannsdóttir, H., Sigfusson, G., Thorgeirsson, G., Sverrisson, J.T., Gretarsdóttir, S., Walters, G.B., Rafnar, T., Thjodleifsson, B., Bjornsson, E.S., Olafsson, S., Thorarinsdóttir, H., Steingrimsdóttir, T., Gudmundsdóttir, T.S., Theodors, A., Jonasson, J.G., Sigurdsson, A., Bjornsdóttir, G., Jonsson, J.J., Thorarensen, O., Ludvigsson, P., Gudbjartsson, H., Eyjolfsson, G.I., Sigurdardóttir, O., Olafsson, I., Arnar, D.O., Magnusson, O.T., Kong, A., Masson, G., Thorsteinsdóttir, U.,

- Helgason, A., Sulem, P. & Stefansson, K. 2015. Large-scale whole-genome sequencing of the Icelandic population. *Nature Genetics*, 47(5): 435–444.
- Guisinger, M.M., Chumley, T.W., Kuehl, J.V., Boore, J.L. & Jansen, R.K. 2010. Implications of the plastid genome sequence of *Typha* (Typhaceae, Poales) for understanding genome evolution in Poaceae. *Journal of Molecular Evolution*, 70: 149–166.
- Hall, N. 2007. Advanced sequencing technologies and their wider impact in microbiology. *Journal of Experimental Biology*, 209, 1518–1525.
- Hall, T. A. 1999. BioEdit: A user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symposium Series*, 41, 95–98.
- Hedrick, P. 2011. *Genetics of populations* (4th ed.). Boston: Jones & Bartlett Learning Press.
- Hershkovitz, M. A., & Lewis, L. A. 1996. Deep-level diagnostic value of the rDNA-ITS region. *Molecular Biology and Evolution*, 13(9), 1276–1295. <https://doi.org/10.1093/oxfordjournals.molbev.a025693>
- Hidayat, T., Priyandoko, D., Wardiny, P. Y., & Islami, D. K. 2016. Molecular phylogenetic screening of *Withania somnifera* relative from Indonesia based on internal transcribed spacer region. *HAYATI Journal of Biosciences*, 23(1), 1–4.
- Hollingsworth, P. M., Graham, S. W., & Little, D. P. 2011. Choosing and using a plant DNA barcode. *PLOS ONE*, 6(5), e19254. <https://doi.org/10.1371/journal.pone.0019254>
- Horisawa, S., Sakuma, Y., & Doi, S. 2009. Qualitative and quantitative PCR methods using species-specific primer for detection and identification of wood rot fungi. *Journal of Wood Science*, 55(2), 133–138.
- Hu, G., Wu, Y., Guo, C., Lu, D., Dong, N., Chen, B., Qiao, Y., Zhang, Y., & Pan, Q. 2022. Haplotype analysis of chloroplast genomes for jujube breeding. *Frontiers in Plant Science*, 13, 841767. <https://doi.org/10.3389/fpls.2022.841767>
- Huda, M., Syamsuardi, Nurainas, Murni, P., & Maulidah, R. 2019. Genetic divergence landrace of langsats (*Lansium parasiticum*) from Siberut Island based on ITS and MatK markers. *Indian Journal of Agricultural Research*, 53(3), 338–342. <https://doi.org/10.18805/A-398>
- Hynniewta, M., Malik, S. K., & Rao, S. R. 2014. Genetic diversity and phylogenetic analysis of *Citrus* (L.) from northeast India as revealed by meiosis, and

molecular analysis of internal transcribed spacer region of rDNA. *Meta Gene*, 2, 237–251. <https://doi.org/10.1016/j.mgene.2014.01.008>

- Jin, J. Q., & Sun, Y. B. 2018. AutoSeqMan: Batch assembly of contigs for Sanger sequences. *Zoological Research*, 39(2), 123–126.
- Jin, S. B., Park, J. H., Park, S. M., Lee, D. H., & Yun, S. H. 2016. Genetic Phylogenetic Relationship of the Jeju Native Citrus Byungkyool (*Citrus platymamma* Hort. ex Tanaka) using ITS (Internal Transcribed Spacer) Region of Nuclear Ribosomal DNA. *Korean Journal of Breeding Science*, 48(3).
- Jobes, D. V. & Thien, L. B. 1997. A conserved motif in the 5.8S ribosomal RNA (rRNA) gene is a useful diagnostic marker for plant internal transcribed spacer (ITS) sequences. *Plant Molecular Biology Reporter*, 15, 326-334.
- Kan, X. Z., Wang, S. S., Ding, X., & Wang, X. Q. 2007. Structural evolution of nrDNA ITS in Pinaceae and its phylogenetic implications. *Molecular Phylogenetics and Evolution*, 44, 765-777.
- Kaneko, K., & Furusawa, C. 2005. An evolutionary relationship between genetic variation and phenotypic fluctuation. *Journal of Theoretical Biology*.
- Kementerian Pertanian. 2020. *Jeruk Nusantara dan Sebaran Benih Sumber*. Badan Penelitian dan Pengembangan Pertanian. Disusun oleh Balitjestro, Balai Penelitian Tanaman Jeruk dan Buah Subtropika. Batu, Jawa Timur. Diakses dari <https://balitjestro.litbang.pertanian.go.id>.
- Kim S. J., Cho K.S., Yoo K. O., Lim K. B., Hwang Y. J., Chang D. C., & Kim K. S. 2015. Sequence analysis of the internal transcribed spacer (ITS) region of the nuclear ribosomal DNA (nrDNA) Chrysanthemum species in Korea. *Horticulture, Environment, and Biotechnology*. 56, 44-53.
- Kim, M. J., Kim, M. S., Shin, K., Park, S., Choi, C., Yun, S. H., & Jin, S. B. 2021. Comparative genetic analysis between the Jeju 'Inchangkyool' and Chinese 'Ichangensis' (*Citrus ichangensis*) using internal chloroplast trnL-trnF intergenic spacers and transcribed spacer sequence regions. *Korean Society of Breeding Science*, 53(1), 16-31.
- Kindie, B. 2021. Assess molecular marker applications for genetic variety analysis in biodiversity conservation status. *Molecular Biology*, 10(4).
- Kress, W. J., & Erickson, D. L. 2007. A two-locus global DNA barcode for land plants: The coding rbcL gene complements the non-coding trnH-psbA spacer region. *PLOS ONE*, 2(6).

- Kumar, S., Nair, K.N. & Jena, S.N. 2013. Molecular differentiation in Indian *Citrus* L. (Rutaceae) inferred from nrDNA ITS sequence analysis. *Genet Resour Crop Evol* 60, 59–75. <https://doi.org/10.1007/s10722-012-9814-x>
- Kuzmina, M. L., Johnson, K. L., Barron, H. R., & Hebert, P. D. 2012. Identification of the vascular plants of Churchill, Manitoba, using a DNA barcode library. *BMC Ecology*, 12, 25.
- Kyndt, T., Dung, T. N., Goetghebeur, P., Gheysen, G., & Van Bockstaele, E. 2010. Analysis of ITS of the rDNA to infer phylogenetic relationships among Vietnamese *Citrus* accessions. *Genetic Resources and Crop Evolution*, 57, 183–192. <https://doi.org/10.1007/s10722-009-9460-0>
- Lackie, J. M. 2013. *The dictionary of cell & molecular biology* (5th ed.). Academic Press.
- Larkin, M. A., Blackshields, G., Brown, N. P., Chenna, R., McGettigan, P. A., McWilliam, H., Valentin, F., Wallace, I. M., Wilm, A., Lopez, R., Thompson, J. D., Gibson, T. J., & Higgins, D. G. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics*, 23, 2947-2948.
- Larsson, A., 2014. AliView: a fast and lightweight alignment viewer and editor for large datasets. *Bioinformatics*, 30(22), pp.3276–3278. doi: 10.1093/bioinformatics/btu531.
- Leigh, J. W., and D. Bryant. 2015. PopART: full-feature software for haplotype network construction. *Methods in Ecology and Evolution* 6:1110–1116.
- Lewontin, R. C., & Hubby, J. L. A. 1966. A molecular approach to the study of genic heterozygosity in natural populations. II. Amount of variation and degree of heterozygosity in natural populations of *Drosophila pseudoobscura*. *Genetics*, 54, 595-609.
- Li, D.-Z., Gao, L.-M., Li, H.-T., Wang, H., Ge, X.-J., Liu, J.-Q., Chen, Z.-D., Zhou, S.-L., Chen, S.-L., Yang, J.-B., Fu, C.-X., Zeng, C.-X., Yan, H.-F., Zhu, Y.-J., Sun, Y.-S., Chen, S.-Y., Zhao, L., Wang, K., Yang, T., & Duan, G.-W. 2011. Comparative analysis of a large dataset indicates that internal transcribed spacer (ITS) should be incorporated into the core barcode for seed plants. *Proceedings of the National Academy of Sciences*, 108(49), 19641-19646.
- Li, X., Xie, R., Lu, Z., & Zhou, Z. 2010. The origin of cultivated citrus as inferred from internal transcribed spacer and chloroplast DNA sequence and

amplified fragment length polymorphism fingerprints. *Journal of the American Society for Horticultural Science*, 135(4), 341-350.

Liu, J. S. & Schardl, C. L. 1994. A conserved sequence in internal transcribed spacer 1 of plant nuclear rRNA genes. *Plant Molecular Biology*, 26(2), 775-778. Doi: <https://doi.org/10.1007/bf00013763>

Liu, J., Moller, M., Gao, L. M., Zhang, D. Q., & Li, D. Z. 2011. DNA barcoding for the discrimination of Eurasian yews (*Taxus* L., Taxaceae) and the discovery of cryptic species. *Molecular Biology Resources*, 11, 89-100.

Liu, Z., Liu, Y., Liu, S., Ding, X., Yang, Y., & Huang, H. 2009. Analysis of the sequence ITS1-5.8S-ITS2 regions of the three species of *Fructus evodiae* in Guizhou province of China and identification of main ingredients of their medicinal chemistry. *Journal of Computer Science and Systematic Biology*, 2, 200-207.

Liu, G.-Q., Lian, L., & Wang, W. 2022. The Molecular Phylogeny of Land Plants: Progress Prospects. *Diversity*, 14(10), 782. <https://doi.org/10.3390/d14100782>

Long, K., L. Cai., L. He. 2018. DNA Sequencing Data Analysis. *Computational System Biology*, 1-13. https://doi.org/10.1007/978-1-4939-7717-8_1

Lv, X., S. Zhao, Z. Ning, H. Zeng, Y. Shu, O. Tao, C. Xiao, C. Lu and Y. Liu. 2015. Citrus Fruits As A Treasure Trove Of Active Natural Metabolites That Potentially Provide Benefits For Human Health. *Chemistry Central Journal*. 68: 2-14.

Maggini, F., Frediani, M., & Gelati, M. T. 2000. Nucleotide sequence of the internal transcribed spacers of ribosomal DNA in *Picea abies* Karst. *DNA Sequence*, 11(1-2), 87-89.

Mahadani, P., & Ghosh, S. K. 2014. Utility of indels for species-level identification of a biologically complex plant group: a study with intergenic spacer in Citrus. *Molecular biology reports*, 41, 7217-7222. <https://doi.org/10.1007/s11033-014-3606-7>

Manafzadeh, S., Salvo, G., & Conti, E. 2014. A tale of migrations from east to west: The Irano-Turanian floristic region as a source of Mediterranean xerophytes. *Journal of Biogeography*, 41(2), 366-379.

Maras, M., Aksoz, E., & Menemen, Y. 2006. The structural features and phylogenetic utility of the ITS in *Ferulago* W. Koch (Umbelliferae) genus. *International Journal of Botany*, 2(1), 17-22.

- Genusreta, F., Budianto, A., & Sutoyo, S. 2019. Studi tentang metode perbanyakan tanaman jeruk siam Pontianak (*Citrus nobilis* var. *microcarpa*) secara vegetatif di Kebun Percobaan Punten. *Berkala Ilmiah Pertanian*, 2(1), 26–29.
- Martasari, C., Karsinah Karsinah, and Reflinur Reflinur. 2012 *Characterization of Indonesian 'Siam' cultivar (Citrus nobilis Lour.) by morphological and ISSR markers* : 830-835.
- Mawarni, S. N., Khairunnisa, D., Larasati, I., Rizqo, N., Erfianti, T., Kusumaningrum, H. P., Ferniah, R. S., & Pujiyanto, S. 2021. Application of Doyle and Doyle method for DNA isolation from pamele yellow orange (*Citrus maxima* Merr), lime orange (*C. limon*) and sunkist orange (*C. sinensis*). *Journal of Physics: Conference Series*, 1943, 1-5.
- Milot, E., Weimerskirch, H., Duchesne, P., & Bernatchez, L. 2007. Surviving with low genetic diversity: the case of albatrosses. *Proceedings of the Royal Society B*, 274, 779-787.
- Mir, B. A., Koul, S., Kumar, A., Kaul, M. K., Soodan, A. S., & Raina, S. N. 2010. Intraspecific variation in the internal transcribed spacer (ITS) regions of rDNA in *Withania somnifera* (Linn.) Dunal. *Indian Journal Biotechnology*, 9, 325-328.
- Mollah, A., Ashan, M.A., Khatimah, A.H. 2022. Uji Kualitas dan Kuantitas DNA Porang (*Amorphophallus Muelleri Blume*) pada Beberapa Kawasan di Sulawesi Selatan. *Jurnal Agritechno*, Vol. 15, No. 01.
- Mulyani, M., Catrina, C., Wiliardi., Roesma, D.I., Mansyurdin. 2017. Genetic Variation Citrus Cultivar Siam (*Citrus nobilis* Lour. var *Microcarpa* Hassk) from Gunuang Omeh Production Centre, West Sumatra, Indonesia. *World Journal of Pharmaceutical and Life Sciences* Vol. 3, Issue 6, 215-219
- Munirah, S., Mat, N., Hasan Nudin, N.F., Mazlan, N., Arumugam, N., Bakar, M.F.A., Wahid, M.A.A., & Ali, A.M. 2014. The Distribution of *Dioscorea hispida* Dennst. germplasm in Terengganu and phylogenetic relationships of *Dioscorea* spp. using internal Transcribed (ITS). *Journal of Agrobiotechnology*, 5, 31-47.
- Murphy B. P., & Tranel P. J. 2018. Identification and validation of *Amaranthus* species-specific SNPs within the ITS region: applications in quantitative species identification. *Crop Science*, 58, 304-311.
- Murray, M.G., Thompson, W.F. 1980. Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research*, 8(19), 4321–4325.

- Mursyidin, D. H., & Setiawan, A. 2023. Assessing diversity and phylogeny of Indonesian breadfruit (*Artocarpus* spp.) using internal transcribed spacer (ITS) region and leaf morphology. *Journal of Genetic Engineering and Biotechnology*, 21(15), 1-12.
- Nalumpang, S., Gotoh, Y., Yamasaki, Y., Gomi, K., Yamamoto, H., & Akimitsu, K. 2002. Comparison and characterization of polygalacturonase-inhibiting protein genes from the genus of citrus and its close related genera.
- Nei, M., & Kumar, S. 2000. *Molecular evolution and phylogenetics*. Oxford University Press.
- Nevo, E. 1978. Genetic variation in natural populations: patterns and theory. *Theoretical Population Biology*, 13(1), 121-177.
- Nguyen, P.L., Jung, J.K., Park, J.S. *et al.* 2025 Low-density SNP marker sets for genetic variation analysis and variety identification in cultivated citrus. *BMC Plant Biol* 25, 146. <https://doi.org/10.1186/s12870-025-06153-1>
- Nurasa, Tjetjep dan Deri Hidayat. 2011. *Analisis usahatani dan keragaan margin pemasaran jeruk di Kabupaten Karo*. Bogor: Pusat Penelitian dan Pengembangan Sosial Ekonomi Kebijakan Pertanian Badan Litbang pertanian.
- Nurhidayati, S., & Rahmadani, R. 2020. Studi tentang metode perbanyakan tanaman jeruk siam Pontianak (*Citrus nobilis* var. *microcarpa*) secara vegetatif di Kebun Percobaan Punten. *Jurnal Agronomi Tropika*.
- Nyffeler, R., & Baum, D. A. 2000. Phylogenetic relationships of the durians (Bombacaceae-Durioneae or /Malvaceae/Helicteroideae/Durioneae) based on chloroplast and nuclear ribosomal DNA sequences. *Plant Systematic Evolution*, 224, 55-82.
- Ollitrault, P., & Navarro, L. 2012. Citrus. In M. L. Badenes & D. H. Byrne (Eds.), *Fruit breeding* (pp. 623–662). Springer. https://doi.org/10.1007/978-1-4419-0763-9_18
- Pang, X., Luo, H., & Sun, C. 2012. Assessing the potential of candidate DNA barcodes for identifying non-flowering seed plants. *Plant Biology*, 14, 839-844.
- Paradis, E 2018. Analysis of *Haplotype networks*: The randomized minimum spanning tree method. *Methods in Ecology and Evolution*.

- Phillips, J. D., Gillis, D. J., and Hanner, R. H. 2019. Incomplete estimates of genetic diversity within species: Implications for DNA barcoding. *Ecology and Evolution*, <https://doi.org/10.1002/ece3.4757>
- Qiao, Y., B. J. Xie, Y. Zhang, Y. Zhang, G. Fan, X. L. Yao and S.Y. Pan. 2008. Characterization of Aroma Active Compounds in Fruit Juice and Peel Oil of Jincheng Sweet Orange Fruit (*Citrus sinensis* (L.) Osbeck) by GC-MS and GC-O. *Molecules* 13: 1333-1344.
- Qin, Y., Li, M., Cao, Y., Gao, Y., & Zhang, W. 2017. Molecular thresholds of ITS2 and their implications for molecular evolution and species identification in seed plants. *Scientific Reports*, 7, 17316.
- Queiroz, C. S., Batista, F. R. C., & Oliveira, L. O. 2011. Evolution of the 5.8S nrDNA gene and internal transcribed spacers in *Carapichea ipecacuanha* (Rubiaceae) within a phylogeographic context. *Molecular Phylogenetics and Evolution*, 59, 293-302.
- Ramana, K. V. R., V. S. Govindarajan, S. Ranganna and J. F. Kefford. 1981. Citrus fruits-varieties, chemistry, technology, and quality evaluation. Part I: Varieties, production, handling, and storage. *Comprehensive Reviews in Food Science and Food Safety*. 15: 353-431.
- Resida, E., Chikmawati, T., Ariyanti, N., & Fitmawati. 2023. Mangifera kemanga Blume (Anacardiaceae) Taxonomic Assessment for Genetic Diversity Based on Molecular Substantiation. *SABRAO Journal of Breeding and Genetics*, 55(1), 175–186. <https://doi.org/10.54910/sabrao2023.55.1.17>
- Rizko, N., Kusumaningrum, H. P., Ferniah, R. S., Pujiyanto, S., Erfianti, T., Mawarni, S. N., & Khairunnisa, D. 2020. Isolasi DNA daun jeruk bali merah (*Citrus maxima* Merr.) dengan modifikasi metode Doyle and Doyle. *Berkala Bioteknologi*, 3(2).
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sanchez-Gracia, A. 2017. DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, 34(12), 3299-3302.
- Saini, A., Reddy, S. K., & Jawali, N. 2018. Intra-individual and intra-species heterogeneity in nuclear rDNA ITS region of *Vigna* species from subgenus *Ceratopics*. *Genetic Research Cambridge*, 90, 299-316.
- Salvo, G., Manafzadeh, S., Ghahremaninejad, F., Tojibaev, K., Zeltner, L., & Conti, E. 2011. Phylogeny, morphology, and biogeography of *Haplophyllum* (Rutaceae), a species-rich genus of the Irano-Turanian floristic region. *Taxon*, 60(2), 513-527. <http://dx.doi.org/10.1002/tax.602018>

- Sambrook, J. and Russell, D.W. 2001. *Molecular Cloning: A Laboratory Manual*. 3rd Edition, Vol. 1, Cold Spring Harbor Laboratory Press, New York.
- Samson, R. A., Houbraken, J., Thrane, U., Frisvad, J. C., & Andersen, B. 2010. *Food and indoor fungi*. Centraalbureau voor Schimmelcultures.
- Sass, C., Little, D. P., Stevenson, D. W., & Specht, C. D. 2007. DNA barcoding in the cycadales: testing the potential of proposed barcoding markers for species identification of cycads. *PLOS ONE*, 2.
- Sayed, L. M. 2018. Utilization of internal transcribed spacer (ITS) as a molecular marker for phylogenetic relationship of Solanaceae family. *Egyptian Journal of Genetics and Cytology*, 46, 167-178.
- Schoch, C. L., Seifert, K. A., Huhndorf, S., et al. 2012. Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the National Academy of Sciences*, 109(16), 6241–6246. <https://doi.org/10.1073/pnas.1117018109>
- Senavirathna, H. M. T. N., Ranaweera, L. T., Mudannayake, M. M. A. W. P., Nawanjana, P. W. I., Wijesundara, W. M. D. A., Jayarathne, H. S. M., Ratnasuriya, M. A. P., Weebadde, C. K., & Sooriyapathirana, S. D. S. S. 2020. Assessment of the taxonomic status of the members of genus *Artocarpus* (Moraceae) in Sri Lanka. *Genetic Resources and Crop Evolution*, 67, 1163-1179.
- Setriani, A. 2024. *Variasi genetik jeruk siam (Citrus nobilis Lour.) di beberapa sentra produksi Sumatra dengan menggunakan penanda RAPD*. Skripsi sarjana. Universitas Andalas, Fakultas Matematika dan Ilmu Pengetahuan Alam, Departemen Biologi. <http://scholar.unand.ac.id/474388/>
- Shaw, A. J., McDaniell, S. F., Werner, O., & Ros, R. M. 2002. Phylogeography and phylodemography. *The Bryologist*, 105(3), 373-383.
- Sherwin, W. B., & Moritz, C. 2000. Managing and monitoring genetic erosion. In: A. G. Young & G. M. Clarke (Ed.), *Genetics, demography and viability of fragmented populations* (pp. 9-34). Cambridge, UK: Cambridge University Press.
- Slotta, T. A. B. 2000. *Phylogenetic analysis of Iliamna (Malvaceae) using the internal transcribed spacer region*. Thesis. Virginia Polytechnic Institute and State University.
- Smarda, P., Bures, P., Horova, L., Leitch, I. J., Mucina, L., Pacini, E., Tichy, L., Grulich, V., & Rotreklova, O. 2014. Ecological and Evolutionary Significance of Genomic GC Content Diversity in Monocots. *Proceedings*

- Steane, D. A. 2005. Complete nucleotide sequence of the chloroplast genome from the Tasmanian blue gum, *Eucalyptus globulus* (Myrtaceae). *DNA Research*, 12, 215-220.
- Sugita, M., Shinozaki, K., & Sugiura, M. 1985. Tobacco chloroplast tRNA^{Lys} (UUU) gene contains a 2.5-kilobase-pair intron: an open reading frame and a conserved boundary sequence in the intron. *Proceedings of the National Academy of Sciences of the United States of America*, 82, 3557-3561.
- Suh, Y., Thien, L. B., & Zimmer, E. A. 1992. Nucleotide sequences of the internal transcribed spacers and 5.8S rRNA gene in *Canella winterana* (Magnoliales; Cannellaceae). *Nucleic Acids Research*, 20, 6101-6102.
- Sun, Y. L., Kang, H. M., Han, S. H., Park, Y. C., & Hong, S. K. 2015. Taxonomy and phylogeny of the genus citrus based on the nuclear ribosomal DNA ITS region sequence. *Pak. J. Bot.*, 47(1), 95-101.
- Swingle W.T. 1967. The botany of citrus and its wild relatives. In: Reuther W., Webber H.J. and Batchelor L.D. (eds.) *The Citrus Industry*, vol. 1 University of California Press, Berkeley, CA. USA. 389–390.
- Syamsuardi, S., Chairul, C., & Murni, P. 2018. Analysis of Genetic Impurity of An Original Cultivar Duku (*Lansium parasiticum* (Osbeck.) K.C. Sahni & Bennet.), from Jambi, Indonesia Using ITS and MatK Gene. *IJEAB*, 3(2), 441–446. <https://doi.org/10.22161/ijeab/3.2.16>
- Tabatabaee, Y., Zhang, C., Warnow, T., & Mirarab, S. 2023. Phylogenomic branch length estimation using quartets. *Bioinformatics*, 39, i185–i193. <https://doi.org/10.1093/bioinformatics/btad221>
- Tamura, K., Stecher, G., & Kumar, S. 2021. MEGA11: Molecular evolutionary genetics analysis version 11. *Molecular Biology and Evolution*, 38, 3022-3027.
- Terra V., Garcia F. C. P., Queiroz L. P. de, Bank M., Miller J. T. 2017. Phylogenetic Relationships in Senegalia (Leguminosae-Mimosoideae) Emphasizing the South American Lineages. *Systematic Botany*, 42(3), 458- 464.
- Thornton, B., and Basu, C. 2011. Real-time PCR (qPCR) primer design using free online software. *Biochemistry and Molecular Biology Education*.
- Tobing, D.M.A.L., Bayu E.S., Siregar L.A.M. 2013. Identifikasi Karakter Morfologi Dalam Penyusunan Deskripsi Jeruk Siam (*Citrus nobilis* Lour.) di Beberapa Daerah Kabupaten Karo. *Jurnal Online Agroteknologi*. Vol.2, No.1: 72-85.

- Tripathi, A. M., Tyagi, A., Kumar, A., Singh, A., Singh, S., Chaudhary, L. B., & Roy, S. 2013. The internal transcribed spacer (ITS) region and trnH-psbA are suitable candidate loci for DNA barcoding of tropical tree species of India. *PLOS ONE*, 8(2), e57934.
- Tuzun, E., Sharp, A. J., Bailey, J. A., Kaul, R., Morrison, V. A., Pertz, L. M., Haugen, E., Hayden, H., Albertson, D., Pinkel, D., Olson, M. V., & Eichler, E. E. 2005. Fine-scale structural variation of the human genome. *Nature Genetics*, 37(7), 727-732.
- Ubaidillah, R. & Sutrisno, H. 2009. *Pengantar biosistemik: teori dan praktikum*. Jakarta: LIPI Press.
- Utama, M.S. 2015. *Penanganan Pasca Panen Buah dan Sayuran Segar. Di dalam: Forum Konsultasi Teknologi Dinas Pertanian Tanaman Pangan Provinsi Bali*. Denpasar (Vol. 21).
- Uzun, A., & Yesiloglu, T. 2012. Genetic diversity in citrus. In A. G. Patil (Ed.), *The molecular basis of plant genetic diversity* (pp. 213–230). InTech. <https://doi.org/10.5772/31379>
- Vieira, F.C., de Laia, M.L., Marques, A., Goncalves, J.F., & Veloso, R.V.S. 2017. Use of the internal transcribed spacer (ITS) regions to characterize Macaw progenies. *Biotechnology Journal International*, 18(2), 1-8.
- Wang C. 2016. Primer Design. Centre for Medical Parasitology University of Copenhagen. *Health Science*, Denmark
- Wang, D. Y., Wang, Q., Wang, Y. L., Xiang, X. G., Huang, L. Q., & Jin, X. H. 2017. Evaluation of DNA barcodes in Codonopsis (Campanulaceae) and in some large angiosperm plant genera. *PLOS ONE*, 12(2), e0170286.
- Warseno, T., Efendi, M., Chasani, A. R., Daryono, B. S. 2022. Genetic variability and phylogenetic relationships of *Begonia multangula* based on atpB-rbcL non-coding spacer of cpDNA sequences. *BIODIVERSITAS*, 23(10), 5491-5501.
- White, T.J., Bruns, T., Lee, S., Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: PCR Protocols. *Academic Press*, 315–322.
- Wibawa, H. 2022. *Introduction to DNA sequencing technology*. Yogyakarta: Universitas Gadjah Mada
- Wilson, I.G. 1997. Inhibition and facilitation of nucleic acid amplification. *Applied and Environmental Microbiology*, 63(10), 3741–3751.

- Wu, G. A., Terol, J., Ibanez, V., López-García, A., Pérez-Román, E., Borredá, C., Talon, M. 2018. Genomics of the origin and evolution of Citrus. *Nature*, 554(7692), 311-316.
- Wulandari, E. F., Mawikere, N. L., & Abbas, B. 2021. Keragaman morfologi dan genetik beberapa sampel tanaman sagu (*Metroxylon sagu* Rottb.) berdasarkan penanda molekuler gen mat-K. *CASSOWARY*, 4(1), 68-86.
- Xu, P., Jiang, Y., Xu, J., Li, J., & Sun, X. 2016. Genomics in the common carp. In: *Genomics in aquaculture* (pp. 247-274). Academic Press.
- Yamaji, H., Kondo, K., Kuniga, T., Nesumi, H., Yoshida, T., Hashimoto, K., & Takeda, O. 2013. *Origin of cultivated Citrus (Rutaceae) documented by the contents of internal transcribed spacer sequences (ITS) in nuclear ribosomal DNA*. UNIVERSITAS ANDALAS
- Zamzami, L., Andrini, A., Martasari, C., Budiyati, E. 2021. *Teknologi Inovatif Jeruk Sehat Nusantara*. IPB Press. Bogor-Indonesia
- Zhang, J. Q., Meng, S. Y., Wen, J., & Rao, G. Y. 2015. DNA barcoding of *Rhodiola* (Crassulaceae): a case study on a group of recently diversified medical plants from the Qinghai-Tibetan Plateau. *PLOS ONE*, 10(3), e0119921.
- Zhang, J., Chiodini, R., Badr, A., & Zhang, G. 2001. The impact of next generation sequencing on genomics. *Journal of Genetics and Genomics*, 38(3), 95-109.
- Zhou B., Tu T., Kong F., Wen J., and Xu X. 2018. Revised phylogeny and historical biogeography of the cosmopolitan aquatic plant genus *Typha* (Typhaceae). *Scientific reports*, 8, 8813.
- Zhou, Z., Jiang, Y., Wang, Z., Gou, Z., Lyu, J., Li, W., Yu, Y., Shu, L., Zhao, Y., Ma, Y., Fang, C., Shen, Y., Liu, T., Li, C., Li, Q., Wu, M., Wang, M., Wu, Y., Dong, Y., Wan, W., Wang, X., Ding, Z., Gao, Y., Xiang, H., Zhu, B., Lee, S., Wang, W., & Tian, Z. 2015. Resequencing 302 wild and cultivated 37 accessions identifies genes related to domestication and improvement in soybean. *Nature Biotechnology*, 33(4), 408-4